

DAFTAR PUSTAKA

1. Ruslin M, Akbar FH, Hajrah-Yusuf AS, Subehan. Analysis of total flavonoid levels in brown algae (*Sargassum* sp. and *Padina* sp.) as analgesic drug therapy. *Asian Journal of Pharmaceutical and Clinical Research*. 2018;11(7):81-83. doi:10.22159/ajpcr.2018.v11i7.25657
2. Singh IP, Sidana J. Phlorotannins. *Functional Ingredients from Algae Foods Nutraceuticals*. 2013:181-204. doi:10.1533/9780857098689.1.181
3. Dobrinčić A, Balbino S, Zorić Z, et al. Advanced technologies for the extraction of marine brown algal polysaccharides. *Marine Drugs*. 2020;18(3). doi:10.3390/md18030168
4. Unsworth RKF, Ambo-Rappe R, Jones BL, et al. Indonesia's globally significant seagrass meadows are under widespread threat. *Science Total Environment*. 2018;634:279-286. doi:10.1016/j.scitotenv.2018.03.315
5. Pakidi CS, Suwono H suryanto. Potensi dan Pemanfaatan Bahan Aktif Alga Cokelat *Sargassum* Sp. *Octopus*. 2016;5(2):488-498.
6. Abdelhamid A, Jouini M, Bel Haj Amor H, et al. Phytochemical Analysis and Evaluation of the Antioxidant, Anti-Inflammatory, and Antinociceptive Potential of Phlorotannin-Rich Fractions from Three Mediterranean Brown Seaweeds. *Marine Biotechnology (NY)*. 2018;20(1):60-74. doi:10.1007/s10126-017-9787-z
7. Barbosa M, Lopes G, Andrade PB, Valentão P. Bioprospecting of brown seaweeds for biotechnological applications: Phlorotannin actions in inflammation and allergy network. Presented at the: 2019. doi:10.1016/j.tifs.2019.02.037
8. Cheung RCF, Ng TB, Wong JH, Chen Y, Chan WY. Marine natural products with anti-inflammatory activity. *Applied Microbiology Biotechnology*. 2016;100(4):1645-1666. doi:10.1007/s00253-015-7244-3.
9. Kannikulathel Gopidas S, Subramani N. Antimicrobial and antioxidant effects of phlorotannin coating in spoilage prevention of tomato during storage. *Journal of Applied Biotechnology and Bioengineering*.

- 2020;7(4):175-183. doi:10.15406/jabb.2020.07.00231
10. Xiao XH, Yuan ZQ, Li GK. Preparation of phytosterols and phytol from edible marine algae by microwave-assisted extraction and high-speed counter-current chromatography. *Separation and Purification Technology*. 2013;104:284-289. doi:10.1016/j.seppur.2012.11.032.
 11. Hamrun N, Talib B, Ruslin M, et al. A Promising Potential of Brown Algae *Sargassum polycystum* as Irreversible Hydrocolloid Impression Material. *Marine Drugs*. 2022;20(1):1-9. doi:10.3390/md20010055
 12. Barbalace MC, Malaguti M, Giusti L, Lucacchini A, Hrelia S, Angeloni C. Anti-Inflammatory Activities of Marine Algae in Neurodegenerative Diseases. In: *International Journal of Molecular Sciences*. ; 2019.
 13. Bouzidi N, Viano Y, Ortalo-Magné A, et al. Sterols from the brown alga *Cystoseira foeniculacea*: Degradation of fucosterol into saringosterol epimers. *Arabian Journal of Chemistry*. 2019;12(7):1474-1478. doi:10.1016/j.arabjc.2014.11.004
 14. Salehi B, Sharifi-Rad J, Seca AMLL, et al. Current Trends on Seaweeds: Looking at Chemical Composition, Phytopharmacology, and Cosmetic Applications. *Molecules*. 2019;24(22). doi:10.3390/molecules24224182
 15. Sang Vo T, Hung Ngo D KKS. Potential Targets for Anti-Inflammatory and Anti-Allergic Activities of Marine Algae: An Overview.pdf. 2012:Vol.11, No.2.
 16. Tan PX, Thiyagarasaiyar K, Tan CY, et al. Algae-derived anti-inflammatory compounds against particulate matters-induced respiratory diseases: A systematic review. *Marine Drugs*. 2021;19(6). doi:10.3390/md19060317
 17. Shanura Fernando IP, Kim M, Son KT, Jeong Y, Jeon YJ. Antioxidant Activity of Marine Algal Polyphenolic Compounds: A Mechanistic Approach. *Journal of Medicinal Food*. 2016;19(7):615-628. doi:10.1089/jmf.2016.3706
 18. Wong CH, Gan SY, Tan SC, et al. Fucosterol inhibits the cholinesterase activities and reduces the release of pro-inflammatory mediators in lipopolysaccharide and amyloid-induced microglial cells. *Journal of Applied Physiology*. 2018;30(6):3261-3270. doi:10.1007/s10811-018-1495-

1

19. Thomas NV, Diyya ASM, Ghafour DD, Kim S. Marine Algal Phlorotannins and their Biological Importance. *Encyclopedia of Marine Biotechnology*. 2020;(August):1535-1558. doi:10.1002/9781119143802.ch65.
20. Pullaiah C, Thyagaraju K, Nelson V. Phlorotannins And Their Biological Significance. *Journal of Global Trends in Pharmaceutical Sciences*. 2020;11(4):8451-8457.
21. Shrestha S, Zhang W, Smid SD. Phlorotannins: A review on biosynthesis, chemistry and bioactivity. *Food Bioscience*. 2021;39(November 2020):100832. doi:10.1016/j.fbio.2020.100832
22. Sugiura Y, Tanaka R, Katsuzaki H, Imai K, Matsushita T. The anti-inflammatory effects of phlorotannins from *Eisenia arborea* on mouse ear edema by inflammatory inducers. *Journal of Functional Foods*. 2013;5(4):2019-2023. doi:10.1016/j.jff.2013.08.010
23. Lopes G, Barbosa M, Vallejo F, et al. Profiling phlorotannins from *Fucus* spp. of the Northern Portuguese coastline: Chemical approach by HPLC-DAD-ESI/MSⁿ and UPLC-ESI-QTOF/MS. *Algal Research*. 2018;29(November 2017):113-120. doi:10.1016/j.algal.2017.11.025
24. Yang YI, Shin HC, Kim SH, Park WY, Lee KT, Choi JH. 6,6'-Bieckol, isolated from marine alga *Ecklonia cava*, suppressed LPS-induced nitric oxide and PGE 2 production and inflammatory cytokine expression in macrophages: The inhibition of NFκB. *International Immunopharmacology*. 2012;12(3):510-517. doi:10.1016/j.intimp.2012.01.005
25. Pratima NA. Liquid Chromatography-Mass Spectrometry and Its Applications: A Brief Review. *Archives Organic and Inorganic Chemical Sciences*. 2018;1(1):26-34. doi:10.32474/aoics.2018.01.000103
26. van der Lee M, van den Pol E. Chromatographic Separation of Surfactants in Chemical EOR. *IOR 2015 - 18th Eur Symp Improv Oil Recover*. 2015;(March). doi:10.3997/2214-4609.201412156
27. Pitt JJ. Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry. *Clinical Biochemist Reviews*. 2009;30(1):19-

34. <http://www.ncbi.nlm.nih.gov/pubmed/19224008><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC2643089>.
28. Furuhashi T, Okuda K. Application of GC/MS Soft Ionization for Isomeric Biological Compound Analysis. *Critical Review and Analytical Chemistry*. 2017;47(5):438-453. doi:10.1080/10408347.2017.1320215
29. Chiu HH, Kuo CH. Gas chromatography-mass spectrometry-based analytical strategies for fatty acid analysis in biological samples. *Journal of Food and Drug Analysis*. 2020;28(1):60-73. doi:10.1016/j.jfda.2019.10.003
30. Jahan I, Tona MR, Sharmin S, et al. GC-MS phytochemical profiling, pharmacological properties, and in silico studies of chukrasia velutina leaves: A novel source for bioactive agents. *Molecules*. 2020;25(15). doi:10.3390/molecules25153536.
31. Carneiro JNP, da Cruz RP, Campina FF, et al. GC/MS analysis and antimicrobial activity of the Piper mikanianum (Kunth) Steud. essential oil. *Food Chemical Toxicol*. 2020;135:110987. doi:10.1016/j.fct.2019.110987
32. Castro-Silva ES, Bello M, Rosales-Hernández MC, et al. Fucosterol from Sargassum horridum as an amyloid-beta (A β 1-42) aggregation inhibitor: in vitro and in silico studies. *Journal of Biomolecular Structure and Dynamics*. 2021;39(4):1271-1283. doi:10.1080/07391102.2020.1729863
33. Maurer HH. Pitfalls in drug testing by hyphenated low- and high-resolution mass spectrometry. *Drug Testing and Analysis*. 2020;12(2):172-179. doi:10.1002/dta.2744
34. Sun X, Liu X, Chen S. The Pharmacokinetics, Tissue Distribution, Metabolism, and Excretion of Pinostrobin in Rats: Ultra-High-Performance Liquid Chromatography Coupled With Linear Trap Quadrupole Orbitrap Mass Spectrometry Studies. *Front Pharmacol*. 2020;11(November). doi:10.3389/fphar.2020.574638
35. Chen S, Wang L, Zhang W, Wei Y. Secondary metabolites from the root of *Lindera reflexa* Hemsl. *Fitoterapia*. 2015;105:222-227. doi:10.1016/j.fitote.2015.07.005
36. Kumar Y, Tarafdar A, Kumar D, et al. Polyphenols of Edible Macroalgae: Estimation of In Vitro Bio-Accessibility and Cytotoxicity, Quantification by

- LC-MS/MS and Potential Utilization as an Antimicrobial and Functional Food Ingredient. *Antioxidants*. 2022;11(5). doi:10.3390/antiox11050993
37. Caamal-Fuentes E, Moo-Puc R, Freile-Pelegrín Y, Robledo D. Cytotoxic and antiproliferative constituents from *Dictyota ciliolata*, *Padina sanctae-crucis* and *Turbinaria tricostata*. *Pharmaceutical Biology*. 2014;52(10):1244-1248. doi:10.3109/13880209.2014.886273
 38. Prasedya ES, Frediansyah A, Martyasari NWR, et al. Effect of particle size on phytochemical composition and antioxidant properties of *Sargassum cristae-folium* ethanol extract. *Scientific Reports*. 2021;11(1):1-9. doi:10.1038/s41598-021-95769-y
 39. Ford L, Theodoridou K, Sheldrake GN, Walsh PJ. A critical review of analytical methods used for the chemical characterisation and quantification of phlorotannin compounds in brown seaweeds. *Phytochemical Analysis*. 2019;30(6):587-599. doi:10.1002/pca.2851
 40. Lagarda MJ, García-Llatas G, Farré R. Analysis of phytosterols in foods. *Journal of Pharmaceutical Biomedical Analysis*. 2006;41(5):1486-1496. doi:10.1016/j.jpba.2006.02.052
 41. He P, Aga DS. Comparison of GC-MS/MS and LC-MS/MS for the analysis of hormones and pesticides in surface waters: Advantages and pitfalls. *Analytical Methods*. 2019;11(11):1436-1448. doi:10.1039/c8ay02774a
 42. Hidayat R, Patricia Wulandari. Methods of Extraction: Maceration, Percolation and Decoction. *Eureka Herba Indones*. 2021;2(1):73-79. doi:10.37275/ehi.v2i1.15
 43. Erpel F, Mateos R, Pérez-Jiménez J, Pérez-Correa JR. Phlorotannins: From isolation and structural characterization, to the evaluation of their antidiabetic and anticancer potential. *Food Research International*. 2020;137(March):109589. doi:10.1016/j.foodres.2020.109589