

Daftar Pustaka

1. Patel J, Jablonski RY, Morrow LA. Complete dentures: An update on clinical assessment and management: Part 1. *Br Dent J*. 2018 Oct 26;225(8):707–14.
2. Mistry R, Kale Pisulkar S, Bhojar Borle A, Godbole S, Mandhane R. Stability in Complete Dentures: An Overview. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN [Internet]*. 2018;17:36–41. Available from: www.iosrjournals.org
3. Alqutaibi AY, Kaddah AF. Attachments used with implant supported overdenture. *International Dental & Medical Journal of Advanced Research - VOLUME 2015*. 2016;2(1):1–5.
4. Sharma AJ, Nagrath R, Lahori M. A comparative evaluation of chewing efficiency, masticatory bite force, and patient satisfaction between conventional denture and implant-supported mandibular overdenture: An in vivo study. *Journal of Indian Prosthodontist Society*. 2017 Oct 1;17(4):361–72.
5. Oscar L, Mariano H, Sartori EA, Broilo JR, Shinkai RS, Corso L, et al. Stresses in implant-supported overdentures with bone resorption: A 3-D finite element analysis Tensões em sobredentaduras com reabsorção óssea: análise por elementos finitos tridimensional. *Vol. 27, Rev Odonto Cienc*. 2012.
6. Wismeijer D, van Wcias MAJ, Vermeeren JIJF, Mulderf J, Kalk W. overdentures A comparison of three treatment strategies with ITI-dental implants. *Vol. 26, Int. J. Oral Maxillofac. Surg*. 1997.
7. pessoa roberto s jaecques, siegfried V. finite element analysis in dental implant biomechanics. In: *biomechanics of dental implants*.
8. Misch CE. *Dental implant prosthetics*. Elsevier Mosby; 2005. 626 p.
9. El-Anwar MI, El-Taftazany EA, Hamed HA, Abd Elhay MA. Influence of number of implants and attachment type on stress distribution in mandibular implant-retained overdentures: Finite element analysis. *Open Access Maced J Med Sci*. 2017 Apr 15;5(2):244–9.
10. Kim Y, Oh TJ, Misch CE, Wang HL. Occlusal considerations in implant therapy: Clinical guidelines with biomechanical rationale. *Vol. 16, Clinical Oral Implants Research*. 2005. p. 26–35.
11. J P Geng KBTGRL. Application of finite element analysis in implant dentistry: a review of the literature. *J Prosthet Dent* 2001 Jun;85(6):585-98 doi: 101067/mpr2001115251. 2001;85(6).
12. Cristache CM, Muntianu LAS, Burlibasa M, Didilescu AC. Five-year clinical trial using three attachment systems for implant overdentures. *Clin Oral Implants Res*. 2014 Feb;25(2).
13. Barão VAR, Delben JA, Lima J, Cabral T, Assunção WG. Comparison of different designs of implant-retained overdentures and fixed full-arch implant-supported prosthesis on stress distribution in edentulous mandible - A computed tomography-based three-dimensional finite element analysis. *J Biomech*. 2013 Apr 26;46(7):1312–20.
14. Morais JA, Heydecke G, Pawliuk J, Lund JP, Feine JS. The effects of mandibular two-implant overdentures on nutrition in elderly edentulous individuals. *J Dent Res*. 2003 Jan 1;82(1):53–8.
15. Mericske-Slvrn R, Dent M, Zarb GA. *Overdentures: An Alternative Implant Methodology for Edentulous Patients*.
16. Barão VAR, Delben JA, Lima J, Cabral T, Assunção WG. Comparison of different designs of implant-retained overdentures and fixed full-arch implant-supported prosthesis on stress distribution in edentulous mandible - A computed tomography-based three-dimensional finite element analysis. *J Biomech*. 2013 Apr 26;46(7):1312–20.

17. Trakas T, Michalakis K, Kang K, Hirayama H. Attachment systems for implant retained overdentures: A literature review. Vol. 15, *Implant Dentistry*. Lippincott Williams and Wilkins; 2006. p. 24–34.
18. Naert I, Quirynen M, Theuniers G, van Steenberghe D. Prosthetic aspects of osseointegrated fixtures supporting overdentures. A 4-year report.
19. Ronald Sakaguchi JFJP. *Craig's Restorative Dental Materials*. 14th ed. Elsevier; 2018.
20. Magne P. efficient 3D finite element analysis of dental restoratif using micro CT data.
21. Zohrabian VM, Sonick M, Hwang D, Abrahams JJ. *Dental Implants. Seminars in Ultrasound, CT and MRI*. 2015 Oct 1;36(5):415–26.
22. Rahajoeningsih P, Manurung R, Prostodonsia B. Jenis-jenis gigitiruan dukungan implan Implant-supported dentures. Vol. 12. 2013.
23. Esposito M, Grusovin MG, Maghaireh H, Worthington H v. Interventions for replacing missing teeth: different times for loading dental implants. Vol. 2013, *Cochrane Database of Systematic Reviews*. John Wiley and Sons Ltd; 2013.
24. Hamid R. Shafie. *Clinical and Laboratory Manual of Implant Overdenture*. first. blackwell Munksgard; 2007.
25. Ferro KJ, Morgano SM, Editor Carl Driscoll CF, Freilich MA, Guckes AD, Knoernschild KL, et al. *The Glossary of Prosthodontic Terms Ninth Edition* Editorial Staff Glossary of Prosthodontic Terms Committee of the Academy of Prosthodontics Preface to the Ninth Edition.
26. Cakarer S, Can T, Yaltirik M, Keskin C. Complications associated with the ball, bar and locator attachments for implant-supported overdentures. *Med Oral Patol Oral Cir Bucal*. 2011 Nov 1;16(7).
27. shafie H. principles of attachment selection.
28. jimenez-lobes V. oral rehabilitation with implant-supported prosthesis: implant supported overdentures prosthesis.
29. Satpathy S, Satish Babu CL, Shetty S, Raj B. Stress distribution patterns of implant supported overdentures-analog versus finite element analysis: A comparative in-vitro study. *Journal of Indian Prosthodontist Society*. 2015;15(3):250–6.
30. Evtimovska E, Masri R, Driscoll CF, Romberg E. The change in retentive values of locator attachments and hader clips over time. *Journal of Prosthodontics*. 2009 Aug;18(6):479–83.
31. Boeckler AF, Ehring C, Morton D, Geis-Gerstorfer J, Setz JM. Corrosion of dental magnet attachments for removable prostheses on teeth and implants. *Journal of Prosthodontics*. 2009 Jun;18(4):301–8.
32. Lee E, Shin SY. The influence of the number and the type of magnetic attachment on the retention of mandibular mini implant overdenture. *Journal of Advanced Prosthodontics*. 2017;9(1):14–21.
33. Ceruti P. *Magnet-Retained Implant-Supported Overdentures: Review and 1-Year Clinical Report* [Internet]. Available from: www.jcda.ca
34. Boeckler AF, Morton D, Ehring C, Setz JM. Mechanical properties of magnetic attachments for removable prostheses on teeth and implants. *Journal of Prosthodontics*. 2008 Dec;17(8):608–15.
35. preiskel HW. overdenture made easy: a guide to implant and root supported- prosthesis.

36. Payne A. Attachments Used with Implant Supported Overdenture: A Review Related papers At tachment s Used Wit h Implant Support ed Over Dent ure Kryst al Chase Biomat erial aspect s: A key fact or in t he longevit y of implant overdent ure at t achment syst ems Elie E Daou T he Prost hodont ic Maint enance Requirement s of Mandibular Mucosa-and Implant-Support ed Overd... [Internet]. International Journal of Science and Healthcare Research. Available from: www.ijshr.com
37. Meffert RM, Langer B, Fritz ME. Dental Implants: A Review.
38. Langer Y, Langer A. Tooth-supported telescopic prostheses in compromised dentitions: A clinical report. *Journal of Prosthetic Dentistry*. 2000;84(2):129–32.
39. Heckmann SM, Schrott A, Graef F, Wichmann MG, Weber HP. Mandibular two-implant telescopic overdentures: 10-Year clinical and radiographical results. *Clin Oral Implants Res*. 2004 Oct;15(5):560–9.
40. KJ anusavice CSHR. <https://books.google.com/books?hl=en&lr=&id=gzUeKDhP-KQC&oi=fnd&pg=PP1&dq=anusavice+dental+materials&ots=BhP2v4LJn0&sig=gy6mBvo8RHEOHpyOZPIgWHSYaBk>.
41. B Rangert TJLJ. Forces and moments on Branemark implants .
42. Heckmann SM, Schrott A, Graef F, Wichmann MG, Weber HP. Mandibular two-implant telescopic overdentures: 10-Year clinical and radiographical results. *Clin Oral Implants Res*. 2004 Oct;15(5):560–9.
43. B Rangert TJLJ. Forces and moments on Branemark implants. *Int J Oral Maxillofac Implants* . 1989;4(3).
44. Sahin S CMYE. The Influence of Functional Forces On The Biomechanics Of Implan-Supported Prostheses—a review. *Journal of Dentistry* 30 (2002) 271–282. 2002;30.
45. gallagher RH. finite element analysis: fundamental.
46. Alper B, Gultekin P, Yalci S. Application of Finite Element Analysis in Implant Dentistry. In: *Finite Element Analysis - New Trends and Developments*. InTech; 2012.
47. worthington Philip LBRRJR. Osseointegration in Dentistry: An Overview.
48. Sirekha A, Bashetty K. Infinite to finite: An overview of finite element analysis. Vol. 21, *Indian Journal of Dental Research*. 2010. p. 425–32.
49. geng jian-ping TKB. application finite element analysis in implant dentistry.
50. Singh K, Jaiswal A, Tandon R. NEW VISTAS IN DENTISTRY : FEM A COMPLETE REVIEW [Internet]. 2017. Available from: <https://www.researchgate.net/publication/315114079>
51. Soares CJ, Versluis A, Correia AD, Valdivia M, Arêdes Bicalho A, Veríssimo C, et al. 2 Finite Element Analysis in Dentistry-Improving the Quality of Oral Health Care [Internet]. Available from: www.intechopen.com
52. van Staden RC, Guan H, Loo YC. Application of the finite element method in dental implant research. Vol. 9, *Computer Methods in Biomechanics and Biomedical Engineering*. 2006. p. 257–70.
53. <http://en.wikipedia.org/wiki/force>. force.
54. Himmlová L, Dostálová jana, KácovskyKácovsky A, Konvic S. Influence of implant length and diameter on stress distribution: A finite element analysis.

55. Rubo JH, Capello Souza EA. Finite-element analysis of stress on dental implant prosthesis. *Clin Implant Dent Relat Res.* 2010 Jun;12(2):105–13.
56. Khan KS, Kunz R, Kleijnen J, Antes G. Five steps to conducting a systematic review [Internet]. Vol. 96, *J R Soc Med.* 2003. Available from: <http://www.ncbi.nlm.nih.gov/entrez/query/>
57. the joana briggs institute (JBI). critical appraisal: checklist for quasi experimental.
58. Tawfik GM, Dila KAS, Mohamed MYF, Tam DNH, Kien ND, Ahmed AM, et al. A step by step guide for conducting a systematic review and meta-analysis with simulation data. Vol. 47, *Tropical Medicine and Health.* BioMed Central Ltd.; 2019.
59. Satheesh Kumar P, Satheesh KKS, John J, Patil G, Patel R. Force Transfer and Stress Distribution in an Implant-Supported Overdenture Retained with a Hader Bar Attachment: A Finite Element Analysis. *ISRN Dent.* 2013 Dec 26;2013:1–12.
60. -j U N HC, -n A R K DP, -h A N CH, Heo S j, Heo M s, Koak J y. Stress distributions in maxillary bone surrounding overdenture implants with different overdenture attachments.
61. R. Mericske-stern. Force distribution on implants supporting overdentures: the effect of distal bar extensions. A 3-D in viva study. *Clinical Oral Implants Research* Volume 8, Issue 2 p 142-151. (2).
62. Eltaftazani IA, Moubarak AH, El-Anwar M. Locator attachment versus BaLL attachment: 3-Dimensional Finite Element Study. Vol. 55, D.J. 2009.
63. Khurana N, Rodrigues S, Shenoy S, Saldanha S, Pai U, Shetty T, et al. A Comparative Evaluation of Stress Distribution with Two Attachment Systems of Varying Heights in a Mandibular Implant-Supported Overdenture: A Three-Dimensional Finite Element Analysis. *Journal of Prosthodontics.* 2019 Feb 1;28(2):e795–805.
64. Fromentin O, Lassauzay C, Abi Nader S, Feine J, de Albuquerque Junior RF. Testing the retention of attachments for implant overdentures - Validation of an original force measurement system. *J Oral Rehabil.* 2010 Jan;37(1):54–62.
65. Neena AF. THREE DIMENSIONAL FINITE ELEMENT ANALYSIS TO EVALUATE STRESS DISTRIBUTION AROUND IMPLANT RETAINED MANDIBULAR OVERDENTURE USING TWO DIFFERENT ATTACHMENT SYSTEMS دراسة البعاد ثالثية المحددة العناصر باستخدام ل تقييم غرسات حول القوى توزع الحامل السنان ة لاطقم ب السفلية استخدام الربط انظمة من مختلفين نوعين .
66. Yoda N, Matsudate Y, Abue M, Hong G, Sasaki K. Effect of attachment type on load distribution to implant abutments and the residual ridge in mandibular implant-supported overdentures. *J Dent Biomech.* 2015 Mar 18;6(0).
67. Elsyad MA, Elhddad AA, Khirallah AS. The effect of implant diameter on strain around implants retaining a mandibular overdenture with locator attachments: An in vitro study. *Dent Mater J.* 2016;35(6):938–45.
68. El-Anwar MI, Yousief SA, Soliman TA, Saleh MM, Omar WS. A finite element study on stress distribution of two different attachment designs under implant supported overdenture. *Saudi Dental Journal.* 2015 Oct 1;27(4):201–7.
69. El-Anwar MI, Yousief SA, Soliman TA, Saleh MM, Omar WS. A finite element study on stress distribution of two different attachment designs under implant supported overdenture. *Saudi Dental Journal.* 2015 Oct 1;27(4):201–7.
70. Celik G, Uludag B. Photoelastic stress analysis of various retention mechanisms on 3-implant-retained mandibular overdentures CLINICAL IMPLICATIONS.

71. Kim MJ, Hong SO. Finite element analysis on stress distribution of maxillary implant-retained overdentures depending on the Bar attachment design and palatal coverage. *Journal of Advanced Prosthodontics*. 2016 Apr 1;8(2):85–93.
72. Waddell JN, Payne AGT, Swain M v. Supported by the ITI Research Foundation for the Promotion of Implantology. Vol. 252. 2002.
73. Kümbüloğlu Ö, Koyuncu B, Yerlioğlu G, Husain NAH, Özcan M. Stress Distribution on Various Implant-Retained Bar Overdentures. *Materials*. 2022 May 1;15(9).
74. Shishesaz M, Ahmadzadeh A, Baharan A. Finite element study of three different treatment designs of a mandibular three implant-retained overdenture. *Latin American Journal of Solids and Structures*. 2016;13(16):2826–44.
75. Hegazy SA ER. Bar Locator Versus Bar Clip Attachment for Implant Assisted Mandibular Overdenture. *Dentistry*. 2014;s2(01).
76. Arat Bilhan S, Baykasoglu C, Bilhan H, Kutay O, Mugan A. Effect of attachment types and number of implants supporting mandibular overdentures on stress distribution: A computed tomography-based 3D finite element analysis. *J Biomech*. 2015 Jan 2;48(1):130–7.
77. The McGill Consensus Statement on Overdentures Mandibular two-implant overdentures as first choice standard of care for edentulous patients.
78. Baggi L, Cappelloni I, Maceri F, Vairo G. Stress-based performance evaluation of osseointegrated dental implants by finite-element simulation. *Simul Model Pract Theory*. 2008 Sep;16(8):971–87.
79. Turker N, Buyukkaplan US. Effects of overdenture attachment systems with different working principles on stress transmission: A three-dimensional finite element study. *Journal of Advanced Prosthodontics*. 2020;12(6):351–60.
80. Hussein MO. Stress-strain distribution at bone-implant interface of two splinted overdenture systems using 3D finite element analysis. *Journal of Advanced Prosthodontics*. 2013;5(3):333–40.
81. Assunção WG, Tabata LF, Barão VAR, Rocha EP. Comparison of stress distribution between complete denture and implant-retained overdenture-2D FEA. *J Oral Rehabil*. 2008 Oct;35(10):766–74.
82. Shishesaz M, Ahmadzadeh A, Baharan A. Finite element study of three different treatment designs of a mandibular three implant-retained overdenture. *Latin American Journal of Solids and Structures*. 2016;13(16):2826–44.
83. Barão VAR, Assunção WG, Tabata LF, Delben JA, Gomes ÉA, de Sousa EAC, et al. Finite element analysis to compare complete denture and implant-retained overdentures with different attachment systems. *Journal of Craniofacial Surgery*. 2009 Jul;20(4):1066–71.
84. John J, Rangarajan V, Savadi RC, Satheesh Kumar KS, Satheesh Kumar P. A finite element analysis of stress distribution in the bone, around the implant supporting a mandibular overdenture with Ball/O ring and magnetic attachment. *Journal of Indian Prosthodontist Society*. 2012 Mar;12(1):37–44.
85. Abbasi MRA, Vinnakota DN, Vijaya Sankar V, Kamatham R. Comparison of stress induced in mandible around an implant-supported overdenture with locator attachment and telescopic crowns – a finite element analysis. *Med Pharm Rep*. 2020;93(2):181–9.
86. Romanos GE, Delgado-Ruiz R, Sculean A. Concepts for prevention of complications in implant therapy. Vol. 81, *Periodontology 2000*. Blackwell Munksgaard; 2019. p. 7–17.