

## DAFTAR PUSTAKA

- Achmad, H. and Auliya, N. (2021) 'Management of malocclusion in children using myobrace appliance: A systematic review', *Annals of the Romanian Society for Cell Biology*, 25(2), pp. 2120–2136.
- Aggarwal, I., Wadhawan, M. and Dhir, V. (2016) 'Myobrace: Say No to Traditional Braces', *International Journal of Oral Care & Research*, 4(239), pp. 82–85. doi: 10.5005/jp-journals-10051-0019.
- Al-Altabi and Hayder S (2014) 'Prevalence of bad oral habits and relationship with prevalence of malocclusion in Sammawa City students aged (6-18) years old', *Medical Journal of Babylon*, 11(1), pp. 70–83.
- Alawiyah (2017) 'Komplikasi dan resiko yang berhubungan dengan perawatan ortodonti', *J Ilmiah Widya*, 4(1), pp. 256–261.
- Alencar, D. S. *et al.* (2020) 'Orthodontic-surgical treatment for a patient with Class II malocclusion and inadequate maxillary incisor inclination', *American Journal of Orthodontics and Dentofacial Orthopedics*, 157(5), pp. 690–703. doi: 10.1016/j.ajodo.2019.01.030.
- Anastasi, G. and Dinnella, A. (2014) 'Myobrace system : a no-braces approach to malocclusion and a myofunctional therapy device', *Webmed Central*, 5, pp. 1–8.
- Antonietta, P. (2020) 'Hubungan Antara Kecembungan Profil Jaringan Lunak dan Keras Wajah pada Maloklusi Kelas I Angle disertai Protrusi Insisif Maksila (Metode Holdway)'. Malang: <https://repository.ub.ac.id>.
- Ardhana, W. (2013) 'Identifikasi Perawatan Ortodontik Spesialistik dan Umum', *Majalah Kedokteran Gigi Indonesia*, 20(1), p. 1. doi: 10.22146/majkedgiind.8193.
- El Asmar, R. *et al.* (2020) 'Evaluation of the ideal position of the maxillary incisor relative to upper lip thickness', *American Journal of Orthodontics and Dentofacial Orthopedics*, 158(2), pp. 264–272. doi: 10.1016/j.ajodo.2019.08.015.
- Aufar Rafif Adha, M., Wibowo, D. and Indah Rasyid, N. (2019) 'Gambaran Tingkat Keparahan Maloklusi Menggunakan Handicapping Malocclusion Assessment Record (Hmar) Pada Siswa Sdn Gambut 10', *Jurnal Kedokteran Gigi*, 3(1), p. 1.
- Batra, M., Shah, Aa. and Gupta, M. (2014) 'Oral habits and their implications', *Oral habits and their implications Aas*, Volume 1(4), pp. 179–186.
- Bhagavatula, P. (2021) 'Measurement and Distribution of Malocclusion, Trauma, and Congenital Anomalies', (1), pp. 208–217. doi: 10.1016/B978-0-323-55484-8.00018-6.
- Bishara, S. E. (2001) *Textbook Of Orthodontics*. Edisi I, Elsevier Health Sciences. Edisi I.
- Brahmanta, A. (2011) *Sefalometri Analisis Dasar*. Surabaya: Penerbit Bintang Surabaya.
- Budianto, E., Purwanegara, M. K. and Siregar, E. (2013) 'Karakteristik Profil Jaringan Lunak pada Penderita Obstruksi Saluran Napas Atas dengan Kebiasaan Bernapas Melalui Mulut', *Journal of Dentistry Indonesia*, 15(1), p. 20429031. doi: 10.14693/jdi.v15i1.83.

- Candraningtyas, A. N., Sunaryo, I. R. and Laviana, A. (2021) Perubahan profil jaringan lunak bibir sebelum dan setelah perawatan ekspansi lengkung gigi menggunakan alat ortodonti lepasan : Changes of the lip soft tissue profile before and after dental arch expansion treatment using removable orthodontic appl', *Padjadjaran Journal of Dental Researchers and Students*, 5(1), p. 1. doi: 10.24198/pjdrs.v5i1.26744.
- Chen, L. R. *et al.* (2022) 'Evaluation of skeletal and dentoalveolar changes in class II division I pediatric patients receiving myofunctional appliance therapy: A preliminary study', *Journal of the Formosan Medical Association*, 121(10), pp. 2028–2034. doi: 10.1016/j.jfma.2022.02.008.
- Chrysopoulos, K. N. (2017) 'Interception of Malocclusion in the Mixed Dentition with Prefabricated Appliances and Orofacial Myofunctional Therapy', *Journal of Dental Health, Oral Disorders & Therapy*, 7(5), pp. 343–345. doi: 10.15406/jdhodt.2017.07.00255.
- Condò, R. *et al.* (2010) 'Analysis of clinical efficacy of interceptive treatment of Class II division 2 malocclusion in a pair of twins through the use of two modified removable appliances.', *ORAL & implantology*, 3(3), pp. 11–25. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23285386> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3399187>.
- Daljit S, G. (2008) *Orthodontics at a Glance*. Blackwell Publishing Ltd.
- Dari, M. and Dari, M. (2017) 'Myobrace : functional and dental effect in the same device', pp. 6–10.
- Dorland, W. and Newman (2010) *Kamus Kedokteran Dorland. 31st ed.* 31st ed. Jakarta: EGC.
- Erwansyah, E., Mardiaty, E., *et al.* (2020) 'Complications in Orthodontic Treatment : A Literature Review Department of Orthodontics , Faculty of Dentistry , Hasanuddin University . Department of Periodontology , Faculty of Dentistry , Hasanuddin University , Department of Conservative Dentistry , F', 29(6), pp. 5480–5486.
- Erwansyah, E., Mudjari, S., *et al.* (2020) 'The effect of banana peel extract (*Musa paradisiaca*) in inhibiting the corrosion rate of orthodontic wire and stainless steel bracket', *International Journal of Advanced Science and Technology*, 29(3), pp. 7355–7361.
- Farrel, C., *Myobrace Training*. Australia: Myofunctional Research Co. Available at: <https://drive.google.com/drive/folders/1vuIH8JP651HpqtBO9Q1EOqT0CY0DjASd?usp=sharing>.
- Fitri, H., Iswani, R. and Alamsyah, Y. (2019) 'Analisa Gambaran Rontgen Foto Sefalometri Lateral Terhadap Profil Wajah Pada Pasien Perawatan Ortodonti', *B-Dent, Jurnal Kedokteran Gigi Universitas Baiturrahmah*, 3(2), pp. 83–89. doi: 10.33854/jbdjbd.62.
- Foncatti, C. F. *et al.* (2017) 'Long-term stability of Class II treatment with the Jasper jumper appliance', *American Journal of Orthodontics and Dentofacial Orthopedics*, 152(5), pp. 663–671. doi: 10.1016/j.ajodo.2017.03.029.
- Foster, T. (2016) *Buku Ajar Ortodonti. 3rd ed.* Jakarta: EGC.
- Garbin, A. J. Í. *et al.* (2010) 'Malocclusion prevalence and comparison between the

- Angle classification and the Dental Aesthetic Index in scholars in the interior of São Paulo state - Brazil', *Dental Press Journal of Orthodontics*, 15(4), pp. 94–102. doi: 10.1590/S2176-94512010000400014.
- Gartika, M. (2008) 'The effect of oral habits in the oral cavity of children and its treatment', *Padjadjaran Journal of Dentistry*, 20(2), pp. 123–129. doi: 10.24198/pjd.vol20no2.14142.
- German Ramirez, Y. (2017) *Guiding craniofacial growth and development with The Myobrace System*. Edition On.
- Gildasya, G., Riyanti, E. and Hidayat, S. (2006) 'Prevalence of oral habits in homeless children under care of Yayasan Bahtera Bandung', *Dental Journal (Majalah Kedokteran Gigi)*, 39(4), p. 165. doi: 10.20473/j.djmk.v39.i4.p165-167.
- Gökçe, B. (2016) 'Current Approaches in Myofunctional Orthodontics', *Journal of Musculoskeletal Disorders and Treatment*, 2(3). doi: 10.23937/2572-3243.1510022.
- Grippaudo, C. *et al.* (2016) 'Association between oral habits, mouth breathing and malocclusion', *Acta Otorhinolaryngologica Italica*, 36(5), pp. 386–394. doi: 10.14639/0392-100X-770.
- Han, M. D. *et al.* (2019) 'Three-dimensional cephalometric analysis of the maxilla: Analysis of new landmarks', *American Journal of Orthodontics and Dentofacial Orthopedics*, 156(3), pp. 337–344. doi: 10.1016/j.ajodo.2018.09.018.
- Hegde, C., Das, D. and Mittal, P. (2016) 'The Myobrace Appliance Therapy: Modus Operandi And Beyond: A Case Report', *Journal of Dental and Medical Sciences*, 15(3), pp. 40–45. doi: 10.9790/0853-1503084045.
- Jacobson, A. (2007) 'Radiograph Cephalometry', *Journal of Chemical Information and Modeling*, 53(9), pp. 1689–1699.
- Johnson, J. S. *et al.* (2021) 'A comparative evaluation of the dentoskeletal treatment effects using twin block appliance and myobrace system on class ii division i malocclusion', *International Journal of Clinical Pediatric Dentistry*, 14(S1), pp. S7–S14. doi: 10.5005/jp-journals-10005-2013.
- Kasparaviciene, K. *et al.* (2014) 'The prevalence of malocclusion and oral habits among 5-7-year-old children', *Medical Science Monitor*, 20, pp. 2036–2042. doi: 10.12659/MSM.890885.
- Laguhi, V. A., Anindita and Gunawan, P. N. (2014) 'Gambaran Maloklusi Dengan Menggunakan HMAR pada Pasien di Rumah Sakit Gigi dan Mulut', 2.
- Littlewood, S. J., & Mitchell, L. (2013) *Introduction to Orthodontics*. 4th edn.
- Lo, L. J. *et al.* (2018) 'Three-dimensional region-based study on the relationship between soft and hard tissue changes after orthognathic surgery in patients with prognathism', *PLoS ONE*, 13(8), pp. 1–15. doi: 10.1371/journal.pone.0200589.
- Myofunctional Research. Co, P. 'PROCEDURES MANUAL MYOBRACE™', pp. 1–11.
- McNamara, J. A. and Huges, S. A. (1981) 'The Fränkel appliance (FR-2): Model preparation and appliance construction', *American Journal of Orthodontics*, 80(5), pp. 478–495. doi: 10.1016/0002-9416(81)90244-X.
- Mohlin, B., Kurol, J. (2009) *Pediatric Dentistry, A Clinical Approach, วารสารวิชาการมหาวิทยาลัยอีสเทิร์นเอเซีย*. Copenhagen: Wiley-

Blackwell,.

- Montúfar, J., Romero, M. and Scougall-Vilchis, R. J. (2018) 'Automatic 3-dimensional cephalometric landmarking based on active shape models in related projections', *American Journal of Orthodontics and Dentofacial Orthopedics*, 153(3), pp. 449–458. doi: 10.1016/j.ajodo.2017.06.028.
- Motta, L. J. *et al.* (2012) 'Gender as risk factor for mouth breathing and other harmful oral habits in preschoolers', *Brazilian Journal of Oral Sciences*, 11(3), pp. 377–380.
- Moyers, R. E. (1949) 'Temporomandibular muscle contraction patterns in Angle Class II, Division 1 malocclusions: An electromyographic analysis', *American Journal of Orthodontics*, 35(11), pp. 837–857. doi: 10.1016/0002-9416(49)90078-0.
- Paola da Cunha, B. *et al.* (2021) 'How the myobrace appliance works: Advantages and disadvantages', *Journal of Dental Problems and Solutions*, 8, pp. 019–023. doi: 10.17352/2394-8418.000098.
- Prameswari, N. *et al.* (2022) 'Cephalometric Analysis, Severity Malocclusion, and Orthodontic Treatment Need Using IOTN in Deaf Children', *European Journal of Dentistry*, 16(3), pp. 599–605. doi: 10.1055/s-0041-1735936.
- Proffit, W. R. *et al.* (2019) *Contemporary Orthodontics*. Singapura: Elsevier, Inc.
- Quadrelli, C. *et al.* (2002) 'Early myofunctional approach to skeletal Class II', *Mondo Ortodontico*, 2, pp. 109–122.
- Sasigornwong, U. *et al.* (2016) 'Prevalence of abnormal oral habits and its relation to malocclusion in dental patients of the lower northern part of Thailand', *M Dent J*, 36(6), pp. 113–122.
- Schwendicke, F. *et al.* (2021) 'Deep learning for cephalometric landmark detection: systematic review and meta-analysis', *Clinical Oral Investigations*, 25(7), pp. 4299–4309. doi: 10.1007/s00784-021-03990-w.
- Singh, G. (2007) 'Textbook Orthodontics of System', *Jitendar P Vij*, p. 65.
- Syabira, T. A. and Sahelangi, O. P. (2019) 'Gambaran nilai pengukuran parameter sefalometrik pasien ras deuto melayu usia 6-12 tahun menggunakan analisis steiner', *J Kedokteran Gigi*, 1, pp. 48–52.
- Tak, M. *et al.* (2013) 'Prevalence of malocclusion and orthodontic treatment needs among 12-15 years old school children of Udaipur, India', *European Journal of Dentistry*, 7(5 SUPPL.), pp. 45–53. doi: 10.4103/1305-7456.119071.
- Thiruvengkatahari, B. *et al.* (2010) 'Comparison of twin-block and dynamax appliances for the treatment of class II malocclusion in adolescents: A randomized controlled trial', *American Journal of Orthodontics and Dentofacial Orthopedics*, 138(2), pp. 144.e1-144.e9. doi: 10.1016/j.ajodo.2010.01.025.
- XIE, L., WANG, P. and WU, J. (2020) 'Soft and Hard Tissue Changes Following Treatment of Class II Division 1 Malocclusion with Twin-Block and Myofunctional Appliance: A Pilot Study', *Chinese Journal of Plastic and Reconstructive Surgery*, 2(4), pp. 217–227. doi: 10.1016/s2096-6911(21)00041-8.
- Yanez, G. R. and Farrel, C. (2017) *Guiding craniofacial growth and development with The Myobrace System*. 1st edn. Australia.

Yılmaz, S., Calikoglu, E. O. and Kosan, Z. (2019) 'for an Uncommon Neurosurgical Emergency in a Developing Country', *Nigerian Journal of Clinical Practice*, 22, pp. 1070–1077. doi: 10.4103/njcp.njcp.