

## DAFTAR PUSTAKA

- [1] C. Georgy, Evolution models of red supergiants, *Proceedings of the International Astronomical Union*. 12 (2016) 193–198.  
<https://doi.org/10.1017/S1743921317003179>.
- [2] G. Meynet, V. Chomienne, S. Ekström, C. Georgy, A. Granada, J. Groh, A. Maeder, P. Eggenberger, E. Levesque, P. Massey, Impact of mass-loss on the evolution and pre-supernova properties of red supergiants?, *Astron Astrophys*. 575 (2015). <https://doi.org/10.1051/0004-6361/201424671>.
- [3] M. Yang, B.W. Jiang, The period-luminosity relation of red supergiant stars in the Small Magellanic Cloud, *Astrophys J*. 754 (2012) 35–58.  
<https://doi.org/10.1088/0004-637X/754/1/35>.
- [4] N. Mauron, E. Josselin, The mass-loss rates of red supergiants and the de Jager prescription, *Astron Astrophys*. 526 (2011).  
<https://doi.org/10.1051/0004-6361/201013993>.
- [5] P.D. Bennett, Chromospheres and Winds of Red Supergiants: An Empirical Look at Outer Atmospheric Structure, *ASP Conference Series*,. 425 (2009) 181. <http://arxiv.org/abs/1004.1853>.
- [6] S.E. Woosley, The Evolution of Massive Stars Including Mass Loss: Presupernova Models and Explosion, *Astrophys J*. 411 (1993) 823–839.  
[https://www.researchgate.net/publication/269107473\\_What\\_is\\_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil\\_wars\\_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625](https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625).
- [7] R. Hirschi, C. Chiappini, G. Meynet, S. Ekström, A. Maeder, Mass loss and very low-metallicity stars, *AIP Conf Proc*. 948 (2007) 397–404.  
<https://doi.org/10.1063/1.2818999>.
- [8] Emily Levesque, *Astrophysics of Red Supergiant*, 2017.
- [9] C. Georgy, S. Ekström, Mass Loss of Red Supergiants: A Key Ingredient for the Final Evolution of Massive Stars, *EAS Publications Series*. 71–72 (2015) 41–46. <https://doi.org/10.1051/eas/1571007>.
- [10] S.C. Yoon, M. Cantiello, Evolution of massive stars with pulsation-driven superwinds during the red supergiant phase, *Astrophysical Journal Letters*. 717 (2010). <https://doi.org/10.1088/2041-8205/717/1/L62>.
- [11] G.-M. Oomen, Evolutionary properties of post-AGB binaries, 2020.
- [12] Georges Meynet, Andre Maeder, Cyril Georgy, Sylvia Ekstrom, and H.F.S. Patrick Eggenberger, Fabio Barblan, Massive stars, successes and challenges, (2019) 9–25. <https://doi.org/00.0000/X0000000000000000X>.
- [13] H. Fatima, M. Mushtaq, S.F.U. Rahman, Age Estimates of Universe: from Globular Clusters to Cosmological Models and Probes, (2016).
- [14] R.J.P. f and S.P.G. Norhasliza Yusof, Hasan Abu Kassima, Raphael Hirschibc, Paul. A. Crowtherd, Olivier Schnurrde, Life and Death of Very Massive Stars, (2018).

- [15] R. Hirschi, U. Frischknecht, F.K. Thielemann, M. Pignatari, C. Chiappini, S. Ekström, G. Meynet, A. Maeder, Stellar evolution in the early universe, *Proceedings of the International Astronomical Union*. 4 (2008) 297–304. <https://doi.org/10.1017/S1743921308024976>.
- [16] E. Cannon, High spatial resolution observations and diagnostics of red supergiant winds, KU Leuven, 2021.
- [17] L. Vinet, A. Zhedanov, A “missing” family of classical orthogonal polynomials, 2011. <https://doi.org/10.1088/1751-8113/44/8/085201>.
- [18] W.J. Maciel, *Introduction to Stellar Structure*, 2015. <https://doi.org/10.1007/978-3-319-16142-6>.
- [19] B.W. Carroll, D.A. Ostlie, M. Friedlander, *An Introduction to Modern Astrophysics*, 2014. <https://doi.org/10.1063/1.881827>.
- [20] G. Meynet, L. Haemmerlé, S. Ekström, C. Georgy, J. Groh, A. Maeder, The past and future evolution of a star like Betelgeuse, *EAS Publications Series*. 60 (2013) 17–28. <https://doi.org/10.1051/eas/1360002>.
- [21] K.J.D. Hannu Karttunan, Pekka Kroger, Heikki Oja, Markku Poutanen, *Astronomy Fundamental*, 2006.
- [22] K. McDonough, *Encyclopedia of Astrobiology*, 2017. <https://doi.org/10.1108/rr-08-2016-0209>.
- [23] P. Massey, Massive Stars in the Local Group: Implications for Stellar Evolution and Star Formation, *Annu Rev Astron Astrophys*. 41 (2003) 15–56. <https://doi.org/10.1146/annurev.astro.41.071601.170033>.
- [24] E. Josselin, B. Plez, Atmospheric dynamics and the mass loss process in red supergiant stars, *Astron Astrophys*. 469 (2007) 671–680. <https://doi.org/10.1051/0004-6361:20066353>.
- [25] A. Chiavassa, B. Freytag, T. Masseron, B. Plez, Radiative hydrodynamics simulations of red supergiant stars: IV. Gray versus non-gray opacities, *Astron Astrophys*. 535 (2011). <https://doi.org/10.1051/0004-6361/201117463>.
- [26] Y. Ming, B.W. Jiang, Red supergiant stars in the large magellanic cloud. I. The period-luminosity relation, *Astrophysical Journal*. 727 (2011). <https://doi.org/10.1088/0004-637X/727/1/53>.
- [27] E.M. Levesque, The physical properties of red supergiants, *New Astronomy Reviews*. 54 (2010) 1–12. <https://doi.org/10.1016/j.newar.2009.10.002>.
- [28] S.J. Smartt, J.J. Eldridge, R.M. Crockett, J.R. Maund, The death of massive stars - I. Observational constraints on the progenitors of Type II-P supernovae, *Mon Not R Astron Soc*. 395 (2009) 1409–1437. <https://doi.org/10.1111/j.1365-2966.2009.14506.x>.
- [29] M. Fraser, J.R. Maund, S.J. Smartt, R. Kotak, A. Lawrence, A. Bruce, S. Valenti, F. Yuan, S. Benetti, T.W. Chen, A. Gal-Yam, C. Inserra, D.R. Young, On the progenitor of the type IIP SN 2013ej in M74, *Mon Not R Astron Soc Lett*. 439 (2014). <https://doi.org/10.1093/mnrasl/slt179>.

- [30] J.S.W. Claeys, S.E. De Mink, O.R. Pols, J.J. Eldridge, M. Baes, Binary progenitor models of type IIb supernovae, *Astron Astrophys.* 528 (2011). <https://doi.org/10.1051/0004-6361/201015410>.
- [31] C. Georgy, Yellow supergiants as supernova progenitors: An indication of strong mass loss for red supergiants?, *Astron Astrophys.* 538 (2012). <https://doi.org/10.1051/0004-6361/201118372>.
- [32] A. V. Filippenko, *Optical Spectra of Isolated*, (1994) 3631–3637.
- [33] S. Höfner, Fresh light on stardust, *Nature.* 484 (2012). <https://doi.org/10.1038/484172a>.
- [34] Henny J.G.L.M. Lamers; Joseph P. Cassinelli, *Introduction to Stellar Wind*, (n.d.).
- [35] E. Cannon, High spatial resolution observations and diagnostics of red supergiant winds, 2021.
- [36] S. Liljegren, S. Höfner, W. Nowotny, K. Eriksson, Dust-driven winds of AGB stars: The critical interplay of atmospheric shocks and luminosity variations, *Astron Astrophys.* 589 (2016). <https://doi.org/10.1051/0004-6361/201527885>.
- [37] S. Höfner, Atmospheres and Winds of M- and C-type AGB stars, *AIP Conf Proc.* 1094 (2009) 872–875. <https://doi.org/10.1063/1.3099255>.
- [38] S. Höfner, Atmospheres and Winds of M- and C-type AGB stars, *AIP Conf Proc.* 1094 (2009) 872–875. <https://doi.org/10.1063/1.3099255>.
- [39] S. Höfner, Atmospheres and Winds of M- and C-type AGB stars, in: *AIP Conf Proc*, 2009: pp. 872–875. <https://doi.org/10.1063/1.3099255>.
- [40] S. Höfner, *Astrophysics Letter to the Editor Winds of M-type AGB stars driven by micron-sized grains*, 4 (2008) 1–4.
- [41] S. Bladh, S. Höfner, Exploring wind-driving dust species in cool luminous giants: I. Basic criteria and dynamical models of M-type AGB stars, *Astron Astrophys.* 546 (2012). <https://doi.org/10.1051/0004-6361/201219138>.
- [42] S. Höfner, Starlight and Sandstorms: Mass Loss Mechanisms on the AGB, 445 (2011) 8. <http://arxiv.org/abs/1102.5268>.
- [43] B. Paxton, L. Bildsten, A. Dotter, F. Herwig, P. Lesaffre, F. Timmes, Modules for Experiments in Stellar Astrophysics (MESA), *Astrophysical Journal, Supplement Series.* 192 (2010) 1–110. <https://doi.org/10.1088/0067-0049/192/1/3>.
- [44] B. Paxton, L. Bildsten, A. Dotter, F. Herwig, P. Lesaffre, F. Timmes, Modules for Experiments in Stellar Astrophysics (MESA), *Astrophysical Journal, Supplement Series.* 192 (2011). <https://doi.org/10.1088/0067-0049/192/1/3>.
- [45] B. Paxton, M. Cantiello, P. Arras, L. Bildsten, E.F. Brown, A. Dotter, C. Mankovich, M.H. Montgomery, D. Stello, F.X. Timmes, R. Townsend, Modules for experiments in stellar astrophysics (MESA): Planets, oscillations, rotation, and massive stars, *Astrophysical Journal, Supplement Series.* 208 (2013) 1–45. <https://doi.org/10.1088/0067-0049/208/1/4>.

- [46] B. Paxton, P. Marchant, J. Schwab, E.B. Bauer, L. Bildsten, M. Cantiello, L. Dessart, R. Farmer, H. Hu, N. Langer, R.H.D. Townsend, D.M. Townsley, F.X. Timmes, Modules for Experiments in Stellar Astrophysics (MESA): Binaries, pulsations, and explosions, *Astrophysical Journal, Supplement Series*. 220 (2015) 1–43. <https://doi.org/10.1088/0067-0049/220/1/15>.
- [47] B. Paxton, J. Schwab, E.B. Bauer, L. Bildsten, S. Blinnikov, P. Duffell, R. Farmer, J.A. Goldberg, P. Marchant, E. Sorokina, A. Thoul, R.H.D. Townsend, F.X. Timmes, MODULES FOR EXPERIMENTS IN STELLAR ASTROPHYSICS (MESA): CONVECTIVE BOUNDARIES, ELEMENT DIFFUSION, AND MASSIVE STAR EXPLOSIONS, *Astrophys J Suppl Ser*. 234 (2018) 34. <https://doi.org/10.3847/1538-4365/aaa5a8>.
- [48] P. Wulandari, Studi Pengaruh Rotasi Bintang Pada Evolusi Bintang B-Emisi  $\alpha$  Eridani, 2016.
- [49] P.P. Eggleton, The Evolution of Low Mass Stars, *Mon Not R Astron Soc*. 151 (1971) 351–364.
- [50] B. Paxton, EZ to Evolve ZAMS Stars: A Program Derived from Eggleton's Stellar Evolution Code, *Publications of the Astronomical Society of the Pacific*. 116 (2004) 699–701. <https://doi.org/10.1086/422345>.
- [51] J.S. Vink, A. De Koter, H.J.G.L.M. Lamers, New theoretical mass-loss rates of O and B stars, *Astron Astrophys*. 362 (2000) 295–309.
- [52] J.S.V.A. de K.H.J.G.L.M. Lamers, Mass-loss predictions for O and B stars as a function of metallicity, *Astron Astrophys*. 814 (2004) 803–814. <https://doi.org/10.1051/0004-6361>.
- [53] M. Renzo, Live fast and die young: evolution and fate of massive stars, (2019).
- [54] M. Renzo, Systematic Study of Mass Loss in the Evolution of Massive Stars, (2015).
- [55] H. Nieuwenhuijzen, C. de Jager, Parametrization of stellar rates of mass loss as functions of the fundamental stellar parameters M, L, and R., *Astron Astrophys*. 231 (1990).
- [56] C. de Jager, H. Nieuwenhuijzen, K.A. Hucht, van der, Mass Loss Rates in the Hertzsprung-Russell Diagram, *Astron Astrophys*. 72 (1988) <https://news.ge/anakliis-porti-aris-qveynis-momava>.
- [57] L. Hernández-Cervantes, B. Pérez-Rendón, A. Santillán, G. García-Segura, C. Rodríguez-Ibarra, Enhanced mass loss rates in red supergiants and their impact on the circumstellar medium, *Rev Mex Astron Astrofis*. 55 (2019) 161–175. <https://doi.org/10.22201/ia.01851101p.2019.55.02.04>.
- [58] J.T. Van Loon, M.R.L. Cioni, A.A. Zijlstra, C. Loup, An empirical formula for the mass-loss rates of dust-enshrouded red supergiants and oxygen-rich Asymptotic Giant Branch stars, *Astron Astrophys*. 438 (2005) 273–289. <https://doi.org/10.1051/0004-6361:20042555>.

- [59] A. Heger, C.L. Fryer, S.E. Woosley, N. Langer, D.H. Hartmann, How Massive Single Stars End Their Life, *Astrophys J.* 591 (2003). <https://doi.org/10.1086/375341>.
- [60] P. Giannone, Sequences of Inhomogeneous Models for Helium-Burning Stars, *\zap.* 65 (1967) 226. <http://ukads.nottingham.ac.uk/abs/1967ZA.....65..226G>.
- [61] D. Lauterborn, S. Refsdal, A. Weigert, Stars with Central Helium Burning and the Occurrence of Loops in the H-R Diagram, *Astron Astrophys.* 10 (1971) 97–117.
- [62] M. Renzo, C.D. Ott, S.N. Shore, S.E. De Mink, Systematic survey of the effects of wind mass loss algorithms on the evolution of single massive stars, *Astron Astrophys.* 603 (2017). <https://doi.org/10.1051/0004-6361/201730698>.
- [63] J.J. Eldridge, Massive stars in their death throes, *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences.* 366 (2008) 4441–4452. <https://doi.org/10.1098/rsta.2008.0160>.