

## DAFTAR PUSTAKA

- Bennett, S. (2010). *Modern diesel technologi: Diesel engine*. Canada
- Basyirun, Winarno, and Karnowo. 2008. “Mesin Konversi Energi Universitas Negeri Semarang,” pp. 1–68.
- Chen, H., Gou, Q., Zhao, X.-y., Xu, M.-l., & Ma, Y. (2015). Influence of fuel temperatur on combustion and emission of biodiesel. *School of Automobile, Chang'an university, Xi'an, China. School of Energy and Power engineering, Xi'an Jiaotong University, Xi'an, China.*
- D. Yoshino, K. Nakamura, T. Nakajima, and T. Sato.2015. “Development of low-temperature sterilization device using atmospheric pressure air plasma with circulating flow,” *Mech. Eng. J.*, , doi: 10.1299/mej.15-00187.
- Darsono.D.2010.Simulasi CFD. FT UI
- F. F. Chen and S. E. Von Goeler,1985. *Introduction to Plasma Physics and Controlled Fusion Volume 1: Plasma Physics, Second Edition*, vol. 38, no.5.
- Goga,G, dkk. 2019. *Performance and emission characteristics of diesel engine fueled with rice bran biodiesel and n-butanol*.Gujral Punjab Technical University. Hoshiarpur. Punjab. India
- Heywood, J. B. (2018). Internal combustion engine fundamentals. *New York*
- Hendra Djeni dkk. 2015.Karakteristik Biodiesel Biji Bintaro (*Cerbera manghas L*) Dengan Proses Modifikasi (*Characteristics of Biodiesel of Bintaro Seed (Cerbera manghas L) by Modification Process*).Penelitian Hasil Hutan Vol. 34 No. 1, Maret 2016
- Hendra, D., Wibowo, S., & Wibisono, H. (2018). *Biodiesel dari beberapa jenis tanaman hutan*. bogor: IPB Press.
- Ir.Kristanto P.2015.Motor Bakar Torak teori dan aplikasinya.Yogyakarta. ANDI Yogyakarta.
- K.Prajwawski,dkk.2019.*Effect of ozone addition on working parameters of diesel Engine*.International Automotive Conference (KONMOT2018),
- M. Mangus, C. Depcik, C. Ragone, and E. Peltier, “Ozone-Assisted Combustion: Experimental Assessment of the Influence of Ozone in a Single-Cylinder Diesel Engine,” *SAE Tech. Pap.*, vol. 2015-April, no. April, 2015, doi: 10.4271/2015-01-0787.

- M. Nur, 2011. *Fisika Plasma dan Aplikasinya*.
- P. M. Pinazzi and F. Foucher, 2017. "Potential of Ozone to Enable Low Load Operations of a Gasoline Compression Ignition (GCI) Engine," , doi: 10.4271/2017-01-0746.
- Purwadi, A, Widdi Usada, Suryadi dan Isyuniarto, 2006. Konstruksi Tabung Lucutan Plasma Pembangkit Ozone 100watt Dan Karekteristiknya, Pusat Teknologi Akselerator dan Proses Bahan, vol.1, h. 1-4, 2006.
- T. Tachibana, K. Hirata, H. Nishida, and H. Osada, 1991 "Effect of ozone on combustion of compression ignition engines," *Combust. Flame*. doi: 10.1016/0010-2180(91)90154-4.
- Witjonarko.E.D.R dkk. 2019. Analisis Unjuk Kerja *Two Stroke Marine Diesel Engine* Berbahan Bakar Campuran Biosolar dan Gasoline Ron 92. Kampus ITS.Keputih Sukolilo. Surabaya
- Wagino,dkk. 2020. Pengaruh Aplikasi Teknologi EGRICS Tipe Cold terhadap Emisi Asap pada Mesin Diesel. Jurnal inovasi vokasional dan teknologi. doi: 10.24036/invotek.v20i2.716
- X. Gao *et al.*, "The effect of ozone addition on flame propagation," 2015, doi: 10.2514/6.2015-0669.

## LAMPIRAN

**TABEL PERHITUNGAN PERFORMA MESIN**

B30 Murni											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1454	16.66	2.54	1.09	0.43	22.4133	33.7344	20.5408	66.440488	23.98827
Rasio 18	9	1449	16.45	2.49	0.94	0.37	22.281	33.6184	23.8228	66.276206	27.5321

Ozon 30 menit											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1430	16.42	2.46	1.04	0.42	22.212158	33.177573	21.374286	66.949315	21.233947
Rasio 18	9	1456	16.45	2.51	0.88	0.35	22.363746	33.780802	25.31783	66.202532	25.481788

Ozon 1 jam											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1435	16.43	2.47	1.09	0.44	22.219287	33.293579	20.386537	66.737454	22.850002
Rasio 18	9	1456	16.62	2.53	0.83	0.33	22.415618	33.780802	26.993759	66.356086	30.781409

Ozon 2 jam											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1438	16.64	2.50	1.14	0.46	22.749901	33.363182	19.924594	68.188643	21.86177
Rasio 18	9	1454	16.81	2.56	0.88	0.34	23.77563	33.734399	26.947331	70.478891	28.898746

Ozon 0 mg											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1448	16.25	2.4628067	0.98382	0.3994711	22.985371	33.600275	23.36339	68.408281	24.746456
Rasio 18	9	1451	16.62	2.5241016	0.82848	0.3282277	23.252532	33.669889	28.066497	69.060316	30.117792

Ozon 3 mg											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1449	16.46	2.4963565	0.88026	0.3526179	23.166099	33.62348	26.317337	68.898577	28.034575
Rasio 18	9	1448	16.82	2.5491943	0.7767	0.3046845	27.216837	33.600275	35.041634	81.001827	32.445015

Ozon 12 mg											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1445	16.63	2.5151766	0.93204	0.3705664	23.182045	33.530661	24.872372	69.136857	26.67671
Rasio 18	9	1447	16.44	2.4898818	0.82848	0.3327387	27.170246	33.577071	32.795295	80.919048	29.70948

Ozon 15 mg											
Rasio Kompresi	Beban (kg)	Putaran (rpm)	Torsi (Nm)	BP (Kw)	FC (kg/h)	SFC (kg/kW.h)	Ma (kg/h)	Mth (kg/h)	AFR	$\eta_{vo}$ (%)	$\eta_{th}$ (%)
Rasio 14	9	1448	16.24	2.4612911	0.88026	0.3576416	23.172935	33.600275	26.325102	68.966502	27.640783
Rasio 18	9	1448	16.64	2.521914	0.82848	0.3285124	27.002635	33.600275	32.592984	80.364327	30.09169

## DOKUMENTASI

