

DAFTAR PUSTAKA

- Aalam, C. S., & Saravanan, C. G. (2017). Effects of nano metal oxide blended Mahua biodiesel on CRDI diesel engine. *Ain Shams Engineering Journal*, 8(4), 689–696. <https://doi.org/10.1016/j.asej.2015.09.013>
- Abdel Razek, S. M. (2017). Effect of Aluminum Oxide Nano-Particle in Jatropha Biodiesel on Performance, Emissions and Combustion Characteristics of D I Diesel Engine. *International Journal for Research in Applied Science and Engineering Technology*, V(IV), 358–372. <https://doi.org/10.22214/ijraset.2017.4066>
- Ağbulut, Ü., Karagöz, M., Sarıdemir, S., & Öztürk, A. (2020). Impact of various metal-oxide based nanoparticles and biodiesel blends on the combustion, performance, emission, vibration and noise characteristics of a CI engine. *Fuel*, 270, 117521. <https://doi.org/10.1016/J.FUEL.2020.117521>
- Ahmed, A., Shah, A. N., Azam, A., Uddin, G. M., Ali, M. S., Hassan, S., Ahmed, H., & Aslam, T. (2020). Environment-friendly novel fuel additives: Investigation of the effects of graphite nanoparticles on performance and regulated gaseous emissions of CI engine. *Energy Conversion and Management*, 211(December 2019), 112748. <https://doi.org/10.1016/j.enconman.2020.112748>
- Alptekin, E., & Canakci, M. (2008). Determination of the density and the viscosities of biodiesel–diesel fuel blends. *Renewable Energy*, 33(12), 2623–2630. <https://doi.org/10.1016/J.RENENE.2008.02.020>
- Arbab, M. I., Masjuki, H. H., Varman, M., Kalam, M. A., Imtenan, S., & Sajjad, H.

- (2013). Fuel properties, engine performance and emission characteristic of common biodiesels as a renewable and sustainable source of fuel. *Renewable and Sustainable Energy Reviews*, 22, 133–147. <https://doi.org/10.1016/J.RSER.2013.01.046>
- Arockiasamy, P., & Anand, R. B. (2015). Performance, combustion and emission characteristics of a D.I. diesel engine fuelled with nanoparticle blended jatropha biodiesel. *Periodica Polytechnica Mechanical Engineering*, 59(2), 88–93. <https://doi.org/10.3311/PPme.7766>
- Badan Pusat Statistik. (2021). *Jumlah Kendaraan Bermotor Menurut Provinsi dan Jenis Kendaraan (unit), 2021*. <https://www.bps.go.id/>. <https://www.bps.go.id/indicator/17/57/1/jumlah-kendaraan-bermotor.html>
- Barnwal, B. K., & Sharma, M. P. (2005). Prospects of biodiesel production from vegetable oils in India. *Renewable and Sustainable Energy Reviews*, 9(4), 363–378. <https://doi.org/10.1016/J.RSER.2004.05.007>
- Bitire, S. O., Jen, T.-C., & Belaid, M. (2021). Production and optimization of biodiesel from parsley seed oil using KOH as catalyst for automobiles technology. *The International Journal of Advanced Manufacturing Technology*, 116(1), 315–329. <https://doi.org/10.1007/s00170-021-07415-6>
- Bridge, C., Maric, M., Jones, K., & Florida, C. (n.d.). *GC × GC – MS for Forensic Analysis*.
- Çelik, M., & Bayindirli, C. (2020). Enhancement performance and exhaust emissions of rapeseed methyl ester by using n-hexadecane and n-hexane fuel additives. *Energy*, 202(x). <https://doi.org/10.1016/j.energy.2020.117643>
- Chiu, H. H., & Kuo, C. H. (2020). Gas chromatography-mass spectrometry-based analytical strategies for fatty acid analysis in biological samples. *Journal of Food and Drug Analysis*, 28(1), 60–73. <https://doi.org/10.1016/J.JFDA.2019.10.003>

- Dunn, R. O. (2005). Effect of antioxidants on the oxidative stability of methyl soyate (biodiesel). *Fuel Processing Technology*, 86(10), 1071–1085. <https://doi.org/10.1016/J.FUPROC.2004.11.003>
- El-Seesy, A. I., Attia, A. M. A., & El-Batsh, H. M. (2018). The effect of Aluminum oxide nanoparticles addition with Jojoba methyl ester-diesel fuel blend on a diesel engine performance, combustion and emission characteristics. *Fuel*, 224(March), 147–166. <https://doi.org/10.1016/j.fuel.2018.03.076>
- Fauzi, A., Hameed, I., & Jawad, M. (2017). A Review: Uses of Gas Chromatography-Mass Spectrometry (GC-MS) Technique for Analysis of Bioactive Natural Compounds of Some Plants. *International Journal of Toxicological and Pharmacological Research*, 9. <https://doi.org/10.25258/ijtpr.v9i01.9042>
- Fayad, M. A., & Dhahad, H. A. (2021). Effects of adding aluminum oxide nanoparticles to butanol-diesel blends on performance, particulate matter, and emission characteristics of diesel engine. *Fuel*, 286, 119363. <https://doi.org/10.1016/J.FUEL.2020.119363>
- Fernández-Garcia, & Rodriguez, M. J. A. (2009). Metal Oxide Nanoparticles. *Encyclopedia of Inorganic Chemistry*, October. <https://doi.org/10.1002/0470862106.ia377>
- Gad, M. S., & Jayaraj, S. (2020). A comparative study on the effect of nano-additives on the performance and emissions of a diesel engine run on Jatropha biodiesel. *Fuel*, 267. <https://doi.org/10.1016/j.fuel.2020.117168>
- Ganesan. (2017). *Ganesan - INTERNAL COMBUSTION ENGINES (2017, McGraw-Hill Education) - libgen.lc.*
- Ganzoury, M. A., Allam, N. K., Nicolet, T., & All, C. (2015). Introduction to Fourier Transform Infrared Spectrometry. *Renewable and Sustainable Energy Reviews*, 50, 1–8. <https://doi.org/10.1016/j.rser.2015.05.073>

- Hasannuddin, A. K., Yahya, W. J., Sarah, S., Ithnin, A. M., Syahrullail, S., Sidik, N. A. C., Abu Kassim, K. A., Ahmad, Y., Hirofumi, N., Ahmad, M. A., Sugeng, D. A., Zuber, M. A., & Ramlan, N. A. (2018). Nano-additives incorporated water in diesel emulsion fuel: Fuel properties, performance and emission characteristics assessment. *Energy Conversion and Management*, *169*, 291–314. <https://doi.org/10.1016/J.ENCONMAN.2018.05.070>
- He, M., Yang, Z.-Y., Guan, W.-N., Gonçalves, C., Nie, J., & Wu, H. (2016). GC–MS Analysis and Volatile Profile Comparison for the Characteristic Smell from Liang-wai Gan Cao (*Glycyrrhiza uralensis*) and Honey-Roasting Products. *Journal of Chromatographic Science*, *54*, bmw034. <https://doi.org/10.1093/chromsci/bmw034>
- Henrich, V. E. (1995). Metal-oxide surfaces. *Progress in Surface Science*, *50*(1–4), 77–90. [https://doi.org/10.1016/0079-6816\(95\)00046-1](https://doi.org/10.1016/0079-6816(95)00046-1)
- Jones, M. (2002). *Advanced opacimeters: their potential role in future emission testing legislation for Diesel vehicles*. Proc. of the 6th ETH Conference on Nanoparticle Measurement. https://nanoparticles.ch/archive/2002_Jones_PR.pdf
- Kalaimurugan, K., Karthikeyan, S., Periyasamy, M., & Mahendran, G. (2020). Combustion studies on CI engine with cerium oxide nanoparticle added neochloris oleoabundans biodiesel-diesel fuel blends. *Materials Today: Proceedings*, *33*, 2886–2889. <https://doi.org/10.1016/J.MATPR.2020.02.779>
- Kalaimurugan, K., Karthikeyan, S., Periyasamy, M., Mahendran, G., & Dharmaprabhakaran, T. (2019). Experimental studies on the influence of copper oxide nanoparticle on biodiesel-diesel fuel blend in CI engine. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, *00*(00), 1–16. <https://doi.org/10.1080/15567036.2019.1679290>
- Kalligeros, S., Zannikos, F., Stournas, S., Lois, E., Anastopoulos, G., Teas, C., &

- Sakellaropoulos, F. (2003). An investigation of using biodiesel/marine diesel blends on the performance of a stationary diesel engine. *Biomass and Bioenergy*, 24(2), 141–149. [https://doi.org/10.1016/S0961-9534\(02\)00092-2](https://doi.org/10.1016/S0961-9534(02)00092-2)
- Karthikeyan, N. R., Philip, J., & Raj, B. (2008). Effect of clustering on the thermal conductivity of nanofluids. *Materials Chemistry and Physics*, 109(1), 50–55. <https://doi.org/https://doi.org/10.1016/j.matchemphys.2007.10.029>
- Kementrian Lingkungan dan Kehutanan. (2022). *Laporan IGRK MPV 2021* (Volume 7).
- Kumar, N. (2019). Study of oxygenated ecofuel applications in CI engine, gas turbine, and jet engine. In *Advanced Biofuels: Applications, Technologies and Environmental Sustainability*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-102791-2.00016-7>
- Kung, H. H. (1989). Transition Metal Oxides - Surface Chemistry and Catalysis. *Studies in Surface Science and Catalysis*, 45, 6–26. <http://www.sciencedirect.com/science/article/pii/S0167299108609258>
- Li, B., Kong, J., Yang, L., Zhang, L., Zhang, Z., & Li, C. (2020). Direct detection of chemical warfare agent simulants in soil by thermal desorption-low temperature plasma-mass spectrometry. *International Journal of Mass Spectrometry*, 451, 116320. <https://doi.org/10.1016/J.IJMS.2020.116320>
- Majewski, W. A., & Jääskeläinen, H. (2013). *Smoke Opacity*. Dieselnet.Com. https://dieselnet.com/tech/measure_opacity.php#pmmass
- McAllister, S., Chen, J.-Y., & Fernandez-Pello, A. C. (2006). Fundamentals of Combustion Processes. In *Control*. http://books.google.com/books?hl=en&lr=&id=fRVcCtQ1vzYC&oi=fnd&pg=PR7&dq=Structural+sensitivity+analysis+and+optimization+2&ots=FMdU0yb9Ug&sig=7yL9DxDfI47HKEGO_rZ3v5IUCK0

- Mondragon, R., Julia, J. E., Barba, A., & Jarque, J. C. (2012). Characterization of silica–water nanofluids dispersed with an ultrasound probe: A study of their physical properties and stability. *Powder Technology*, 224, 138–146. <https://doi.org/https://doi.org/10.1016/j.powtec.2012.02.043>
- Muhammad Usman, K., & Pam, G. (2013). Determination of Engine Performance Parameters of a Stationary Single Cylinder Compression Ignition Engine Run on Biodiesel from Wild Grape Seeds/Diesel Blends. *Journal of Energy Environment and Carbon Credits*, 3, 15–21.
- Noguera, C. (1996). *Physics and Chemistry at Oxide Surfaces*. Cambridge University Press. <https://doi.org/DOI: 10.1017/CBO9780511524301>
- Nugraha, A., Bayu, A., & Nandiyanto, D. (2021). Nugraha and Nandiyanto, Structural Design and Strength Analysis of Lifting Machine for... | 172. *Indonesian Journal of Multidisciplinary Research*, 1(2), 171–206.
- Outlook Energi, B. (2021). OUTLOOK ENERGI INDONESIA 2021 Perspektif Teknologi Energi Indonesia: Tenaga Surya untuk Penyediaan Energi Charging Station. In *Pusat Pengkajian Industri Proses dan Energi (PPIPE) Badan Pengkajian dan Penerapan Teknologi (BPPT)*.
- Peraturan Presiden RI. (2017). *Perpres No. 22 Tahun 2017 tentang Rencana Umum Energi Nasional* (p. 6).
- Pourhoseini, S. H., & Ghodrat, M. (2021). Experimental investigation of the effect of Al₂O₃ nanoparticles as additives to B20 blended biodiesel fuel: Flame characteristics, thermal performance and pollutant emissions. *Case Studies in Thermal Engineering*, 27, 101292. <https://doi.org/10.1016/J.CSITE.2021.101292>
- Raja, M., Vijayan, R., Dineshkumar, P., & Venkatesan, M. (2016). Review on nanofluids characterization, heat transfer characteristics and applications. *Renewable and Sustainable Energy Reviews*, 64, 163–173.

<https://doi.org/https://doi.org/10.1016/j.rser.2016.05.079>




- Ramesh, D. K., Dhananjaya Kumar, J. L., Hemanth Kumar, S. G., Namith, V., Basappa Jambagi, P., & Sharath, S. (2018). Study on effects of Alumina nanoparticles as additive with Poultry litter biodiesel on Performance, Combustion and Emission characteristic of Diesel engine. *Materials Today: Proceedings*, 5(1), 1114–1120. <https://doi.org/10.1016/j.matpr.2017.11.190>
- Resitoglu, I. A. (2021). The effect of biodiesel on activity of diesel oxidation catalyst and selective catalytic reduction catalysts in diesel engine. *Renewable and Sustainable Energy Reviews*, 148, 111286. <https://doi.org/10.1016/J.RSER.2021.111286>
- Sadhik Basha, J., & Anand, R. B. (2012). Effects of nanoparticle additive in the water-diesel emulsion fuel on the performance, emission and combustion characteristics of a diesel engine. *International Journal of Vehicle Design*, 59(2–3), 164–181. <https://doi.org/10.1504/IJVD.2012.048692>
- Satriadi, H., Pratiwi, I. Y., Khuriyah, M., Widayat, Hadiyanto, & Prameswari, J. (2022). Geothermal solid waste derived Ni/Zeolite catalyst for waste cooking oil processing. *Chemosphere*, 286, 131618. <https://doi.org/10.1016/J.CHEMOSPHERE.2021.131618>
- Sehar, S., Sher, F., Zhang, S., Khalid, U., Sulejmanović, J., & Lima, E. C. (2020). Thermodynamic and kinetic study of synthesised graphene oxide-CuO nanocomposites: A way forward to fuel additive and photocatalytic potentials. *Journal of Molecular Liquids*, 313, 113494. <https://doi.org/https://doi.org/10.1016/j.molliq.2020.113494>
- Shaisundaram, V. S., Chandrasekaran, M., Muraliraja, R., Shanmugam, M., Baskar, S., & Bhuvendran, A. (2020). Investigation of tamarind seed oil biodiesel with aluminium oxide nanoparticle in CI engine. *Materials Today: Proceedings*, 37(Part 2), 1417–1421. <https://doi.org/10.1016/j.matpr.2020.06.597>




- Shehata, M. S. (2013). Emissions, performance and cylinder pressure of diesel engine fuelled by biodiesel fuel. *Fuel*, *112*, 513–522. <https://doi.org/10.1016/J.FUEL.2013.02.056>
- Simon-Manso, Y., Lowenthal, M., Kilpatrick, L., Sampson, M., Telu, K., Rudnick, P., Mallard, G., Bearden, D., Schock, T., Tchekhovskoi, D., Blonder, N., Yan, X., Liang, Y., Zheng, Y., Wallace, W., Neta, P., Phinney, K., Remaley, A., & Stein, S. (2013). Metabolite profiling of a NIST Standard Reference Material for human plasma (SRM 1950): GC-MS, LC-MS, NMR, and clinical laboratory analyses, libraries, and web-based resources. *Analytical Chemistry*, *85*. <https://doi.org/10.1021/ac402503m>
- Soudagar, M. E. M., Nik-Ghazali, N.-N., Kalam, M. A., Badruddin, I. A., Banapurmath, N. R., Bin Ali, M. A., Kamangar, S., Cho, H. M., & Akram, N. (2020). An investigation on the influence of aluminium oxide nano-additive and honge oil methyl ester on engine performance, combustion and emission characteristics. *Renewable Energy*, *146*, 2291–2307. <https://doi.org/https://doi.org/10.1016/j.renene.2019.08.025>
- Srinidhi, C., Madhusudhan, A., & Channapattana, S. V. (2019). Effect of NiO nanoparticles on performance and emission characteristics at various injection timings using biodiesel-diesel blends. *Fuel*, *235*(March 2018), 185–193. <https://doi.org/10.1016/j.fuel.2018.07.067>
- Tcholakova, S., Denkov, N. D., Ivanov, I. B., & Campbell, B. (2006). Coalescence stability of emulsions containing globular milk proteins. *Advances in Colloid and Interface Science*, *123–126*, 259–293. <https://doi.org/https://doi.org/10.1016/j.cis.2006.05.021>
- Tuan Hoang, A., & Viet Pham, V. (2021). 2-Methylfuran (MF) as a potential biofuel: A thorough review on the production pathway from biomass, combustion progress, and application in engines. *Renewable and Sustainable Energy Reviews*, *148*, 111265. <https://doi.org/10.1016/J.RSER.2021.111265>




- Van Asten, A. (2002). The importance of GC and GC-MS in perfume analysis. *TrAC Trends in Analytical Chemistry*, 21(9–10), 698–708. [https://doi.org/10.1016/S0165-9936\(02\)00807-5](https://doi.org/10.1016/S0165-9936(02)00807-5)
- Van Gerpen, J. (2005). Biodiesel processing and production. *Fuel Processing Technology*, 86(10), 1097–1107. <https://doi.org/10.1016/J.FUPROC.2004.11.005>
- Vene, K., Seisonen, S., Koppel, K., Leitner, E., & Paalme, T. (2013). A method for GC-olfactometry panel training. *Chemosensory Perception*, 6(4), 179–189. <https://doi.org/10.1007/s12078-013-9156-x>
- Venu, H., & Appavu, P. (2020). Al₂O₃ nano additives blended Polanga biodiesel as a potential alternative fuel for existing unmodified DI diesel engine. *Fuel*, 279(May), 118518. <https://doi.org/10.1016/j.fuel.2020.118518>
- Venu, H., & Madhavan, V. (2016). Effect of Al₂O₃ nanoparticles in biodiesel-ethanol blends at various injection strategies: Performance, combustion and emission characteristics. *Fuel*, 186, 176–189. <https://doi.org/10.1016/j.fuel.2016.08.046>
- Yuvarajan, D., Dinesh Babu, M., BeemKumar, N., & Amith Kishore, P. (2018). Experimental investigation on the influence of titanium dioxide nanofluid on emission pattern of biodiesel in a diesel engine. *Atmospheric Pollution Research*, 9(1), 47–52. <https://doi.org/10.1016/j.apr.2017.06.003>
- Zahoransky, R. A., Laile, E., Terwey, B., & Konstandopoulos, A. (n.d.). *On-line/in-line measurements of particle emissions by optical multi-wavelength technique*. Retrieved September 27, 2022, from https://nanoparticles.ch/archive/2000_Zahoransky_PR.pdf




LAMPIRAN




- a. Tekanan Silinder Terhadap Sudut Engkol

























b. Pelepasan Panas














c. Tekanan Terhadap Volume Silinder

