

DAFTAR PUSTAKA

- Afi Nurani, & Sutawanir Darwis, S. (2012). *Analisis Hurdle Poisson Untuk Pemodelan Data Count. 1*, 46–50.
- Alwani, N. N., & Achmad, A. I. (2017). *Model Regresi Hurdle Poisson Dalam Mengatasi Permasalahan Excess Zero Untuk Kasus Aids Di Provinsi Jambi Tahun 2015-2017*. 557–563.
- Cookson, M. D., & Stirk, P. M. R. (2019). Pengantar Matematika. 9(1), 182–200.
- Dai, N. F. (2020). Stigma Masyarakat Terhadap Pandemi Covid-19. *Prosiding Nasional Covid-19*, 66–73. <https://www.ojs.literacyinstitute.org/index.php/prosiding-covid19/article/download/47/32>.
- Faidah, D. Y., & Pontoh, R. S. (2015). *Pendekatan Hurdle Poisson Pada Excess Zero Data*. 131–136.
- Julianda H, R., Herrhyanto, N., & M, B. A. P. (2019). *Penerapan Data Count Dengan Menggunakan Regresi Hurdle Poisson (Studi Kasus : Banyak Kematian Ibu Di Provinsi Jawa Barat Tahun 2015)*. 7, 11–23.
- Pradawati, P. S., Sukarsa, K. G., & Srinadi, I. G. A. M. (2013). Penerapan Regresi Binomial Negatif Untuk Mengatasi Overdispersi Pada Regresi Poisson. *E-Jurnal Matematika*, 2(2), 6. <https://doi.org/10.24843/mtk.2013.v02.i02.p031>.
- Ramadhani Khija, & Ludovick Uttoh, M. K. T. (2015). Teknik Pengambilan Sampel. *Ekp*, 13(3), 1576–1580.
- Ruhyat, E. (2021). Perilaku Merokok Di Masa Covid-19. *Jurnal Sehat Masada*, 15(1), 180–187. <https://doi.org/10.38037/jsm.v15i1.178>.
- Saffari, S. E., Adnan, R., & Greene, W. (2012). Parameter Estimation On Hurdle Poisson Regression Model With Censored Data. *Jurnal Teknologi (Sciences And Engineering)*, 57(Suppl.1), 189–198. <https://doi.org/10.11113/jt.v57.1533>.
- Sari, F. M., & Sihombing, P. R. (2021). *Fitri Mudia Sari 1 , Pardomuan Robinson Sihombing 2 1*. 15(1), 66–77.
- Sriningsih, M., Hatidja, D., & Prang, J. D. (2018). Penanganan Multikolinearitas Dengan Menggunakan Analisis Regresi Komponen Utama Pada Kasus Impor Beras Di

Provinsi Sulut. *Jurnal Ilmiah Sains*, 18(1), 18.
<https://doi.org/10.35799/Jis.18.1.2018.19396>.

Susilawati, M., Matematika, P. S., Matematika, P. S., Matematika, P. S., & Author, C. (2022). *Pemodelan Angka Mortalitas Ibu Di Provinsi Bali*. 11(1), 6–11.

Winugroho, T., Imansyah, M., Bangun, E., Apriyadi, R. K., & Hidayat, A. (2021). Analisis Pengaruh Faktor Demografi Terhadap Lama Karantina Pada Perawat Terpapar Covid-19 Di Jawa Tengah. *Pendipa Journal Of Science Education*, 5(2), 229–236.
<https://doi.org/10.33369/Pendipa.5.2.229-236>.

LAMPIRAN

DATA PASIEN JANUARI-JUNI 2021

NO	KODE SAMPEL	UMUR	JENIS KELAMIN	PEKERJAAN	MEROKOK	BATUK BERDAHAK >= 2 MINGGU	KETERANGAN
1	A	15	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
2	B	16	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
3	C	16	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
4	D	16	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
5	E	17	P	Pelajar/Mahasiswa	T	T	REAKTIF
6	F	16	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
7	G	16	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
8	H	16	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
9	I	17	P	Belum/Tidak Bekerja	T	T	NON REAKTIF
10	J	17	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
11	K	17	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
12	L	17	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
13	M	17	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
14	N	17	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
15	O	17	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
16	P	17	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
17	Q	17	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
18	R	18	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
19	S	18	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
20	T	18	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
21	U	18	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
22	V	18	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
23	W	19	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
24	X	19	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
25	Y	19	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
26	Z	19	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
27	AA	19	P	Belum/Tidak Bekerja	T	T	NON REAKTIF
28	AB	19	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
29	AC	19	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
30	AD	19	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
31	AE	19	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
32	AF	19	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
33	AG	19	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
34	AH	20	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
35	AI	20	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
36	AJ	20	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
37	AK	20	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
38	AL	20	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
39	AM	20	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
40	AN	20	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
41	AO	20	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
42	AP	20	P	Pelajar/Mahasiswa	T	T	NON REAKTIF

43	AQ	20	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
44	AR	20	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
45	AS	20	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
46	AT	21	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
47	AU	27	P	Pelajar/Mahasiswa	T	T	REAKTIF
48	AV	21	L	Wiraswasta	Y	T	NON REAKTIF
49	AW	21	P	Mengurus Rumah Tangga	T	T	NON REAKTIF
50	AX	21	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
51	AY	21	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
52	AZ	21	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
53	BA	21	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
54	BB	21	L	Wiraswasta	Y	T	NON REAKTIF
55	BC	21	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
56	BD	21	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
57	BE	32	L	Lainnya	Y	T	REAKTIF
58	BF	22	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
59	BG	22	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
60	BH	22	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
61	BI	22	P	Mengurus Rumah Tangga	T	T	NON REAKTIF
62	BJ	22	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
63	BK	22	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
64	BL	22	P	Lainnya	T	T	NON REAKTIF
65	BM	23	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
66	BN	28	P	Mengurus Rumah Tangga	T	T	REAKTIF
67	BO	23	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
68	BP	35	P	Lainnya	T	T	REAKTIF
69	BQ	23	L	Wiraswasta	Y	T	NON REAKTIF
70	BR	23	L	Wiraswasta	Y	T	NON REAKTIF
71	BS	23	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
72	BT	35	P	Pelajar/Mahasiswa	T	T	REAKTIF
73	BU	23	P	Mengurus Rumah Tangga	T	T	NON REAKTIF
74	BV	23	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
75	BW	23	P	Mengurus Rumah Tangga	T	N	NON REAKTIF
76	BX	23	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
77	BY	23	L	Wiraswasta	Y	T	NON REAKTIF
78	BZ	23	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
79	CA	23	P	Belum/Tidak Bekerja	T	T	NON REAKTIF
80	CB	23	P	Mengurus Rumah Tangga	T	T	NON REAKTIF
81	CC	24	P	Mengurus Rumah Tangga	Y	T	NON REAKTIF
82	CD	24	P	Belum/Tidak Bekerja	T	T	NON REAKTIF
83	CE	24	L	Belum/Tidak Bekerja	T	T	NON REAKTIF

84	CF	24	L	Petani/Pekebun	Y	T	NON REAKTIF
85	CG	24	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
86	CH	24	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
87	CI	24	L	Wiraswasta	Y	T	NON REAKTIF
88	CJ	24	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
89	CK	24	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
90	CL	24	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
91	CM	24	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
92	CN	24	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
93	CO	24	L	Pelajar/Mahasiswa	Y	T	NON REAKTIF
94	CP	24	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
95	CQ	24	L	Petani/Pekebun	T	T	NON REAKTIF
96	CR	24	P	Mengurus Rumah Tangga	Y	T	NON REAKTIF
97	CS	24	P	Wiraswasta	T	T	NON REAKTIF
98	CT	24	L	Wiraswasta	T	T	NON REAKTIF
99	CU	24	P	Wiraswasta	T	T	NON REAKTIF
100	CV	24	L	Wiraswasta	Y	T	NON REAKTIF
101	CW	25	L	Belum/Tidak Bekerja	T	T	NON REAKTIF
102	CX	25	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
103	CY	25	P	Karyawan Honorer	T	T	NON REAKTIF
104	CZ	25	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
105	DA	25	L	Wiraswasta	Y	T	NON REAKTIF
106	DB	25	L	Karyawan Swasta	T	T	NON REAKTIF
107	DC	25	P	Pelajar/Mahasiswa	Y	T	NON REAKTIF
108	DD	25	L	Lainnya	T	T	NON REAKTIF
109	DE	25	L	Wiraswasta	Y	T	NON REAKTIF
110	DF	25	L	Transportasi	Y	T	NON REAKTIF
111	DG	25	P	Mengurus Rumah Tangga	T	T	NON REAKTIF
112	DH	25	L	Wiraswasta	Y	T	NON REAKTIF
113	DI	25	L	Wiraswasta	T	T	NON REAKTIF
114	DJ	25	P	Mengurus Rumah Tangga	T	T	NON REAKTIF
115	DK	25	P	Pelajar/Mahasiswa	T	N	NON REAKTIF
116	DL	25	P	Belum/Tidak Bekerja	T	T	NON REAKTIF
117	DM	25	L	Petani/Pekebun	Y	T	NON REAKTIF
118	DN	25	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
119	DO	25	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
120	DP	26	L	Belum/Tidak Bekerja	Y	T	NON REAKTIF
121	DQ	26	L	Wiraswasta	Y	T	NON REAKTIF
122	DR	26	P	Pelajar/Mahasiswa	T	T	NON REAKTIF
123	DS	26	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
124	DT	26	L	Petani/Pekebun	T	T	NON REAKTIF
125	DU	26	L	Karyawan Honorer	Y	T	NON REAKTIF
126	DV	26	L	Wiraswasta	Y	N	NON REAKTIF
127	DW	26	L	Karyawan Swasta	Y	T	NON REAKTIF

128	DX	26	L	Pelajar/Mahasiswa	T	T	NON REAKTIF
129	DY	26	L	Wiraswasta	Y	T	NON REAKTIF
130	DZ	40	L	karyawan swasta	T	T	NON REAKTIF

DATA PASIEN JANUARI-JUNI 2021

NO	KODE SAMPEL	Y	X1	X2	X3	X4
1	A	0	1	15	1	0
2	B	0	1	16	1	1
3	C	0	1	16	1	0
4	D	0	1	16	0	1
5	E	1	1	17	1	0
6	F	0	1	16	1	0
7	G	0	1	16	1	1
8	H	0	1	16	1	0
9	I	0	1	17	0	0
10	J	0	1	17	1	1
11	K	0	1	17	1	0
12	L	0	1	17	1	0
13	M	0	1	17	1	0
14	N	0	1	17	1	0
15	O	0	1	17	1	0
16	P	0	1	17	0	0
17	Q	0	1	17	0	1
18	R	0	1	18	1	1
19	S	0	1	18	1	1
20	T	0	1	18	0	0
21	U	0	1	18	1	1
22	V	0	1	18	1	0
23	W	0	1	19	0	1
24	X	0	1	19	1	0
25	Y	0	1	19	1	0
26	Z	0	1	19	1	0
27	AA	0	1	19	0	0
28	AB	0	1	19	1	0
29	AC	0	1	19	1	1
30	AD	0	1	19	1	0
31	AE	0	1	19	1	0
32	AF	0	1	19	1	1
33	AG	0	1	19	1	0
34	AH	0	1	20	0	1
35	AI	0	1	20	1	0

36	AJ	0	1	20	1	1
37	AK	0	1	20	0	0
38	AL	0	1	20	1	0
39	AM	0	1	20	1	0
40	AN	0	1	20	0	0
41	AO	0	1	20	0	1
42	AP	0	1	20	1	0
43	AQ	0	1	20	1	0
44	AR	0	1	20	1	0
45	AS	0	1	20	1	0
46	AT	0	1	21	1	1
47	AU	1	1	27	1	0
48	AV	0	1	21	3	1
49	AW	0	1	21	4	0
50	AX	0	1	21	1	1
51	AY	0	1	21	1	0
52	AZ	0	1	21	1	1
53	BA	0	1	21	0	0
54	BB	0	1	21	3	1
55	BC	0	1	21	1	0
56	BD	0	1	21	1	0
57	BE	1	1	32	0	1
58	BF	0	1	22	1	1
59	BG	0	1	22	0	0
60	BH	0	1	22	1	0
61	BI	0	1	22	4	0
62	BJ	0	1	22	0	1
63	BK	0	1	22	0	0
64	BL	0	1	22	0	0
65	BM	0	1	23	0	1
66	BN	1	1	28	4	0
67	BO	0	1	23	1	0
68	BP	1	1	35	0	0
69	BQ	0	1	23	3	1
70	BR	0	1	23	3	1
71	BS	0	1	23	1	0
72	BT	1	1	35	1	0
73	BU	0	1	23	4	0
74	BV	0	1	23	1	1
75	BW	0	3	23	4	0
76	BX	0	1	23	1	1
77	BY	0	1	23	3	1
78	BZ	0	1	23	1	0
79	CA	0	1	23	0	0
80	CB	0	1	23	4	0
81	CC	0	1	24	4	1

82	CD	0	1	24	0	0
83	CE	0	1	24	0	0
84	CF	0	1	24	5	1
85	CG	0	1	24	1	0
86	CH	0	1	24	1	0
87	CI	0	1	24	3	1
88	CJ	0	1	24	0	0
89	CK	0	1	24	1	0
90	CL	0	1	24	1	0
91	CM	0	1	24	1	1
92	CN	0	1	24	0	1
93	CO	0	1	24	1	1
94	CP	0	1	24	1	0
95	CQ	0	1	24	5	0
96	CR	0	1	24	4	1
97	CS	0	1	24	3	0
98	CT	0	1	24	3	0
99	CU	0	1	24	3	0
100	CV	0	1	24	3	1
101	CW	0	1	25	0	0
102	CX	0	1	25	0	1
103	CY	0	1	25	6	0
104	CZ	0	1	25	0	1
105	DA	0	1	25	3	1
106	DB	0	1	25	6	0
107	DC	0	1	25	1	1
108	DD	0	1	25	0	0
109	DE	0	1	25	3	1
110	DF	0	1	25	0	1
111	DG	0	1	25	4	0
112	DH	0	1	25	3	1
113	DI	0	1	25	3	0
114	DJ	0	1	25	4	0
115	DK	0	3	25	1	0
116	DL	0	1	25	0	0
117	DM	0	1	25	5	1
118	DN	0	1	25	1	0
119	DO	0	1	25	0	1
120	DP	0	1	26	0	1
121	DQ	0	1	26	3	1
122	DR	0	1	26	1	0
123	DS	0	1	26	1	0
124	DT	0	1	26	5	0
125	DU	0	1	26	6	1
126	DV	0	3	26	3	1
127	DW	0	1	26	6	1

128	DX	0	1	26	1	0
129	DY	0	1	26	3	1
130	DZ	0	1	40	6	0

KETERANGAN:

Y : PEMERIKSAAN COVID

X1 : GEJALA BATUK

X2 : UMUR

X3 : PEKERJAAN

X4 : PENGONSUMSI ROKOK

DESCRIPTIVES VARIABLES=hasilpemeriksaan gejala batuk umur pekerjaan perokok
/STATISTICS=MEAN STDDEV MIN MAX.

Descriptives

Notes		
Output Created		28-JUL-2022 14:01:16
Comments		
Input	Data	C:\Users\HP\Documents\hasildata real.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	130
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=hasilpemeriksaan gejala batuk umur pekerjaan perokok /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,00

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Y	130	.00	1.00	.0462	.21063
X1	130	1.00	3.00	1.0462	.30146
X2	130	15.00	40.00	22.2692	3.92722

X3	130	.00	6.00	1.5615	1.61871
X4	130	.00	1.00	.3923	.49015
Valid N (listwise)	130				

```

EXAMINE VARIABLES=hasilpemeriksaan BY gejalaabatuk umur pekerjaan perokok
/PLOT BOXPLOT STEMLEAF
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.

```

Regression

Notes

Output Created		28-JUL-2022 14:09:42
Comments		
Input	Data	C:\Users\HP\Documents\hasil\data real.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	130
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT hasilpemeriksaan /METHOD=ENTER gejalabatuk umur pekerjaan perokok /SAVE PRED ZPRED RESID ZRESID.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02
	Memory Required	2388 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	PRE_2	Unstandardized Predicted Value
	RES_2	Unstandardized Residual
	ZPR_2	Standardized Predicted Value
	ZRE_2	Standardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X4, X1, X2, X3 ^b	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.444 ^a	.198	.172	.19168

a. Predictors: (Constant), X4, X1, X2, X3

b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.131	4	.283	7.694	.000 ^b
	Residual	4.592	125	.037		
	Total	5.723	129			

a. Dependent Variable: Y

b. Predictors: (Constant), X4, X1, X2, X3

Coefficients^a

Model		Unstandardized Coefficients		Standardized	t	Sig.
		B	Std. Error	Coefficients Beta		
1	(Constant)	-.402	.112		-3.580	.000
	X1	-.040	.056	-.058	-.714	.476
	X2	.025	.005	.460	5.355	.000
	X3	-.026	.011	-.203	-2.357	.020
	X4	-.045	.035	-.105	-1.310	.193

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	X1	.984	1.016
	X2	.871	1.148
	X3	.866	1.155
	X4	.994	1.006

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3

1	1	3.980	1.000	.00	.00	.00	.02
	2	.551	2.687	.00	.00	.00	.11
	3	.403	3.143	.01	.02	.00	.78
	4	.053	8.652	.04	.89	.13	.01
	5	.013	17.480	.95	.08	.87	.09

Collinearity Diagnostics^a

Model	Dimension	Variance Proportions	
		X4	
1	1		.02
	2		.90
	3		.07
	4		.01
	5		.00

a. Dependent Variable: Y

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.1192	.4209	.0462	.09362	130
Residual	-.38568	1.04932	.00000	.18868	130
Std. Predicted Value	-1.766	4.003	.000	1.000	130
Std. Residual	-2.012	5.474	.000	.984	130

a. Dependent Variable: Y

```
FREQUENCIES VARIABLES=hasilpemeriksaan gejala batuk umur pekerjaan perokok
/STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM MEAN
/ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created	28-JUL-2022 14:21:55	
Comments		
Input	Data	C:\Users\HP\Documents\hasildata real.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	130

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=hasilpemeriksaan gejala batuk umur pekerjaan perokok /STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM MEAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

Statistics

	Y	X1	X2	X3	X4
N	Valid	130	130	130	130
	Missing	0	0	0	0
Mean	.0462	1.0462	22.2692	1.5615	.3923
Std. Deviation	.21063	.30146	3.92722	1.61871	.49015
Variance	.044	.091	15.423	2.620	.240
Range	1.00	2.00	25.00	6.00	1.00
Minimum	.00	1.00	15.00	.00	.00
Maximum	1.00	3.00	40.00	6.00	1.00

Frequency Table

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	124	95.4	95.4	95.4
	1.00	6	4.6	4.6	100.0
Total		130	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	127	97.7	97.7	97.7
	3.00	3	2.3	2.3	100.0
Total		130	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	15.00	1	.8	.8	.8
	16.00	6	4.6	4.6	5.4
	17.00	10	7.7	7.7	13.1
	18.00	5	3.8	3.8	16.9
	19.00	11	8.5	8.5	25.4
	20.00	12	9.2	9.2	34.6
	21.00	10	7.7	7.7	42.3
	22.00	7	5.4	5.4	47.7
	23.00	13	10.0	10.0	57.7
	24.00	20	15.4	15.4	73.1
	25.00	19	14.6	14.6	87.7
	26.00	10	7.7	7.7	95.4
	27.00	1	.8	.8	96.2
	28.00	1	.8	.8	96.9
	32.00	1	.8	.8	97.7
	35.00	2	1.5	1.5	99.2
	40.00	1	.8	.8	100.0
	Total		130	100.0	100.0

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	32	24.6	24.6	24.6
	1.00	62	47.7	47.7	72.3
	3.00	17	13.1	13.1	85.4
	4.00	10	7.7	7.7	93.1
	5.00	4	3.1	3.1	96.2
	6.00	5	3.8	3.8	100.0
	Total		130	100.0	100.0

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	79	60.8	60.8	60.8
	1.00	51	39.2	39.2	100.0

Total	130	100.0	100.0
-------	-----	-------	-------

```

* Generalized Linear Models.
GENLIN hasilpemeriksaan WITH gejala batuk umur pekerjaan perokok
  /MODEL gejala batuk umur pekerjaan perokok INTERCEPT=YES
  DISTRIBUTION=POISSON LINK=LOG
  /CRITERIA METHOD=FISHER(1) SCALE=1 COVB=MODEL MAXITERATIONS=100
MAXSTEPHALVING=5
  PCONVERGE=1E-006 (ABSOLUTE) SINGULAR=1E-012 ANALYSISTYPE=3 (WALD)
CILEVEL=95 CITYPE=WALD
  LIKELIHOOD=FULL
  /MISSING CLASSMISSING=EXCLUDE
  /PRINT CPS DESCRIPTIVES MODELINFO FIT SUMMARY SOLUTION.

```

Generalized Linear Models

Notes

Output Created		28-JUL-2022 14:23:28
Comments		
Input	Data	C:\Users\HP\Documents\hasildata real.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	130
Missing Value Handling	Definition of Missing	User-defined missing values for factor, subject and within-subject variables are treated as missing.
	Cases Used	Statistics are based on cases with valid data for all variables in the model.
Weight Handling		not applicable

Syntax	<pre> GENLIN hasilpemeriksaan WITH gejalaatuk umur pekerjaan perokok /MODEL gejalaatuk umur pekerjaan perokok INTERCEPT=YES DISTRIBUTION=POISSON LINK=LOG /CRITERIA METHOD=FISHER(1) SCALE=1 COVB=MODEL MAXITERATIONS=100 MAXSTEPHALVING=5 PCONVERGE=1E-006(ABS OLUTE) SINGULAR=1E-012 ANALYSISTYPE=3(WALD) CILEVEL=95 CITYPE=WALD LIKELIHOOD=FULL /MISSING CLASSMISSING=EXCLUDE /PRINT CPS DESCRIPTIVES MODELINFO FIT SUMMARY SOLUTION. </pre>	
Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,07

Warnings

The Hessian matrix is singular. Some convergence criteria are not satisfied.

The GENLIN procedure continues despite the above warning(s). Subsequent results shown are based on the last iteration. Validity of the model fit is uncertain.

Model Information

Dependent Variable	Y
Probability Distribution	Poisson
Link Function	Log

Case Processing Summary

	N	Percent
Included	130	100.0%
Excluded	0	0.0%
Total	130	100.0%

Continuous Variable Information

		N	Minimum	Maximum	Mean	Std. Deviation
Dependent Variable	Y	130	.00	1.00	.0462	.21063
Covariate	X1	130	1.00	3.00	1.0462	.30146
	X2	130	15.00	40.00	22.2692	3.92722
	X3	130	.00	6.00	1.5615	1.61871
	X4	130	.00	1.00	.3923	.49015

Goodness of Fit^a

	Value	df	Value/df
Deviance	148.497	126	1.178
Scaled Deviance	148.497	126	
Pearson Chi-Square	137.144	126	1.088
Scaled Pearson Chi-Square	137.144	126	
Log Likelihood ^b	-17.248		
Akaike's Information Criterion (AIC)	44.497		
Finite Sample Corrected AIC (AICC)	44.981		
Bayesian Information Criterion (BIC)	58.835		
Consistent AIC (CAIC)	63.835		

Dependent Variable: Y

Model: (Intercept), X1, X2, X3, X4^a

a. Information criteria are in smaller-is-better form.

b. The full log likelihood function is displayed and used in computing information criteria.

Omnibus Test^a

Likelihood Ratio		
Chi-Square	df	Sig.
14.412	4	.006

Dependent Variable: Y

Model: (Intercept), X1, X2, X3, X4^a

a. Compares the fitted model against the intercept-only model.

Tests of Model Effects

Source	Type III		
	Wald Chi-Square	df	Sig.
(Intercept)	. ^a	.	.
X1	. ^a	.	.
X2	14.180	1	.000
X3	2.247	1	.134
X4	.530	1	.467

Dependent Variable: Y

Model: (Intercept), X1, X2, X3, X4

a. Unable to compute due to numerical problems

Parameter Estimates

Parameter	B	Std. Error	95% Wald Confidence Interval		Hypothesis Test	
			Lower	Upper	Wald Chi-Square	df
(Intercept)	7.212	1.9631	3.364	11.059	13.495	1
X1	-15.781 ^a
X2	.250	.0665	.120	.380	14.180	1
X3	-.364	.2431	-.841	.112	2.247	1
X4	-.819	1.1249	-3.024	1.386	.530	1
(Scale)	1 ^b					

Parameter Estimates

Parameter	Hypothesis Test Sig.
(Intercept)	.000
X1	.
X2	.000
X3	.134
X4	.467

(Scale)

Dependent Variable: Y

Model: (Intercept), X1, X2, X3, X4

a. Hessian matrix singularity is caused by this parameter. The parameter estimate at the last iteration is displayed.

b. Fixed at the displayed value.

```
LOGISTIC REGRESSION VARIABLES hasilpemeriksaan
  /METHOD=ENTER gejala batuk umur pekerjaan perokok
  /CLASSPLOT
  /PRINT=GOODFIT CORR ITER(1)
  /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).
```

Logistic Regression

Notes

Output Created		28-JUL-2022 14:35:25
Comments		
Input	Data	C:\Users\HP\Documents\hasilpemeriksaan\data real.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	130
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing
Syntax		LOGISTIC REGRESSION VARIABLES hasilpemeriksaan /METHOD=ENTER gejala batuk umur pekerjaan perokok /CLASSPLOT /PRINT=GOODFIT CORR ITER(1) /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,04

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	130	100.0
	Missing Cases	0	.0
	Total	130	100.0
Unselected Cases		0	.0
Total		130	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block Iteration History^{a,b,c}

Iteration		-2 Log likelihood	Coefficients
			Constant
Step 0	1	60.995	-1.815
	2	49.859	-2.595
	3	48.659	-2.956
	4	48.628	-3.026
	5	48.628	-3.029
	6	48.628	-3.029

- a. Constant is included in the model.
- b. Initial -2 Log Likelihood: 48.628
- c. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Classification Table^{a,b}

Observed		Predicted		Percentage Correct
		.00	1.00	
Step 0	Y	.00	124	100.0
		1.00	6	.0
Overall Percentage				95.4

- a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-3.029	.418	52.492	1	.000	.048

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	X1	.149	1	.700
		X2	18.620	1	.000
		X3	.377	1	.539
		X4	1.343	1	.246
		Overall Statistics	25.683	4	.000

Block 1: Method = Enter

Iteration History^{a,b,c,d}

Iteration		-2 Log likelihood	Coefficients				
			Constant	X1	X2	X3	X4
Step 1	1	54.403	-3.607	-.161	.099	-.106	-.181
	2	36.732	-6.500	-.362	.209	-.231	-.423
	3	32.004	-8.618	-.612	.297	-.372	-.723
	4	31.085	-9.496	-.967	.346	-.502	-1.031
	5	30.990	-9.425	-1.429	.363	-.562	-1.194
	6	30.981	-8.972	-1.928	.365	-.569	-1.217
	7	30.978	-8.472	-2.428	.365	-.569	-1.217
	8	30.976	-7.972	-2.929	.365	-.569	-1.217
	9	30.976	-7.472	-3.429	.365	-.569	-1.217
	10	30.976	-6.972	-3.929	.365	-.569	-1.217
	11	30.976	-6.472	-4.429	.365	-.569	-1.217
	12	30.976	-5.972	-4.929	.365	-.569	-1.217
	13	30.976	-5.472	-5.429	.365	-.569	-1.217
	14	30.976	-4.972	-5.929	.365	-.569	-1.217
	15	30.976	-4.472	-6.429	.365	-.569	-1.217
	16	30.976	-3.972	-6.929	.365	-.569	-1.217
	17	30.976	-3.472	-7.429	.365	-.569	-1.217
	18	30.976	-2.972	-7.929	.365	-.569	-1.217
	19	30.976	-2.472	-8.429	.365	-.569	-1.217
	20	30.976	-1.972	-8.929	.365	-.569	-1.217

- a. Method: Enter
- b. Constant is included in the model.
- c. Initial -2 Log Likelihood: 48.628
- d. Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	17.652	4	.001
	Block	17.652	4	.001
	Model	17.652	4	.001

Model Summary

Step	-2 Log likelihood	Cox & Snell R	Nagelkerke R
		Square	Square
1	30.976 ^a	.127	.407

- a. Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	14.769	8	.064

Contingency Table for Hosmer and Lemeshow Test

		Y = .00		Y = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	13	12.982	0	.018	13
	2	13	12.959	0	.041	13
	3	12	12.934	1	.066	13
	4	12	11.915	0	.085	12
	5	13	12.870	0	.130	13
	6	13	12.812	0	.188	13
	7	13	12.739	0	.261	13
	8	14	13.460	0	.540	14
	9	11	11.242	1	.758	12
	10	10	10.087	4	3.913	14

Classification Table^a

	Observed	Predicted		Percentage Correct	
		.00	1.00		
Step 1	Y	.00	123	1	99.2
		1.00	4	2	33.3
Overall Percentage					96.2

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	X1	-8.929	10975.766	.000	1	.999	.000
	X2	.365	.110	11.005	1	.001	1.441
	X3	-.569	.367	2.399	1	.121	.566
	X4	-1.217	1.268	.922	1	.337	.296
	Constant	-1.972	10975.766	.000	1	1.000	.139

a. Variable(s) entered on step 1: X1, X2, X3, X4.

Correlation Matrix

		Constant	X1	X2	X3	X4
Step 1	Constant	1.000	-1.000	.000	.000	.000
	X1	-1.000	1.000	.000	.000	.000
	X2	.000	.000	1.000	-.512	-.123
	X3	.000	.000	-.512	1.000	.206
	X4	.000	.000	-.123	.206	1.000

Titik Persentase Distribusi t

d.f. = 1 - 200

Diproduksi oleh: Junaidi
<http://junaidichaniago.wordpress.com>

Titik Persentase Distribusi t (df = 1 – 40)

df	Pr 0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.050	0.01 0.02	0.005 0.010	0.001 0.002
1	1.00000	3.07768	6.31375	12.70620	31.82052	63.65674	318.30884
2	0.81650	1.88562	2.91999	4.30265	6.96456	9.92484	22.32712
3	0.76489	1.63774	2.35336	3.18245	4.54070	5.84091	10.21453
4	0.74070	1.53321	2.13185	2.77645	3.74695	4.60409	7.17318
5	0.72669	1.47588	2.01505	2.57058	3.36493	4.03214	5.89343
6	0.71756	1.43976	1.94318	2.44691	3.14267	3.70743	5.20763
7	0.71114	1.41492	1.89458	2.36462	2.99795	3.49948	4.78529
8	0.70639	1.39682	1.85955	2.30600	2.89646	3.35539	4.50079
9	0.70272	1.38303	1.83311	2.26216	2.82144	3.24984	4.29681
10	0.69981	1.37218	1.81246	2.22814	2.76377	3.16927	4.14370
11	0.69745	1.36343	1.79588	2.20099	2.71808	3.10581	4.02470
12	0.69548	1.35622	1.78229	2.17881	2.68100	3.05454	3.92963
13	0.69383	1.35017	1.77093	2.16037	2.65031	3.01228	3.85198
14	0.69242	1.34503	1.76131	2.14479	2.62449	2.97684	3.78739
15	0.69120	1.34061	1.75305	2.13145	2.60248	2.94671	3.73283
16	0.69013	1.33676	1.74588	2.11991	2.58349	2.92078	3.68615
17	0.68920	1.33338	1.73961	2.10982	2.56693	2.89823	3.64577
18	0.68836	1.33039	1.73406	2.10092	2.55238	2.87844	3.61048
19	0.68762	1.32773	1.72913	2.09302	2.53948	2.86093	3.57940
20	0.68695	1.32534	1.72472	2.08596	2.52798	2.84534	3.55181
21	0.68635	1.32319	1.72074	2.07961	2.51765	2.83136	3.52715
22	0.68581	1.32124	1.71714	2.07387	2.50832	2.81876	3.50499
23	0.68531	1.31946	1.71387	2.06866	2.49987	2.80734	3.48496
24	0.68485	1.31784	1.71088	2.06390	2.49216	2.79694	3.46678
25	0.68443	1.31635	1.70814	2.05954	2.48511	2.78744	3.45019
26	0.68404	1.31497	1.70562	2.05553	2.47863	2.77871	3.43500
27	0.68368	1.31370	1.70329	2.05183	2.47266	2.77068	3.42103
28	0.68335	1.31253	1.70113	2.04841	2.46714	2.76326	3.40816
29	0.68304	1.31143	1.69913	2.04523	2.46202	2.75639	3.39624
30	0.68276	1.31042	1.69726	2.04227	2.45726	2.75000	3.38518
31	0.68249	1.30946	1.69552	2.03951	2.45282	2.74404	3.37490
32	0.68223	1.30857	1.69389	2.03693	2.44868	2.73848	3.36531
33	0.68200	1.30774	1.69236	2.03452	2.44479	2.73328	3.35634
34	0.68177	1.30695	1.69092	2.03224	2.44115	2.72839	3.34793
35	0.68156	1.30621	1.68957	2.03011	2.43772	2.72381	3.34005
36	0.68137	1.30551	1.68830	2.02809	2.43449	2.71948	3.33262
37	0.68118	1.30485	1.68709	2.02619	2.43145	2.71541	3.32563
38	0.68100	1.30423	1.68595	2.02439	2.42857	2.71156	3.31903
39	0.68083	1.30364	1.68488	2.02269	2.42584	2.70791	3.31279
40	0.68067	1.30308	1.68385	2.02108	2.42326	2.70446	3.30688

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 41 – 80)

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
41	0.68052	1.30254	1.68288	2.01954	2.42080	2.70118	3.30127
42	0.68038	1.30204	1.68195	2.01808	2.41847	2.69807	3.29595
43	0.68024	1.30155	1.68107	2.01669	2.41625	2.69510	3.29089
44	0.68011	1.30109	1.68023	2.01537	2.41413	2.69228	3.28607
45	0.67998	1.30065	1.67943	2.01410	2.41212	2.68959	3.28148
46	0.67986	1.30023	1.67866	2.01290	2.41019	2.68701	3.27710
47	0.67975	1.29982	1.67793	2.01174	2.40835	2.68456	3.27291
48	0.67964	1.29944	1.67722	2.01063	2.40658	2.68220	3.26891
49	0.67953	1.29907	1.67655	2.00958	2.40489	2.67995	3.26508
50	0.67943	1.29871	1.67591	2.00856	2.40327	2.67779	3.26141
51	0.67933	1.29837	1.67528	2.00758	2.40172	2.67572	3.25789
52	0.67924	1.29805	1.67469	2.00665	2.40022	2.67373	3.25451
53	0.67915	1.29773	1.67412	2.00575	2.39879	2.67182	3.25127
54	0.67906	1.29743	1.67356	2.00488	2.39741	2.66998	3.24815
55	0.67898	1.29713	1.67303	2.00404	2.39608	2.66822	3.24515
56	0.67890	1.29685	1.67252	2.00324	2.39480	2.66651	3.24226
57	0.67882	1.29658	1.67203	2.00247	2.39357	2.66487	3.23948
58	0.67874	1.29632	1.67155	2.00172	2.39238	2.66329	3.23680
59	0.67867	1.29607	1.67109	2.00100	2.39123	2.66176	3.23421
60	0.67860	1.29582	1.67065	2.00030	2.39012	2.66028	3.23171
61	0.67853	1.29558	1.67022	1.99962	2.38905	2.65886	3.22930
62	0.67847	1.29536	1.66980	1.99897	2.38801	2.65748	3.22696
63	0.67840	1.29513	1.66940	1.99834	2.38701	2.65615	3.22471
64	0.67834	1.29492	1.66901	1.99773	2.38604	2.65485	3.22253
65	0.67828	1.29471	1.66864	1.99714	2.38510	2.65360	3.22041
66	0.67823	1.29451	1.66827	1.99656	2.38419	2.65239	3.21837
67	0.67817	1.29432	1.66792	1.99601	2.38330	2.65122	3.21639
68	0.67811	1.29413	1.66757	1.99547	2.38245	2.65008	3.21446
69	0.67806	1.29394	1.66724	1.99495	2.38161	2.64898	3.21260
70	0.67801	1.29376	1.66691	1.99444	2.38081	2.64790	3.21079
71	0.67796	1.29359	1.66660	1.99394	2.38002	2.64686	3.20903
72	0.67791	1.29342	1.66629	1.99346	2.37926	2.64585	3.20733
73	0.67787	1.29326	1.66600	1.99300	2.37852	2.64487	3.20567
74	0.67782	1.29310	1.66571	1.99254	2.37780	2.64391	3.20406
75	0.67778	1.29294	1.66543	1.99210	2.37710	2.64298	3.20249
76	0.67773	1.29279	1.66515	1.99167	2.37642	2.64208	3.20096
77	0.67769	1.29264	1.66488	1.99125	2.37576	2.64120	3.19948
78	0.67765	1.29250	1.66462	1.99085	2.37511	2.64034	3.19804
79	0.67761	1.29236	1.66437	1.99045	2.37448	2.63950	3.19663
80	0.67757	1.29222	1.66412	1.99006	2.37387	2.63869	3.19526

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 81 –120)

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
81	0.67753	1.29209	1.66388	1.98969	2.37327	2.63790	3.19392
82	0.67749	1.29196	1.66365	1.98932	2.37269	2.63712	3.19262
83	0.67746	1.29183	1.66342	1.98896	2.37212	2.63637	3.19135
84	0.67742	1.29171	1.66320	1.98861	2.37156	2.63563	3.19011
85	0.67739	1.29159	1.66298	1.98827	2.37102	2.63491	3.18890
86	0.67735	1.29147	1.66277	1.98793	2.37049	2.63421	3.18772
87	0.67732	1.29136	1.66256	1.98761	2.36998	2.63353	3.18657
88	0.67729	1.29125	1.66235	1.98729	2.36947	2.63286	3.18544
89	0.67726	1.29114	1.66216	1.98698	2.36898	2.63220	3.18434
90	0.67723	1.29103	1.66196	1.98667	2.36850	2.63157	3.18327
91	0.67720	1.29092	1.66177	1.98638	2.36803	2.63094	3.18222
92	0.67717	1.29082	1.66159	1.98609	2.36757	2.63033	3.18119
93	0.67714	1.29072	1.66140	1.98580	2.36712	2.62973	3.18019
94	0.67711	1.29062	1.66123	1.98552	2.36667	2.62915	3.17921
95	0.67708	1.29053	1.66105	1.98525	2.36624	2.62858	3.17825
96	0.67705	1.29043	1.66088	1.98498	2.36582	2.62802	3.17731
97	0.67703	1.29034	1.66071	1.98472	2.36541	2.62747	3.17639
98	0.67700	1.29025	1.66055	1.98447	2.36500	2.62693	3.17549
99	0.67698	1.29016	1.66039	1.98422	2.36461	2.62641	3.17460
100	0.67695	1.29007	1.66023	1.98397	2.36422	2.62589	3.17374
101	0.67693	1.28999	1.66008	1.98373	2.36384	2.62539	3.17289
102	0.67690	1.28991	1.65993	1.98350	2.36346	2.62489	3.17206
103	0.67688	1.28982	1.65978	1.98326	2.36310	2.62441	3.17125
104	0.67686	1.28974	1.65964	1.98304	2.36274	2.62393	3.17045
105	0.67683	1.28967	1.65950	1.98282	2.36239	2.62347	3.16967
106	0.67681	1.28959	1.65936	1.98260	2.36204	2.62301	3.16890
107	0.67679	1.28951	1.65922	1.98238	2.36170	2.62256	3.16815
108	0.67677	1.28944	1.65909	1.98217	2.36137	2.62212	3.16741
109	0.67675	1.28937	1.65895	1.98197	2.36105	2.62169	3.16669
110	0.67673	1.28930	1.65882	1.98177	2.36073	2.62126	3.16598
111	0.67671	1.28922	1.65870	1.98157	2.36041	2.62085	3.16528
112	0.67669	1.28916	1.65857	1.98137	2.36010	2.62044	3.16460
113	0.67667	1.28909	1.65845	1.98118	2.35980	2.62004	3.16392
114	0.67665	1.28902	1.65833	1.98099	2.35950	2.61964	3.16326
115	0.67663	1.28896	1.65821	1.98081	2.35921	2.61926	3.16262
116	0.67661	1.28889	1.65810	1.98063	2.35892	2.61888	3.16198
117	0.67659	1.28883	1.65798	1.98045	2.35864	2.61850	3.16135
118	0.67657	1.28877	1.65787	1.98027	2.35837	2.61814	3.16074
119	0.67656	1.28871	1.65776	1.98010	2.35809	2.61778	3.16013
120	0.67654	1.28865	1.65765	1.97993	2.35782	2.61742	3.15954

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 121 –160)

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
121	0.67652	1.28859	1.65754	1.97976	2.35756	2.61707	3.15895
122	0.67651	1.28853	1.65744	1.97960	2.35730	2.61673	3.15838
123	0.67649	1.28847	1.65734	1.97944	2.35705	2.61639	3.15781
124	0.67647	1.28842	1.65723	1.97928	2.35680	2.61606	3.15726
125	0.67646	1.28836	1.65714	1.97912	2.35655	2.61573	3.15671
126	0.67644	1.28831	1.65704	1.97897	2.35631	2.61541	3.15617
127	0.67643	1.28825	1.65694	1.97882	2.35607	2.61510	3.15565
128	0.67641	1.28820	1.65685	1.97867	2.35583	2.61478	3.15512
129	0.67640	1.28815	1.65675	1.97852	2.35560	2.61448	3.15461
130	0.67638	1.28810	1.65666	1.97838	2.35537	2.61418	3.15411
131	0.67637	1.28805	1.65657	1.97824	2.35515	2.61388	3.15361
132	0.67635	1.28800	1.65648	1.97810	2.35493	2.61359	3.15312
133	0.67634	1.28795	1.65639	1.97796	2.35471	2.61330	3.15264
134	0.67633	1.28790	1.65630	1.97783	2.35450	2.61302	3.15217
135	0.67631	1.28785	1.65622	1.97769	2.35429	2.61274	3.15170
136	0.67630	1.28781	1.65613	1.97756	2.35408	2.61246	3.15124
137	0.67628	1.28776	1.65605	1.97743	2.35387	2.61219	3.15079
138	0.67627	1.28772	1.65597	1.97730	2.35367	2.61193	3.15034
139	0.67626	1.28767	1.65589	1.97718	2.35347	2.61166	3.14990
140	0.67625	1.28763	1.65581	1.97705	2.35328	2.61140	3.14947
141	0.67623	1.28758	1.65573	1.97693	2.35309	2.61115	3.14904
142	0.67622	1.28754	1.65566	1.97681	2.35289	2.61090	3.14862
143	0.67621	1.28750	1.65558	1.97669	2.35271	2.61065	3.14820
144	0.67620	1.28746	1.65550	1.97658	2.35252	2.61040	3.14779
145	0.67619	1.28742	1.65543	1.97646	2.35234	2.61016	3.14739
146	0.67617	1.28738	1.65536	1.97635	2.35216	2.60992	3.14699
147	0.67616	1.28734	1.65529	1.97623	2.35198	2.60969	3.14660
148	0.67615	1.28730	1.65521	1.97612	2.35181	2.60946	3.14621
149	0.67614	1.28726	1.65514	1.97601	2.35163	2.60923	3.14583
150	0.67613	1.28722	1.65508	1.97591	2.35146	2.60900	3.14545
151	0.67612	1.28718	1.65501	1.97580	2.35130	2.60878	3.14508
152	0.67611	1.28715	1.65494	1.97569	2.35113	2.60856	3.14471
153	0.67610	1.28711	1.65487	1.97559	2.35097	2.60834	3.14435
154	0.67609	1.28707	1.65481	1.97549	2.35081	2.60813	3.14400
155	0.67608	1.28704	1.65474	1.97539	2.35065	2.60792	3.14364
156	0.67607	1.28700	1.65468	1.97529	2.35049	2.60771	3.14330
157	0.67606	1.28697	1.65462	1.97519	2.35033	2.60751	3.14295
158	0.67605	1.28693	1.65455	1.97509	2.35018	2.60730	3.14261
159	0.67604	1.28690	1.65449	1.97500	2.35003	2.60710	3.14228
160	0.67603	1.28687	1.65443	1.97490	2.34988	2.60691	3.14195

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi t (df = 161 –200)

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
161	0.67602	1.28683	1.65437	1.97481	2.34973	2.60671	3.14162
162	0.67601	1.28680	1.65431	1.97472	2.34959	2.60652	3.14130
163	0.67600	1.28677	1.65426	1.97462	2.34944	2.60633	3.14098
164	0.67599	1.28673	1.65420	1.97453	2.34930	2.60614	3.14067
165	0.67598	1.28670	1.65414	1.97445	2.34916	2.60595	3.14036
166	0.67597	1.28667	1.65408	1.97436	2.34902	2.60577	3.14005
167	0.67596	1.28664	1.65403	1.97427	2.34888	2.60559	3.13975
168	0.67595	1.28661	1.65397	1.97419	2.34875	2.60541	3.13945
169	0.67594	1.28658	1.65392	1.97410	2.34862	2.60523	3.13915
170	0.67594	1.28655	1.65387	1.97402	2.34848	2.60506	3.13886
171	0.67593	1.28652	1.65381	1.97393	2.34835	2.60489	3.13857
172	0.67592	1.28649	1.65376	1.97385	2.34822	2.60471	3.13829
173	0.67591	1.28646	1.65371	1.97377	2.34810	2.60455	3.13801
174	0.67590	1.28644	1.65366	1.97369	2.34797	2.60438	3.13773
175	0.67589	1.28641	1.65361	1.97361	2.34784	2.60421	3.13745
176	0.67589	1.28638	1.65356	1.97353	2.34772	2.60405	3.13718
177	0.67588	1.28635	1.65351	1.97346	2.34760	2.60389	3.13691
178	0.67587	1.28633	1.65346	1.97338	2.34748	2.60373	3.13665
179	0.67586	1.28630	1.65341	1.97331	2.34736	2.60357	3.13638
180	0.67586	1.28627	1.65336	1.97323	2.34724	2.60342	3.13612
181	0.67585	1.28625	1.65332	1.97316	2.34713	2.60326	3.13587
182	0.67584	1.28622	1.65327	1.97308	2.34701	2.60311	3.13561
183	0.67583	1.28619	1.65322	1.97301	2.34690	2.60296	3.13536
184	0.67583	1.28617	1.65318	1.97294	2.34678	2.60281	3.13511
185	0.67582	1.28614	1.65313	1.97287	2.34667	2.60267	3.13487
186	0.67581	1.28612	1.65309	1.97280	2.34656	2.60252	3.13463
187	0.67580	1.28610	1.65304	1.97273	2.34645	2.60238	3.13438
188	0.67580	1.28607	1.65300	1.97266	2.34635	2.60223	3.13415
189	0.67579	1.28605	1.65296	1.97260	2.34624	2.60209	3.13391
190	0.67578	1.28602	1.65291	1.97253	2.34613	2.60195	3.13368
191	0.67578	1.28600	1.65287	1.97246	2.34603	2.60181	3.13345
192	0.67577	1.28598	1.65283	1.97240	2.34593	2.60168	3.13322
193	0.67576	1.28595	1.65279	1.97233	2.34582	2.60154	3.13299
194	0.67576	1.28593	1.65275	1.97227	2.34572	2.60141	3.13277
195	0.67575	1.28591	1.65271	1.97220	2.34562	2.60128	3.13255
196	0.67574	1.28589	1.65267	1.97214	2.34552	2.60115	3.13233
197	0.67574	1.28586	1.65263	1.97208	2.34543	2.60102	3.13212
198	0.67573	1.28584	1.65259	1.97202	2.34533	2.60089	3.13190
199	0.67572	1.28582	1.65255	1.97196	2.34523	2.60076	3.13169
200	0.67572	1.28580	1.65251	1.97190	2.34514	2.60063	3.13148

Catatan: Probabilita yang lebih kecil yang ditunjukkan pada judul tiap kolom adalah luas daerah dalam satu ujung, sedangkan probabilitas yang lebih besar adalah luas daerah dalam kedua ujung

Titik Persentase Distribusi F

Probabilita = 0.05

Diproduksi oleh: Junaidi
<http://junaidichaniago.wordpress.com>

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	161	199	216	225	230	234	237	239	241	242	243	244	245	245	246
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.40	19.41	19.42	19.42	19.43
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.76	8.74	8.73	8.71	8.70
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91	5.89	5.87	5.86
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.70	4.68	4.66	4.64	4.62
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.03	4.00	3.98	3.96	3.94
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57	3.55	3.53	3.51
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.31	3.28	3.26	3.24	3.22
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.10	3.07	3.05	3.03	3.01
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.94	2.91	2.89	2.86	2.85
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.82	2.79	2.76	2.74	2.72
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.72	2.69	2.66	2.64	2.62
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.63	2.60	2.58	2.55	2.53
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.57	2.53	2.51	2.48	2.46
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.51	2.48	2.45	2.42	2.40
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.46	2.42	2.40	2.37	2.35
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.41	2.38	2.35	2.33	2.31
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37	2.34	2.31	2.29	2.27
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.34	2.31	2.28	2.26	2.23
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.31	2.28	2.25	2.22	2.20
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.28	2.25	2.22	2.20	2.18
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.26	2.23	2.20	2.17	2.15
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.24	2.20	2.18	2.15	2.13
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.22	2.18	2.15	2.13	2.11
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.20	2.16	2.14	2.11	2.09
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15	2.12	2.09	2.07
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.17	2.13	2.10	2.08	2.06
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.15	2.12	2.09	2.06	2.04
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.14	2.10	2.08	2.05	2.03
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.13	2.09	2.06	2.04	2.01
31	4.16	3.30	2.91	2.68	2.52	2.41	2.32	2.25	2.20	2.15	2.11	2.08	2.05	2.03	2.00
32	4.15	3.29	2.90	2.67	2.51	2.40	2.31	2.24	2.19	2.14	2.10	2.07	2.04	2.01	1.99
33	4.14	3.28	2.89	2.66	2.50	2.39	2.30	2.23	2.18	2.13	2.09	2.06	2.03	2.00	1.98
34	4.13	3.28	2.88	2.65	2.49	2.38	2.29	2.23	2.17	2.12	2.08	2.05	2.02	1.99	1.97
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.07	2.04	2.01	1.99	1.96
36	4.11	3.26	2.87	2.63	2.48	2.36	2.28	2.21	2.15	2.11	2.07	2.03	2.00	1.98	1.95
37	4.11	3.25	2.86	2.63	2.47	2.36	2.27	2.20	2.14	2.10	2.06	2.02	2.00	1.97	1.95
38	4.10	3.24	2.85	2.62	2.46	2.35	2.26	2.19	2.14	2.09	2.05	2.02	1.99	1.96	1.94
39	4.09	3.24	2.85	2.61	2.46	2.34	2.26	2.19	2.13	2.08	2.04	2.01	1.98	1.95	1.93
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.04	2.00	1.97	1.95	1.92
41	4.08	3.23	2.83	2.60	2.44	2.33	2.24	2.17	2.12	2.07	2.03	2.00	1.97	1.94	1.92
42	4.07	3.22	2.83	2.59	2.44	2.32	2.24	2.17	2.11	2.06	2.03	1.99	1.96	1.94	1.91
43	4.07	3.21	2.82	2.59	2.43	2.32	2.23	2.16	2.11	2.06	2.02	1.99	1.96	1.93	1.91
44	4.06	3.21	2.82	2.58	2.43	2.31	2.23	2.16	2.10	2.05	2.01	1.98	1.95	1.92	1.90
45	4.06	3.20	2.81	2.58	2.42	2.31	2.22	2.15	2.10	2.05	2.01	1.97	1.94	1.92	1.89

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
46	4.05	3.20	2.81	2.57	2.42	2.30	2.22	2.15	2.09	2.04	2.00	1.97	1.94	1.91	1.89
47	4.05	3.20	2.80	2.57	2.41	2.30	2.21	2.14	2.09	2.04	2.00	1.96	1.93	1.91	1.88
48	4.04	3.19	2.80	2.57	2.41	2.29	2.21	2.14	2.08	2.03	1.99	1.96	1.93	1.90	1.88
49	4.04	3.19	2.79	2.56	2.40	2.29	2.20	2.13	2.08	2.03	1.99	1.96	1.93	1.90	1.88
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.99	1.95	1.92	1.89	1.87
51	4.03	3.18	2.79	2.55	2.40	2.28	2.20	2.13	2.07	2.02	1.98	1.95	1.92	1.89	1.87
52	4.03	3.18	2.78	2.55	2.39	2.28	2.19	2.12	2.07	2.02	1.98	1.94	1.91	1.89	1.86
53	4.02	3.17	2.78	2.55	2.39	2.28	2.19	2.12	2.06	2.01	1.97	1.94	1.91	1.88	1.86
54	4.02	3.17	2.78	2.54	2.39	2.27	2.18	2.12	2.06	2.01	1.97	1.94	1.91	1.88	1.86
55	4.02	3.16	2.77	2.54	2.38	2.27	2.18	2.11	2.06	2.01	1.97	1.93	1.90	1.88	1.85
56	4.01	3.16	2.77	2.54	2.38	2.27	2.18	2.11	2.05	2.00	1.96	1.93	1.90	1.87	1.85
57	4.01	3.16	2.77	2.53	2.38	2.26	2.18	2.11	2.05	2.00	1.96	1.93	1.90	1.87	1.85
58	4.01	3.16	2.76	2.53	2.37	2.26	2.17	2.10	2.05	2.00	1.96	1.92	1.89	1.87	1.84
59	4.00	3.15	2.76	2.53	2.37	2.26	2.17	2.10	2.04	2.00	1.96	1.92	1.89	1.86	1.84
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92	1.89	1.86	1.84
61	4.00	3.15	2.76	2.52	2.37	2.25	2.16	2.09	2.04	1.99	1.95	1.91	1.88	1.86	1.83
62	4.00	3.15	2.75	2.52	2.36	2.25	2.16	2.09	2.03	1.99	1.95	1.91	1.88	1.85	1.83
63	3.99	3.14	2.75	2.52	2.36	2.25	2.16	2.09	2.03	1.98	1.94	1.91	1.88	1.85	1.83
64	3.99	3.14	2.75	2.52	2.36	2.24	2.16	2.09	2.03	1.98	1.94	1.91	1.88	1.85	1.83
65	3.99	3.14	2.75	2.51	2.36	2.24	2.15	2.08	2.03	1.98	1.94	1.90	1.87	1.85	1.82
66	3.99	3.14	2.74	2.51	2.35	2.24	2.15	2.08	2.03	1.98	1.94	1.90	1.87	1.84	1.82
67	3.98	3.13	2.74	2.51	2.35	2.24	2.15	2.08	2.02	1.98	1.93	1.90	1.87	1.84	1.82
68	3.98	3.13	2.74	2.51	2.35	2.24	2.15	2.08	2.02	1.97	1.93	1.90	1.87	1.84	1.82
69	3.98	3.13	2.74	2.50	2.35	2.23	2.15	2.08	2.02	1.97	1.93	1.90	1.86	1.84	1.81
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.93	1.89	1.86	1.84	1.81
71	3.98	3.13	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.97	1.93	1.89	1.86	1.83	1.81
72	3.97	3.12	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.96	1.92	1.89	1.86	1.83	1.81
73	3.97	3.12	2.73	2.50	2.34	2.23	2.14	2.07	2.01	1.96	1.92	1.89	1.86	1.83	1.81
74	3.97	3.12	2.73	2.50	2.34	2.22	2.14	2.07	2.01	1.96	1.92	1.89	1.85	1.83	1.80
75	3.97	3.12	2.73	2.49	2.34	2.22	2.13	2.06	2.01	1.96	1.92	1.88	1.85	1.83	1.80
76	3.97	3.12	2.72	2.49	2.33	2.22	2.13	2.06	2.01	1.96	1.92	1.88	1.85	1.82	1.80
77	3.97	3.12	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.96	1.92	1.88	1.85	1.82	1.80
78	3.96	3.11	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.95	1.91	1.88	1.85	1.82	1.80
79	3.96	3.11	2.72	2.49	2.33	2.22	2.13	2.06	2.00	1.95	1.91	1.88	1.85	1.82	1.79
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.91	1.88	1.84	1.82	1.79
81	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.87	1.84	1.82	1.79
82	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.87	1.84	1.81	1.79
83	3.96	3.11	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.95	1.91	1.87	1.84	1.81	1.79
84	3.95	3.11	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.95	1.90	1.87	1.84	1.81	1.79
85	3.95	3.10	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.94	1.90	1.87	1.84	1.81	1.79
86	3.95	3.10	2.71	2.48	2.32	2.21	2.12	2.05	1.99	1.94	1.90	1.87	1.84	1.81	1.78
87	3.95	3.10	2.71	2.48	2.32	2.20	2.12	2.05	1.99	1.94	1.90	1.87	1.83	1.81	1.78
88	3.95	3.10	2.71	2.48	2.32	2.20	2.12	2.05	1.99	1.94	1.90	1.86	1.83	1.81	1.78
89	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
91	3.95	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.90	1.86	1.83	1.80	1.78
92	3.94	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.89	1.86	1.83	1.80	1.78
93	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.78
94	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.77
95	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.82	1.80	1.77
96	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
97	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
98	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
99	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.89	1.85	1.82	1.79	1.77
101	3.94	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.93	1.88	1.85	1.82	1.79	1.77
102	3.93	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.77
103	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
104	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
105	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.81	1.79	1.76
106	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
107	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
108	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.78	1.76
109	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
110	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
111	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
112	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.96	1.92	1.88	1.84	1.81	1.78	1.76
113	3.93	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.92	1.87	1.84	1.81	1.78	1.76
114	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
115	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
116	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
117	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
118	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
119	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
121	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
122	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
123	3.92	3.07	2.68	2.45	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
124	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
125	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
126	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.87	1.83	1.80	1.77	1.75
127	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.86	1.83	1.80	1.77	1.75
128	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.86	1.83	1.80	1.77	1.75
129	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
130	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
131	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
132	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
133	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
134	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
135	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.77	1.74

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
136	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.77	1.74
137	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.76	1.74
138	3.91	3.06	2.67	2.44	2.28	2.16	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.76	1.74
139	3.91	3.06	2.67	2.44	2.28	2.16	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.76	1.74
140	3.91	3.06	2.67	2.44	2.28	2.16	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.76	1.74
141	3.91	3.06	2.67	2.44	2.28	2.16	2.08	2.00	1.95	1.90	1.86	1.82	1.79	1.76	1.74
142	3.91	3.06	2.67	2.44	2.28	2.16	2.07	2.00	1.95	1.90	1.86	1.82	1.79	1.76	1.74
143	3.91	3.06	2.67	2.43	2.28	2.16	2.07	2.00	1.95	1.90	1.86	1.82	1.79	1.76	1.74
144	3.91	3.06	2.67	2.43	2.28	2.16	2.07	2.00	1.95	1.90	1.86	1.82	1.79	1.76	1.74
145	3.91	3.06	2.67	2.43	2.28	2.16	2.07	2.00	1.94	1.90	1.86	1.82	1.79	1.76	1.74
146	3.91	3.06	2.67	2.43	2.28	2.16	2.07	2.00	1.94	1.90	1.85	1.82	1.79	1.76	1.74
147	3.91	3.06	2.67	2.43	2.28	2.16	2.07	2.00	1.94	1.90	1.85	1.82	1.79	1.76	1.73
148	3.91	3.06	2.67	2.43	2.28	2.16	2.07	2.00	1.94	1.90	1.85	1.82	1.79	1.76	1.73
149	3.90	3.06	2.67	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.79	1.76	1.73
150	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.79	1.76	1.73
151	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.79	1.76	1.73
152	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.79	1.76	1.73
153	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.78	1.76	1.73
154	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.78	1.76	1.73
155	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82	1.78	1.76	1.73
156	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.76	1.73
157	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.76	1.73
158	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
159	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
160	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
161	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
162	3.90	3.05	2.66	2.43	2.27	2.15	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
163	3.90	3.05	2.66	2.43	2.27	2.15	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
164	3.90	3.05	2.66	2.43	2.27	2.15	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73
165	3.90	3.05	2.66	2.43	2.27	2.15	2.07	1.99	1.94	1.89	1.85	1.81	1.78	1.75	1.73
166	3.90	3.05	2.66	2.43	2.27	2.15	2.07	1.99	1.94	1.89	1.85	1.81	1.78	1.75	1.73
167	3.90	3.05	2.66	2.43	2.27	2.15	2.06	1.99	1.94	1.89	1.85	1.81	1.78	1.75	1.73
168	3.90	3.05	2.66	2.43	2.27	2.15	2.06	1.99	1.94	1.89	1.85	1.81	1.78	1.75	1.73
169	3.90	3.05	2.66	2.43	2.27	2.15	2.06	1.99	1.94	1.89	1.85	1.81	1.78	1.75	1.73
170	3.90	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.94	1.89	1.85	1.81	1.78	1.75	1.73
171	3.90	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.89	1.85	1.81	1.78	1.75	1.73
172	3.90	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.89	1.84	1.81	1.78	1.75	1.72
173	3.90	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.89	1.84	1.81	1.78	1.75	1.72
174	3.90	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.89	1.84	1.81	1.78	1.75	1.72
175	3.90	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.89	1.84	1.81	1.78	1.75	1.72
176	3.89	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.78	1.75	1.72
177	3.89	3.05	2.66	2.42	2.27	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.78	1.75	1.72
178	3.89	3.05	2.66	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.78	1.75	1.72
179	3.89	3.05	2.66	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.78	1.75	1.72
180	3.89	3.05	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.77	1.75	1.72

Titik Persentase Distribusi F untuk Probabilita = 0,05

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
181	3.89	3.05	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.77	1.75	1.72
182	3.89	3.05	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.77	1.75	1.72
183	3.89	3.05	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.77	1.75	1.72
184	3.89	3.05	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.77	1.75	1.72
185	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.75	1.72
186	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.75	1.72
187	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
188	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
189	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
190	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
191	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
192	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
193	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
194	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
195	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
196	3.89	3.04	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
197	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
198	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
199	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.99	1.93	1.88	1.84	1.80	1.77	1.74	1.72
200	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
201	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
202	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
203	3.89	3.04	2.65	2.42	2.26	2.14	2.05	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
204	3.89	3.04	2.65	2.42	2.26	2.14	2.05	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
205	3.89	3.04	2.65	2.42	2.26	2.14	2.05	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
206	3.89	3.04	2.65	2.42	2.26	2.14	2.05	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.72
207	3.89	3.04	2.65	2.42	2.26	2.14	2.05	1.98	1.93	1.88	1.84	1.80	1.77	1.74	1.71
208	3.89	3.04	2.65	2.42	2.26	2.14	2.05	1.98	1.93	1.88	1.83	1.80	1.77	1.74	1.71
209	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.88	1.83	1.80	1.77	1.74	1.71
210	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.88	1.83	1.80	1.77	1.74	1.71
211	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.88	1.83	1.80	1.77	1.74	1.71
212	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.88	1.83	1.80	1.77	1.74	1.71
213	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.88	1.83	1.80	1.77	1.74	1.71
214	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.88	1.83	1.80	1.77	1.74	1.71
215	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.77	1.74	1.71
216	3.88	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.77	1.74	1.71
217	3.88	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.77	1.74	1.71
218	3.88	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.77	1.74	1.71
219	3.88	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.77	1.74	1.71
220	3.88	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.76	1.74	1.71
221	3.88	3.04	2.65	2.41	2.25	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.76	1.74	1.71
222	3.88	3.04	2.65	2.41	2.25	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.76	1.74	1.71
223	3.88	3.04	2.65	2.41	2.25	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.76	1.74	1.71
224	3.88	3.04	2.64	2.41	2.25	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.76	1.74	1.71
225	3.88	3.04	2.64	2.41	2.25	2.14	2.05	1.98	1.92	1.87	1.83	1.80	1.76	1.74	1.71