

DAFTAR PUSTAKA

- Abat, F. *et al.* (2017) ‘Current trends in tendinopathy: consensus of the ESSKA basic science committee. Part I: biology, biomechanics, anatomy and an exercise-based approach’, *Journal of Experimental Orthopaedics*, 4(1), pp. 1–11. doi: 10.1186/S40634-017-0092-6/METRICS.
- Aksakal, M. *et al.* (2017) ‘Lornoxicam injection is inferior to betamethasone in the treatment of subacromial impingement syndrome: A prospective randomized study of functional outcomes’, *Der Orthopade*, 46(2), pp. 179–185. doi: 10.1007/S00132-016-3302-5.
- Alderman, D. (2008) *Prolotherapy, Complementary and integrative medicine in pain management*. Available at: https://www.researchgate.net/publication/288877212_Prolotherapy (Accessed: 7 July 2022).
- Álvarez-Nemegyei, J., Bassol-Perea, A. and Rosado Pasos, J. (2008) ‘Efficacy of the Local Injection of Methylprednisolone Acetate in the Subacromial Impingement Syndrome. A Randomized, Double-Blind Trial’, *Reumatología Clínica (English Edition)*, 4(2), pp. 49–54. doi: 10.1016/S2173-5743(08)70153-9.
- Anna, H. *et al.* (2017) ‘Postmenopausal Bleeding and Changing Bleeding Patterns after Parental Use of Corticosteroids: A Prospective Cohort Study’, *Open Journal of Obstetrics and Gynecology*, 7, pp. 326–333. doi: 10.4236/ojog.2017.73034.
- Ayhan, E., Kesmezacar, H. and Akgun, I. (2014) ‘Intraarticular injections (corticosteroid, hyaluronic acid, platelet rich plasma) for the knee osteoarthritis.’, *World journal of orthopedics*, 5(3), pp. 351–61. doi: 10.5312/wjo.v5.i3.351.
- Battaglia, M. *et al.* (2017) ‘Efficacy of triamcinolone acetate and methylprednisolone acetonide for intrabursal injection after ultrasound-guided percutaneous treatment in painful shoulder calcific tendonitis: a randomized controlled trial’, *Acta radiologica (Stockholm, Sweden : 1987)*, 58(8), pp. 964–970. doi: 10.1177/0284185116678275.
- Bertrand, H. *et al.* (2016) ‘Dextrose Prolotherapy Versus Control Injections in Painful Rotator Cuff Tendinopathy’, *Archives of Physical Medicine and Rehabilitation*, 97(1), pp. 17–25. doi: 10.1016/J.APMR.2015.08.412.
- Black, H. E. (1988) ‘The effects of steroids upon the gastrointestinal tract’, *Toxicologic pathology*, 16(2), pp. 213–222. doi: 10.1177/019262338801600214.
- De Carli, A. *et al.* (2014) ‘Calcific tendinitis of the shoulder’, *Joints*, 2(3), p. 130. doi: 10.11138/JTS/2014.2.3.130.

- Charnoff, J., Ponnarasu, S. and Naqvi, U. (2022) ‘Tendinosis’, *Sports Health: A Multidisciplinary Approach*, 1(4), pp. 284–292. doi: 10.1177/1941738109337778.
- Chou, W. Y. *et al.* (2010) ‘Effect of sodium hyaluronate treatment on rotator cuff lesions without complete tears: A randomized, double-blind, placebo-controlled study’, *Journal of Shoulder and Elbow Surgery*, 19(4), pp. 557–563. doi: 10.1016/J.JSE.2009.08.006.
- Churgay, C. A. (2009) ‘Diagnosis and Treatment of Biceps Tendinitis and Tendinosis’, *American Family Physician*, 80(5), pp. 470–476. Available at: <https://www.aafp.org/pubs/afp/issues/2009/0901/p470.html> (Accessed: 25 December 2022).
- Cicala, M. V. and Mantero, F. (2010) ‘Hypertension in Cushing’s syndrome: From pathogenesis to treatment’, *Neuroendocrinology*, 92(SUPPL. 1), pp. 44–49. doi: 10.1159/000314315.
- Çift, H. *et al.* (2015) ‘Comparison of subacromial tenoxicam and steroid injections in the treatment of impingement syndrome’, *Eklem hastalıkları ve cerrahisi = Joint diseases & related surgery*, 26(1), pp. 16–20. doi: 10.5606/EHC.2015.05.
- Consigliere, P. *et al.* (2018) ‘Subacromial impingement syndrome: management challenges’, *Orthopedic Research and Reviews*, 10, p. 83. doi: 10.2147/ORR.S157864.
- Creech, J. A. and Silver, S. (2022a) ‘Shoulder Impingement Syndrome’, *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554518/> (Accessed: 25 December 2022).
- Creech, J. A. and Silver, S. (2022b) ‘Shoulder Impingement Syndrome’, *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554518/> (Accessed: 4 July 2022).
- Czock, D. *et al.* (2005) ‘Pharmacokinetics and pharmacodynamics of systemically administered glucocorticoids’, *Clinical Pharmacokinetics*, 44(1), pp. 61–98. doi: 10.2165/00003088-200544010-00003.
- Damjanov, N. *et al.* (2018) ‘The efficacy and safety of autologous conditioned serum (ACS) injections compared with betamethasone and placebo injections in the treatment of chronic shoulder joint pain due to supraspinatus tendinopathy: a prospective, randomized, double-blind, control’, *Medical ultrasonography*, 20(3), pp. 335–341. doi: 10.11152/MU-1495.
- Darrieutort-Laffite, C. *et al.* (2019) ‘Are corticosteroid injections needed after needling and lavage of calcific tendinitis? Randomised, double-blind, non-inferiority trial’, *Annals of the rheumatic diseases*, 78(6), pp. 837–843. doi: 10.1136/ANRHEUMDIS-2018-214971.
- Dyson-Hudson, T. A. *et al.* (2022) ‘Ultrasound-guided platelet-rich plasma injection for the treatment of recalcitrant rotator cuff disease in wheelchair

- users with spinal cord injury: A pilot study', *The journal of spinal cord medicine*, 45(1), pp. 42–48. doi: 10.1080/10790268.2020.1754676.
- Edwards, P. C. and Fantasia, J. E. (2007) 'Review of long-term adverse effects associated with the use of chemically-modified animal and nonanimal source hyaluronic acid dermal fillers', *Clinical Interventions in Aging*, 2(4), p. 509. doi: 10.2147/CIA.S382.
- Eyigor, C., Eyigor, S. and Kivilcim Korkmaz, O. (2010) 'Are intra-articular corticosteroid injections better than conventional TENS in treatment of rotator cuff tendinitis in the short run? A randomized study', *European Journal of Physical and Rehabilitation Medicine*, 46(3), pp. 315–324. Available at: <https://www.minervamedica.it/en/journals/europamedicophysica/article.php?cod=R33Y2010N03A0315> (Accessed: 29 December 2022).
- Factor, D. and Dale, B. (2014) 'CURRENT CONCEPTS OF ROTATOR CUFF TENDINOPATHY', *International Journal of Sports Physical Therapy*, 9(2), p. 274. Available at: /pmc/articles/PMC4004132/ (Accessed: 5 January 2023).
- Fawi, H. M. T., Hossain, M. and Matthews, T. J. W. (2017) 'The incidence of flare reaction and short-term outcome following steroid injection in the shoulder', *Shoulder & elbow*, 9(3), pp. 188–194. doi: 10.1177/1758573217693808.
- Finocchi, C. and Sassos, D. (2017) 'Headache and arterial hypertension', *Neurological Sciences*, 38(1), pp. 67–72. doi: 10.1007/S10072-017-2893-X/METRICS.
- Fletcher, S. et al. (2020) 'The cardiac work-loop technique: An in vitro model for identifying and profiling drug-induced changes in inotropy using rat papillary muscles', *Scientific Reports 2020 10:1*, 10(1), pp. 1–13. doi: 10.1038/s41598-020-58935-2.
- Flores, C. et al. (2017) 'Efficacy and Tolerability of Peritendinous Hyaluronic Acid in Patients with Supraspinatus Tendinopathy: a Multicenter, Randomized, Controlled Trial', *Sports medicine - open*, 3(1). doi: 10.1186/S40798-017-0089-9.
- Ford, L. T. and Debender, J. (1979) 'Tendon rupture after local steroid injection', *Southern medical journal*, 72(7), pp. 827–830. doi: 10.1097/00007611-197907000-00019.
- Foster, Z. J., Voss, T. T. and Frimodig, A. (2015) 'Corticosteroid Injections for Common Musculoskeletal Conditions', 92. Available at: www.aafp.org/afp. (Accessed: 25 June 2022).
- Garving, C. et al. (2017) 'Impingement Syndrome of the Shoulder', *Deutsches Ärzteblatt International*, 114(45), p. 765. doi: 10.3238/ARZTEBL.2017.0765.
- Ghlichloo, I. and Gerriets, V. (2022) 'Nonsteroidal Anti-inflammatory Drugs

- (NSAIDs)', *Treatment of Chronic Pain Conditions: A Comprehensive Handbook*, pp. 77–79. doi: 10.1007/978-1-4939-6976-0_21.
- Göksu, H., Tuncay, F. and Borman, P. (2016) 'The comparative efficacy of kinesio taping and local injection therapy in patients with subacromial impingement syndrome', *Acta Orthopaedica et Traumatologica Turcica*, 50(5), pp. 483–488. doi: 10.1016/J.AOTT.2016.08.015.
- Goswami, A. (2012) 'Prolotherapy', *Journal of Pain and Palliative Care Pharmacotherapy*, 26(4), pp. 376–378. doi: 10.3109/15360288.2012.734900.
- Gupta, A. *et al.* (2019) 'Hypopigmentation after intra-articular corticosteroid injection', *BMJ Case Reports CP*, 12(3), p. e228921. doi: 10.1136/BCR-2018-228921.
- Hauser, R. A. *et al.* (2011) 'Journal of Prolotherapy International Medical Editorial Board Consensus Statement on the Use of Prolotherapy for Musculoskeletal Pain History of Prolotherapy'.
- Hauser, R. A. *et al.* (2016a) 'A Systematic Review of Dextrose Prolotherapy for Chronic Musculoskeletal Pain', *Clinical Medicine Insights. Arthritis and Musculoskeletal Disorders*, 9, p. 139. doi: 10.4137/CMAMD.S39160.
- Hauser, R. A. *et al.* (2016b) 'A Systematic Review of Dextrose Prolotherapy for Chronic Musculoskeletal Pain', *Clinical Medicine Insights. Arthritis and Musculoskeletal Disorders*, 9, p. 139. doi: 10.4137/CMAMD.S39160.
- Hauser, R. A. and Woldin, B. A. (2018) 'Joint Instability as the Cause of Chronic Musculoskeletal Pain and Its Successful Treatment with Prolotherapy', *Anatomy, Posture, Prevalence, Pain, Treatment and Interventions of Musculoskeletal Disorders*. doi: 10.5772/INTECHOPEN.74384.
- Holt, T. A. *et al.* (2013) 'Corticosteroid injection for shoulder pain: single-blind randomized pilot trial in primary care', *Trials*, 14(1). doi: 10.1186/1745-6215-14-425.
- Huang, K. *et al.* (2020) 'Inhibition of cyclooxygenase-1 by nonsteroidal anti-inflammatory drugs demethylates MeR2 enhancer and promotes Mbnl1 transcription in myogenic cells', *Scientific Reports 2020 10:1*, 10(1), pp. 1–14. doi: 10.1038/s41598-020-59517-y.
- Itzkowitch, D. *et al.* (1996) 'Peri-articular injection of tenoxicam for painful shoulders: a double-blind, placebo controlled trial', *Clinical rheumatology*, 15(6), pp. 604–609. doi: 10.1007/BF02238552.
- Jain, N. K. and Gulati, M. (2016) 'Platelet-rich plasma: a healing virtuoso', *Blood research*, 51(1), p. 3. doi: 10.5045/BR.2016.51.1.3.
- Jeyaraman, M. *et al.* (2019) *Autologous Platelet Rich Plasma Injection in Musculoskeletal Disorders*. Available at: https://www.researchgate.net/publication/352771537_Autologous_Platelet_Rich_Plasma_Injection_in_Musculoskeletal_Disorders (Accessed: 7 July 2023).

- 2022).
- Jo, C. H. *et al.* (2020) ‘Intratendinous Injection of Mesenchymal Stem Cells for the Treatment of Rotator Cuff Disease: A 2-Year Follow-Up Study’, *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 36(4), pp. 971–980. doi: 10.1016/J.ARTHRO.2019.11.120.
- Karthikeyan, S. *et al.* (2010) ‘A double-blind randomised controlled study comparing subacromial injection of tenoxicam or methylprednisolone in patients with subacromial impingement’, *The Journal of bone and joint surgery. British volume*, 92(1), pp. 77–82. doi: 10.1302/0301-620X.92B1.22137.
- Kazempour Mofrad, M. *et al.* (2021) ‘Periarticular Neurofascial Dextrose Prolotherapy Versus Physiotherapy for the Treatment of Chronic Rotator Cuff Tendinopathy: Randomized Clinical Trial’, *Journal of clinical rheumatology : practical reports on rheumatic & musculoskeletal diseases*, 27(4), pp. 136–142. doi: 10.1097/RHU.0000000000001218.
- Kesikburun, S. *et al.* (2013) ‘Platelet-rich plasma injections in the treatment of chronic rotator cuff tendinopathy: a randomized controlled trial with 1-year follow-up’, *The American journal of sports medicine*, 41(11), pp. 2609–2615. doi: 10.1177/0363546513496542.
- Khan, S., Andrews, K. L. and Chin-Dusting, J. P. F. (2019) ‘Cyclo-Oxygenase (COX) Inhibitors and Cardiovascular Risk: Are Non-Steroidal Anti-Inflammatory Drugs Really Anti-Inflammatory?’, *International Journal of Molecular Sciences 2019, Vol. 20, Page 4262*, 20(17), p. 4262. doi: 10.3390/IJMS20174262.
- Kim, J. H. *et al.* (2021) ‘Adverse Reactions and Clinical Outcomes for Leukocyte-Poor Versus Leukocyte-Rich Platelet-Rich Plasma in Knee Osteoarthritis: A Systematic Review and Meta-analysis’, *Orthopaedic journal of sports medicine*, 9(6). doi: 10.1177/23259671211011948.
- Kim, M.-S. *et al.* (2020) ‘Diagnosis and treatment of calcific tendinitis of the shoulder’, *Clinics in Shoulder and Elbow*, 23(4), p. 210. doi: 10.5397/CISE.2020.00318.
- Kim, Y. S. *et al.* (2014) ‘Which method is more effective in treatment of calcific tendinitis in the shoulder? Prospective randomized comparison between ultrasound-guided needling and extracorporeal shock wave therapy’, *Journal of shoulder and elbow surgery*, 23(11), pp. 1640–1646. doi: 10.1016/J.JSE.2014.06.036.
- Koukoulithras, I., Kolokotsios, S. and Plexousakis, M. (2020) ‘Shoulder Impingement Syndrome: From Pathology to Treatment’, *SSRN Electronic Journal*. doi: 10.2139/SSRN.3676373.
- Kwong, C. A. *et al.* (2021) ‘Platelet-Rich Plasma in Patients With Partial-Thickness Rotator Cuff Tears or Tendinopathy Leads to Significantly Improved Short-Term Pain Relief and Function Compared With Corticosteroid Injection: A

- Double-Blind Randomized Controlled Trial', *Arthroscopy : the journal of arthroscopic & related surgery : official publication of the Arthroscopy Association of North America and the International Arthroscopy Association*, 37(2), pp. 510–517. doi: 10.1016/J.ARTHRO.2020.10.037.
- Lee, H.-W. et al. (2019) 'Prospective Clinical Research of the Efficacy of Platelet-rich Plasma in the Outpatient-based Treatment of Rotator Cuff Tendinopathy', *Clinics in shoulder and elbow*, 22(2), pp. 61–69. doi: 10.5397/CISE.2019.22.2.61.
- Lin, C. L., Huang, C. C. and Huang, S. W. (2019) 'Effects of hypertonic dextrose injection in chronic supraspinatus tendinopathy of the shoulder: a randomized placebo-controlled trial', *European journal of physical and rehabilitation medicine*, 55(4), pp. 480–487. doi: 10.23736/S1973-9087.18.05379-0.
- Lin, M. T. et al. (2019) 'Comparative Effectiveness of Injection Therapies in Rotator Cuff Tendinopathy: A Systematic Review, Pairwise and Network Meta-analysis of Randomized Controlled Trials', *Archives of physical medicine and rehabilitation*, 100(2), pp. 336-349.e15. doi: 10.1016/J.APMR.2018.06.028.
- Littlewood, C., May, S. and Walters, S. (2017) 'Epidemiology of Rotator Cuff Tendinopathy: A Systematic Review', <http://dx.doi.org/10.1111/sae.12028>, 5(4), pp. 256–265. doi: 10.1111/SAE.12028.
- Liu, C. et al. (2015) 'Effect of Corticosteroid on Renal Water and Sodium Excretion in Symptomatic Heart Failure: Prednisone for Renal Function Improvement Evaluation Study', *Journal of cardiovascular pharmacology*, 66(3), pp. 316–322. doi: 10.1097/FJC.0000000000000282.
- Louwerens, J. K. G. et al. (2020) 'Comparing Ultrasound-Guided Needling Combined With a Subacromial Corticosteroid Injection Versus High-Energy Extracorporeal Shockwave Therapy for Calcific Tendinitis of the Rotator Cuff: A Randomized Controlled Trial', *Arthroscopy : the journal of arthroscopic & related surgery : official publication of the Arthroscopy Association of North America and the International Arthroscopy Association*, 36(7), pp. 1823-1833.e1. doi: 10.1016/J.ARTHRO.2020.02.027.
- Lu, H. et al. (2016) 'The clinical effect of tendon repair for tendon spontaneous rupture after corticosteroid injection in hands: A retrospective observational study', *Medicine*, 95(41). doi: 10.1097/MD.0000000000005145.
- Malahias, M. A. et al. (2020) 'Questioning the therapeutic value of corticosteroid bursal injection after ultrasound-guided irrigation and lavage for the treatment of shoulder calcific tendinosis', *Journal of Orthopaedics*, 18, pp. 16–22. doi: 10.1016/J.JOR.2019.10.009.
- McMahon, P. J. (2017) 'Rotator cuff injuries: A clinical casebook', *Rotator Cuff Injuries: A Clinical Casebook*, pp. 1–363. doi: 10.1007/978-3-319-63668-9.

- Meloni, F. *et al.* (2008) ‘Clinical evaluation of sodium hyaluronate in the treatment of patients with supraspinatus tendinosis under echographic guide: experimental study of periarticular injections’, *European journal of radiology*, 68(1), pp. 170–173. doi: 10.1016/J.EJRAD.2007.11.001.
- Merolla, G., Bianchi, P. and Porcellini, G. (2013) ‘Ultrasound-guided subacromial injections of sodium hyaluronate for the management of rotator cuff tendinopathy: a prospective comparative study with rehabilitation therapy’, *Musculoskeletal surgery*, 97 Suppl 1(1 SUPPL). doi: 10.1007/S12306-013-0259-Y.
- Miguélez, A. *et al.* (2003) ‘Allergic reaction to intralesional Celestone Cronodose’, *The British journal of dermatology*, 149(4), pp. 894–896. doi: 10.1046/J.1365-2133.2003.05569.X.
- Millar, N. L. *et al.* (2021) ‘Tendinopathy’, *Nature reviews. Disease primers*, 7(1). doi: 10.1038/S41572-020-00234-1.
- Mohebbi, R. *et al.* (2021) ‘High- Versus Low-Molecular-Weight Hyaluronic Acid for the Treatment of Rotator Cuff Tendinopathy: A Triple-Blind Randomized Comparative Trial’, *The Annals of pharmacotherapy*, 55(10), pp. 1203–1214. doi: 10.1177/1060028021994297.
- Nasiri, A. *et al.* (2021) ‘Comparison of the Effectiveness of Ultrasound-Guided Prolotherapy in Supraspinatus Tendon with Ultrasound-Guided Corticosteroid Injection of Subacromial Subdeltoid Bursa in Rotator Cuff-Related Shoulder Pain: A Clinical Trial Study’, *Advanced biomedical research*, 10(1), p. 12. doi: 10.4103/ABR.ABR_181_20.
- Niazi, G. and Habib, L. (2015) ‘The role of ultrasound guided peri-tendinous injection in the treatment of non-calcific tendinopathy’, *The Egyptian Journal of Radiology and Nuclear Medicine*, 46(1), pp. 71–78. doi: 10.1016/J.EJRM.2014.11.006.
- Omar, A. M. (2013) ‘Can systemic lidocaine be used in controlled hypotension? A double-blinded randomized controlled study in patients undergoing functional endoscopic sinus surgery’, *Egyptian Journal of Anaesthesia*, 29(4), pp. 295–300. doi: 10.1016/j.ejga.2013.04.006.
- Özgen, M. *et al.* (2012) ‘Short- and long-term results of clinical effectiveness of sodium hyaluronate injection in supraspinatus tendinitis’, *Rheumatology international*, 32(1), pp. 137–144. doi: 10.1007/S00296-010-1577-0.
- Park, S. K., Choi, Y. S. and Kim, H. J. (2013) ‘Hypopigmentation and subcutaneous fat, muscle atrophy after local corticosteroid injection’, *Korean Journal of Anesthesiology*, 65(6 Suppl), p. S59. doi: 10.4097/KJAE.2013.65.6S.S59.
- Petri, M. *et al.* (1987) ‘Randomized, double-blind, placebo-controlled study of the treatment of the painful shoulder’, *Arthritis and rheumatism*, 30(9), pp. 1040–1045. doi: 10.1002/ART.1780300911.
- Rabini, A. *et al.* (2012) ‘Effects of local microwave diathermy on shoulder pain and function in patients with rotator cuff tendinopathy in comparison to

- subacromial corticosteroid injections: a single-blind randomized trial', *The Journal of orthopaedic and sports physical therapy*, 42(4), pp. 363–370. doi: 10.2519/JOSPT.2012.3787.
- Rashid, S. et al. (2022) 'Betamethasone Dipropionate Derivatization, Biotransformation, Molecular Docking, and ADME Analysis as Glucocorticoid Receptor', *BioMed Research International*, 2022. doi: 10.1155/2022/6865472.
- Rathi, S. K. and Kumrah, L. (2011) 'Topical corticosteroid-induced rosacea-like dermatitis: A clinical study of 110 cases', *Indian Journal of Dermatology, Venereology and Leprology*, 77(1), p. 42. doi: 10.4103/0378-6323.74974.
- Razzaghi, M. and Heidari, F. (2004) 'A comparative study on the effect of lidocaine and furosemide on urinary output and graft function after renal transplantation.', *Urology journal*. doi: 10.22037/UJ.V1I4.295.
- Rha, D. W. et al. (2013) 'Comparison of the therapeutic effects of ultrasound-guided platelet-rich plasma injection and dry needling in rotator cuff disease: a randomized controlled trial', *Clinical rehabilitation*, 27(2), pp. 113–122. doi: 10.1177/0269215512448388.
- Rossi, L. A. et al. (2021) 'Subacromial Platelet-Rich Plasma Injections Decrease Pain and Improve Functional Outcomes in Patients With Refractory Rotator Cuff Tendinopathy', *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 37(9), pp. 2745–2753. doi: 10.1016/J.ARTHRO.2021.03.079.
- Ruiz-Moneo, P. et al. (2013) 'Plasma Rich in Growth Factors in Arthroscopic Rotator Cuff Repair: A Randomized, Double-Blind, Controlled Clinical Trial', *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 29(1), pp. 2–9. doi: 10.1016/J.ARTHRO.2012.08.014.
- Sánchez-Borges, M. et al. (2010) 'Hypersensitivity Reactions to Nonsteroidal Anti-Inflammatory Drugs: An Update', *Pharmaceuticals*, 3(1), p. 10. doi: 10.3390/PH3010010.
- Saunders, S. and Longworth, S. (2018) 'Injection Techniques in Musculoskeletal Medicine E-Book', *A Practical Manual for Clinicians in Primary and Secondary Care*.
- Scarpone, M. et al. (2013) 'Effectiveness of Platelet-rich Plasma Injection for Rotator Cuff Tendinopathy: A Prospective Open-label Study', *Global advances in health and medicine*, 2(2), pp. 26–31. doi: 10.7453/GAHMJ.2012.054.
- Seven, M. M. et al. (2017) 'Effectiveness of prolotherapy in the treatment of chronic rotator cuff lesions', *Orthopaedics & Traumatology: Surgery & Research*, 103(3), pp. 427–433. doi: 10.1016/J.OTSR.2017.01.003.
- Siadat, A. H. and Isseroff, R. R. (2019) 'Prolotherapy: Potential for the Treatment of Chronic Wounds?', <https://home.liebertpub.com/wound>, 8(4), pp. 160–167. doi: 10.1089/WOUND.2018.0866.

- Simonet, D. (2011) 'Hypersensitive reactions to local dental anesthetics and patient information: critical review of a drug leaflet', *Local and regional anesthesia*, 4(1), p. 35. doi: 10.2147/LRA.S16479.
- Smith, R. G., Gassmann, C. J. and Campbell, M. S. (2007) 'Platelet-rich Plasma: Properties and Clinical Applications', *The Journal of Lancaster General Hospital • Summer*, 2(2).
- Tapscott, D. C. and Varacallo, M. (2022) 'Supraspinatus Tendonitis', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK551702/> (Accessed: 4 July 2022).
- Valtonen, E. J. (1976) 'Subacromial triamcinolone mexacetone and methylprednisolone injections in treatment of supra spinam tendinitis. A comparative trial', *Scandinavian journal of rheumatology. Supplement*, 5(16), pp. 1–13. doi: 10.3109/03009747609099920.
- Valtonen, E. J. (1978) 'Double acting betamethasone (Celestone Chronodose) in the treatment of supraspinatus tendinitis: a comparison of subacromial and gluteal single injections with placebo', *The Journal of international medical research*, 6(6), pp. 463–467. doi: 10.1177/030006057800600608.
- Varacallo, M., Bitar, Y. El and Mair, S. D. (2022) 'Rotator Cuff Tendonitis', *Rheumatology and Immunology Therapy*, pp. 775–775. doi: 10.1007/3-540-29662-x_2361.
- Varacallo, M. and Mair, S. D. (2022) 'Proximal Biceps Tendinitis and Tendinopathy', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK533002/> (Accessed: 25 December 2022).
- Vecchio, P. C., Hazleman, B. L. and King, R. H. (1993) 'A double-blind trial comparing subacromial methylprednisolone and lignocaine in acute rotator cuff tendinitis', *British journal of rheumatology*, 32(8), pp. 743–745. doi: 10.1093/RHEUMATOLOGY/32.8.743.
- Wang, J. C. et al. (2019) 'Ultrasound-Guided Standard vs Dual-Target Subacromial Corticosteroid Injections for Shoulder Impingement Syndrome: A Randomized Controlled Trial', *Archives of Physical Medicine and Rehabilitation*, 100(11), pp. 2119–2128. doi: 10.1016/J.APMR.2019.04.016.
- Williams, D. M. (2018) 'Clinical pharmacology of corticosteroids', *Respiratory Care*, 63(6), pp. 655–670. doi: 10.4187/RESPCARE.06314.
- de Witte, P. B. et al. (2017) 'Rotator Cuff Calcific Tendinitis: Ultrasound-Guided Needling and Lavage Versus Subacromial Corticosteroids: Five-Year Outcomes of a Randomized Controlled Trial', *The American journal of sports medicine*, 45(14), pp. 3305–3314. doi: 10.1177/0363546517721686.
- De Witte, P. B. et al. (2013) 'Calcific tendinitis of the rotator cuff: a randomized controlled trial of ultrasound-guided needling and lavage versus subacromial corticosteroids', *The American journal of sports medicine*,

- 41(7), pp. 1665–1673. doi: 10.1177/0363546513487066.
- Yadav, S. *et al.* (2012) ‘Streaky Hypopigmentation Following Lignocaine Injection: An Unusual Side Effect’, *Journal of Cutaneous and Aesthetic Surgery*, 5(1), p. 61. doi: 10.4103/0974-2077.94336.
- Yalcin, B. K. and Yalcin, B. K. (2019) ‘Complications Associated with Local Anesthesia in Oral and Maxillofacial Surgery’, *Topics in Local Anesthetics*. doi: 10.5772/INTECHOPEN.87172.
- Yang, X. *et al.* (2020) ‘A review of the mechanism of the central analgesic effect of lidocaine’, *Medicine*, 99(17), p. e19898. doi: 10.1097/MD.00000000000019898.
- Yiannakopoulos, C. K. *et al.* (2020) ‘Ultrasound-guided versus palpation-guided corticosteroid injections for tendinosis of the long head of the biceps: A randomized comparative study’, *Skeletal radiology*, 49(4), pp. 585–591. doi: 10.1007/S00256-019-03315-9.
- Yoo, J. C. *et al.* (2010) ‘The outcome of ultrasound-guided needle decompression and steroid injection in calcific tendinitis’, *Journal of shoulder and elbow surgery*, 19(4), pp. 596–600. doi: 10.1016/J.JSE.2009.09.002.
- Zhang, J., Ebraheim, N. and Lause, G. E. (2011) ‘Ultrasound-guided injection for the biceps brachii tendinitis: results and experience’, *Ultrasound in medicine & biology*, 37(5), pp. 729–733. doi: 10.1016/J.ULTRASMEDBIO.2011.02.014.

Lampiran 1. Biodata Diri Penulis



1. Data Pribadi

- Nama Lengkap : Sabilah Riezky An Nida
- Tempat, Tanggal Lahir : Surabaya, 13 September 2001
- Jenis Kelamin : Perempuan
- Agama : Islam
- Alamat Rumah : Jl. Mentawai No.7, Sananwetan, Blitar
- No. Telepon : 085733230654
- Media Sosial (LINE/WA) : sabilahrzky/085733230654
- Alamat Email : kuliah.sabilah@gmail.com

2. Riwayat Pendidikan

| No. | Jenjang Pendidikan | Nama Institusi | Bidang Ilmu/Jurusan | Tahun Masuk | Tahun Keluar |
|-----|--------------------------------|------------------------|------------------------|-------------|-----------------|
| 1. | Sekolah Dasar (SD) | MI Hidayatullah Blitar | - | 2007 | 2013 |
| 2. | Sekolah Menengah Pertama (SMP) | SMPN 1 Blitar | - | 2013 | 2016 |
| 3. | Sekolah Menengah Atas (SMA) | SMAN 1 Blitar | IPA | 2016 | 2019 |
| 4. | Perguruan Tinggi | Universitas Hasanuddin | Pendidikan Dokter Umum | 2019 | Sampai Sekarang |