

DAFTAR PUSTAKA

- Ahnach, M., Zbiri, S., Nejjari, S., Ousti, F., & Elkettani, C. (2020). C-REACTIVE PROTEIN AS AN EARLY PREDICTOR OF COVID-19 SEVERITY C-REAKTIVNI PROTEIN KAO RANI INDIKATOR OZBILJNOSTI INFEKCIJE VIRUSOM COVID-19. *J Med Biochem*, 39(4), 500–507. <https://doi.org/10.5937/jomb0-27554>
- Ali, N. (2020). Elevated level of C-reactive protein may be an early marker to predict risk for severity of COVID-19. *Journal of Medical Virology*, 92(11), 2409. <https://doi.org/10.1002/JMV.26097>
- Boehmer, T. K., DeVies, J., Caruso, E., Santen, K. L. van, Tang, S., Black, C. L., Hartnett, K. P., Kite-Powell, A., Dietz, S., Lozier, M., & Gundlapalli, A. v. (2020). Changing Age Distribution of the COVID-19 Pandemic — United States, May–August 2020. *Morbidity and Mortality Weekly Report*, 69(39), 1404. <https://doi.org/10.15585/MMWR.MM6939E1>
- Burhan, E., Dwi Susanto, A., Isbaniah, F., Aman Nasution, S., Ginanjar, E., Wicaksono Pitoyo, C., Susilo, A., Firdaus, I., Santoso, A., Arifa Juzar, D., Kamsul Arif, S., Lolong Wulung, N. G., Muchtar, F., Pulungan, A. B., Basarah Yanuarso, P., Ambara Sjakti, H., Prawira, Y., Dwi Putri TIM PENYUSUN Erlina Burhan, N., Adityaningsih, D., ... Dharmawan, I. (n.d.). *PEDOMAN TATALAKSANA COVID-19 Edisi 4 TIM EDITOR Perhimpunan Dokter Paru Indonesia (PDPI) Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI) Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia (PAPDI) Perhimpunan Dokter Anestesiologi dan Terapi Intensif Indonesia (PERDATIN) Ikatan Dokter Anak Indonesia (IDAI)*.
- Chang, W. H. (2020). Understanding the COVID-19 pandemic from a gender perspective. *Taiwanese Journal of Obstetrics and Gynecology*, 59(6), 801–807. <https://doi.org/10.1016/J.TJOG.2020.09.004>
- Chen, W., Zheng, K. I., Liu, S., Yan, Z., Xu, C., & Qiao, Z. (2020a). Plasma CRP level is positively associated with the severity of COVID-19. *Annals of Clinical Microbiology and Antimicrobials*, 19(1), 1–7. <https://doi.org/10.1186/S12941-020-00362-2/FIGURES/4>

- Chen, W., Zheng, K. I., Liu, S., Yan, Z., Xu, C., & Qiao, Z. (2020b). Plasma CRP level is positively associated with the severity of COVID-19. *Annals of Clinical Microbiology and Antimicrobials*, 19(1), 1–7.
<https://doi.org/10.1186/S12941-020-00362-2/FIGURES/4>
- da Rosa Mesquita, R., Francelino Silva Junior, L. C., Santos Santana, F. M., Farias de Oliveira, T., Campos Alcântara, R., Monteiro Arnozo, G., Rodrigues da Silva Filho, E., Galdino dos Santos, A. G., Oliveira da Cunha, E. J., Salgueiro de Aquino, S. H., & Freire de Souza, C. D. (2021). Clinical manifestations of COVID-19 in the general population: systematic review. *Wiener Klinische Wochenschrift*, 133(7–8), 377–382.
<https://doi.org/10.1007/S00508-020-01760-4>
- Gebhard, C., Regitz-Zagrosek, V., Neuhauser, H. K., Morgan, R., & Klein, S. L. (2020). Impact of sex and gender on COVID-19 outcomes in Europe. *Biology of Sex Differences* 2020 11:1, 11(1), 1–13.
<https://doi.org/10.1186/S13293-020-00304-9>
- Hasan, M. N., Haider, N., Stigler, F. L., Khan, R. A., McCoy, D., Zumla, A., Kock, R. A., & Uddin, M. J. (2021). The Global Case-Fatality Rate of COVID-19 Has Been Declining Since May 2020. *The American Journal of Tropical Medicine and Hygiene*, 104(6), 2176–2184.
<https://doi.org/10.4269/AJTMH.20-1496>
- Herold, T., Jurinovic, V., Arnreich, C., Lipworth, B. J., Hellmuth, J. C., von Bergwelt-Baildon, M., Klein, M., & Weinberger, T. (2020). Elevated levels of IL-6 and CRP predict the need for mechanical ventilation in COVID-19. *The Journal of Allergy and Clinical Immunology*, 146(1), 128-136.e4.
<https://doi.org/10.1016/J.JACI.2020.05.008>
- Hu, J., & Wang, Y. (2021). The Clinical Characteristics and Risk Factors of Severe COVID-19. *Gerontology*, 67(3), 255–266.
<https://doi.org/10.1159/000513400>
- Huang, J., Gao, J., Zhu, W., Feng, R., Liu, Q., Chen, X., Huang, J., Yang, Z., Lin, X., Zhang, Z., & Lin, Y. (2021). Indicators and prediction models for the severity of Covid-19. *International Journal of Clinical Practice*, 75(10).
<https://doi.org/10.1111/IJCP.14571>

- Klepac, P., & Liu, Y.  (n.d.). Age-dependent effects in the transmission and control of COVID-19 epidemics. *Nature Medicine*.
<https://doi.org/10.1038/s41591-020-0962-9>
- Letícia de Oliveira Toledo, S., Sousa Nogueira, L., das Graças Carvalho, M., Romana Alves Rios, D., & de Barros Pinheiro, M. (2020). COVID-19: Review and hematologic impact. *Clinica Chimica Acta; International Journal of Clinical Chemistry*, 510, 170.
<https://doi.org/10.1016/J.CCA.2020.07.016>
- Martin, C., & Epidemiologi, R. (n.d.). *Acute Respiratory Distress Syndrome*.
- Mosquera-Sulbaran, J. A., Pedreañez, A., Carrero, Y., & Callejas, D. (2021). C-reactive protein as an effector molecule in Covid-19 pathogenesis. *Reviews in Medical Virology*, 31(6). <https://doi.org/10.1002/RMV.2221>
- Pawlotsky, J. M., Negro, F., Aghemo, A., Berenguer, M., Dalgard, O., Dusheiko, G., Marra, F., Puoti, M., & Wedemeyer, H. (2020). EASL recommendations on treatment of hepatitis C: Final update of the series ☆. *Journal of Hepatology*, 73(5), 1170–1218. <https://doi.org/10.1016/J.JHEP.2020.08.018>
- People with Certain Medical Conditions | CDC.* (n.d.). Retrieved November 14, 2022, from <https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-with-medical-conditions.html>
- Potempa, L. A., Rajab, I. M., Hart, P. C., Bordon, J., & Fernandez-Botran, R. (2020). Perspective Piece Insights into the Use of C-Reactive Protein as a Diagnostic Index of Disease Severity in COVID-19 Infections. *Am. J. Trop. Med. Hyg*, 103(2), 561–563. <https://doi.org/10.4269/ajtmh.20-0473>
- Rauf, A., Abu-Izneid, T., Olatunde, A., Khalil, A. A., Alhumaydhi, F. A., Tufail, T., Shariati, M. A., Rebezov, M., Almarhoon, Z. M., Mabkhot, Y. N., Alsayari, A., & Rengasamy, K. R. R. (2020). COVID-19 Pandemic: Epidemiology, Etiology, Conventional and Non-Conventional Therapies. *International Journal of Environmental Research and Public Health*, 17(21), 1–32. <https://doi.org/10.3390/IJERPH17218155>
- Safibadi Tali, S. H., LeBlanc, J. J., Sadiq, Z., Oyewunmi, O. D., Camargo, C., Nikpour, B., Armanfard, N., Sagan, S. M., & Jahanshahi-Anbuhi, S. (2021). Tools and techniques for severe acute respiratory syndrome coronavirus 2

- (SARS-CoV-2)/COVID-19 detection. *Clinical Microbiology Reviews*, 34(3).
<https://doi.org/10.1128/CMR.00228-20>
- Sahu, B. R., Kampa, R. K., Padhi, A., & Panda, A. K. (2020). C-reactive protein: A promising biomarker for poor prognosis in COVID-19 infection. *Clinica Chimica Acta; International Journal of Clinical Chemistry*, 509, 91.
<https://doi.org/10.1016/J.CCA.2020.06.013>
- Shang, W., Dong, J., Ren, Y., Tian, M., Li, W., Hu, J., & Li, Y. (2020). The value of clinical parameters in predicting the severity of COVID-19. *Journal of Medical Virology*, 92(10), 2188–2192. <https://doi.org/10.1002/JMV.26031>
- Sheriff, A., Kayser, S., Brunner, P., & Vogt, B. (2021). C-Reactive Protein Triggers Cell Death in Ischemic Cells. *Frontiers in Immunology*, 12, 273.
<https://doi.org/10.3389/FIMMU.2021.630430/BIBTEX>
- Smilowitz, N. R., Kunichoff, D., Garshick, M., Shah, B., Pillinger, M., Hochman, J. S., & Berger, J. S. (2021). C-reactive protein and clinical outcomes in patients with COVID-19. *European Heart Journal*, 42(23), 2270.
<https://doi.org/10.1093/EURHEARTJ/EHAA1103>
- Sobotka, T., Brzozowska, Z., Muttarak, R., Zeman, K., & di Lego, V. (n.d.). *Age, gender and COVID-19 infections*.
<https://doi.org/10.1101/2020.05.24.20111765>
- Stegeman, I., Ochodo, E. A., Guleid, F., Holtman, G. A., Yang, B., Davenport, C., Deeks, J. J., Dinnes, J., Dittrich, S., Emperador, D., Hooft, L., Spijker, R., Takwoingi, Y., van den Bruel, A., Wang, J., Langendam, M., Verbakel, J. Y., & Leeflang, M. M. G. (2020). Routine laboratory testing to determine if a patient has COVID-19. *The Cochrane Database of Systematic Reviews*, II(11). <https://doi.org/10.1002/14651858.CD013787>
- Surya Atmaja, K., Agung, A., Oka, G., Wicaksana, S., Angga, W., Putra, S., Wahyu, W., & Putra, S. (2021). Hubungan konsentrasi serum C-Reactive Protein dan D-dimer dengan derajat keparahan dan mortalitas pasien COVID-19. *Intisari Sains Medis*, 12(2), 680–685.
<https://doi.org/10.15562/ISM.V12I2.971>
- Tjahyadi, R. M., Astuti, T., & Listyoko, A. S. (2020). COVID-19 :Correlation Between CRP and LDH to Disease Severity and Mortality In Hospitalized

- COVID-19 Patients. *Medica Hospitalia : Journal of Clinical Medicine*, 7(1A), 144–149. <https://doi.org/10.36408/MHJCM.V7I1A.467>
- Wang, L. (2020). C-reactive protein levels in the early stage of COVID-19. *Médecine et Maladies Infectieuses*, 50(4), 332–334.
<https://doi.org/10.1016/J.MEDMAL.2020.03.007>
- Yeh, E. T. H. (2004). *CRP as a Mediator of Disease*.
<https://doi.org/10.1161/01.CIR.0000129507.12719.80>
- Zeng, F., Huang, Y., Guo, Y., Yin, M., Chen, X., Xiao, L., & Deng, G. (2020). Association of inflammatory markers with the severity of COVID-19: A meta-analysis. *International Journal of Infectious Diseases : IJID : Official Publication of the International Society for Infectious Diseases*, 96, 467–474.
<https://doi.org/10.1016/J.IJID.2020.05.055>
- Zhang, J. jin, Dong, X., Cao, Y. yuan, Yuan, Y. dong, Yang, Y. bin, Yan, Y. qin, Akdis, C. A., & Gao, Y. dong. (2020). Clinical characteristics of 140 patients infected with SARS-CoV-2 in Wuhan, China. *Allergy: European Journal of Allergy and Clinical Immunology*, 75(7), 1730–1741.
<https://doi.org/10.1111/ALL.14238>
- Zhang, Y., Li, H., Zhang, J., Cao, Y., Zhao, X., Yu, N., Gao, Y., Ma, J., Zhang, H., Zhang, J., Guo, X., & Liu, X. (2020). The clinical characteristics and outcomes of patients with diabetes and secondary hyperglycaemia with coronavirus disease 2019: A single-centre, retrospective, observational study in Wuhan. *Diabetes, Obesity & Metabolism*, 22(8), 1443–1454.
<https://doi.org/10.1111/DOM.14086>