

DAFTAR PUSTAKA

1. Setiati S, Dwimartutie N. Sarcopenia. In: Setiati S, Alwi I, editors. Buku Ajar Ilmu Penyakit Dalam. 6th ed. Jakarta: Interna Publisher; 2014: 3719-27
2. Chen LK, Woo J, Assantachai P, et al. Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. *J Am Med Dir Assoc.* 2020;21(3):300-307. doi: 10.1016/j.jamda.2019.12.012.
3. Cruz-Jentoft AJ, Bahat G, Bauer J, et al. Sarcopenia: revised European consensus on definition and diagnosis. *Age Ageing.* 2019;48(1):16-31. doi: 10.1093/ageing/afy169.
4. Cruz-Jentoft AJ, Baeyens JP, Bauer JM, et al. Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. *Age Ageing.* 2010;39(4):412-23. doi: 10.1093/ageing/afq034.
5. Akishita M, Kozaki K, Iijima K, et al. Chapter 1 Definitions and diagnosis of sarcopenia. *Geriatr Gerontol Int.* 2018;18(1):7-12. doi: 10.1111/ggi.13311.
6. Li M, Kong Y, Chen H, et al. Accuracy and prognostic ability of the SARC-F questionnaire and Ishii's score in the screening of sarcopenia in geriatric inpatients. *Braz J Med Biol Res.* 2019;52(9):e8204. doi: 10.1590/1414-431X20198204.
7. Kim TN, Choi KM. Sarcopenia: definition, epidemiology, and pathophysiology. *J Bone Metab.* 2013;20(1):1-10. doi: 10.11005/jbm.2013.20.1.1.
8. Malmstrom TK, Miller DK, Simonsick EM, et al. SARC-F: a symptom score to predict persons with sarcopenia at risk for poor functional outcomes. *J Cachexia Sarcopenia Muscle.* 2016;7(1):28-36. doi: 10.1002/jcsm.12048.
9. Reiss J, Iglseder B, Kreutzer M. *et al.* Case finding for sarcopenia in geriatric inpatients: performance of bioimpedance analysis in comparison to dual X-ray absorptiometry. *BMC Geriatr* 2016;16:52. <https://doi.org/10.1186/s12877-016-0228-z>
10. Bredella MA, Ghomi RH, Thomas BJ, et al. Comparison of DXA and CT in the assessment of body composition in premenopausal women with obesity and

- anorexia nervosa. *Obesity* (Silver Spring). 2010;18(11):2227-33. doi: 10.1038/oby.2010.5.
11. Zasadzka E, Pieczyńska A, Trzmiel T, et al. Polish Translation and Validation of the SARC-F Tool for the Assessment of Sarcopenia. *Clin Interv Aging*. 2020;15:567-574. doi: 10.2147/CIA.S245074.
 12. Kruger HS, Havemann-Nel L, Ravyse C, et al. Physical Activity Energy Expenditure and Sarcopenia in Black South African Urban Women. *J Phys Act Health*. 2016;13(3):296-302. doi: 10.1123/jpah.2015-0078.
 13. Larsson L, Degens H, Li M, et al. Sarcopenia: Aging-Related Loss of Muscle Mass and Function. *Physiol Rev*. 2019;99(1):427-511. doi: 10.1152/physrev.00061.2017.
 14. Morley JE, Cao L. Rapid screening for sarcopenia. *J Cachexia Sarcopenia Muscle*. 2015;6(4):312-4. doi: 10.1002/jcsm.12079.
 15. Burton LA, Sumukadas D. Optimal management of sarcopenia. *Clin Interv Aging*. 2010;5:217-28. doi: 10.2147/cia.s11473.
 16. Dodds RM, Sayer AA. Sarcopenia, frailty and mortality: the evidence is growing. *Age Ageing*. 2016;45(5):570-1. doi: 10.1093/ageing/afw148.
 17. Beaudart C, Rizzoli R, Bruyère O, et al. Sarcopenia: burden and challenges for public health. *Arch Public Health*. 2014;72(1):45. doi: 10.1186/2049-3258-72-45.
 18. Bahat G, Yilmaz O, Kılıç C, et al. Performance of SARC-F in Regard to Sarcopenia Definitions, Muscle Mass and Functional Measures. *J Nutr Health Aging*. 2018;22(8):898-903. doi: 10.1007/s12603-018-1067-8.
 19. Kim S, Kim M, Won CW. Validation of the Korean Version of the SARC-F Questionnaire to Assess Sarcopenia: Korean Frailty and Aging Cohort Study. *J Am Med Dir Assoc*. 2018;19(1):40-45. doi: 10.1016/j.jamda.2017.07.006.
 20. Ida S, Kaneko R, Murata K. SARC-F for Screening of Sarcopenia Among Older Adults: A Meta-analysis of Screening Test Accuracy. *J Am Med Dir Assoc*. 2018;19(8):685-689. doi: 10.1016/j.jamda.2018.04.001.
 21. Woo J, Leung J, Morley JE. Validating the SARC-F: a suitable community screening tool for sarcopenia? *J Am Med Dir Assoc*. 2014;15(9):630-4. doi:

- 10.1016/j.jamda.2014.04.021.
22. Yang M, Hu X, Xie L, et al. SARC-F for sarcopenia screening in community-dwelling older adults: Are 3 items enough? *Medicine (Baltimore)*. 2018;97(30):e11726. doi: 10.1097/MD.00000000000011726.
 23. Mienche M, Setiati S, Setyohadi B, et al. Diagnostic Performance of Calf Circumference, Thigh Circumference, and SARC-F Questionnaire to Identify Sarcopenia in Elderly Compared to Asian Working Group for Sarcopenia's Diagnostic Standard. *Acta Med Indones*. 2019;51(2):117-127.
 24. Piotrowicz K, Głuszeńska A, Czesak J, et al. SARC-F as a case-finding tool for sarcopenia according to the EWGSOP2. National validation and comparison with other diagnostic standards. *Aging Clin Exp Res*. 2021;33(7):1821-1829. doi: 10.1007/s40520-020-01782-y.
 25. Imamura K, Yamamoto S, Suzuki Y, et al. Limitations of SARC-F as a Screening Tool for Sarcopenia in Patients on Hemodialysis. *Nephron* 2022;146:32–39. DOI: 10.1159/000518810
 26. Voelker SN, Michalopoulos N, Maier AB, et al. Reliability and Concurrent Validity of the SARC-F and Its Modified Versions: A Systematic Review and Meta-Analysis. *J Am Med Dir Assoc*. 2021;22(9):1864-1876.e16. doi: 10.1016/j.jamda.2021.05.011.
 27. Ishida Y, Maeda K, Nonogaki T, et al. SARC-F as a Screening Tool for Sarcopenia and Possible Sarcopenia Proposed by AWGS 2019 in Hospitalized Older Adults. *J Nutr Health Aging*. 2020;24(10):1053-1060. doi: 10.1007/s12603-020-1462-9.
 28. Reis NR, Vianna JM, Colugnati FB, et al. Sensitivity and specificity of SARC-F in the classification of sarcopenia among the elderly: preliminary results. *Rev Bras Fisiol Exerc* 2020;19(4):258-266. <https://doi.org/10.33233/rbfex.v19i4.3895>
 29. Tay L, Ding YY, Leung BP, et al. Sex-specific differences in risk factors for sarcopenia amongst community-dwelling older adults. *Age (Dordr)*. 2015;37(6):121. doi: 10.1007/s11357-015-9860-3.

30. Akarapornkrailert P, Muangpaisan W, Boonpeng A, et al. Validation of the Thai version of SARC-F, MSRA-7, and MSRA-5 questionnaires compared to AWGS 2019 and sarcopenia risks in older patients at a medical outpatient clinic. *Osteoporos Sarcopenia*. 2020;6(4):205-211. doi: 10.1016/j.afos.2020.11.006.