

## DAFTAR PUSTAKA

1. Jo Y, Okazaki H, Moon YA, et al. Regulation of Lipid Metabolism and Beyond. *Int J Endocrinol*. 2016;2016:10–2.
2. Imanuel S. Biokimia Glukosa Darah, Lemak, Protein, Enzi, dan Non Protein Nitrogen. In: Setiati S, Alwi I, Sudoyo A, editors. *Buku Ajar Ilmu Penyakit Dalam*. VI. Jakarta: Interna Publishing; 2014. p. 213–6.
3. Kenneth R. Feingold M. *Introduction to Lipids and Lipoproteins*. 2021. 1–31 p.
4. Aman AM, Soewondo P, Arsana PM. *Panduan Pengelolaan Dislipidemia di Indonesia 2021*. PB Perkeni; 2021. 1–76 p.
5. Field CJ, Robinson L. Dietary Fats. *Adv Nutr*. 2019 Jul;10(4):722.
6. Choukem SP, Manases T, Nda-Mefoo JP, et al. Validation of the Friedewald formula for the estimation of low density lipoprotein cholesterol in a sub-Saharan African population. *Clin Biochem*. 2018 Mar;53:25–30.
7. Khan SH, Niazi NK, Sobia F, et al. Friedewald’s equation for calculating LDL-cholesterol: Is it the time to say “goodbye” and adopt direct LDL cholesterol methods? *Pakistan J Med Sci*. 2019;35(2):388–93.
8. Başaran Ö. Is it time to abandon Friedewald formula? New equations for LDL-C calculation. *Turk Kardiyol Dern Ars*. 2021;49(8):615–8.
9. Sung KC, Kwon CH, Lee MY, et al. Comparison of Low-Density Lipoprotein Cholesterol Concentrations by Direct Measurement and by

- Friedewald Calculation. *Am J Cardiol*. 2020 Mar;125(6):866–73.
10. Warade JP, Dahake H, Kavitha R. Comparison between direct estimation of LDL and Friedewald's formula. *Int Arch Integr Med* [Internet]. 2016;3(2):10–7.
  11. Knopfholz J, Disserol CCD, Pierin AJ, et al. Validation of the friedewald formula in patients with metabolic syndrome. *Cholesterol*. 2014;2014.
  12. Palmisano B, Zhu L, Eckel R. sex differences in lipid and lipoprotein metabolism. *Mol metab*; 2018. 1–47 p.
  13. Li-Beisson Y, Nakamura Y, Harwood J. Lipids: From chemical structures, biosynthesis, and analyses to industrial applications. *Subcell Biochem*. 2016 Mar;86:1–18.
  14. Hevonoja T, Pentikäinen MO, Hyvönen MT, et al. Structure of low density lipoprotein (LDL) particles: basis for understanding molecular changes in modified LDL. *Biochim Biophys Acta*. 2000 Nov;1488(3):189–210.
  15. Pejic R. Familial hypercholesterolemia - PubMed. *Ochsner J*. 2014.
  16. Feingold K. Introduction to Lipids and Lipoproteins - PubMed. *EndoText*. 2021.
  17. Kosmas CE, Martinez I, Sourlas A, et al. High-density lipoprotein (HDL) functionality and its relevance to atherosclerotic cardiovascular disease. *Drugs Context*. 2018;7:1–9.
  18. Bayly GR. Lipids and disorders of lipoprotein metabolism. *Clin Biochem Metab Clin Asp Third Ed*. 2014 Jan;702–36.
  19. Kopin L, Lowenstein C. Dyslipidemia. *Ann Intern Med*. 2017

Dec;167(11):ITC81–95.

20. Grundy S, Becker D, Clark L. Third Report of The National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adult (Adult Treatment Panel III). Vol. 01, NIH publication. 2001. 1–3 p.
21. Kannan S, Mahadevan S, Ramji B, et al. LDL-cholesterol: Friedewald calculated versus direct measurement-study from a large Indian laboratory database. *Indian J Endocrinol Metab.* 2014;18(4):502–4.
22. Miller WG, Myers GL, Sakurabayashi I, et al. Seven Direct Methods for Measuring HDL and LDL Cholesterol Compared with Ultracentrifugation Reference Measurement Procedures. *Clin Chem.* 2010 Jun;56(6):977–86.
23. Miller WG, Myers GL, Sakurabayashi I, et al. Methods for Measurement of LDL-Cholesterol: A Critical Assessment of Direct Measurement by Homogeneous Assays versus Calculation. *Clin Chem.* 2002 Feb;48(2):236–54.
24. Razi F, Forouzanfar K, Bandarian F, et al. LDL-cholesterol measurement in diabetic type 2 patients: a comparison between direct assay and popular equations. *J Diabetes Metab Disord.* 2017;
25. Maurício Mendes de Cordova C, Rudi Schneider C, et al. Comparison of LDL-Cholesterol Direct Measurement with the Estimate Using the Friedewald Formula in a Sample of 10,664 Patients. *Arq Bras Cardiol.* 2004;83(6).
26. Kurniawan LB, Windarwati W, Mulyono B. ANALYSIS OF LDL-C

MEASUREMENT USING DIRECT AND FRIEDEWALD FORMULA IN TYPE 2 DIABETES MELLITUS PATIENTS. *Indones J Clin Pathol Med Lab*. 2018 Jul;24(3):255–7.

27. Keti DB, Muhtaroglu S. Reliability of Friedewald formula in patients with type 2 diabetes mellitus and its relation to lipid profile in diabetes regulation. *Rev Română Med Lab*. 29(2):2021.
28. Packard CJ, Boren J, Taskinen MR. Causes and Consequences of Hypertriglyceridemia. *Front Endocrinol (Lausanne)*. 2020 May;11:252.
29. Quispe R, Manalac RJ, Faridi KF, et al. Relationship of the triglyceride to high-density lipoprotein cholesterol (TG/HDL-C) ratio to the remainder of the lipid profile: The Very Large Database of Lipids-4 (VLDL-4) study. *Atherosclerosis*. 2015 Sep;242(1):243–50.
30. Wakabayashi I, Daimon T. Associations between hypo-HDL cholesterolemia and cardiometabolic risk factors in middle-aged men and women: Independence of habitual alcohol drinking, smoking and regular exercise. *Obes Res Clin Pract*. 2017 May;11(3):324–34.
31. Feingold KR. Obesity and Dyslipidemia. *Endotext*. 2020 Nov.
32. Uranga RM, Keller JN. The complex interactions between obesity, metabolism and the brain. *Front Neurosci*. 2019;13(MAY):513.
33. Geier RR, Tannock LR. Risk of Fasting and Non-Fasting Hypertriglyceridemia in Coronary Vascular Disease and Pancreatitis. *Endotext*. 2022 Jan;
34. Yadav R, Bansal SK, Karunanand B, et al. A Comparative Study of

Methods of Estimation of LDL-Cholesterol: Direct vs Friedewald's Formula and Their Impact on the Risk Assessment for Coronary Artery Diseases. Indian J Heal Sci Care. 2015;2(1):30.