

DAFTAR PUSTAKA

1. Meseeha M, Attia M. Endoscopic Retrograde Cholangiopancreatography. StatPearls [Internet]. 2021 Aug 11 [cited 2022 May 17]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK493160/>
2. Søreide JA, Karlsen LN, Sandblom G, Enochsson L. Endoscopic retrograde cholangiopancreatography (ERCP): lessons learned from population-based national registries: a systematic review. *Surg Endosc*. 2019;
3. Goudra BG, Singh PM, Sinha AC. Outpatient endoscopic retrograde cholangiopancreatography: Safety and efficacy of anesthetic management with a natural airway in 653 consecutive procedures. *Saudi J Anaesth* [Internet]. 2013 Jul [cited 2022 May 17];7(3):259. Available from: </pmc/articles/PMC3757797/>
4. Garewal D, Vele L, Waikar P. Anaesthetic considerations for endoscopic retrograde cholangio- pancreatography procedures. *Curr Opin Anaesthesiol*. 2013 Aug;26(4):475–80.
5. Hughes CG, Mailloux PT, Devlin JW, Swan JT, Sanders RD, Anzueto A, et al. Dexmedetomidine or Propofol for Sedation in Mechanically Ventilated Adults with Sepsis. *N Engl J Med* [Internet]. 2021 Apr 15 [cited 2022 May 17];384(15):1424–36. Available from: <https://pubmed.ncbi.nlm.nih.gov/33528922/>
6. Folino T, Muco E. Propofol - PubMed [Internet]. StatPearls. 2021 [cited 2022 May 17]. Available from: <https://pubmed.ncbi.nlm.nih.gov/28613634/>

7. Bahrami M, Amri P, Shokri J, Alereza H, Bijani A. Sedative and Analgesic Effects of Propofol-Fentanyl Versus Propofol-Ketamine During Endoscopic Retrograde Cholangiopancreatography: A Double-Blind Randomized Clinical Trial. *Anesthesiol Pain Med* [Internet]. 2016 Oct 1 [cited 2022 May 17];6(5):1–7. Available from: [/pmc/articles/PMC5106556/](#)
8. Keating GM. Dexmedetomidine: A Review of Its Use for Sedation in the Intensive Care Setting. *Drugs* [Internet]. 2015 Jul 23 [cited 2022 May 17];75(10):1119–30. Available from: <https://pubmed.ncbi.nlm.nih.gov/26063213/>
9. Guo P, Wu H, Liu L, Zhao Q, Jin Z. Efficacy of an Oxycodone-Propofol Combination versus a Fentanyl-Propofol Combination in Conscious Sedation during Therapeutic Endoscopic Retrograde Cholangiopancreatography in Elderly Patients. *Gerontology*. 2021 Jan 1;67(1):9–16.
10. Bor R, Madácsy L, Fábíán A, Szepes A, Szepes Z. Endoscopic retrograde pancreatography: When should we do it? *World J Gastrointest Endosc* [Internet]. 2015 [cited 2022 May 17];7(11):1023. Available from: [/pmc/articles/PMC4549659/](#)
11. Woods KE, Willingham FF. Endoscopic retrograde cholangiopancreatography associated pancreatitis: A 15-year review. *World J Gastrointest Endosc* [Internet]. 2010 [cited 2022 May 17];2(5):165. Available from: [/pmc/articles/PMC2998911/](#)
12. Chathadi K V., Chandrasekhara V, Acosta RD, Decker GA, Early DS,

Eloubeidi MA, et al. The role of ERCP in benign diseases of the biliary tract. *Gastrointest Endosc* [Internet]. 2015 Apr 1 [cited 2022 May 17];81(4):795–803. Available from: <https://pubmed.ncbi.nlm.nih.gov/25665931/>

13. Adler DG, Baron TH, Davila RE, Egan J, Hirota WK, Leighton JA, et al. ASGE guideline: the role of ERCP in diseases of the biliary tract and the pancreas. *Gastrointest Endosc* [Internet]. 2005 [cited 2022 May 17];62(1):1–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/15990812/>
14. Buxbaum JL, Abbas Fehmi SM, Sultan S, Fishman DS, Qumseya BJ, Cortessis VK, et al. ASGE guideline on the role of endoscopy in the evaluation and management of choledocholithiasis. *Gastrointest Endosc* [Internet]. 2019 Jun 1 [cited 2022 May 17];89(6):1075-1105.e15. Available from: <https://pubmed.ncbi.nlm.nih.gov/30979521/>
15. Chandrasekhara V, Chathadi K V., Acosta RD, Decker GA, Early DS, Eloubeidi MA, et al. The role of endoscopy in benign pancreatic disease. *Gastrointest Endosc* [Internet]. 2015 Aug 1 [cited 2022 May 17];82(2):203–14. Available from: <https://pubmed.ncbi.nlm.nih.gov/26077456/>
16. Muthusamy VR, Chandrasekhara V, Acosta RD, Bruining DH, Chathadi K V., Eloubeidi MA, et al. The role of endoscopy in the diagnosis and treatment of inflammatory pancreatic fluid collections. *Gastrointest Endosc* [Internet]. 2016 Mar 1 [cited 2022 May 17];83(3):481–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/26796695/>

17. Solomon S, Baillie J. Indications for and Contraindications to ERCP. *ERCP*. 2019 Jan 1;54-58.e1.
18. Malas A. Endoscopic Retrograde Cholangiopancreatography (ERCP): Background, Indications, Contraindications [Internet]. *Medscape*. 2021 [cited 2022 May 17]. Available from: <https://emedicine.medscape.com/article/1829797-overview>
19. Freeman ML. Complications of Endoscopic Retrograde Cholangiopancreatography. Avoidance and Management. *Gastrointest Endosc Clin N Am*. 2012 Jul;22(3):567–86.
20. Guda NM, Reddy DN, Kumar A. Complications of ERCP. *Indian J Gastroenterol*. 2014 Jan 1;33(1):1–9.
21. Goudra BG, Singh PM. Principles of total intravenous anesthesia. In: *Essentials of Pharmacology for Anesthesia, Pain Medicine, and Critical Care* [Internet]. New York, NY: Springer New York; 2015 [cited 2020 Dec 1]. p. 73–86. Available from: http://link.springer.com/10.1007/978-1-4614-8948-1_4
22. Tringali A, Loperfido S, Costamagna G. Overview of endoscopic retrograde cholangiopancreatography (ERCP) in adults - UpToDate [Internet]. *UpToDate*. 2022 [cited 2022 May 18]. Available from: <https://www.uptodate.com/contents/overview-of-endoscopic-retrograde-cholangiopancreatography-ercp-in-adults#H70259351>
23. Doshi RR, Vann MA. Anesthesia for ERCP. *Out Oper Room Anesth A Compr Rev*. 2016 Sep 29;113–30.

24. Baillie J, Byrne MF. ERCP - Preparation, positioning, and instrumentation. *Tech Gastrointest Endosc.* 2003;5(1):3–10.
25. Goudra BG, Singh PM. Anesthesia for ERCP. *Anesthesiol A Pract Approach.* 2018 Jun 26;175–88.
26. Amornyotin S, Na-Pomphet Md S, Wongwathanyoo T, Chalayonnavin Bn V. Esophagogastroduodenoscopy View project Anesthesia View project Anesthesia for Endoscopic Retrograde Cholangio-Pancreatography (ERCP) from 1999-2003 in Siriraj Hospital: A retrospective study. *Artic J Med Assoc Thail = Chotmaihet thangphaet [Internet].* 2005 [cited 2022 May 18];87:1491. Available from: <https://www.researchgate.net/publication/7913433>
27. Thosani N, Banerjee S. Deep sedation or general anesthesia for ERCP? *Dig Dis Sci.* 2013 Nov;58(11):3061–3.
28. Chainaki IG, Manolaraki MM, Paspatis GA. Deep sedation for endoscopic retrograde cholangiopacreatography. *World J Gastrointest Endosc [Internet].* 2011 [cited 2022 May 18];3(2):34. Available from: </pmc/articles/PMC3055942/>
29. Sorser SA, Fan DS, Tommolino EE, Gamara RM, Cox K, Chortkoff B, et al. Complications of ERCP in patients undergoing general anesthesia versus MAC. *Dig Dis Sci [Internet].* 2014 Mar [cited 2022 May 18];59(3):696–7. Available from: <https://pubmed.ncbi.nlm.nih.gov/24202650/>
30. Chidambaran V, Costandi A, D’Mello A. PROPOFOL: A REVIEW OF

ITS ROLE IN PEDIATRIC ANESTHESIA AND SEDATION. *CNS Drugs* [Internet]. 2015 Aug 20 [cited 2022 May 18];29(7):543. Available from: [/pmc/articles/PMC4554966/](#)

31. Antkowiak B, Rammes G. GABA(A) receptor-targeted drug development - New perspectives in perioperative anesthesia. *Expert Opin Drug Discov* [Internet]. 2019 [cited 2022 May 18];14(7):683–99. Available from: <https://pubmed.ncbi.nlm.nih.gov/30912680/>
32. Xiong M, Reddy K, Shin P, Bekker A. Neurobiology of Propofol Addiction and Supportive Evidence: What Is the New Development? *Brain Sci* [Internet]. 2018 [cited 2022 May 18]; Available from: www.mdpi.com/journal/brainsci
33. Sahinovic MM, Struys MMRF, Absalom AR. Clinical Pharmacokinetics and Pharmacodynamics of Propofol. *Clin Pharmacokinet* [Internet]. 2018 Dec 1 [cited 2022 May 18];57(12):1539. Available from: [/pmc/articles/PMC6267518/](#)
34. Song X xing, Yu B wei. Anesthetic effects of propofol in the healthy human brain: functional imaging evidence. *J Anesth* [Internet]. 2015 Apr 1 [cited 2022 May 18];29(2):279–88. Available from: <https://pubmed.ncbi.nlm.nih.gov/25056258/>
35. Goodchild CS, Serrao JM. Propofol-induced cardiovascular depression: science and art. *BJA Br J Anaesth* [Internet]. 2015 Oct 1 [cited 2022 May 18];115(4):641–2. Available from: <https://academic.oup.com/bja/article/115/4/641/240668>

36. Lee S. Dexmedetomidine: present and future directions. *Korean J Anesthesiol* [Internet]. 2019 Aug 1 [cited 2022 May 18];72(4):323. Available from: [/pmc/articles/PMC6676029/](#)
37. Andersen JH, Grevstad U, Siegel H, Dahl JB, Mathiesen O, Jæger P. Does Dexmedetomidine Have a Perineural Mechanism of Action When Used as an Adjuvant to Ropivacaine?: A Paired, Blinded, Randomized Trial in Healthy Volunteers. *Anesthesiology* [Internet]. 2017 Jan 1 [cited 2022 May 18];126(1):66–73. Available from: <https://pubmed.ncbi.nlm.nih.gov/27792047/>
38. Weerink MAS, Struys MMRF, Hannivoort LN, Barends CRM, Absalom AR, Colin P. Clinical Pharmacokinetics and Pharmacodynamics of Dexmedetomidine. *Clin Pharmacokinet* [Internet]. 2017 Aug 1 [cited 2022 May 18];56(8):893. Available from: [/pmc/articles/PMC5511603/](#)
39. Panchgar V, Shetti A, Sunitha H, Dhulkhed V, Nadkarni A. The Effectiveness of Intravenous Dexmedetomidine on Perioperative Hemodynamics, Analgesic Requirement, and Side Effects Profile in Patients Undergoing Laparoscopic Surgery Under General Anesthesia. *Anesth essays Res* [Internet]. 2017 [cited 2022 May 18];11(1):72. Available from: <https://pubmed.ncbi.nlm.nih.gov/28298760/>
40. Glick JL, Christensen T, Nyeong Park J, McKenzie M, Green TC, Sherman SG. Stakeholder perspectives on implementing fentanyl drug checking: Results from a multi-site study. *Drug Alcohol Depend* [Internet]. 2019 Jan 1 [cited 2022 May 18];194:527–32. Available from:

<https://pubmed.ncbi.nlm.nih.gov/30551090/>

41. Comer SD, Cahill CM. Fentanyl: Receptor pharmacology, abuse potential, and implications for treatment. *Neurosci Biobehav Rev* [Internet]. 2019 Nov 1 [cited 2022 May 18];106:49. Available from: </pmc/articles/PMC7233332/>
42. Chen A, Ashburn MA. Cardiac Effects of Opioid Therapy. *Pain Med* [Internet]. 2015 [cited 2022 May 18]; Available from: https://academic.oup.com/painmedicine/article/16/suppl_1/S27/2472479
43. Chen M, Sun Y, Li X, Zhang C, Huang X, Xu Y, et al. Effectiveness of single loading dose of dexmedetomidine combined with propofol for deep sedation of endoscopic retrograde cholangiopancreatography (ERCP) in elderly patients: a prospective randomized study. *BMC Anesthesiol* [Internet]. 2022 Dec [cited 2022 May 18];22(1). Available from: </pmc/articles/PMC8961946/>
44. Abdalla MW, El Shal SM, El Sombaty AI, Abdalla NM, Zeedan RB. Propofol dexmedetomidine versus propofol ketamine for anesthesia of endoscopic retrograde cholangiopancreatography (ERCP) (A randomized comparative study). <https://doi.org/10.1016/j.egja.2014.12.008> [Internet]. 2019 Apr 1 [cited 2022 May 18];31(2):97–105. Available from: <https://www.tandfonline.com/doi/abs/10.1016/j.egja.2014.12.008>
45. Muller S, Borowics SM, Fortis EAF, Stefani LC, Soares G, Maguilnik I, et al. Clinical efficacy of dexmedetomidine alone is less than propofol for conscious sedation during ERCP. *Gastrointest Endosc* [Internet]. 2008 Apr

- [cited 2022 May 18];67(4):651–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/18291396/>
46. Sethi P, Mohammed S, Bhatia PK, Gupta N. Dexmedetomidine versus midazolam for conscious sedation in endoscopic retrograde cholangiopancreatography: An open-label randomised controlled trial. *Indian J Anaesth* [Internet]. 2014 Jan [cited 2022 May 18];58(1):18–24. Available from: <https://pubmed.ncbi.nlm.nih.gov/24700894/>
 47. Demiraran Y, Korkut E, Tamer A, Yorulmaz I, Kocaman B, Sezen G, et al. The comparison of dexmedetomidine and midazolam used for sedation of patients during upper endoscopy: A prospective, randomized study. *Can J Gastroenterol* [Internet]. 2007 [cited 2022 May 18];21(1):25–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/17225879/>
 48. Baykal Tural Z, Gulec H, Dereli N, Babayigit M, Kurtay A, Inceoz H, et al. Propofol-ketamine combination: a choice with less complications and better hemodynamic stability compared to propofol? On a prospective study in a group of colonoscopy patients. *Ir J Med Sci* [Internet]. 2016 Aug 1 [cited 2022 May 18];185(3):699–704. Available from: <https://pubmed.ncbi.nlm.nih.gov/26329313/>
 49. Akhondzadeh R, Ghomeishi A, Nesioonpour S, Nourizade S. A comparison between the effects of propofol–fentanyl with propofol–ketamine for sedation in patients undergoing endoscopic retrograde cholangiopancreatography outside the operating room. *Biomed J*. 2016 Apr 1;39(2):145–9.

50. Li S, Sheng G, Teng Y, Sun M. Systematic review of anaesthetic medication for ERCP based on a network meta-analysis. *Int J Surg*. 2018 Mar 1;51:56–62.
51. Koruk S, Koruk I, Arslan AM, Bilgi M, Gul R, Bozgeyik S. Dexmedetomidine or Midazolam in Combination with Propofol for Sedation in Endoscopic Retrograde Cholangiopancreatography: a Randomized Double Blind Prospective Study. *Videosurgery other Miniinvasive Tech (Internet)*. 2020 [cited 2022 Jun 2];15(3):526. Available from:/pmc/articles/PMC7457191/
52. Turgut N, Turkmen A, Gokkaya S, et al. Dexmedetomidine-based versus fentanyl-based total intravenous anesthesia for lumbar laminectomy. *Minerva Anestesiol* 2008; 74: 469.
53. Stanley TH. The fentanyl story. *J Pain* 2014; 15: 1215–1226.
54. Kaur M, Singh PM. Current role of dexmedetomidine in clinical anesthesia and intensive care. *Anesth Essays Res* 2011; 5: 128
55. K. Raymondos B. Panning I. Bachem M.P. Manns S. Piepenbrock P.N. Meier. Evaluation of endoscopic retrograde cholangiopancreatography under conscious sedation and general anesthesia. 2002 721-26.
56. Fanti L, Testoni P. sedation and Analgesia in Gastrointestinal Endoscopy: What's New?. *World J Gastroenterol*. 2010 May 28; 16(20):2451-7. doi: 10.3748/wjg.v16.i20.2451. 56.

57. Pai A, Heining M. Ketamin. Continuing Education in Anaesthesia, Critical Care & Pain J. 2007;7(2):59-64.
58. Srivastava V, Singh D, Agrawal S, Khan S, Gupta A, Miree R. Comparative Evaluation of Propofol Fentanyl, Propofol-Midazolam and Propofol-Dexmedetomidine on Haemodynamic and Postoperative Recovery for Endoscopic Retrograde Cholangiopancreatography. J of Clinical & Diagnostic Resch. 2018 Jul, Vol-12(7): UC01-UC05.
59. Tekeli A.E, Oguz A.K, Tuncdemir Y.E, Almali N. Comparison of Dexmedetomidine-Propofol and Ketamine-Propofol administration during sedation-guided upper gastrointestinal system endoscopy. 2020. Dec 4;99/doi:10.1097/MD.00000000000023317.
60. Nishizawa T, Suzuku H. Propofol for gastrointestinal endoscopy. 2018. <https://doi.org/10.1177/2050640618767594>.
61. Hasanin A.S, Sira A.M. Dexmedetomidine versus propofol for sedation during gastrointestinal endoscopy in pediatric patients. 2014. <https://doi.org/10.1016/j.egja.2013.09.006>
62. Wang P, Chen Y, Guo Y, Cao J, Wang H, Mi W, Xu L. Comparison of Propofol-Nalbuphine and Propofol-Fentanyl sedation for Patients Undergoing Endoscopic Retrograde Cholangiopancreatography: a Double-Blind, Randomized Controlled Trial. 2022. BMC Anesthesiol 22, 47. <https://doi.org/10.1186/s12871-022-01578-9>

63. Mona Mogahed. A Comparison of Ketamine-Dexmedetomidine Versus Ketamin-Propofol for Sedation in Children During Upper Gastrointestinal Endoscopy. 2017. J of Anest & Clinic Research.
64. Jang S.Y, Park H.G, Jeon Y.H, et all. Bispectral Index Monitoring as an adjunct to nurse administered combined sedation during endoscopic Retrograde Cholangiopancreatography. 2012. World J gastroentrol. [Internet]. 2012 Nov 21 [cited 2022 November 29];18(43):6284-89. Available from: <https://pubmed.ncbi.nlm.nih.gov/23180950/>
65. Mukhopadhyay S, Niyogi M, Sarkar J, Mukhopadhyay B.S, Halder S,K. The Dexmedetomidine "augmented" Sedato Analgesic Cocktail: An Effective Approach For Sedation in Prolonged Endoscopic Retrograde cholangio-Pancreatography. 2015. J Anaesthesiol Clin Pharmacol. [cited 2022 November 29] Apr-Jun; 31(2): 201-06. Available from: <https://pubmed.ncbi.nlm.nih.gov/pmc/articles/PMC4411834/>