

## DAFTAR PUSTAKA

- Bakaev, V. V. and Duntau, A. P. (2004) 'Ascorbic acid in blood serum of patients with pulmonary tuberculosis and pneumonia', *International Journal of Tuberculosis and Lung Disease*, 8(2), pp. 263–266.
- Baldridge, M. T. et al. (2010) 'Quiescent hematopoietic stem cells are activated by IFNy in response to chronic infection', *Nature*, 465(7299), pp. 793–797. doi: 10.1038/nature09135.
- Baum, M. K. et al. (2013) 'Effect of micronutrient supplementation on disease progression in asymptomatic, antiretroviral-naive, HIV-infected adults in Botswana: A randomized clinical trial', *JAMA - Journal of the American Medical Association*, 310(20), pp. 2154–2163. doi: 10.1001/jama.2013.280923.
- Baumgartner, A. et al. (2021) 'Effect of nutritional support in patients with lower respiratory tract infection: Secondary analysis of a randomized clinical trial', *Clinical Nutrition*, 40(4), pp. 1843–1850. doi: 10.1016/j.clnu.2020.10.009.
- Blaauw, R. et al. (2019) 'The problem of hospital malnutrition in the african continent', *Nutrients*, 11(9), pp. 15–18. doi: 10.3390/nu11092028.
- Bruchfeld, J., Correia-Neves, M. and Kallénus, G. (2015) 'Tuberculosis and HIV co-infection', *Cold Spring Harb Perspect Med*, pp. 157–170. doi: 10.1201/b20755-13.
- Calder, P. C. (2015) 'Marine omega-3 fatty acids and inflammatory processes: Effects, mechanisms and clinical relevance', *Elsevier*.
- Cano-Torres, E. A. et al. (2017) 'Impact of Nutritional Intervention on Length of Hospital Stay and Mortality among Hospitalized Patients with Malnutrition: A Clinical Randomized Controlled Trial', *Journal of the American College of Nutrition*, 36(4), pp. 235–239. doi: 10.1080/07315724.2016.1259595.
- Carpentier, Y. and Sobotka, L. (2019) 'Substrates Used in Parenteral and Enteral Nutrition', in Sobotka, L. (ed.) *Basic in Clinical Nutrition*. Fifth. Galen.
- Carr, A. C. and Maggini, S. (2017) 'Vitamin C and immune function', *Nutrients*, 9(11), pp. 1–25. doi: 10.3390/nu9111211.
- CDC (2014) *Quick reference guide - Laboratory testing for the diagnosis of HIV infection : updated recommendations*, Center for Disease Control and Prevention. Available at: <https://stacks.cdc.gov/view/cdc/23446> (Accessed: 23 August 2022).
- CDC (2016) *TB and HIV Coinfection*, Center for Disease Control and Prevention. Available at: <https://www.cdc.gov/tb/topic/basics/tbhivcoinfection.htm> (Accessed: 23 August 2022).
- CDC (2021) *Global HIV and TB*, Center for Disease Control and Prevention. Available at: <https://www.cdc.gov/globalhivtb/> (Accessed: 6 September 2022).

CDC (2022) *HIV, Center for Disease Control and Prevention*. Available at: <https://www.cdc.gov/hiv/basics/index.html> (Accessed: 21 August 2022).

Cheng, H. R. et al. (2020) 'High Monocyte-To-Lymphocyte Ratio Is Associated With Stroke-Associated Pneumonia', *Frontiers in Neurology*, 11(October), pp. 4–7. doi: 10.3389/fneur.2020.575809.

Cheng, Y. et al. (2022) 'Neutrophil-to-Lymphocyte Ratio, Platelet-to-Lymphocyte Ratio, and Monocyte-to-Lymphocyte Ratio in Depression: An Updated Systematic Review and Meta-Analysis', *Frontiers in Psychiatry*, 13(June). doi: 10.3389/fpsyt.2022.893097.

Childs, C. E., Calder, P. C. and Miles, E. A. (2019) 'Diet and immune function', *Nutrients*.

Choudhary, R. K. et al. (2019) 'Monocyte-to-lymphocyte ratio is associated with tuberculosis disease and declines with anti-TB treatment in HIV-infected children', *J Acquir Immune Defic Syndr*.

Cruzat, V. et al. (2018) 'Glutamine: Metabolism and immune function, supplementation and clinical translation', *Nutrients*, 10(11), pp. 1–31. doi: 10.3390/nu10111564.

Dadouli, K. et al. (2022) 'Neutrophil-to-Lymphocyte, Monocyte-to-Lymphocyte, Platelet-to-Lymphocyte Ratio and Systemic Immune-Inflammatory Index in Different States of Bipolar Disorder', *Brain Sciences*, 12(8). doi: 10.3390/brainsci12081034.

Daka, D. W. and Ergiba, M. S. (2020) 'Prevalence of malnutrition and associated factors among adult patients on antiretroviral therapy follow-up care in Jimma Medical Center, Southwest Ethiopia', *PLoS ONE*, 15(3), pp. 1–15. doi: 10.1371/journal.pone.0229883.

Das, B. et al. (2013) 'CD271+ Bone Marrow Mesenchymal Stem Cells May Provide a Niche for Dormant Mycobacterium tuberculosis', *Sci Transl Med.*, 5(170), pp. 170–173. doi: 10.1126/scitranslmed.3004912.

Diaz-Martinez, J. et al. (2019) 'The relationship of blood neutrophil-to-lymphocyte ratio with nutrition markers and health outcomes in hemodialysis patients', *International Urology and Nephrology*, 51(7), pp. 1239–1247. doi: 10.1007/s11255-019-02166-6.

Duggal, S., Chugh, T. Das and Duggal, A. K. (2012) 'HIV and malnutrition: Effects on immune system', *Clinical and Developmental Immunology*, 2012. doi: 10.1155/2012/784740.

Elke, G. et al. (2016) 'Enteral versus parenteral nutrition in critically ill patients: An updated systematic review and meta-analysis of randomized controlled trials', *Critical Care*, 20(1). doi: 10.1186/s13054-016-1298-1.

Farhadi, S. and Ovchinnikov, R. S. (2018) 'The Relationship between Nutrition and Infectious Diseases: A Review', *Biomedical and Biotechnology Research Journal*. doi: 10.1007/s40005-017-0360-6.

Fayed, H. M. et al. (2018) 'The utility and validity of immunological, inflammatory, and nutritional-based scores and indices in active Pulmonary Tuberculosis', *International Clinical Pathology Journal*, 6(6), pp. 199–213. doi: 10.15406/icpj.2018.06.00188.

Friis, H. et al. (eds) (2018) 'Macronutrient Supplementation to HIV and TB Patients during Treatment', in *Nutrition and HIV: Epidemiological Evidence to Public Health*. New York (NY): CRC Press.

Gammoh, N. Z. and Rink, L. (2017) 'Zinc in infection and inflammation', *Nutrients*, 9(6). doi: 10.3390/nu9060624.

Germolec, D. R. et al. (2018) 'Markers of inflammation', *Methods in Molecular Biology*, 1803, pp. 57–79. doi: 10.1007/978-1-4939-8549-4\_5.

Getahun, H. et al. (2010) 'HIV infection-associated tuberculosis: The epidemiology and the response', *Clinical Infectious Diseases*, 50(SUPPL. 3), pp. 201–207. doi: 10.1086/651492.

Grobler, L. et al. (2017) 'Nutritional supplements for people being treated for active tuberculosis: A technical summary', *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*, 108(1), pp. 16–18. doi: 10.7196/SAMJ.2017.v108i1.12839.

Gupta, D. et al. (2011) 'Role of nutritional status in predicting the length of stay in cancer: A systematic review of the epidemiological literature', *Annals of Nutrition and Metabolism*, 59(2–4), pp. 96–106. doi: 10.1159/000332914.

Hruby, A. and Jacques, P. F. (2019) 'Dietary protein and changes in biomarkers of inflammation and oxidative stress in the Framingham Heart Study offspring cohort', *Current Developments in Nutrition*, 3(5), pp. 1–9. doi: 10.1093/cdn/nzz019.

J. Larry Jameson et al (ed.) (2020) *Harrison's Manual of Medicine*. McGraw-Hill.

Kadiyoran, C. et al. (2019) 'Monocyte to Lymphocyte Ratio, Neutrophil to Lymphocyte Ratio, and Red Cell Distribution Width are the Associates with Gouty Arthritis', *Acta medica (Hradec Kralove)*, 62(3), pp. 99–104. doi: 10.14712/18059694.2019.132.

Kang, M. C. et al. (2017) 'Prevalence of malnutrition in hospitalized patients: A multicenter cross-sectional study', *Journal of Korean Medical Science*, 33(2), pp. 1–10. doi: 10.3346/jkms.2018.33.e10.

Karimi, A. et al. (2021) 'Novel Systemic Inflammation Markers to Predict COVID-19 Prognosis', *Frontiers in Immunology*, 12(October), pp. 1–11. doi: 10.3389/fimmu.2021.741061.

Kaya, T. et al. (2019) 'Association between neutrophil-to-lymphocyte ratio and nutritional status in geriatric patients', *Journal of Clinical Laboratory Analysis*, 33(1), pp. 1–6. doi: 10.1002/jcla.22636.

Kelly, B. and Pearce, E. L. (2020) 'Amino Assets: How Amino Acids Support Immunity', *Cell Metabolism*, 32(2), pp. 154–175. doi: 10.1016/j.cmet.2020.06.010.

Kemenkes (2019) *PNPK Tata Laksana Malnutrisi pada Dewasa*. Keputusan Menteri Kesehatan RI.

Kemenkes RI (2014) *Pedoman Pelayanan Gizi Bagi ODHA*. Edited by M. Damajanti et al. Kementerian Kesehatan Republik Indonesia.

Kemenkes RI (2019) *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Tuberkulosis*, Kementerian Kesehatan Republik Indonesia. doi: .1037//0033-2909.I26.1.78.

Kemenkes RI (2021) *Laporan Perkembangan HIV AIDS & Penyakit Infeksi Menular Seksual*. Jakarta.

Lelisho, M. E. et al. (2022) 'Survival rate and predictors of mortality among TB/HIV co-infected adult patients: retrospective cohort study', *Scientific Reports*, 12(1), pp. 1–11. doi: 10.1038/s41598-022-23316-4.

Lim, S. L. et al. (2012) 'Malnutrition and its impact on cost of hospitalization, length of stay, readmission and 3-year mortality', *Clinical Nutrition*, 31(3), pp. 345–350. doi: 10.1016/j.clnu.2011.11.001.

Liu, P. et al. (2022) 'Impact of calorie intake and refeeding syndrome on the length of hospital stay of patients with malnutrition: a systematic review and meta-analysis', *Clinical Nutrition*, 41(9), pp. 2003–2012. doi: 10.1016/j.clnu.2022.07.023.

La Manna, M. P. et al. (2017) 'Quantitative and qualitative profiles of circulating monocytes may help identifying tuberculosis infection and disease stages', *PLoS ONE*, 12(2), pp. 1–14. doi: 10.1371/journal.pone.0171358.

Mohammed, B. M. et al. (2013) 'Vitamin C: A novel regulator of neutrophil extracellular trap formation', *Nutrients*, 5(8), pp. 3131–3151. doi: 10.3390/nu5083131.

Naranbhai, V., Hill, A. V. S., et al. (2014) 'Ratio of monocytes to lymphocytes in peripheral blood identifies adults at risk of incident tuberculosis among HIV-infected adults initiating antiretroviral therapy', *Journal of Infectious Diseases*, 209(4), pp. 500–509. doi: 10.1093/infdis/jit494.

Naranbhai, V., Moodley, D., et al. (2014) 'The association between the ratio of monocytes: Lymphocytes and risk of tuberculosis among HIV-infected postpartum women', *Journal of Acquired Immune Deficiency Syndromes*, 67(5), pp. 573–575. doi: 10.1097/qai.0000000000000353.

Naranbhai, V., Kim, S., et al. (2014) 'The association between the ratio of monocytes: Lymphocytes at age 3 months and risk of tuberculosis (TB) in the first two years of life', *BMC Medicine*, 12(1), pp. 1–6. doi: 10.1186/s12916-014-0120-7.

Naranbhai, V. et al. (2015) 'Distinct Transcriptional and Anti-Mycobacterial Profiles of Peripheral Blood Monocytes Dependent on the Ratio of Monocytes: Lymphocytes', *EBioMedicine*, 2(11), pp. 1619–1626. doi: 10.1016/j.ebiom.2015.09.027.

Nigatu, Y. D. et al. (2021) 'The effect of malnutrition at admission on length of

hospital stay among adult patients in developing country: A prospective cohort study', *Clinical Nutrition ESPEN*, 41(2021), pp. 217–224. doi: 10.1016/j.clnesp.2020.12.013.

Noland, D. (2017) 'Inflammation and the Pathophysiology of Chronic Disease', in Mahan, L. K. and Raymond, J. L. (eds) *Krause's Food & The Nutrition Care Process*. 14th edn. Elsevier.

Özdin, S. and Usta, M. B. (2021) 'A comparison of inflammatory markers in manic and euthymic states of bipolar disorder', *Nordic Journal of Psychiatry*, 75(2), pp. 124–129. doi: 10.1080/08039488.2020.1807048.

Permenkes RI (2019) *Pedoman Nasional Pelayanan Kedokteran Tata Laksana HIV, Kementerian Kesehatan Republik Indonesia*.

Podewils, L. J. et al. (2011) 'Impact of malnutrition on clinical presentation, clinical course, and mortality in MDR-TB patients', *Epidemiology and Infection*, 139(1), pp. 113–120. doi: 10.1017/S0950268810000907.

Popoola, T. D. and Awodele, O. (2016) 'Interplay between antiretroviral therapy and oxidative stress in HIV seropositive patients', *African journal of medicine and medical sciences*, 45(1), pp. 5–21.

Ranaldi, G. et al. (2013) 'Intracellular zinc is required for intestinal cell survival signals triggered by the inflammatory cytokine TNF $\alpha$ ', *The Journal of Nutritional Biochemistry*.

Rathore, S. et al. (2020) 'Curcumin: A Review for Health Benefits', *International Journal of Research and Review*, 7(1), p. 1.

Reber, E. et al. (2019) 'Nutritional management of medical inpatients', *Journal of Clinical Medicine*, 8(8). doi: 10.3390/jcm8081130.

Sashindran, V. K. and Thakur, R. (2018) 'Malnutrition in HIV/AIDS: Aetiopathogenesis', in Dumais, N. (ed.) *Nutrition and HIV/AIDS*. Intechopen. Available at: <https://www.intechopen.com/chapters/71164>.

Soeters, P. B., Wolfe, R. R. and Shenkin, A. (2019) 'Hypoalbuminemia: Pathogenesis and Clinical Significance', *Journal of Parenteral and Enteral Nutrition*, 43(2), pp. 181–193. doi: 10.1002/jpen.1451.

Stone, K. et al. (2022) *A systematic review of the prediction of hospital length of stay: Towards a unified framework*, *PLOS Digital Health*. doi: 10.1371/journal.pdig.0000017.

Stumpf, F. et al. (2023) 'Inflammation and Nutrition: Friend or Foe?', *Nutrients*, 15(5), pp. 1–16. doi: 10.3390/nu15051159.

Sukson, P. et al. (2021) 'Peripheral Blood Monocyte to Lymphocyte Ratio for Prediction of Tuberculous Pleuritis: Monocyte to Lymphocyte Ratio in Tuberculous Pleuritis', *International Journal of Infectious Diseases*, 112(2021), pp. 212–216. doi: 10.1016/j.ijid.2021.09.033.

Swaminathan, S. et al. (2008) 'Nutritional status of persons with HIV infection, persons with HIV infection and tuberculosis, and HIV-negative individuals from southern India', *Clinical Infectious Diseases*, 46(6), pp. 946–949. doi: 10.1086/528860.

Tan, P. H. et al. (2005) 'Inhibition of NF-κB and Oxidative Pathways in Human Dendritic Cells by Antioxidative Vitamins Generates Regulatory T Cells', *The Journal of Immunology*, 174(12), pp. 7633–7644. doi: 10.4049/jimmunol.174.12.7633.

Taslim, N. A. et al. (2017) 'Energy regulation in newly diagnosed TB with chronic energy deficiency: Free fatty acids and RBP4', *Asia Pacific Journal of Clinical Nutrition*, 26(March), pp. S73–S78. doi: 10.6133/apjcn.062017.s9.

Téllez-Navarrete, N. A. et al. (2021) 'Malnutrition and tuberculosis: The gap between basic research and clinical trials', *Journal of Infection in Developing Countries*, 15(3), pp. 310–319. doi: 10.3855/jidc.12821.

Tonko, S. et al. (2020) 'Length of hospital stay for TB varies with comorbidity and hospital location', *International Journal of Tuberculosis and Lung Disease*, 24(9), pp. 948–955. doi: 10.5588/ijtd.19.0759.

Toulson Davisson Correia, M. I. et al. (2021) 'Nutrition Therapy Cost-Effectiveness Model Indicating How Nutrition May Contribute to the Efficiency and Financial Sustainability of the Health Systems', *Journal of Parenteral and Enteral Nutrition*, 45(7), pp. 1542–1550. doi: 10.1002/jpen.2052.

Uhl, S. et al. (2021) *Malnutrition in Hospitalized Adults: A Systematic Review*, NCBI Bookshelf. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK574798/> (Accessed: 28 August 2022).

UNAIDS (2022) *Unaids Data 2022, Joint United Nations Programme on HIV/AIDS*. Geneva, Switzerland. Available at: [https://www.unaids.org/en/resources/documents/2023/2022\\_unaids\\_data](https://www.unaids.org/en/resources/documents/2023/2022_unaids_data).

Vaillant, A. A. J. and Gulick, P. G. (2022) 'HIV Disease Current Practic', in *StatPearls [Internet]*. National Library of Medicine, NCBI. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK534860/>.

Wang, J. et al. (2015) 'Ratio of monocytes to lymphocytes in peripheral blood in patients diagnosed with active tuberculosis', *Brazilian Journal of Infectious Diseases*, 19(2), pp. 125–131. doi: 10.1016/j.bjid.2014.10.008.

WHO (2003) *Nutrient requirements for people living with HIV/AIDS*. Geneva.

WHO (2004) 'HIV / AIDS : A Guide for Nutritional Care and Support', *Food and Nutrition Technical Assistance Project*.

WHO (2013) 'Guideline : Nutritional care and support for patients with tuberculosis', World Health Organization. Available at: [http://apps.who.int/iris/bitstream/10665/94836/1/9789241506410\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/94836/1/9789241506410_eng.pdf).

WHO (2016) 'The use of antiretroviral drugs for treating and preventing HIV

infection Recommendations for a public health approach second edition', *World Health Organisation (WHO)*, Guidelines, p. Annex 1.

WHO (2021a) *Global tuberculosis report 2021, Syria Studies*. World Health Organization. Available at: [https://www.researchgate.net/publication/269107473\\_What\\_is\\_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil\\_wars\\_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625](https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625).

WHO (2021b) *HIV/AIDS, World Health Organization (WHO)*. Available at: [https://www.who.int/health-topics/hiv-aids/#tab=tab\\_1](https://www.who.int/health-topics/hiv-aids/#tab=tab_1) (Accessed: 21 August 2022).

WHO (2022) *Global tuberculosis report 2022*. Geneva: World Health Organization.

Zahorec, R. (2021) 'Neutrophil-to-lymphocyte ratio, past, present and future perspectives', *Bratislava Medical Journal*. doi: 10.4149/BLL.

Zuiga, J. et al. (2012) 'Cellular and humoral mechanisms involved in the control of tuberculosis', *Clinical and Developmental Immunology*, 2012(May). doi: 10.1155/2012/193923.

## Lampiran. Jenis Pendidikan, Pekerjaan, Komorbid, dan Obat-obatan.

	Variabel	(n = 59) (%)	
		Ya	Tidak
Pendidikan	Tidak Sekolah	1 (1.7)	
	SD	5 (8.5)	
	SMP	4 (6.8)	
	SMA	37 (62.7)	
	PT	12 (20.3)	
Pekerjaan	Buruh	1 (1.69)	
	Buruh Tani	1 (1.69)	
	IRT	11 (18.64)	
	Karyawan Bank	3 (5.08)	
	Karyawan Swasta	6 (10.17)	
	Mahasiswa	2 (3.39)	
	Pegawai Honorer	3 (5.08)	
	Pensiunan	1 (1.69)	
	Petani	1 (1.69)	
	PNS	2 (3.39)	
	Swasta	6 (10.17)	
	TNI	1 (1.69)	
	Tidak Bekerja	8 (13.56)	
Komorbid	Wiraswasta	13 (22.03)	
	Infeksi Cytomegalovirus	6 (10.2)	53 (89.8)
	Infeksi TORCH	11 (18.6)	48 (81.4)
	Infeksi Rubella	5 (8.5)	54 (91.5)
	Toxoplasmosis	7 (11.9)	52 (88.1)
	<i>Pneumocystis Carinii Pneumonia</i> (PCP)	5 (8.5)	54 (91.5)
	Candidiasis Oral	39 (66.1)	20 (33.9)
	<i>Community-acquired Pneumonia</i> (CAP)	8 (13.6)	51 (86.4)
	Penyakit Pernafasan lainnya	7 (11.9)	52 (88.1)
	Anemia	34 (57.6)	25 (42.4)
	<i>Drug-Induced Liver Injury</i> (DILI)	8 (13.6)	51 (86.4)
	Penyakit Gastroenterohepatologi	23 (39.0)	36 (61.0)
	<i>Acute Kidney Injury</i> (AKI)	6 (10.2)	53 (89.8)
	Penyakit Kulit	4 (6.8)	55 (93.2)
Obat-obatan yang diberikan	Penyakit Neurologi	11 (18.6)	48 (81.4)
	Penyakit Psikiatri	18 (30.5)	41 (69.5)
	ARV	38 (64.4)	21 (35.6)
	OAT	49 (83.1)	10 (16.9)
	Ampicillin	1 (1.7)	58 (98.3)
	Azithromycin	4 (6.8)	55 (93.2)
	Cefixime	1 (1.7)	58 (98.3)
	Cefotaxime	1 (1.7)	58 (98.3)
	Ceftazidime	10 (16.9)	49 (83.1)
	Ceftriaxone	15 (25.4)	44 (74.6)
	Clindamycin	16 (27.1)	43 (72.9)
	Cotrimoxazole	50 (84.7)	9 (15.3)
	Erythromycin	1 (1.7)	58 (98.3)
	Levofloxacin	6 (10.2)	53 (89.8)
	Meropenem	2 (3.4)	57 (96.6)
	Metronidazole	2 (3.4)	57 (96.6)
	Moxifloxacin	7 (11.9)	52 (88.1)
	Spiramycin	2 (3.4)	57 (96.6)
	Streptomycin	5 (8.5)	54 (91.5)
	Vancomycin	1 (1.7)	58 (98.3)
	Pyrimethamine	7 (11.9)	52 (88.1)
	Fluconazole	9 (15.3)	50 (84.7)
	Mycamin	22 (37.3)	37 (62.7)
	Nystatin Drop	43 (72.9)	16 (27.1)
	Cymevene	8 (13.6)	51 (86.4)
	Valcyte	10 (16.9)	49 (83.1)
	Dexamethasone	5 (8.5)	54 (91.5)
	Methylprednisolone	4 (6.8)	55 (93.2)