

DAFTAR PUSTAKA

- Ahmed, R. A. (2023). *Endotracheal tube*. StatPearls.
- Ahn, H., Cowan, L., Garvan, C., Lyon, D., & Stechmiller, J. (2016). Risk factors for pressure ulcers including suspected deep tissue injury in nursing home facility residents: Analysis of national minimum data set 3.0. *Advances in Skin & Wound Care*, 29(4), 178–190. <https://doi.org/10.1097/01.ASW.0000481115.78879.63>
- Angriani, R., Yusuf, S., Erika, K. A., & Maryunis, M. (2020). Faktor-faktor yang berhubungan dengan kejadian luka dekubitus akibat penggunaan alat medis di ruang PICU. *Jurnal Kesehatan Manarang*, 6(2), 101–111. <https://doi.org/10.33490/jkm.v6i2.146>
- Bahar, A., & Bal, D. (2023). The nursing care for the medical device related pressure injury patient with a mucosal pressure injury due to an endotracheal tube: A case report. *Wound Management & Prevention*, 69(2), 46–51. <https://doi.org/10.25270/wmp.2023.2.22051>
- Baharestani, M. M., & Ratliff, C. R. (2007). Pressure ulcers in neonates and children: An NPUAP white paper. *Advances in Skin & Wound Care*, 20(4), 218–220. <https://doi.org/10.1097/01.ASW.0000266646.43159.99>
- Black, J., Alves, P., Brindle, C. T., Dealey, C., Santamaria, N., Call, E., & Clark, M. (2015). Use of wound dressings to enhance prevention of pressure ulcers caused by medical devices. *International Wound Journal*, 12(3), 322–327. <https://doi.org/10.1111/iwj.12111>
- Black, J. M., & Kalowes, P. (2016). Medical device-related pressure ulcers. *Chronic Wound Care Management and Research*, 3, 91–99. <https://doi.org/10.2147/CWCMR.S82370>
- Brophy, S., Moore, Z., Patton, D., O'Connor, T., & Avsar, P. (2021). What is the incidence of medical device-related pressure injuries in adults within the acute hospital setting? A systematic review. *Journal of Tissue Viability*, 30(4), 489–498. <https://doi.org/10.1016/j.jtv.2021.03.002>
- Chen, L. (2018). The risk management of medical device-related pressure ulcers based on the Australian/New Zealand standard. *Journal of International Medical Research*, 46(10), 4129–4139. <https://doi.org/10.1177/0300060518786902>
- Dang, W., Liu, Y., Zhou, Q., Duan, Y., Gan, H., Wang, L., Zhu, Q., Xie, C., & Hu, A. (2022). Risk factors of medical device-related pressure injury in intensive care units. *Journal of Clinical Nursing*, 31(9–10), 1174–1183. <https://doi.org/10.1111/jocn.15974>

- Dyer, A. (2015). Ten top tips: Preventing device-related pressure ulcers. *Wounds International*, 6(1), 9–13. <https://woundsinternational.com/journal-articles/ten-top-tips-preventing-device-related-pressure-ulcers/>
- Elliott, S. N. (2022). *Decreasing pressure injuries from respiratory devices in the pediatric intensive care unit* [University of South Carolina]. https://scholarcommons.sc.edu/dnp_projects/32/
- Elnasser, Z., Obeidat, H., Amarin, Z., & Palazón-Bru, A. (2021). Device-related infections in a pediatric intensive care unit: The Jordan University of Science and Technology experience. *Medicine (United States)*, 100(43), E27651. <https://doi.org/10.1097/MD.00000000000027651>
- Gil-Perotin, S., Ramirez, P., Martí, V., Sahuquillo, J. M., Gonzalez, E., Calleja, I., Menendez, R., & Bonastre, J. (2012). Implications of endotracheal tube biofilm in ventilator-associated pneumonia response: A state of concept. *Critical Care*, 93, 1–8. <https://doi.org/10.1186/cc11357>
- Hampson, J., Green, C., Stewart, J., Armitstead, L., Degan, G., Aubrey, A., Paul, E., & Tiruvoipati, R. (2018). Impact of the introduction of an endotracheal tube attachment device on the incidence and severity of oral pressure injuries in the intensive care unit: A retrospective observational study. *BMC Nursing*, 17(1), 1–8. <https://doi.org/10.1186/s12912-018-0274-2>
- Hansen, R. L., & Fossum, M. (2016). Nursing documentation of pressure ulcers in nursing homes: Comparison of record content and patient examinations. *Nursing Open*, 3(3), 159–167. <https://doi.org/10.1002/nop2.47>
- Jackson, D., Sarki, A. M., Betteridge, R., & Brooke, J. (2019). Medical device-related pressure ulcers: A systematic review and meta-analysis. *International Journal of Nursing Studies*, 92, 109–120. <https://doi.org/10.1016/j.ijnurstu.2019.02.006>
- Karacabay, K., Savci, A., Dalkılıç, M., & Hergül, F. K. (2023). Determining the incidence and risk factors of medical device-related pressure injury in intensive care patients. *Journal of Tissue Viability*, 32(4), 596–600. <https://doi.org/10.1016/j.jtv.2023.08.002>
- Kasaoka, S. (2017). Evolved role of the cardiovascular intensive care unit (CICU). *Journal of Intensive Care*, 5(1), 1–5. <https://doi.org/10.1186/s40560-017-0271-7>
- Kayser, S. A., Vangilder, C. A., Ayello, E. A., & Lachenbruch, C. (2018). Prevalence and analysis of medical device-related pressure injuries: Results from the international pressure ulcer prevalence survey. *Advances in Skin and Wound Care*, 31(6), 276–285. <https://doi.org/10.1097/01.ASW.0000532475.11971.aa>

- Makic, M. B. F. (2015). Medical device-related pressure ulcers and intensive care patients. *Journal of Perianesthesia Nursing*, 30(4), 336–337. <https://doi.org/10.1016/j.jopan.2015.05.004>
- Masyitha, K., Haryanto, Puspita, D., Suriadi, & Usman. (2020). Pressure ulcers related to medical device in intensive care in Indonesia: A prospective study. *Enfermeria Clinica*, 30, 87–91. <https://doi.org/10.1016/j.enfcli-2020.01.006>
- McNichol, L., Lund, C., Rosen, T., & Gray, M. (2013). Medical adhesives and patient safety: State of the science: Consensus statements for the assessment, prevention, and treatment of adhesive-related skin injuries. *Orthopaedic Nursing*, 32(5), 267–281. <https://doi.org/10.1097/NOR-0b013e3182a39caf>
- Melter, C., & Mamou, M. K. (2023). Pressure injuries: Risk assessment and prevention measures. *Wild Iris Medical Education*, 1–57. <https://wildirismedicaleducation.com/courses/pressure-ulcer-assessment-treatment-ceu>
- Nackers, A., Ehlenbach, M., Kelly, M. M., Werner, N., Warner, G., & Coller, R. J. (2019). Encounters from device complications among children with medical complexity. *Hospital Pediatrics*, 9(1), 6–15. <https://doi.org/10.1542/hpeds.2018-0103>
- Nursalam. (2016). *Metodologi penelitian ilmu keperawatan: Pendekatan praktis*. Salemba Medika.
- Owens, L., & Stamps, H. (2018). Eliminating medical device-related pressure injury from blood pressure cuffs during continuous monitoring in the perioperative setting: A novel approach. *Journal of Perianesthesia Nursing*, 33(4), 444–447. <https://doi.org/10.1016/j.jopan.2016.12.007>
- Pettinichi, S. M., Brooks, D., & Bennett, D. J. (2018). Use of a pressure injury bundle in a 101 bed, level IV NICU to decrease respiratory device-related pressure injuries. *Respiratory Care*, 63(10), 3009435. https://rc.rcjournal.com/content/63/suppl_10/3009435
- Pittman, J. (2018). *Medical device related pressure injury (MDRPI) prevention: What's the evidence?* National Pressure Injury Advisory Panel. <https://npiap.com/store/ViewProduct.aspx?id=14128515>
- Pittman, J., & Gillespie, C. (2020). Medical device-related pressure injuries. *Critical Care Nursing Clinics of North America*, 32(4), 533–542. <https://doi.org/10.1016/j.cnc.2020.08.004>
- Ray, A. A., Nurhaeni, N., & Rachmawati, I. N. (2023). Risk factors of medical device-related pressure injury in children in the intensive unit: A systematic review. *Jurnal Ipteks Terapan*, 17(2), 315–322.

<https://doi.org/10.22216/jit.v17i2.2051>

- Rio, G. C.-D. (2018). Evidence-based practice: Medical device-related pressure injury prevention. *American Nurse Today*, 13(10), 50–52. <https://www.myamericannurse.com/medical-device-pressure-injury-prevent/>
- Saghaleini, S. H., Dehghan, K., Shadvar, K., Sanaie, S., Mahmoodpoor, A., & Ostadi, Z. (2018). Pressure ulcer and nutrition. *Indian Journal of Critical Care Medicine*, 22(4), 283–289. https://doi.org/10.4103/ijccm.IJCCM-277_17
- Santoso, W. W. (2017). *Penerapan teknik alih baring 30° terhadap kejadian dekubitus pada pasien stroke dengan hemiparesis di Ruang Yudistira RSUD K.R.M.T Wongsonegoro Kota Semarang* [Universitas Muhammadiyah Semarang]. <http://repository.unimus.ac.id/733/>
- Schindler, C. A., Barrette, R., Sandock, A., & Kuhn, E. (2021). Medical device-related pressure injuries associated with electroencephalogram leads in a tertiary care children's hospital: A retrospective chart review. *Wound Management and Prevention*, 67(9), 25–32. <https://doi.org/10.25270/wmp.2021.9.2532>
- Setiadi. (2013). *Konsep dan praktik penulisan riset keperawatan*. Graha Ilmu.
- Setiawan, D., & Prasetyo, H. (2015). *Metodologi penelitian kesehatan untuk mahasiswa kesehatan*. Graha Ilmu.
- Şimşek, E., Demir, A. S., Semerci, R., & Karadağ, A. (2023). The incidence and prevalence of medical device-related pressure injuries in pediatric patients: Systematic review and meta-analysis. *Journal of Pediatric Nursing*, 72(1), E130–E138. <https://doi.org/10.1016/j.pedn.2023.06.019>
- Smith, H. A., Moore, Z., & Tan, M. H. (2019). Cohort study to determine the risk of pressure ulcers and developing a care bundle within a paediatric intensive care unit setting. *Intensive and Critical Care Nursing*, 53, 68–72. <https://doi.org/10.1016/j.iccn.2019.04.008>
- Stellar, J. J., Hasbani, N. R., Kulik, L. A., Shelley, S. S., Quigley, S., Wypij, D., & Curley, M. A. Q. (2020). Medical device-related pressure injuries in infants and children. *Journal of Wound, Ostomy and Continence Nursing*, 47(5), 459–469. <https://doi.org/10.1097/WON.0000000000000683>
- Sugiyono. (2021). *Metode penelitian kuantitatif kualitatif dan R & D*. Alfabeta.
- Susanti, E., & Putri, P. (2021). Pelatihan bagi siswa palangmerah remaja dalam memberikan pertolongan pertama pada luka. *ABDIKEMAS: Jurnal Pengabdian Kepada Masyarakat*, 3(2), 193–198. <https://doi.org/10.36086/j.abdikemas.v3i2%20Desember.776>

- The Joint Commission. (2018). *Managing medical device-related pressure injuries*. The Joint Commission. https://www.jointcommission.org/-/media/tjc/newsletters/qs_43_med_dev_pressure_injuries_7_17_18_final
- Widiati, E., Nurhaeni, N., & Gayatri, D. (2017). Medical-device related pressure injuries to children in the intensive care unit. *Comprehensive Child and Adolescent Nursing*, 40(1), 69–77. <https://doi.org/10.1080/24694193-2017.1386973>
- Yığitoğlu, E. T., & Aydoğan, S. (2023). Determination of medical device-related pressure injury in COVID-19 patients: A prospective descriptive study. *Journal of Tissue Viability*, 32(1), 74–78. <https://doi.org/10.1016/j.jtv.2022.10.004>
- Zakaria, A. Y., Taema, K. M., Ismael, M. S., & Elhabashy, S. (2018). Impact of a suggested nursing protocol on the occurrence of medical device-related pressure ulcers in critically ill patients. *Central European Journal of Nursing and Midwifery*, 9(4), 924–931. <https://doi.org/10.15452/CEJNM.2018.09.0025>
- Zhang, H., Ma, Y., Wang, Q., Zhang, X., & Han, L. (2022). Incidence and prevalence of pressure injuries in children patients: A systematic review and meta-analysis. *Journal of Tissue Viability*, 31(1), 142–151. <https://doi.org/10.1016/j.jtv.2021.07.003>

Lampiran 1

SURAT PENJELASAN PENELITIAN

Kepada yth.

Bapak/ Ibu/ Sdr(i) Calon Responden

Dengan Hormat,

Saya yang bertanda tangan di bawah ini:

Nama : Srihastuti

NIM : R011221098

Status: : Mahasiswa Program Studi Ilmu Keperawatan Universitas
Hasanuddin Makassar

Hendak melaksanakan penelitian dengan judul “Gambaran Kejadian Luka Akibat Penggunaan Alat Medis pada Pasien Anak di Ruang PICU RSUP. Dr. Wahidin Sudirohusodo Makassar”.

Bahwa penelitian ini tidak menimbulkan akibat yang merugikan bagi responden. Kerahasiaan semua informasi yang diberikan akan dijaga dan hanya digunakan untuk kepentingan penelitian. apabila ada biaya yang keluar terkait dengan penelitian ini, maka biaya tersebut akan menjadi tanggung jawab peneliti. Jika Anda tidak bersedia menjadi responden tidak ada ancaman maupun sanksi bagi Anda dan jika Anda telah menjadi responden dan terjadi hal yang merugikan, maka Anda boleh mengundurkan diri dan tidak berpartisipasi dalam penelitian.

Saya sebagai peneliti mengucapkan banyak terima kasih atas kesediaan Anda menjadi responden dalam penelitian ini.

Peneliti

(Srihastuti)

Lampiran 2

LEMBAR PERSETUJUAN MENJADI RESPONDEN

Saya bertanda tangan di bawah ini:

Nama :

Umur :

Jenis kelamin :

Hubungan dengan pasien :

Menyatakan bersedia untuk berpartisipasi dalam penelitian yang dilakukan oleh mahasiswa Program Studi Ilmu Keperawatan Fakultas Keperawatan Universitas Hasanuddin Makassar, dengan:

Nama : Srihastuti

NIM : R011221098

Judul Penelitian : Gambaran Kejadian Luka Akibat Penggunaan Alat Medis pada Pasien Anak di Ruang PICU RSUP. Dr. Wahidin Sudirohusodo Makassar.

Saya berharap penelitian ini tidak akan mempunyai dampak negatif serta merugikan bagi saya dan keluarga saya, sehingga pertanyaan yang akan saya jawab, benar-benar dapat dirahasiakan.

Demikian lembar persetujuan ini saya tanda tangani dan kiranya dipergunakan sebagaimana mestinya.

Makassar,.....23

Peneliti

Responden

(_____)

(_____)

Lampiran 3

LEMBAR OBSERVASI/ MONITORING PASIEN					
Nama/Inisial : Tanggal Lahir : Jenis Kelamin : Diagnosa Medis :			No. Rekam Medik : Hari Masuk : Tanggal Masuk :		
Tanda-Tanda Vital	Hari/Tanggal Pukul Hari ke 1	Hari/Tanggal Pukul Hari ke 3	Hari/Tanggal Pukul Hari ke 5	Hari/Tanggal Pukul Hari ke 7	Keterangan
Detak Jantung					
Pernapasan					
Suhu Badan					
Saturasi Oksigen					
Tingkat Kesadaran (GCS)					
Skala Nyeri					
Risiko Jatuh					

Jenis Alat Medis yang Digunakan	Nomor ukuran Alat	Tanggal Pemasangan	Tanggal Pelepasan	Foto Luka Akibat Penggunaan Alat Medis
ETT				
NRM				
Nasal Kanul				
Masker CPAP				
Nasal Prong				
Kateter Intravena				
Probe SpO2				
NIV + Sungkup				
CVC				
NGT/OGT				
Kateter Urine				
Manset NIBP				
Elektroda				

Pertanyaan Responden

1. Apakah sudah ada luka sebelum masuk rumah sakit?
2. Daerah mana luka tersebut?
3. Awal mula terjadinya luka kemerahan?
4. Sudah berapa lama luka tersebut ?
5. Apa yang menyebabkan luka tersebut?

Lampiran 4

MASTER TABEL
GAMBARAN KEJADIAN LUKA AKIBAT PENGGUNAAN ALAT MEDIS PADA PASIEN ANAK
DI RUANG PICU RSUP. DR. WAHIDIN SUDIROHUSODO MAKASSAR

No	Inisial	Karakteristik Anak						Tanda-Tanda Vital					
		Usia		Jenis Kelamin		Diagnosa Medis		Hari 1					
		Tahun	Kode	Jenis	Kode	Diagnosa	Kode	HR	RR	Temp	SpO2	GCS	Risiko Jatuh
1	SY	4	3	Perempuan	2	Community-Acquired Pneumonia	8	65	30	37.5	100	9	14
2	AN	0.75	1	Perempuan	2	Acute Kidney Injury	2	281	25	36.7	92	3	20
3	ME	0.42	1	Laki-laki	1	Community-Acquired Pneumonia	8	130	45	36.2	87	10	16
4	KR	0.75	1	Laki-laki	1	Community-Acquired Pneumonia	8	155	43	36.5	100	15	14
5	AB	0.58	1	Laki-laki	1	Community-Acquired Pneumonia	8	175	26	38.1	100	15	13
6	AT	3	3	Perempuan	2	Status Epilepticus	16	150	30	36.0	99	8	16
7	MZ	9	4	Laki-laki	1	Acute Respiratory Distress Syndrome	3	130	28	37.1	99	9	16
8	By R	0.5	1	Laki-laki	1	Community-Acquired Pneumonia	8	110	39	35.5	98	8	17
9	MF	1	2	Laki-laki	1	Ileus	15	127	17	36.0	100	11	20
10	L	9	4	Perempuan	2	Cleft Palate	7	50	38	36.0	100	9	9
11	AQ	5	3	Laki-laki	1	Benign Neoplasm of Pineal Gland	4	60	30	38.1	98	10	17
12	AS	11	4	Perempuan	2	Hypokalemia	14	122	51	36.5	100	15	11
13	By S	0.33	1	Perempuan	2	Cerebral Infarction	5	148	27	36.0	99	15	16
14	MH	14	5	Laki-laki	1	Acute Kidney Injury	2	114	19	36.0	100	14	14
15	SY	15	5	Laki-laki	1	Hirschsprung's Disease	12	70	22	36.3	99	15	13
16	HK	1	2	Perempuan	2	Hirschsprung's Disease	12	87	45	36.0	98	14	16
17	By W	0.25	1	Perempuan	2	Acute Respiratory Distress Syndrome	3	133	34	37.1	80	15	15
18	AY	2	2	Perempuan	2	Community-Acquired Pneumonia	8	134	35	37.1	99	7	16
19	MK	3	3	Perempuan	2	Acute Respiratory Distress Syndrome	3	120	37	35.9	100	15	16
20	NA	12	5	Perempuan	2	Chronic Kidney Disease	6	97	13	36.5	96	7	13
21	NG	7	4	Laki-laki	1	Encephalopathy	11	146	40	36.0	94	6	15
22	ZD	4	3	Laki-laki	1	Acute Generalized Peritonitis	1	135	40	36.0	100	11	16
23	ST	14	5	Perempuan	2	Encephalopathy	11	102	20	36.2	100	6	12

No	Karakteristik Anak							Tanda-Tanda Vital						
	Inisial	Usia		Jenis Kelamin		Diagnosa Medis			Hari 1					
		Tahun	Kode	Jenis	Kode				Diagnosa	Kode	HR bpm	RR Kali	Temp °C	SpO2 %
24	RY	0.25	1	Laki-laki	1	Community-Acquired Pneumonia	8	126	30	36.5	100	10	14	
25	FR	1	2	Laki-laki	1	Community-Acquired Pneumonia	8	164	13	36.0	100	14	16	
26	ML	1	2	Perempuan	2	Hirschsprung's Disease	12	145	45	36.7	99	10	16	
27	NK	0.5	1	Laki-laki	1	Community-Acquired Pneumonia	8	132	30	36.0	99	13	17	
28	AL	1	2	Perempuan	2	Hirschsprung's Disease	12	144	30	37.5	99	10	16	
29	FH	0.92	1	Laki-laki	1	Hydrocephalus	13	127	39	36.3	98	6	18	
30	AF	15	5	Laki-laki	1	Acute Kidney Injury	2	96	30	36.9	100	12	16	
31	FL	0.67	1	Laki-laki	1	Encephalopathy	11	102	27	36.4	100	6	15	
32	AH	1	2	Perempuan	2	Benign Neoplasm of Spinal Cord	4	176	48	36.5	100	13	16	
33	AI	9	4	Perempuan	2	Ileus	15	174	34	37.5	100	14	17	
34	HK	12	5	Laki-laki	1	Diarrhea	10	69	12	36.4	81	13	14	
35	AS	0.5	1	Laki-laki	1	Hirschsprung's Disease	12	156	29	36.1	92	14	16	
36	By N	0.5	1	Perempuan	2	Community-Acquired Pneumonia	8	112	40	36.3	100	15	17	
37	HB	1	2	Perempuan	2	Acute Kidney Injury	2	117	43	36.3	100	15	15	
38	JN	0.67	1	Perempuan	2	Cytomegaloviral Disease	9	155	43	36.5	100	15	13	
39	AQ	7	4	Laki-laki	1	Hirschsprung's Disease	12	92	21	36.0	95	15	13	
40	AD	12	5	Perempuan	2	Benign Neoplasm of Meninges	4	93	15	35.9	98	10	16	
41	FH	11	4	Laki-laki	1	Status Epilepticus	16	116	23	36.7	97	9	15	
42	MR	3	3	Perempuan	2	Ventricular Septal Defect	17	182	33	37.2	100	7	18	
43	MU	1	2	Laki-laki	1	Community-Acquired Pneumonia	8	122	32	35.6	100	8	17	
44	By AR	0.17	1	Laki-laki	1	Encephalopathy	11	158	48	35.6	100	15	18	
45	AZ	0.33	1	Perempuan	2	Community-Acquired Pneumonia	8	170	45	36.0	99	10	17	
46	MU	1	2	Laki-laki	1	Community-Acquired Pneumonia	8	165	56	37.5	100	8	15	
47	AA	0.67	1	Perempuan	2	Encephalopathy	11	120	45	37.0	99	13	12	
48	KH	0.17	1	Perempuan	2	Acute Respiratory Distress Syndrome	3	145	40	36.2	97	12	10	
49	KV	1	2	Perempuan	2	Acute Respiratory Distress Syndrome	3	115	45	36.5	100	10	15	
50	AR	0.25	1	Perempuan	2	Acute Respiratory Distress Syndrome	3	155	47	37.0	99	7	15	

No																		
	Hari 3						Hari 5						Hari 7					
	HR bpm	RR Kali	Temp °C	SpO2 %	GCS	Risiko Jatuh Skor	HR bpm	RR Kali	Temp °C	SpO2 %	GCS	Risiko Jatuh Skor	HR bpm	RR Kali	Temp °C	SpO2 %	GCS	Risiko Jatuh Skor
1	55	32	38.0	100	9	14	57	28	39.5	100	9	14	60	33	36.0	100	9	14
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	136	55	36.5	99	10	16	140	50	36.0	98	10	16	135	55	36.2	99	10	16
4	160	40	36.5	100	15	14	145	45	36.1	99	15	14	150	44	37.2	100	15	14
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	165	35	35.9	96	8	16	148	28	36.5	98	8	16	150	30	36.0	99	8	16
7	145	25	38.0	100	9	16	157	30	36.5	98	9	16	150	35	36.7	99	9	16
8	112	35	36.0	94	8	17	130	40	34.4	93	8	17	145	41	35.5	97	8	17
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	58	35	36.5	99	10	17	60	29	36.8	99	10	17	65	30	36.0	100	10	17
12	120	49	36.0	100	15	11	121	50	36.0	99	15	11	120	45	36.5	100	15	11
13	151	26	36.2	96	15	16	0	0	0	0	0	0	0	0	0	0	0	0
14	117	20	36.5	100	14	14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	84	40	36.3	99	14	15	90	35	36.0	98	14	15	85	36	36.5	97	14	15
17	142	36	37.0	83	15	15	124	40	36.9	96	15	15	121	40	36.8	99	15	15
18	135	30	37.0	98	7	16	120	31	37.1	99	9	15	129	45	36.5	100	9	15
19	119	35	36.0	100	15	16	115	40	35.8	100	15	16	121	45	36.1	100	15	16
20	99	15	36.4	99	7	13	96	10	35.9	96	7	13	85	15	36.0	98	7	13
21	135	35	36.2	95	6	15	130	41	36.7	93	6	15	145	45	36.1	92	6	15
22	120	35	36.1	100	11	16	130	30	36.5	100	11	16	145	45	37.0	98	11	16
23	105	25	37.2	98	4	12	100	30	37.5	99	4	12	98	29	37.0	100	4	12
24	130	35	36.0	98	10	14	135	37	36.2	99	10	14	137	40	37.0	100	10	14
25	162	31	36.6	100	14	16	160	19	37.0	100	14	16	141	26	36.6	100	14	16
26	140	46	36.0	98	10	16	145	45	36.0	99	10	16	135	30	36.0	99	10	16
27	140	34	35.9	97	13	17	141	30	36.0	99	13	17	145	35	36.0	98	13	17
28	140	33	37.0	99	10	16	120	45	36.5	98	10	16	135	31	36.0	99	10	16

No	Data Kesehatan Pasien																	
	Hari 3						Hari 5						Hari 7					
	HR	RR	Temp	SpO2	GCS	Risiko Jatuh	HR	RR	Temp	SpO2	GCS	Risiko Jatuh	HR	RR	Temp	SpO2	GCS	Risiko Jatuh
	bpm	Kali	°C	%	GCS	Skor	bpm	Kali	°C	%	GCS	Skor	bpm	Kali	°C	%	GCS	Skor
29	128	35	36.5	99	6	18	0	0	0	0	0	0	0	0	0	0	0	0
30	85	25	36.7	100	12	16	112	29	36.5	100	12	16	110	30	37.0	99	12	16
31	105	28	36.5	100	6	15	110	35	36.0	100	6	15	115	45	36.5	100	6	15
32	169	57	37.1	99	13	16	101	56	38.7	98	13	16	100	50	37.5	100	12	16
33	172	28	38.0	100	14	17	165	30	37.0	100	14	17	160	35	36.7	99	14	17
34	80	19	36.0	85	13	14	78	18	36.1	92	13	14	79	15	36.1	90	13	14
35	137	54	36.7	100	14	16	141	60	36.6	99	14	16	151	60	37.0	98	14	16
36	133	39	36.6	100	15	17	135	35	36.0	100	15	17	144	56	36.5	100	15	17
37	98	28	36.0	100	15	15	0	0	0	0	0	0	0	0	0	0	0	0
38	160	50	36.0	99	15	13	0	0	0	0	0	0	0	0	0	0	0	0
39	90	20	36.5	98	15	13	0	0	0	0	0	0	0	0	0	0	0	0
40	101	15	37.0	97	10	16	99	17	36.2	99	10	16	102	16	36.2	99	10	16
41	114	27	36.5	96	9	15	110	24	36.8	100	9	15	100	25	36.5	99	9	15
42	155	30	37.0	99	7	18	170	35	36.7	98	7	18	157	35	36.7	98	7	18
43	120	30	36.0	100	8	17	135	35	36.5	98	8	17	115	32	36.2	99	8	17
44	170	50	36.5	99	15	18	169	51	36.7	100	15	18	175	45	36.5	98	15	18
45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	166	45	37.0	100	8	15	155	46	36.9	99	8	15	167	46	37.0	100	8	15
47	135	44	36.5	98	13	12	133	42	36.0	99	13	12	135	40	36.2	99	13	12
48	140	39	36.0	99	12	10	144	55	36.5	100	12	10	0	0	0	0	0	0
49	130	43	36.2	100	10	15	122	40	37.0	99	10	15	142	44	36.7	100	10	15
50	154	50	37.3	98	7	15	150	50	37.0	99	7	15	155	45	37.5	99	7	15

No	Medical Device-Related Pressure Injury (MDRPI)											Lokasi Luka			
	Alat Medis		Grade/Derajat Luka												
			Hari 1		Hari 3		Hari 5		Hari 7						
	Alat	Kode	Derajat	Kode	Derajat	Kode	Derajat	Kode	Derajat	Kode	Lokasi	Kode			
1	ETT	2	Tidak diobservasi	8	Grade 1	1	Grade 2	2	Grade 2	2	Mulut	5			
2	Tidak ada	8	Tidak diobservasi	8	Meninggal	10	Meninggal	10	Meninggal	10	Tidak ada	8			
3	ETT	2	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Tidak diobservasi	8	Pipi	6			
4	Nasal Kanul	3	Grade 1	1	Grade 1	1	Tidak diobservasi	7	Grade 1	1	Pipi	6			
5	Nasal Kanul	3	Grade 1	1	Pindah	9	Pindah	9	Pindah	9	Pipi	6			
6	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Tidak diobservasi	8	Tidak diobservasi	8	Tidak ada	8			
7	ETT	2	Grade 1	1	Grade 1	1	Grade 1	1	Grade 1	1	Pipi/Bibir	7			
8	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Tidak diobservasi	8	Grade 1	1	Pipi	6			
9	NRM	5	Tidak diobservasi	7	Pindah	9	Pindah	9	Pindah	9	Tidak ada	8			
10	Nasal Kanul	3	Tidak diobservasi	7	Pindah	9	Pindah	9	Pindah	9	Tidak ada	8			
11	ETT	2	Grade 2	2	Tidak diobservasi	7	Grade 3	3	Grade 3	3	Pipi	6			
12	ETT	2	Tidak diobservasi	7	Grade 1	1	Tidak diobservasi	8	Tidak diobservasi	8	Pipi	6			
13	Nasal Kanul	3	Tidak diobservasi	7	Tidak diobservasi	7	Pindah	9	Pindah	9	Pipi	6			
14	NRM	5	Grade 1	1	Grade 1	1	Pindah	9	Pindah	9	Pipi	6			
15	Tidak ada	8	Tidak diobservasi	7	Pindah	9	Pindah	9	Pindah	9	Tidak ada	8			
16	ETT	2	Grade 1	1	Grade 1	1	Grade 1	1	Grade 1	1	Pipi	6			
17	Nasal Prong	4	Tidak diobservasi	7	Grade 2	2	Tidak diobservasi	7	Tidak diobservasi	7	Hidung	4			
18	ETT	2	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Grade 1	1	Pipi/Bibir	7			
19	NRM	5	Grade 1	1	Grade 1	1	Pindah	9	Pindah	9	Pipi	6			
20	ETT	2	Tidak diobservasi	7	Grade 1	1	Grade 2	2	Grade 2	2	Pipi/Bibir	7			
21	OPA	7	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Grade 2	2	Mulut	5			
22	ETT	2	Grade 1	1	Grade 1	1	Tidak diobservasi	8	Grade 1	1	Pipi/Bibir	7			
23	ETT	2	Tidak diobservasi	7	Grade 1	1	Grade 2	2	Grade 2	2	Pipi/Bibir	7			
24	ETT	2	Tidak diobservasi	7	Grade 1	1	Tidak diobservasi	8	Grade 1	1	Pipi/Bibir	7			
25	Nasal Kanul	3	Tidak diobservasi	8	Tidak diobservasi	8	Grade 1	1	Grade 1	1	Pipi	6			
26	ETT	2	Tidak diobservasi	7	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Pipi	6			
27	ETT	2	Tidak diobservasi	7	Grade 1	1	Tidak diobservasi	7	Grade 1	1	Pipi	6			
28	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Grade 1	1	Tidak diobservasi	8	Pipi	6			
29	ETT	2	Tidak diobservasi	7	Grade 1	1	Meninggal	10	Meninggal	10	Pipi	6			

No	Medical Device-Related Pressure Injury (MDRPI)											
	Alat Medis		Grade/Derajat Luka								Lokasi Luka	
			Hari 1		Hari 3		Hari 5		Hari 7			
Alat	Kode	Derajat	Kode	Derajat	Kode	Derajat	Kode	Derajat	Kode	Derajat	Lokasi	Kode
30	ETT	2	Grade 1	1	Grade 1	1	Grade 1	1	Grade 1	1	Bibir	1
31	ETT	2	Tidak diobservasi	7	Tidak diobservasi	7	Grade 1	1	Tidak diobservasi	8	Pipi	6
32	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Tidak diobservasi	8	Grade 2	2	Pipi/Bibir	7
33	ETT	2	Tidak diobservasi	7	Grade 1	1	Tidak diobservasi	8	Tidak diobservasi	8	Pipi	6
34	Elektroda	1	Grade 1	1	Grade 1	1	Grade 2	2	Grade 2	2	Dada	2
35	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Grade 1	1	Grade 1	1	Pipi	6
36	ETT	2	Grade 1	1	Grade 1	1	Grade 1	1	Tidak diobservasi	8	Pipi	6
37	NRM	5	Tidak diobservasi	7	Grade 1	1	Pindah	9	Pindah	9	Pipi/Bibir	7
38	Nasal Kanul	3	Grade 1	1	Grade 1	1	Pindah	9	Pindah	9	Hidung	4
39	Nasal Kanul	3	Tidak diobservasi	7	Grade 1	1	Pindah	9	Pindah	9	Pipi	6
40	OPA	7	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Tidak diobservasi	8	Bibir	1
41	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Grade 1	1	Tidak diobservasi	8	Pipi/Bibir	7
42	ETT	2	Grade 1	1	Grade 1	1	Grade 1	1	Grade 1	1	Pipi/Bibir	7
43	ETT	2	Grade 1	1	Grade 1	1	Grade 1	1	Grade 1	1	Pipi	6
44	Nasal Kanul	3	Grade 1	1	Grade 1	1	Grade 1	1	Tidak diobservasi	8	Hidung	4
45	ETT	2	Tidak diobservasi	7	Meninggal	10	Meninggal	10	Meninggal	10	Tidak ada	8
46	ETT	2	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Grade 2	2	Pipi	6
47	ETT	2	Tidak diobservasi	7	Tidak diobservasi	7	Tidak diobservasi	8	Tidak diobservasi	8	Bibir	1
48	OGT	6	Tidak diobservasi	7	Grade 1	1	Grade 1	1	Pindah	9	Dagu	3
49	ETT	2	Tidak diobservasi	7	Tidak diobservasi	8	Grade 1	1	Grade 1	1	Bibir	1
50	ETT	2	Grade 1	1	Grade 1	1	Tidak diobservasi	8	Grade 1	1	Bibir	1

Keterangan

- | | |
|-------------|---|
| 1 : Grade 1 | 7 : Tidak diobservasi (terpasang plester) |
| 2 : Grade 2 | 8 : Tidak diobservasi (kondisi klinis) |
| 3 : Grade 3 | 9 : Pindah |
| 4 : Grade 4 | 10 : Meninggal |

Lampiran 5

Frequencies Karakteristik Anak

Statistics

Usia

N	Valid	50
	Missing	0
Mean		4.004
Median		1.000
Mode		1.0
Std. Deviation		4.8631
Variance		23.650
Range		14.8
Minimum		.2
Maximum		15.0
Sum		200.2

Frequency Table

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bayi (<1 tahun)	19	38.0	38.0	38.0
	Toddler (1-2 tahun)	11	22.0	22.0	60.0
	Prasekolah (3-5 tahun)	6	12.0	12.0	72.0
	Sekolah (6-11 tahun)	7	14.0	14.0	86.0
	Remaja (12-18 tahun)	7	14.0	14.0	100.0
	Total	50	100.0	100.0	

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	24	48.0	48.0	48.0
	Perempuan	26	52.0	52.0	100.0
	Total	50	100.0	100.0	

Diagnosa Medis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Acute Generalized Peritonitis	1	2.0	2.0	2.0
	Acute Kidney Injury	4	8.0	8.0	10.0
	Acute Respiratory Distress Syndrome	6	12.0	12.0	22.0
	Benign Neoplasm	3	6.0	6.0	28.0
	Cerebral Infarction	1	2.0	2.0	30.0
	Chronic Kidney Disease	1	2.0	2.0	32.0
	Cleft Palate	1	2.0	2.0	34.0
	Community-Acquired Pneumonia	13	26.0	26.0	60.0
	Cytomegaloviral Disease	1	2.0	2.0	62.0
	Diarrhea	1	2.0	2.0	64.0
	Encephalopathy	5	10.0	10.0	74.0
	Hirschsprung's Disease	6	12.0	12.0	86.0
	Hydrocephalus	1	2.0	2.0	88.0
	Hypokalemia	1	2.0	2.0	90.0
	Ileus	2	4.0	4.0	94.0
	Status Epilepticus	2	4.0	4.0	98.0
	Ventricular Septal Defect	1	2.0	2.0	100.0
	Total	50	100.0	100.0	

Frequency Table

Alat yang Menyebabkan Luka

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Elektroda	1	2.0	2.0	2.0
	ETT	31	62.0	62.0	64.0
	Nasal Kanul	1	2.0	2.0	66.0
	Nasal Prong	8	16.0	16.0	82.0
	NRM	4	8.0	8.0	90.0
	OGT	1	2.0	2.0	92.0
	OPA	2	4.0	4.0	96.0
	Tidak ada	2	4.0	4.0	100.0
Total		50	100.0	100.0	

Lokasi Luka

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bibir	5	10.0	10.0	10.0
	Dada	1	2.0	2.0	12.0
	Dagu	1	2.0	2.0	14.0
	Hidung	3	6.0	6.0	20.0
	Mulut	1	2.0	2.0	22.0
	Pipi	19	38.0	38.0	60.0
	Pipi & Bibir	9	18.0	18.0	78.0
	Tidak ada	11	22.0	22.0	100.0
Total		50	100.0	100.0	

Frequencies TTV Hari ke-1

Statistics						
	Detak Jantung	Pernapasan	Suhu Badan	Saturasi Oksigen	Tingkat Kesadaran (GCS)	Risiko Jatuh
N Valid	50	50	50	50	50	50
Missing	0	0	0	0	0	0
Mean	129.38	33.54	364.880	97.80	11.02	15.24
Median	128.50	33.50	363.500	99.00	10.50	16.00
Mode	155	30	360.0	100	15	16
Std. Deviation	38.812	10.884	6.1300	4.385	3.329	2.200
Variance	1506.363	118.458	37.577	19.224	11.081	4.839
Range	231	44	26.0	20	12	11
Minimum	50	12	355.0	80	3	9
Maximum	281	56	381.0	100	15	20
Sum	6469	1677	18244.0	4890	551	762

Frequencies TTV Hari ke-3

Statistics						
	Detak Jantung	Pernapasan	Suhu Badan	Saturasi Oksigen	Tingkat Kesadaran (GCS)	Risiko Jatuh
N Valid	44	44	44	44	44	44
Missing	0	0	0	0	0	0
Mean	127.55	34.95	365.545	98.05	11.05	15.20
Median	134.00	35.00	365.000	99.00	10.50	16.00
Mode	140	35	360.0 ^a	100	15	16
Std. Deviation	29.272	10.530	5.5843	3.450	3.292	1.799
Variance	856.858	110.882	31.184	11.905	10.835	3.236
Range	117	42	21.0	17	11	8
Minimum	55	15	359.0	83	4	10
Maximum	172	57	380.0	100	15	18
Sum	5612	1538	16084.0	4314	486	669

a. Multiple modes exist. The smallest value is shown

Frequencies TTV Hari ke-5

Statistics						
	Detak Jantung	Pernapasan	Suhu Badan	Saturasi Oksigen	Tingkat Kesadaran (GCS)	Risiko Jatuh
N Valid	37	37	37	37	37	37
Missing	0	0	0	0	0	0
Mean	126.43	36.51	365.757	98.38	10.62	15.22
Median	130.00	35.00	365.000	99.00	10.00	16.00
Mode	130 ^a	30 ^a	360.0	99	10	16
Std. Deviation	27.799	11.575	8.1459	1.991	3.049	1.813
Variance	772.808	133.979	66.356	3.964	9.297	3.285
Range	113	50	51.0	8	11	8
Minimum	57	10	344.0	92	4	10
Maximum	170	60	395.0	100	15	18
Sum	4678	1351	13533.0	3640	393	563

a. Multiple modes exist. The smallest value is shown

Frequencies TTV Hari ke-7

Statistics						
	Detak Jantung	Pernapasan	Suhu Badan	Saturasi Oksigen	Tingkat Kesadaran (GCS)	Risiko Jatuh
N Valid	36	36	36	36	36	36
Missing	0	0	0	0	0	0
Mean	127.31	37.47	365.111	98.64	10.56	15.36
Median	135.00	38.00	365.000	99.00	10.00	16.00
Mode	135 ^a	45	360.0 ^a	99 ^a	10	16
Std. Deviation	28.762	10.788	4.6830	2.086	3.065	1.606
Variance	827.247	116.371	21.930	4.352	9.397	2.580
Range	115	45	20.0	10	11	7
Minimum	60	15	355.0	90	4	11
Maximum	175	60	375.0	100	15	18
Sum	4583	1349	13144.0	3551	380	553

a. Multiple modes exist. The smallest value is shown

Frequency Table Kondisi Anak

Kondisi Anak Hari 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik (dapat diobservasi)	16	32.0	32.0	32.0
	Tidak diobservasi (terpasang plester)	31	62.0	62.0	94.0
	Tidak diobservasi (kondisi klinis)	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

Kondisi Anak Hari 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik (dapat diobservasi)	31	62.0	62.0	62.0
	Tidak diobservasi (terpasang plester)	5	10.0	10.0	72.0
	Tidak diobservasi (kondisi klinis)	8	16.0	16.0	88.0
	Pindah	4	8.0	8.0	96.0
	Meninggal	2	4.0	4.0	100.0
	Total	50	100.0	100.0	

Kondisi Anak Hari 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik (dapat diobservasi)	25	50.0	50.0	50.0
	Tidak diobservasi (terpasang plester)	3	6.0	6.0	56.0
	Tidak diobservasi (kondisi klinis)	9	18.0	18.0	74.0
	Pindah	10	20.0	20.0	94.0
	Meninggal	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

Kondisi Anak Hari 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik (dapat diobservasi)	24	48.0	48.0	48.0
	Tidak diobservasi (terpasang plester)	1	2.0	2.0	50.0
	Tidak diobservasi (kondisi klinis)	11	22.0	22.0	72.0
	Pindah	11	22.0	22.0	94.0
	Meninggal	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

Frequency Table MDRPI

MDRPI Hari 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Grade 1	15	93.8	93.8	93.8
	Grade 2	1	6.3	6.3	100.0
	Total	16	100.0	100.0	

MDRPI Hari 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Grade 1	30	96.8	96.8	96.8
	Grade 2	1	3.2	3.2	100.0
	Total	31	100.0	100.0	

MDRPI Hari 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Grade 1	20	80.0	80.0	80.0
	Grade 2	4	16.0	16.0	96.0
	Grade 3	1	4.0	4.0	100.0
	Total	25	100.0	100.0	

MDRPI Hari 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Grade 1	16	66.7	66.7	66.7
	Grade 2	7	29.2	29.2	95.8
	Grade 3	1	4.2	4.2	100.0
	Total	24	100.0	100.0	