

## DAFTAR PUSTAKA

- Ahad, A., Al-Mohizea, A. M., Al-Jenoobi, F. I., & Aqil, M. (2016). Transdermal delivery of angiotensin II receptor blockers (ARBs), angiotensin-converting enzyme inhibitors (ACEIs) and others for management of hypertension. *Drug Delivery*, 23(2), 579–590. <https://doi.org/10.3109/10717544.2014.942444>
- Al-japairai, K. A. S., Mahmood, S., Almurisi, S. H., Reddy, J., Rebhi, A., Azmana, M., & Raman, S. (2020). Current trends in polymer microneedle for transdermal drug delivery. *International Journal of Pharmaceutic*, January. <https://doi.org/10.1016/j.ijpharm.2020.119673>
- Aldeeb, R. A., El-miligi, M. F., El-nabarawi, M., Tag, R., & Amin, H. M. S. (2022). Enhancement of the Solubility and Dissolution Rate of Telmisartan by Surface Solid Dispersions Employing Superdisintegrants , Hydrophilic Polymers and Combined Carriers. *Scientica Pharmaceutica*, 90(71). <https://doi.org/https://doi.org/10.3390/scipharm90040071>
- Alkilani, A. Z., McCrudden, M. T. C., & Donnelly, R. F. (2015). Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, 7(4), 438–470. <https://doi.org/10.3390/pharmaceutics7040438>
- Ananda, P. W. R., Elim, D., Zaman, H. S., Muslimin, W., Tunggeng, M. G. R., & Permana, A. D. (2021). Combination of transdermal patches and solid microneedles for improved transdermal delivery of primaquine. *International Journal of Pharmaceutics*, 609(August), 121204. <https://doi.org/10.1016/j.ijpharm.2021.121204>
- Anjani, Q. K., Domínguez-Robles, J., Utomo, E., Font, M., Martínez-Ohárriz, M. C., Permana, A. D., Cárcamo-Martínez, Á., Larrañeta, E., & Donnelly, R. F. (2022). Inclusion complexes of rifampicin with native and derivatized cyclodextrins: In silico modeling, formulation, and characterization. *Pharmaceutics*, 15(1). <https://doi.org/10.3390/ph15010020>
- Anjani, Q. K., Permana, A. D., Cárcamo-Martínez, Á., Domínguez-Robles, J., Tekko, I. A., Larrañeta, E., Vora, L. K., Ramadon, D., & Donnelly, R. F. (2021). Versatility of hydrogel-forming microneedles in in vitro transdermal delivery of

- tuberculosis drugs. *European Journal of Pharmaceutics and Biopharmaceutics*, 158(August 2020), 294–312. <https://doi.org/10.1016/j.ejpb.2020.12.003>
- Babu, N. J., & Nangia, A. (2011). Solubility advantage of amorphous drugs and pharmaceutical cocrystals. *Crystal Growth and Design*, 11(7), 2662–2679. <https://doi.org/10.1021/cg200492w>
- Bakheit, A. H. H., Abd-Elgalil, A. A., Mustafa, B., Haque, A., & Wani, T. A. (2015). Telmisartan. In *Profiles of Drug Substances, Excipients and Related Methodology* (Vol. 40, pp. 371–429). <https://doi.org/10.1016/bs.podrm.2015.01.003>
- Berardi, A., Bisharat, L., Quodbach, J., Abdel, S., Perinelli, D. R., & Cespi, M. (2021). Advancing the understanding of the tablet disintegration phenomenon – An update on recent studies. *International Journal of Pharmaceutics*, 598(November 2020), 120390. <https://doi.org/10.1016/j.ijpharm.2021.120390>
- Bozdoğan, A., Aksakal, B., Denktaş, C., & Salt, Y. (2020). Prestretching effect and recovery process of polyvinyl alcohol film crosslinked with tartaric acid. *Journal of Applied Polymer Science*, 137(46), 1–15. <https://doi.org/10.1002/app.49421>
- Burnier, M. (2009). Telmisartan: A different angiotensin II receptor blocker protecting a different population? *Journal of International Medical Research*, 37(6), 1662–1679. <https://doi.org/10.1177/147323000903700602>
- Calvo, C., Hermida, R. C., Ayala, D. E., & Ruilope, L. M. (2004). Effects of telmisartan 80 mg and valsartan 160 mg on ambulatory blood pressure in patients with essential hypertension [1] (multiple letters). *Journal of Hypertension*, 22(10), 2035–2038. <https://doi.org/10.1097/00004872-200410000-00028>
- Cameron, E. A., Maynard, M. A., Smith, C. J., Smith, T. J., Koropatkin, N. M., & Martens, E. C. (2012). Multidomain carbohydrate-binding proteins involved in *Bacteroides thetaiotaomicron* starch metabolism. *Journal of Biological Chemistry*, 287(41), 34614–34625. <https://doi.org/10.1074/jbc.M112.397380>
- Cannavà, C., Crupi, V., Guardo, M., Majolino, D., Stancanelli, R., Tommasini, S., Ventura, C. A., & Venuti, V. (2013). Phase solubility and FTIR-ATR studies of

- idebenone/sulfobutyl ether  $\beta$ -cyclodextrin inclusion complex. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 75(3–4), 255–262. <https://doi.org/10.1007/s10847-012-0110-3>
- Chandra, A., Ghate, M. V., Aithal, K. S., & Lewis, S. A. (2018). In silico prediction coupled with in vitro experiments and absorption modeling to study the inclusion complex of telmisartan with modified beta-cyclodextrin. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 91(1–2), 47–60. <https://doi.org/10.1007/s10847-018-0797-x>
- Du, F., Pan, T., Ji, X., Hu, J., & Ren, T. (2020). Study on the preparation of geranyl acetone and  $\beta$ -cyclodextrin inclusion complex and its application in cigarette flavoring. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-69323-1>
- Elim, D., Fitri, A. M. N., Mahfud, M. A. S., Afika, N., Sultan, N. A. F., Hijrah, Asri, R. M., & Permana, A. D. (2022). Hydrogel forming microneedle-mediated transdermal delivery of sildenafil citrate from polyethylene glycol reservoir: An ex vivo proof of concept study. *Colloids and Surfaces B: Biointerfaces*, 113018. <https://doi.org/10.1016/j.colsurfb.2022.113018>
- Gallardo, A. K. R., Relleve, L. S., & Silos, A. P. (2022). Gel Properties of Carboxymethyl Hyaluronic Acid/Polyacrylic Acid Hydrogels Prepared by Electron Beam Irradiation. *Materials Proceedings*, 13. <https://doi.org/10.3390/iocps2021-11220>
- Gebresas, G. A., Szabó, T., & Marossy, K. (2023). A comparative study of carboxylic acids on the cross-linking potential of corn starch films. *Journal of Molecular Structure*, 1277. <https://doi.org/10.1016/j.molstruc.2022.134886>
- Giri, B. R., Kwon, J., Vo, A. Q., Bhagurkar, A. M., Bandari, S., & Kim, D. W. (2021). Hot-melt extruded amorphous solid dispersion for solubility, stability, and bioavailability enhancement of telmisartan. *Pharmaceuticals*, 14(1), 1–18. <https://doi.org/10.3390/ph14010073>
- Giri, B. R., Lee, J., Lim, D. Y., & Kim, D. W. (2021). Docetaxel/dimethyl- $\beta$ -cyclodextrin inclusion complexes: preparation, in vitro evaluation and physicochemical characterization. *Drug Development and Industrial Pharmacy*, 47(2), 319–328. <https://doi.org/10.1080/03639045.2021.1879840>

- Gorzelanny, C., Mess, C., Schneider, S. W., Huck, V., & Brandner, J. M. (2020). Skin barriers in dermal drug delivery: Which barriers have to be overcome and how can we measure them? *Pharmaceutics*, 12(7), 1–31. <https://doi.org/10.3390/pharmaceutics12070684>
- Hadžiabdić, J., & Špirtović-halilović, S. (2022). Inclusion complexes of 3- ( 3- ( 2-chlorophenyl ) prop-2- enoyl ) -4-hydroxycoumarin with 2-hydroxypropyl- $\beta$ -cyclodextrin: solubility and antimicrobial activity. *Brazilian Journal of Pharmaceutical Sciences*, 58, 1–24. <https://doi.org/http://dx.doi.org/10.1590/s2175-97902022e20013>
- Han, S., Hong, J., Luo, Q., Xu, H., Tan, H., Wang, Q., Tao, J., Zhou, Y., Peng, L., He, Y., Shi, J., Ma, N., Cheng, Y., & Su, H. (2022). Hygroscopicity of organic compounds as a function of organic functionality, water solubility, molecular weight, and oxidation level. *Atmospheric Chemistry and Physics*, 22(6), 3985–4004. <https://doi.org/10.5194/acp-22-3985-2022>
- Higuchi, T., & Connors, A. (1965). Phase solubility techniques. In C. Reilly (Ed.), *Advances in Analytical Chemistry and Instrumentation* (pp. 117–121). Wiley-Interscience.
- Himawan, A., Anjani, Q. K., Detamornrat, U., Vora, L. K., Permana, A. D., Ghanma, R., Naser, Y., Rahmawanty, D., Scott, C. J., & Donnelly, R. F. (2023). Multifunctional low temperature-cured PVA/PVP/citric acid-based hydrogel forming microarray patches: Physicochemical characteristics and hydrophilic drug interaction. *European Polymer Journal*, 186(January), 111836. <https://doi.org/10.1016/j.eurpolymj.2023.111836>
- Homburg, C., Bommer, M., Wuttge, S., Hobe, C., Beck, S., Dobbek, H., Deutscher, J., Licht, A., & Schneider, E. (2017). Inducer exclusion in Firmicutes: insights into the regulation of a carbohydrate ATP binding cassette transporter from *Lactobacillus casei* BL23 by the signal transducing protein P-Ser46-HPr. *Molecular Microbiology*, 105(1), 25–45. <https://doi.org/10.1111/mmi.13680>
- Jeong, W. Y., Kwon, M., Choi, H. E., & Kim, K. S. (2021). Recent advances in transdermal drug delivery systems: a review. *Biomaterials Research*, 25(1), 1–15. <https://doi.org/10.1186/s40824-021-00226-6>
- Jung, J. H., & Jin, S. G. (2021). Microneedle for transdermal drug delivery: current

- trends and fabrication. *Journal of Pharmaceutical Investigation*, 51(5), 503–517. <https://doi.org/10.1007/s40005-021-00512-4>
- Kaur, P., Gondil, V. S., & Chhibber, S. (2019). A novel wound dressing consisting of PVA-SA hybrid hydrogel membrane for topical delivery of bacteriophages and antibiotics. *International Journal of Pharmaceutics*, 572(August), 118779. <https://doi.org/10.1016/j.ijpharm.2019.118779>
- Kundu, S., Kumari, N., Soni, S. R., Ranjan, S., Kumar, R., Sharon, A., & Ghosh, A. (2018). Enhanced Solubility of Telmisartan Phthalic Acid Cocrystals within the pH Range of a Systemic Absorption Site. *ACS Omega*, 3(11), 15380–15388. <https://doi.org/10.1021/acsomega.8b02144>
- Kurnianto, A., Kurniadi Sunjaya, D., Ruluwedrata Rinawan, F., & Hilmanto, D. (2020). Prevalence of Hypertension and Its Associated Factors among Indonesian Adolescents. *International Journal of Hypertension*, 2020. <https://doi.org/10.1155/2020/4262034>
- Larrañeta, E., Moore, J., Vicente-Pérez, E. M., González-Vázquez, P., Lutton, R., Woolfson, A. D., & Donnelly, R. F. (2014). A proposed model membrane and test method for microneedle insertion studies. *International Journal of Pharmaceutics*, 472(1–2), 65–73. <https://doi.org/10.1016/j.ijpharm.2014.05.042>
- Littlejohn T, Mroczek W, Marbury T, VanderMaelen CP, D. R. (2000). A prospective, randomized, open-label trial comparing telmisartan 80 mg with valsartan 80 mg in patients with mild to moderate hypertension using ambulatory blood pressure monitoring. *Can J Cardiol*, 16, 1123–1132.
- McAlister, E., Dutton, B., Vora, L. K., Zhao, L., Ripolin, A., Zahari, D. S. Z. B. P. H., Quinn, H. L., Tekko, I. A., Courtenay, A. J., Kelly, S. A., Rodgers, A. M., Steiner, L., Levin, G., Levy-Nissenbaum, E., Shterman, N., McCarthy, H. O., & Donnelly, R. F. (2021). Directly Compressed Tablets: A Novel Drug-Containing Reservoir Combined with Hydrogel-Forming Microneedle Arrays for Transdermal Drug Delivery. *Advanced Healthcare Materials*, 10(3). <https://doi.org/10.1002/adhm.202001256>
- Migdadi, E. M., Courtenay, A. J., Tekko, I. A., McCrudden, M. T. C., Kearney, M. C., McAlister, E., McCarthy, H. O., & Donnelly, R. F. (2018). Hydrogel-forming

- microneedles enhance transdermal delivery of metformin hydrochloride. *Journal of Controlled Release*, 285, 142–151. <https://doi.org/10.1016/j.jconrel.2018.07.009>
- Mills, K. T., Stefanescu, A., & He, J. (2016). The global epidemiology of hypertension Katherine. *Physiol. Behav.*, 176(1), 139–148. <https://doi.org/10.1038/s41581-019-0244-2>.The
- Nakamura, S., Tanaka, C., Yuasa, H., & Sakamoto, T. (2019). *Brief / Technical Note Utility of Microcrystalline Cellulose for Improving Drug Content Uniformity in Tablet Manufacturing Using Direct Powder Compression*. 1–12. <https://doi.org/10.1208/s12249-019-1365-4>
- Nurul Fitri, A. M., Elim, D., Sya'ban Mahfud, M. A., Fitri Sultan, N. A., Saputra, M. D., Afika, N., Friandini, R. A., Natsir Djide, N. J., & Permana, A. D. (2023). Polymeric hydrogel forming microneedle-mediated transdermal delivery of sildenafil citrate from direct-compressed tablet reservoir for potential improvement of pulmonary hypertension therapy. *International Journal of Pharmaceutics*, 631(December 2022), 122549. <https://doi.org/10.1016/j.ijpharm.2022.122549>
- Oparil, S., Acelajado, M. C., Bakris, G. L., BBerlowitz, Dd. R., Cifkova, R., Dominiczak, A. F., Guido, G., Jordan, J., Poulter, N. R., Rodgers, A., & Whelton, P. K. (2019). Hypertension. *Nat Rev Dis Primers*, 4(18014), 139–148. <https://doi.org/10.1038/nrdp.2018.14.Hypertension>
- Organization, W. H. (2021). *Guideline for the pharmacological treatment of hypertension in adults*.
- Peppas, N. A., Bures, P., Leobandung, W., & Ichikawa, H. (2000). Hydrogels in pharmaceutical formulations. *European Journal of Pharmaceutics and Biopharmaceutics*, 50(1), 27–46. [https://doi.org/10.1016/S0939-6411\(00\)00090-4](https://doi.org/10.1016/S0939-6411(00)00090-4)
- Permana, A. D., Tekko, I. A., McCrudden, M. T. C., Anjani, Q. K., Ramadon, D., McCarthy, H. O., & Donnelly, R. F. (2019). Solid lipid nanoparticle-based dissolving microneedles: A promising intradermal lymph targeting drug delivery system with potential for enhanced treatment of lymphatic filariasis. *Journal of Controlled Release*, 316(October), 34–52.

- <https://doi.org/10.1016/j.jconrel.2019.10.004>
- Permana, A. D., Utomo, E., Pratama, M. R., Amir, M. N., Anjani, Q. K., Mardikasari, S. A., Sumarheni, S., Himawan, A., Arjuna, A., Usmanengsi, U., & Donnelly, R. F. (2021). Bioadhesive-Thermosensitive in Situ Vaginal Gel of the Gel Flake-Solid Dispersion of Itraconazole for Enhanced Antifungal Activity in the Treatment of Vaginal Candidiasis. *ACS Applied Materials and Interfaces*, 13(15), 18128–18141. <https://doi.org/10.1021/acsmi.1c03422>
- Poulson, B. G., Alsulami, Q. A., Sharfalddin, A., El Agammy, E. F., Mouffouk, F., Emwas, A.-H., Jaremko, L., & Jaremko, M. (2021). Cyclodextrins: Structural, Chemical, and Physical Properties, and Applications. *Polysaccharides*, 3(1), 1–31. <https://doi.org/10.3390/polysaccharides3010001>
- Prausnitz, M. R., & Langer, R. (2009). Transdermal drug delivery. *Nat Biotechnol.*, 26(11), 1261–1268. <https://doi.org/10.1038/nbt.1504>. Transdermal
- Proksch, E. (2018). pH in nature, humans and skin. *Journal of Dermatology*, 45(9), 1044–1052. <https://doi.org/10.1111/1346-8138.14489>
- Saokham, P., Muankaew, C., Jansook, P., & Loftsson, T. (2018). Solubility of cyclodextrins and drug/cyclodextrin complexes. *Molecules*, 23(5), 1–15. <https://doi.org/10.3390/molecules23051161>
- Sau, S., Pandit, S., & Kundu, S. (2021). Crosslinked poly (vinyl alcohol): Structural, optical and mechanical properties. *Surfaces and Interfaces*, 25(November 2020), 101198. <https://doi.org/10.1016/j.surfin.2021.101198>
- Sharff, A. J., Quiocho, F. A., Rodseth, L. E., & Quiocho, F. A. (1993). Refined 1.8- Å Structure Reveals the Mode of Binding of  $\beta$ -Cyclodextrin to the Maltodextrin Binding Protein. *Biochemistry*, 32(40), 10553–10559. <https://doi.org/10.1021/bi00091a004>
- Sharma, D. (2013). Formulation Development and Evaluation of Fast Disintegrating Tablets of Salbutamol Sulphate for Respiratory Disorders. *ISRN Pharmaceutics*, 2013. <https://doi.org/http://dx.doi.org/10.1155/2013/674507> Research
- Shi, X., Xu, T., Huang, W., Fan, B., & Sheng, X. (2019). Stability and Bioavailability Enhancement of Telmisartan Ternary Solid Dispersions: the Synergistic


- Effect of Polymers and Drug-Polymer(s) Interactions. *AAPS PharmSciTech*, 20(4). <https://doi.org/10.1208/s12249-019-1358-3>
- Singh, A., & Bali, A. (2016). Formulation and characterization of transdermal patches for controlled delivery of duloxetine hydrochloride. *Journal of Analytical Science and Technology*, 7(1). <https://doi.org/10.1186/s40543-016-0105-6>
- Singh, S., Shankar, R., & Singh, G. P. (2017). Prevalence and Associated Risk Factors of Hypertension: A Cross-Sectional Study in Urban Varanasi. *International Journal of Hypertension*, 2017. <https://doi.org/10.1155/2017/5491838>
- Sonker, A. K., Rathore, K., Nagarale, R. K., & Verma, V. (2018). Crosslinking of Polyvinyl Alcohol (PVA) and Effect of Crosslinker Shape (Aliphatic and Aromatic) Thereof. *Journal of Polymers and the Environment*, 26(5), 1782–1794. <https://doi.org/10.1007/s10924-017-1077-3>
- Soundaranathan, M., Vivattanaseth, P., Walsh, E., Pitt, K., Johnston, B., & Markl, D. (2020). Quantification of Swelling Characteristics of Pharmaceutical Particles. *International Journal of Pharmaceutics*, 119903. <https://doi.org/10.1016/j.ijpharm.2020.119903>
- Sun, X., Zhu, J., Liu, C., Wang, D., & Wang, C. Y. (2022). Fabrication of fucoxanthin/2-hydroxypropyl- $\beta$ -cyclodextrin inclusion complex assisted by ultrasound procedure to enhance aqueous solubility, stability and antitumor effect of fucoxanthin. *Ultrasonics Sonochemistry*, 90(October), 106215. <https://doi.org/10.1016/j.ultsonch.2022.106215>
- Tekko, I. A., Chen, G., Domínguez-Robles, J., Thakur, R. R. S., Hamdan, I. M. N., Vora, L., Larrañeta, E., McElnay, J. C., McCarthy, H. O., Rooney, M., & Donnelly, R. F. (2020). Development and characterisation of novel poly (vinyl alcohol)/poly (vinyl pyrrolidone)-based hydrogel-forming microneedle arrays for enhanced and sustained transdermal delivery of methotrexate. *International Journal of Pharmaceutics*, 586, 119580. <https://doi.org/10.1016/j.ijpharm.2020.119580>
- Tippens, A. S. (2007). Telmisartan. In *xPharm: The Comprehensive Pharmacology Reference* (Issue 2004, pp. 1–4). Elsevier.

- Tran, P., Pyo, Y. C., Kim, D. H., Lee, S. E., Kim, J. K., & Park, J. S. (2019). Overview of the manufacturing methods of solid dispersion technology for improving the solubility of poorly water-soluble drugs and application to anticancer drugs. *Pharmaceutics*, 11(3), 1–26. <https://doi.org/10.3390/pharmaceutics11030132>
- Unger, T., Borghi, C., Charchar, F., Khan, N. A., Poulter, N. R., Prabhakaran, D., Ramirez, A., Schlaich, M., Stergiou, G. S., Tomaszewski, M., Wainford, R. D., Williams, B., & Schutte, A. E. (2020). 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension*, 75(6), 1334–1357. <https://doi.org/10.1161/HYPERTENSIONAHA.120.15026>
- Waghule, T., Singhvi, G., Dubey, S. K., Pandey, M. M., Gupta, G., Singh, M., & Dua, K. (2019). Microneedles: A smart approach and increasing potential for transdermal drug delivery system. *Biomedicine and Pharmacotherapy*, 109(July 2018), 1249–1258. <https://doi.org/10.1016/j.biopha.2018.10.078>
- Walfish, S. (2007). Analytical Methods: A Statistical Perspective on the ICH Q2A and Q2B Guidelines for Validation of Analytical Methods. *BioPharm International*, 1–6.
- Wang, F. Y., Chen, Y., Huang, Y. Y., & Cheng, C. M. (2021). Transdermal drug delivery systems for fighting common viral infectious diseases. *Drug Delivery and Translational Research*, 11(4), 1498–1508. <https://doi.org/10.1007/s13346-021-01004-6>
- Wang, M., Bai, J., Shao, K., Tang, W., Zhao, X., Lin, D., Huang, S., Chen, C., Ding, Z., & Ye, J. (2021). Poly(vinyl alcohol) Hydrogels: The Old and New Functional Materials. *International Journal of Polymer Science*, 2021. <https://doi.org/10.1155/2021/2225426>
- Wang, Q. L., Ren, J. W., Chen, B. Z., Jin, X., Zhang, C. Y., & Guo, X. D. (2018). Effect of humidity on mechanical properties of dissolving microneedles for transdermal drug delivery. *Journal of Industrial and Engineering Chemistry*, 59, 251–258. <https://doi.org/10.1016/j.jiec.2017.10.030>
- White, W. B., Lacourciere, Y., & Davidai, G. (2004). Effects of the angiotensin II receptor blockers telmisartan versus valsartan on the circadian variation of blood pressure: Impact on the early morning period. *American Journal of*

- Hypertension*, 17(4), 347–353.  
<https://doi.org/10.1016/j.amjhyper.2004.02.016>
- Yang, S. J., Jeong, J. O., Lim, Y. M., & Park, J. S. (2021). Synthesis and characterization of PVP microneedle patch using metal bioelectrodes for novel drug delivery system. *Materials and Design*, 201, 109485.  
<https://doi.org/10.1016/j.matdes.2021.109485>
- Yang, X., Liu, Q., Chen, X., Yu, F., & Zhu, Z. (2008). Investigation of PVA/ws-chitosan hydrogels prepared by combined  $\gamma$ -irradiation and freeze-thawing. *Carbohydrate Polymers*, 73(3), 401–408.  
<https://doi.org/10.1016/j.carbpol.2007.12.008>
- Yazdani, M., Tavakoli, O., Khoobi, M., Wu, Y. S., Faramarzi, M. A., Gholibegloo, E., & Farkhondeh, S. (2022). Beta-carotene/cyclodextrin-based inclusion complex: improved loading, solubility, stability, and cytotoxicity. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 102(1–2), 55–64.  
<https://doi.org/10.1007/s10847-021-01100-7>
- Zhou, B., Perel, P., Mensah, G. A., & Ezzati, M. (2021). Global epidemiology, health burden and effective interventions for elevated blood pressure and hypertension. *Nature Reviews Cardiology*, 18(11), 785–802.  
<https://doi.org/10.1038/s41569-021-00559-8>
- Zhou, J., Jia, J., He, J., Li, J., & Cai, J. (2022). Cyclodextrin Inclusion Complexes and Their Application in Food Safety Analysis: Recent Developments and Future Prospects. *Foods*, 11(23). <https://doi.org/10.3390/foods11233871>
- Zhu, J. R., Bai, J., Cai, N. S., Tang, B., Fan, W. H., Guo, J. Z., Ke, Y. N., Guo, J. X., Sheng, L. H., Lu, Z. Y., & Cheng, N. N. (2004). Efficacy and safety of telmisartan vs. losartan in control of mild-to-moderate hypertension: A multicentre, randomised, double-blind study. *International Journal of Clinical Practice, Supplement*, 58(145), 46–49. <https://doi.org/10.1111/j.1742-1241.2004.00410.x>

## LAMPIRAN

### Lampiran 1. Alur Penelitian




## Lampiran 2. Dokumentasi Penelitian



**Gambar 19.** Pengukuran menggunakan spektrofotometer UV-Vis



**Gambar 20.** Hydrogel film



**Gambar 21.** Uji mekanik dan insersi HFMN



**Gambar 22.** Reservoir tablet