

DAFTAR PUSTAKA

- Armstrong, R., Hall, B. J., Doyle, J., & Waters, E. (2011). Cochrane Update. 'Scoping the scope' of a cochrane review. *Journal of public health (Oxford, England)*, 33(1), 147–150. <https://doi.org/10.1093/pubmed/fdr015>
- American Heart Association. (2017). High blood pressure clinical practice guideline for the prevention, detection, evaluation. A report of the American college of cardiology. America : J Am Coll Cardiol.
- Abdul-Razak, S., Daher, A. M., Ramli, A. S., Ariffin, F., Mazapuspavina, M. Y., Ambigga, K. S., Miskan, M., Abdul-Hamid, H., Mat-Nasir, N., Nor-Ashikin, M. N., Ng, K. K., Nawawi, H., Yusoff, K., & REDISCOVER Investigators (2016). Prevalence, awareness, treatment, control and socio demographic determinants of hypertension in Malaysian adults. *BMC public health*, 16, 351. <https://doi.org/10.1186/s12889-016-3008-y>
- Arksey, H., & O'Malley, L. (2005). Scoping Studies: Towards A Methodological Framework. *International Journal of Social Research Methodology: Theory and Practice*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Alam, D. S., Chowdhury, M. A., Siddiquee, A. T., Ahmed, S., & Niessen, L. W. (2014). Awareness and control of hypertension in Bangladesh: follow-up of a hypertensive cohort. *BMJ open*, 4(12), e004983. <https://doi.org/10.1136/bmjopen-2014-004983>
- Anchala, R., Kannuri, N. K., Pant, H., Khan, H., Franco, O. H., Di Angelantonio, E., & Prabhakaran, D. (2014). Hypertension in India: a systematic review and meta-analysis of prevalence, awareness, and control of hypertension. *Journal of hypertension*, 32(6), 1170–1177. <https://doi.org/10.1097/HJH.0000000000000146>
- Abdul-Razak, S., Daher, A. M., Ramli, A. S., Ariffin, F., Mazapuspavina, M. Y., Ambigga, K. S., Miskan, M., Abdul-Hamid, H., Mat-Nasir, N., Nor-Ashikin, M. N., Ng, K. K., Nawawi, H., Yusoff, K., & REDISCOVER Investigators (2016). Prevalence, awareness, treatment, control and socio demographic determinants of hypertension in Malaysian adults. *BMC public health*, 16, 351. <https://doi.org/10.1186/s12889-016-3008-y>

- Ahn, S., Smith, M. L., Cho, J., Bailey, J. E., & Ory, M. G. (2013). Hypertension Awareness and Associated Factors among Older Chinese Adults. *Frontiers in public health*, 1, 67. <https://doi.org/10.3389/fpubh.2013.00067>
- Adeke, A. S., Chori, B. S., Neupane, D., Sharman, J. E., & Odili, A. N. (2022). Socio-demographic and lifestyle factors associated with hypertension in Nigeria: results from a country-wide survey. *Journal of human hypertension*, 10.1038/s41371-022-00673-1. Advance online publication. <https://doi.org/10.1038/s41371-022-00673-1>
- Bartwal, J., Rawat, C., & Awasthi, A. (2016). Prevalence, Awareness, Treatment and Control of Hypertension among the Elderly Residing in Rural Area of Haldwani Block, in Nainital District of Uttarakhand. *Journal of Cardiovascular Disease Research*. 10.5530/jcdr.2016.3.3
- Busingye, D., Arabshahi, S., Evans, R. G., Srikanth, V. K., Kartik, K., Kalyanram, K., Riddell, M. A., Zhu, X., Suresh, O., & Thrift, A. G. (2017). Factors associated with awareness, treatment and control of hypertension in a disadvantaged rural Indian population. *Journal of human hypertension*, 31(5), 347–353. <https://doi.org/10.1038/jhh.2016.85>
- Bosu, W. K., & Bosu, D. K. (2021). Prevalence, awareness and control of hypertension in Ghana: A systematic review and meta-analysis. *PloS one*, 16(3), e0248137. <https://doi.org/10.1371/journal.pone.0248137>
- Buford T. W. (2016). Hypertension and aging. *Ageing research reviews*, 26, 96–111. <https://doi.org/10.1016/j.arr.2016.01.007>
- Burke, Rita V., Goodhue, Catherine J., Chokshi, Nikunj K., & Upperman, Jeffrey S. (2011). Factors Associated with Willingness to Respond to a Disaster: A Study of Healthcare Workers in a Tertiary Setting. *Prehospital and Disaster Medicine*, 26 (4), p:244-250
- Riset Kesehatan Dasar. (2018). Badan Penelitian dan Pengembangan Kesehatan. Kementerian Kesehatan RI. Jakarta
- Bahrami, B., Olsen, K., Latham, PE, Roepstorff, A., Rees, G., & Frith, CD. (2010). Pikiran yang berinteraksi secara optimal. *Sains (New York, NY)*, 329 (5995), 1081–1085. <https://doi.org/10.1126/science.1185718>
- Bem SL. Gender Schema Theory and Its Implications for Child Development :

Raising Gender-aschematic Children in a Gender-schematic Society. 1983;598–616.

- Chai, L., Dong, J., Cui, W. L., You, D. Y., & Golden, A. R. (2017). Socioeconomic differences in prevalence, awareness, control and self-management of hypertension among four minority ethnic groups, Na Xi, Li Shu, Dai and Jing Po, in rural southwest China. *Journal of human hypertension*, 31(6), 388–394. <https://doi.org/10.1038/jhh.2016.87>
- Correia, J. C., Lachat, S., Lagger, G., Chappuis, F., Golay, A., Beran, D., & COHESION Project (2019). Interventions targeting hypertension and diabetes mellitus at community and primary healthcare level in low- and middle-income countries: a scoping review. *BMC public health*, 19(1), 1542. <https://doi.org/10.1186/s12889-019-7842-6>
- Chen, L., Zong, Y., Wei, T., Sheng, X., Shen, W., Li, J., Niu, Z., Zhou, H., Zhang, Y., Yuan, Y., Chen, Q., & Zhong, H. (2015). Prevalence, awareness, medication, control, and risk factors associated with hypertension in Yi ethnic group aged 50 years and over in rural China: the Yunnan minority eye study. *BMC public health*, 15, 383. <https://doi.org/10.1186/s12889-015-1687-4>
- Cooper, S., Cant, R., Kelly, M., Levett-Jones, T., McKenna, L., Seaton, P., & Bogossian, F. (2019). An Evidence-Based Checklist for Improving Scoping Review Quality. *Clinical Nursing Research*, 30(3), 230–240. <https://doi.org/10.1177/1054773819846024>
- Dewey J. Experience and Education. New York: Macmillan Company; 1938.
- Everett, B., & Zajacova, A. (2015). Gender differences in hypertension and hypertension awareness among young adults. *Biodemography and social biology*, 61(1), 1–17. <https://doi.org/10.1080/19485565.2014.929488>
- Eurich, T. (2019). *Emitinal Intelligence Self Awareness*. Boston: Harvard Business Review Press
- Fan, LM., Wang, F., Zhao, M. et al. Socioeconomic differentials in trends in the prevalence of hypertension and pre-hypertension and hypertension awareness, treatment, and control in rural Southwestern China. *BMC Cardiovasc Disord* 21, 259 (2021). <https://doi.org/10.1186/s12872-021-02062-x>

- Friyar, Cheryl D., Ostchega, Y., Hales, C. M., Zhang, G., & Kruszon-Moran, D. (2019). Hypertension prevalence and control among adults: United States, 2015–2016. U.S. Department Of Health And Human Services. diakses tanggal 24 September 2021. <https://pubmed.ncbi.nlm.nih.gov/29155682/>
- Frankl VE. SELF-TRANSCENDENCE AS A HUMAN PHENOMENON. *J Humanit Psychol* [Internet]. 1959;6(2):97–106. Available from: 10.1177/002216786600600201
- Frumkin, H., Bratman, G. N., Breslow, S. J., Cochran, B., Kahn, P. H., Jr, Lawler, J. J., Levin, P. S., Tandon, P. S., Varanasi, U., Wolf, K. L., & Wood, S. A. (2017). Nature Contact and Human Health: A Research Agenda. *Environmental health perspectives*, 125(7), 075001. <https://doi.org/10.1289/EHP1663>
- Ferretti, A., Ienca, M., Hurst, S., & Vayena, E. (2020). Big Data, Biomedical Research, and Ethics Review: New Challenges for IRBs. *Ethics and Human Research*, 42(5), 17–28. <https://doi.org/10.1002/eahr.500065>
- Gupta, S., Kumar, R., Kalaivani, M., Nongkynrih, B., Kant, S., & Gupta, S. K. (2020). Prevalence, awareness, treatment, and control of diabetes and hypertension among elderly persons in a rural area of Ballabgarh, Haryana. *Journal of family medicine and primary care*, 9(2), 777–782. https://doi.org/10.4103/jfmpe.jfmpe_1057_19
- Goleman, D. 2004. *Working with Emotional Intelligence*. New York: Bantam Books.
- Huang, G., Xu, J. B., Zhang, T. J., Li, Q., Nie, X. L., Liu, Y., Peng, S. R., Liu, J. K., Liu, X. T., & Kang, X. L. (2017). Prevalence, awareness, treatment, and control of hypertension among very elderly Chinese: results of a community-based study. *Journal of the American Society of Hypertension: JASH*, 11(8), 503–512.e2. <https://doi.org/10.1016/j.jash.2017.05.008>
- Hammami, S., Mehri, S., Hajem, S., Koubaa, N., Frih, M. A., Kammoun, S., Hammami, M., & Betbout, F. (2011). Awareness, treatment and control of hypertension among the elderly living in their home in Tunisia. *BMC cardiovascular disorders*, 11, 65. <https://doi.org/10.1186/1471-2261-11-65>

- Huang, X. B., Zhang, Y., Wang, T. D., Liu, J. X., Yi, Y. J., Liu, Y., Xu, R. H., Hu, Y. M., & Chen, M. (2019). Prevalence, awareness, treatment, and control of hypertension in southwestern China. *Scientific reports*, 9(1), 19098. <https://doi.org/10.1038/s41598-019-55438-7>
- Joanna, B. I. (2020). JBI Manual for Evidence Synthesis. In *JBI Manual for Evidence Synthesis* (Issue July). <https://doi.org/10.46658/jbimes-20-01>
- Jankowska-Polańska, B., Uchmanowicz, I., Dudek, K., & Mazur, G. (2016). Relationship between patients' knowledge and medication adherence among patients with hypertension. *Patient preference and adherence*, 10, 2437–2447. <https://doi.org/10.2147/PPA.S117269>
- Kang, S. H., Kim, S. H., Cho, J. H., Yoon, C. H., Hwang, S. S., Lee, H. Y., Youn, T. J., Chae, I. H., & Kim, C. H. (2019). Prevalence, Awareness, Treatment, and Control of Hypertension in Korea. *Scientific reports*, 9(1), 10970. <https://doi.org/10.1038/s41598-019-46965-4>
- Lionakis, N., Mendrinos, D., Sanidas, E., Favatas, G., & Georgopoulou, M. (2012). Hypertension in the elderly. *World journal of cardiology*, 4(5), 135–147. <https://doi.org/10.4330/wjc.v4.i5.135>
- Li, X., Ning, N., Hao, Y., Sun, H., Gao, L., Jiao, M., Wu, Q., & Quan, H. (2014). Health literacy in rural areas of China: hypertension knowledge survey. *International journal of environmental research and public health*, 10(3), 1125–1138. <https://doi.org/10.3390/ijerph10031125>
- Levac, D., Colquhoun, H., & O'Brien, K. K. (2010). Scoping Studies: Advancing The Methodology. *Implementation Science*, 5(1), 1–9. <https://doi.org/10.1186/1748-5908-5-69>
- Leary MR. the Regulation of Interpersonal Behavior. 2014;339–54.
- Lockwood, C., dos Santos, K. B., & Pap, R. (2019). Practical Guidance for Knowledge Synthesis: Scoping Review Methods. *Asian Nursing Research*, 13(5), 287–294. <https://doi.org/10.1016/j.anr.2019.11.002>
- Lee, J., Wilkens, J., Meijer, E., Sekher, T. V., Bloom, D. E., & Hu, P. (2022). Hypertension awareness, treatment, and control and their association with healthcare access in the middle-aged and older Indian population: A nationwide

cohort study. PLoS medicine, 19(1), e1003855.
<https://doi.org/10.1371/journal.pmed.1003855>

Markus HR, Cross S, Fiske A, Gilligan C, Givon T. Culture and the Self: Implications for Cognition , Emotion , and Motivation Culture and the Self ." Implications for Cognition , Emotion , and Motivation. 2014;(April 1991).

Murphy, C. M., Kearney, P. M., Shelley, E. B., Fahey, T., Dooley, C., & Kenny, R. A. (2016). Hypertension prevalence, awareness, treatment and control in the over 50s in Ireland: evidence from The Irish Longitudinal Study on Ageing. *Journal of public health (Oxford, England)*, 38(3), 450–458. <https://doi.org/10.1093/pubmed/fdv057>

Muli, S., Meisinger, C., Heier, M., Thorand, B., Peters, A., & Amann, U. (2020). Prevalence, awareness, treatment, and control of hypertension in older people: results from the population-based KORA-age 1 study. *BMC public health*, 20(1), 1049. <https://doi.org/10.1186/s12889-020-09165-8>

Maniyara, K., Kodali, P. B., & Thankappan, K. R. (2023). Prevalence, awareness, treatment, control and correlates of prevalence and control of hypertension among older adults in Kerala: A mixed methods study. *Indian heart journal*, 75(3), 185–189. <https://doi.org/10.1016/j.ihj.2023.03.004>

Mohanty, S. K., Pedgaonkar, S. P., Upadhyay, A. K., Kämpfen, F., Shekhar, P., Mishra, R. S., Maurer, J., & O'Donnell, O. (2021). Awareness, treatment, and control of hypertension in adults aged 45 years and over and their spouses in India: A nationally representative cross-sectional study. *PLoS medicine*, 18(8), e1003740. <https://doi.org/10.1371/journal.pmed.1003740>

Mathur, D., Deora, S., Kaushik, A., Bhardwaj, P., & Singh, K. (2020). Awareness, medication adherence, and diet pattern among hypertensive patients attending teaching institution in western Rajasthan, India. *Journal of family medicine and primary care*, 9(5), 2342–2349. https://doi.org/10.4103/jfmmpc.jfmmpc_193_20

Mirzaei, M., Mirzaei, M., Bagheri, B., & Dehghani, A. (2020). Awareness, treatment, and control of hypertension and related factors in adult Iranian population. *BMC public health*, 20(1), 667. <https://doi.org/10.1186/s12889-020-08831-1>

Mosha, N. R., Mahande, M., Juma, A., Mboya, I., Peck, R., Urassa, M., Michael, D., & Todd, J. (2017). Prevalence, awareness and factors associated with

- hypertension in North West Tanzania. *Global health action*, 10(1), 1321279. <https://doi.org/10.1080/16549716.2017.1321279>
- Masyuko, S., Ngongo, C. J., Smith, C., & Nugent, R. (2021). Patient-reported outcomes for diabetes and hypertension care in low- and middle-income countries: A scoping review. *PloS one*, 16(1), e0245269. <https://doi.org/10.1371/journal.pone.0245269>
- Mills, K. T., Stefanescu, A., & He, J. (2020). The global epidemiology of hypertension. *Nature reviews. Nephrology*, 16(4), 223–237. <https://doi.org/10.1038/s41581-019-0244-2>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement *BMJ* 2009; 339 :b2535 <https://doi:10.1136/bmj.b2535>
- Maryann, B. (2008). *Psychiatric Nursing: Contemporary Practice*. Britania Raya: Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Nakagomi, A., Yasufuku, Y., Ueno, T., & Kondo, K. (2022). Social determinants of hypertension in high-income countries: A narrative literature review and future directions. *Hypertension research : official journal of the Japanese Society of Hypertension*, 45(10), 1575–1581. <https://doi.org/10.1038/s41440-022-00972-7>
- Pilleron ,sophie.,Victor, aboyans.,Pascal ,mbelesso., Bébène N., Ileana,desormais., Philippe,lacroix., Pierre M., Maëlen ,guerchet., Maëlen,guerchet.,Bébène,ndamba-Bandzouzi., Pascal,mbelesso.,Iléana,desormais.,Philippe,lacroix.,Victor,aboyans., Pierre, jésus., Jean-François,dartigues.,...Pierre-Marie,preux.(2017).Prevalence, awareness, treatment, and control of hypertension in older people in Central Africa: the EPIDEMCA study.*Journal of the American Society of Hypertension*, 11(7),<https://doi.org/10.1016/j.jash.2017.04.013>.
- Peters, M. D. J., Marnie, C., Tricco, A. C., Pollock, D., Munn, Z., Alexander, L., McInerney, P., Godfrey, C. M., & Khalil, H. (2020). Updated Methodological Guidance For The Conduct Of Scoping Reviews. *JBI Evidence Synthesis*, 18(10), 2119–2126. <https://doi.org/10.11124/JBIES-20-00167>
- Paczkowska, A., Hoffmann, K., Kus, K., Kopciuch, D., Zaprutko, T., Ratajczak, P., Michalak, M., Nowakowska, E., & Bryl, W. (2021). Impact of patient

knowledge on hypertension treatment adherence and efficacy: A single-centre study in Poland. *International journal of medical sciences*, 18(3), 852–860. <https://doi.org/10.7150/ijms.48139>

Qvist I, Thomsen MD, Lindholt JS. Self-reported knowledge and awareness about blood pressure and hypertension : a cross-sectional study of a random sample of men and women aged 60 – 74 years. 2014;81–7.

Rajati, F., Hamzeh, B., Pasdar, Y., Safari, R., Moradinazar, M., Shakiba, E., Bazargan-Hejazi, S., Karim, H., & Najafi, F. (2019). Prevalence, awareness, treatment, and control of hypertension and their determinants: Results from the first cohort of non-communicable diseases in a Kurdish settlement. *Scientific reports*, 9(1), 12409. <https://doi.org/10.1038/s41598-019-48232-y>

Raji, Y. R., Abiona, T., & Gureje, O. (2017). Awareness of hypertension and its impact on blood pressure control among elderly nigerians: report from the Ibadan study of aging. *The Pan African medical journal*, 27, 190. <https://doi.org/10.11604/pamj.2017.27.190.11682>

Rogers Carl .R. (1965). *On Becoming A Person: A Therapist,s View of Psychoteraphy*. USA: Houghton Mifflin Company

Sanuade, O. A., Boatemaa, S., & Kushitor, M. K. (2018). Hypertension prevalence, awareness, treatment and control in Ghanaian population: Evidence from the Ghana demographic and health survey. *PloS one*, 13(11), e0205985. <https://doi.org/10.1371/journal.pone.0205985>

Sastrawinata, Hendra. (2011). Pengaruh *self awareness* (kesadaran diri), pengaturan diri, motivasi, empati, dan keterampilan sosial terhadap kinerja auditor pada KAP Di kota Palembang. Palembang: Politeknik Negeri Sriwijaya.

Soolgi, H., & Sungjae, K. (2016). An Integrative Literature Review on Self-Awareness Education/Training Programs in The Nursing Area. *Perspectives in Nursing Science*, 13(2), 56-69.

Sucharew, H., & Macaluso, M. (2019). Progress Notes: Methods for Research Evidence Synthesis: The Scoping Review Approach. *Journal of hospital medicine*, 14(7), 416–418. <https://doi.org/10.12788/jhm.3248>

- Spokane AR, Meir EI, Catalano M. Person – Environment Congruence and Holland 's Theory : A Review and Reconsideration. 2000;187:137–87.
- Tricco, A. C., Lillie, E., Zarin, W., O'Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., Weeks, L., Hempel, S., Akl, E. A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M. G., Garritty, C., ... Straus, S. E. (2018). PRISMA Extension For Scoping Reviews (PRISMA-ScR): Checklist and explanation. *Annals of Internal Medicine*, 169(7), 467–473. <https://doi.org/10.7326/M18-0850>
- Ursua, R., Aguilar, D., Wyatt, L., Tandon, S. D., Escondo, K., Rey, M., & Trinh-Shevrin, C. (2014). Awareness, treatment and control of hypertension among Filipino immigrants. *Journal of general internal medicine*, 29(3), 455–462. <https://doi.org/10.1007/s11606-013-2629-4>
- Vess, M. (2019). Varieties of Conscious Experience and the Subjective Awareness of One's "True" Self. *Review of General Psychology*, 23(1), 89-98. <https://doi.org/10.1177/1089268019829471>
- Wang, Y., Zhang, J., Ding, Y., Zhang, M., Liu, J., Ma, J., Guo, H., Yan, Y., He, J., Wang, K., Li, S., Ma, R., Murat, B., & Guo, S. (2016). Prevalence of Hypertension among Adults in Remote Rural Areas of Xinjiang, China. *International journal of environmental research and public health*, 13(6), 524. <https://doi.org/10.3390/ijerph13060524>
- Wang, J., Zhang, L., Wang, F., Liu, L., Wang, H., & China National Survey of Chronic Kidney Disease Working Group (2014). Prevalence, awareness, treatment, and control of hypertension in China: results from a national survey. *American journal of hypertension*, 27(11), 1355–1361. <https://doi.org/10.1093/ajh/hpu053>
- World Health Organization. (2019). Hypertension. diakses tanggal 17 Juni 2021, https://www.who.int/health-topics/hypertension/#tab=tab_3
- World Health Organization. (2018). Ageing and health. diakses tanggal 20 Juni 2021, <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health>
- Yu, Q., & Zuo, G. (2022). Impact of urbanisation on the gaps of hypertension prevalence, awareness and treatment among older age in China: a cross-

sectional study. *BMJ open*, 12(6), e057065. <https://doi.org/10.1136/bmjopen-2021-057065>

Yang, L., Yan, J., Tang, X., Xu, X., Yu, W., & Wu, H. (2016). Prevalence, Awareness, Treatment, Control and Risk Factors Associated with Hypertension among Adults in Southern China, 2013. *PloS one*, 11(1), e0146181. <https://doi.org/10.1371/journal.pone.0146181>

Zdrojewski, T., Wizner, B., Więcek, A., Ślusarczyk, P., Chudek, J., Mossakowska, M., Badosz, P., Bobak, M., Kozakiewicz, K., Broda, G., Wyrzykowski, B., & Grodzicki, T. (2016). Prevalence, awareness, and control of hypertension in elderly and very elderly in Poland: results of a cross-sectional representative survey. *Journal of hypertension*, 34(3), 532–538. <https://doi.org/10.1097/HJH.0000000000000823>

Zhao Y, Yan H, Marshall RJ, Dang S, Yang R, Li Q, et al. (2013) Trends in Population Blood Pressure and Prevalence, Awareness, Treatment, and Control of Hypertension among Middle-Aged and Older Adults in a Rural Area of Northwest China from 1982 to 2010. *PLoS ONE* 8(4): e61779. <https://doi.org/10.1371/journal.pone.0061779>

Zhang, J., Huang, Q., Yu, M., Cha, X., Li, J., Yuan, Y., Wei, T., & Zhong, H. (2013). Prevalence, awareness, medication, control, and risk factors associated with hypertension in Bai ethnic group in rural China: the Yunnan Minority Eye Study. *PloS one*, 8(8), e70886. <https://doi.org/10.1371/journal.pone.0070886>