

DAFTAR PUSTAKA

- Abdullah, Farhaan. Uji Banding Klinis Pemakaian Larutan Burruwi Saring dengan Salep Ichthyol (Ichthammol) pada Otitis Eksterna Akut. www.USUdigitallibrary.com . 2003. diakses pada 5 April 2022.
- Aguilera, Y., Estrella, I., Benitez, V., Esteban, R.M., and Martín-Cabrejas, M.A. 2011. Bioactive phenolic compounds and functional properties of dehydrated bean flours. *Food Research International*, 44 (3): 774-780.
- Alshikh, N., de Camargo, A.C., and Shahidi, F. 2015. Phenolics of selected lentil cultivars: Antioxidant activities and inhibition of low-density lipoprotein and DNA damage. *Journal of Functional Foods*, 18: 1022-1038.
- Arief R.A. 2017. Kajian Sifat Antibakteri Emulsifier Monolaurin Yang Dihasilkan Dari Reaksi Kimiawi Dan Enzimatis. *Jurnal Ilmu Pangan dan Hasil Pertanian Vol. 1 (2)*. 93-99.
- Arifin. & Zahiruddin. Sample Size Calculation in Animal Studies Using Resource Equation Approach. *The Malaysian journal of medical sciences*. 2017. Vol 24(5): 101–105.
- Ballenger, James. Jr, Snow. *Manual of Otorhinolaryngology Head and Neck Surgery*. London: BC Decker. 2002.
- Balasundram, N., Sundram, K., and Samman, S. 2006. Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. *Food Chemistry*, 99 (1): 191-203.
- Barati B, Okhovvat SAR, Goljanian A, Omrani MR. Otomycosis in Central Iran: a clinical and mycological study. *Iranian Red Crescent Med J*. 2011;13(12):873-76.
- Beers SL, Abramo TJ. Otitis externa review. *Pediatr Emerg Care*. 2014;20:250-6.
- Bergsson G, Arnfinnsson J, Steingrímsson Ó, Thormar. In Vitro Killing of *Candida albicans* by Fatty Acids and Monoglycerides. *Antimicrob. Agents Chemother*. 2006; 45: 3209-12.

- Boddie, RL and Nickerson, SC. Evaluation of postmilking teat germicides containing Lauricidin, saturated fatty acids and lactic acid. *J. Dairy. Sci.* 2006; 45: 1725-30.
- Boeis, Lawrence R. Adams, George L. BOEIS Buku Ajar Penyakit THT. Edisi 6. Jakarta: EGC. 1997
- BPTP. 2012. Petunjuk Teknis Budidaya Tanaman Jahe. Balai Pengkajian Teknologi Pertanian (BPTP) Sumatera Utara, Medan.
- Chin K, Kurian R, Sanders JC. 1997. Maturation of tympanic membrane layers and collagen in the embryonic and post-hatch chick (*Gallus domesticus*). *J Morphol*, 1997 Sep; 233(3): 257-66.
- Montesano D, *et al.*, 2019. Untargeted Metabolomics to Evaluate the Stability of Extra-Virgin Olive Oil with Added Lycium barbarum Carotenoids during Storage. *Foods*. 8: 179.
- Gharaghani M, Seifi Z, Zarei MA. Otomycosis in Iran: a review. *Mycopathologia*. 2015;179(5-6):415-424.
- Gutierrez, P.H, dkk. *Presumed Diagnosis: Otomycosis. A Study of 451 Patients*. *Acta Otorrino laringol Esp* 2005; 56: 181-186.
- Greiviany Y.M, Jasman. Uji Aktivitas Antijamur Minyak Kelapa Murni (*Virgin Coconut Oil*) Dan Minyak Kelapa Tradisional (*Coconut Cooking Oil*) Pada *Candida albicans*. *Jurnal Beta Kimia*. 2023; 3(1): 33-39.
- Harborne, J.B. (1987). *Metode Fitokimia*. (Penerjemah K.Padmawinata dan I. Soediro. Penyunting S.Niksolihin). Bandung: Penerbit ITB.
- Jackman A, Ward R, April M, Bent J. Topical antibiotic induced otomycosis. *Int J Pediatr Otorhinolaryngol*. 2005;69(6):857–860.
- Ji, K.; Fang, L.; Zhao, H.; Li, Q.; Shi, Y.; Xu, C.; Wang, Y.; Du, L.; Wang, J.; Liu, Q. Ginger oleoresin alleviated gamma-ray irradiation-induced reactive oxygen species via the Nrf2 protective response in human mesenchymal stem cells. *Oxid. Med. Cell. Longev*. 2017, 1480294.
- Kumar, Ashish. *Fungal Spectrum in otomycosis Patients*. *JK Science*. Vol. 7 No. 3, July-September 2005.
- Koltsidopoulos P, Skoulakis C. Otomycosis with tympanic membrane perforation: a review of the literature [published online May 29, 2019]. *Ear Nose Throat J*. doi:10.1177/0145561319851499.

- Kuhne R, and Lewis B. External and Middle Ears. In: King, A.S., and McLelland, J., Eds. Form and Function in Birds. Vol. 3. Academic Press, NY. 1985, pp227-271.
- Larsen ON, Christensen-Dalsgaard J, Jensen KK. 2016 Role of intracranial cavities in avian directional hearing. *Biol. Cybern.*110, 319–331. (doi:10.1007/ s00422-016-0688-4).
- Li Y, He L. Diagnosis and treatment of otomycosis in southern China. *Mycoses.* 2019;62(11):1064-1068
- Mahmoudabadi AZ, Masoomi SA, Mohammadi H. Clinical and mycological studies of otomycosis. *Pak J Med Sci.* 2010;26(1):187-190.
- Mann, J. (1994). Chemical aspect of biosynthesis (1st Ed). Oxford, New York: Oxford University Press.
- Malole M.B.M. & Pramono C.S.U. (1989). Penggunaan Hewan-hewan Percobaan di Laboratorium. Bogor, IPB.
- Marina, A. M., Cheman, Y.B., Nazimah, S.A.H. & Amin, I. 2009. Chemical Properties of Virgin Coconut Oil. *Journal of the American Oil Chemists' Society.* 86(4). 301–307.
- McCarty, M. F.; DiNicolantonio, J. J. Lauric Acid-rich Medium-chain Triglycerides Can Substitute for Other Oils in Cooking Applications and May Have Limited Pathogenicity. *Open Heart.* 2016, 3, e000467. DOI: 10.1136/openhrt-2016-000467.
- McLelland J. 1991. A Color Atlas of Avian Anatomy. W.B. Saunders Company.
- Metwally A , Ahmed G , Hanan M , Nessma E. Epidemiology, causative agents, and risk factors affecting human otomycosis infections. *Turkish Journal of Medical Sciences.* 2015; 45: 820-826.
- Narayanankutty, A.; Illam, S. P.; Raghavamenon, A. C. Health Impacts of Different Edible Oils Prepared from Coconut (*Cocos nucifera*): A Comprehensive Review. *Trends Food Sci. Technol.* 2018, 80, 1–7
- Nipa K, Kamal A, Imtiaz A. Prevalence and Clinicomycological studies of Otomycosis: A review. *Journal of Bioscience,* 2019; 28: 121-135. 2.
- Pradhan B, Tuladhar NR, Amatya RM. Prevalence of otomycosis in outpatient department of otolaryngology in tribhuvan university teaching Hospital, Kathmandu, Nepal. *Ann Otol Rhinol Laryngol.* 2003;112(4):384–387.

- Prasad, S.; Tyagi, A.K. Ginger and its constituents: role in prevention and treatment of gastrointestinal cancer. *Gastroent. Res. Pract.* 2015, 142979.
- Priti A , Leimapokpam SD. *Journal of Clinical and Diagnostic Research.* 2017 Jun, Vol-11(6): 14-18.
- Rasyaf, M. 2002. *Beternak Ayam Pedaging. Edisi Revisi.* Penebar Swadaya, Jakarta.
- Sardi H.D, Nur A, Dastar S. Karakteristik Virgin Coconut Oil (Vco) Yang Di Panen Pada Berbagai Ketinggian Tempat Tumbuh. *e-J. Agrotekbis* 2017; 5 (4) : 431 – 440.
- Santoso, H.D., Budiarti, L.Y, Carabelly, A.N., 2014. Perbandingan Aktivitas Antijamur Ekstrak Etanol Jahe Putih (*Zingiber officinale*) 30% dengan Chlorhexidine glukonat 0,2% Terhadap *Candida albicans* In Vitro.
- Singh, B., Singh, J.P., Kaur, A., and Singh, N. 2017. Phenolic composition and antioxidant potential of grain legume seeds: A review. *Food Research International*, 101 (June): 1-16.
- Sudarmono AS. 2003. *Pedoman Pemeliharaan Ayam petelur.* Kanisius. Jakarta.
- Surani dan Novizel Putri (2018). Efektifitas Anti Jamur Campuran Rebusan Jahe (*Zingiber Officinale*) Dan Kunyit (*Curcuma Domestica*) Terhadap Pertumbuhan *Candida albicans*. *Prosiding Seminar Kesehatan Peritis.* vol. 1, no. 2
- Syahrijuita. 2017. Karakteristik Biocelulosa Nata De Coco untuk Patch Miringoplasti.
- Schadich, E.; Hlavac, J.; Volna, T.; Varanasi, L.; Hajduch, M.; Dzubak, P. Effects of ginger phenylpropanoids and quercetin on Nrf2-ARE pathway in human BJ fibroblasts and HaCaT keratinocytes. *Biomed Res. Int.* 2016, 2173275.
- Srivastava, Y.; Semwal, A. D.; Sharma, G. K. *Virgin Coconut Oil as Functional Oil;* Academic Press: Amsterdam, Nederland, 2018.
- Supreetha S, Sharadadevi M , Sequeira P.S , Jithesh J , Shreyas T , Amit M. “Antifungal Activity of Ginger Extract on *Candida Albicans*: An In-vitro Study” 2011;2(2):1-5.

- Suthama, N. 2005. Respon Produksi Ayam Kampung Petelur Terhadap Ransum Memakai Dedak Padi Fermentasi dengan Suplementasi Sumber Mineral. *Jurnal Indonesia Tropica Animal Agriculture*. Hal: 116 - 121.
- Urulial, C., A.M. Kalay, E. Kaya dan A. Siregar. 2012. Pemanfaatan Kompos Sagu, Sekam dan Dedak Sebagai Media Perbanyak Agens Hayati *Trichoderma harzianum* Rifai. *Agrologia* 1 (1):21-30.
- Swain SK, Behera IC, Sahu MC, Das A. Povidoneiodine soaked gelfoam for the treatment of recalcitrant otomycosis-Our experiences at a tertiary care teaching hospital of eastern India. *Journal de mycologie medicale*, 2018; 28(1), 122- 127.
- USDA (United States Departement of Agricultur). 2021. Zingiber officinale. <https://plants.usda.gov/home/plantProfile?symbol=ZIOF>
- Vautier, S et.al (2015). *Candida albicans* colonization and dissemination the murine gastrointestinal tract: The influence of morphology and Th17 immunity. *Cellular Microbiology*. 17(4). 445–450.
- Wang LL, Johnson EA. Inhibition of *Listeria monocytogenes* by fatty acids and monoglycerides. *App. and Environ. Microbiol.* 2006; 58: 624-9.
- Wibowo Susilo. *VCO dan Pencegahan komplikasi diabetes*. Jakarta: Pawon publishing, 2005 : 27-29.
- Yeh, H.; Chuang, C.; Chen, H.; Wan, C.; Chen, T.; Lin, L. Bioactive components analysis of two various gingers (*Zingiber officinale* Roscoe) and antioxidant effect of ginger extracts. *LWT-Food Sci. Technol.* 2014, 55, 329–334.
- Zordan, R. & Cormack, B (2012). *Adhesins in Opportunistic Fungal Pathogens*. Washington, DC: ASM Press.