

DAFTAR PUSTAKA

- Afsahi, A., Ahmadi-hamedani, M. and Khodadi, M. (2020) "Comparative evaluation of urinary dipstick and pH-meter for cattle urine pH measurement," *Heliyon*. Elsevier Ltd, 6(2), p. e03316. doi: 10.1016/j.heliyon.2020.e03316.
- Afzal, A. (2020) "Molecular diagnostic technologies for COVID-19: Limitations and challenges," *Journal of Advanced Research*. THE AUTHOR. doi: 10.1016/j.jare.2020.08.002.
- Agarose Gel Electrophoresis* (2018) *Addgene*. Available at: <https://www.addgene.org/protocols/gel-electrophoresis/> (Accessed: June 13, 2021).
- Alafeef, M. *et al.* (2021) "RNA-extraction-free nano-amplified colorimetric test for point-of-care clinical diagnosis of COVID-19," *Nature Protocols*, 16(6), pp. 3141–3162. doi: 10.1038/s41596-021-00546-w.
- Aoki, M. N. *et al.* (2021) "Colorimetric RT-LAMP SARS-CoV-2 diagnostic sensitivity relies on color interpretation and viral load," *Scientific Reports*. Nature Publishing Group UK, 11(1), pp. 1–10. doi: 10.1038/s41598-021-88506-y.
- Baek, Y. H. *et al.* (2020) "Development of a reverse transcription-loop-mediated isothermal amplification as a rapid early-detection method for novel SARS-CoV-2," *Emerging Microbes and Infections*, 9(1), pp. 998–1007. doi: 10.1080/22221751.2020.1756698.
- Becherer, L. *et al.* (2020) "Loop-mediated isothermal amplification (LAMP)-review and classification of methods for sequence-specific detection," *Analytical Methods*, 12(6), pp. 717–746. doi: 10.1039/c9ay02246e.
- Cui, Z. *et al.* (2020) "Development of a rapid test kit for SARS-CoV-2: an example of product design," *Bio-Design and Manufacturing*. Springer Singapore, 3(2), pp. 83–86. doi: 10.1007/s42242-020-00075-7.
- D’Cruz, R. J., Currier, A. W. and Sampson, V. B. (2020) "Laboratory Testing Methods for Novel Severe Acute Respiratory Syndrome-Coronavirus-2 (SARS-CoV-2)," *Frontiers in Cell and Developmental Biology*, 8(June), pp. 1–11. doi: 10.3389/fcell.2020.00468.
- Dahlan, S. (2017) *Statistik untuk Kedokteran dan Kesehatan*. 3rd ed, *Statistik Untuk Kedokteran Dan Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi SPSS*. 3rd ed. Salemba Medika. Available at: <https://doku.pub/download/statistik-untuk-kedokteran-dan-kesehatan-msopiyudin-dahlan-30j8pxk4p5lw>.

- Dao Thi, V. L. *et al.* (2020) "A colorimetric RT-LAMP assay and LAMP-sequencing for detecting SARS-CoV-2 RNA in clinical samples," *Science Translational Medicine*, 12(556). doi: 10.1126/SCITRANSLMED.ABC7075.
- Deeks, J. J. and Altman, D. G. (2004) "Diagnostic tests 4: likelihood ratios," *Bmj*, 329(7458), pp. 168–169. doi: 10.1136/bmj.329.7458.168.
- Faidah, N. *et al.* (2020) "Detection of voluntary dehydration in paediatric populations using non-invasive point-of-care saliva and urine testing," *Journal of Paediatrics and Child Health*. doi: <https://doi.org/10.1111/jpc.15325>.
- Fan, J., Upadhye, S. and Worster, A. (2006) "Understanding receiver operating characteristic (ROC) curves," *Canadian Journal of Emergency Medicine*, 8(1), pp. 19–20. doi: 10.1017/S1481803500013336.
- Feng, W. *et al.* (2020) "Molecular Diagnosis of COVID-19: Challenges and Research Needs," *Analytical Chemistry*, 92(15), pp. 10196–10209. doi: 10.1021/acs.analchem.0c02060.
- Fraga, D., Meulia, T. and Fenster, S. (2014) "Real-Time PCR," *Current Protocols Essential Laboratory Techniques*, 8(1), pp. 1–34. doi: 10.1002/9780470089941.et1003s08.
- Ganguli, A. *et al.* (2020) "Rapid isothermal amplification and portable detection system for SARS-CoV-2," *Proceedings of the National Academy of Sciences of the United States of America*, 117(37), pp. 22727–22735. doi: 10.1073/pnas.2014739117.
- Garg, A. *et al.* (2021) "Evaluation of seven commercial RT-PCR kits for COVID-19 testing in pooled clinical specimens," *Journal of Medical Virology*, 93(4), pp. 2281–2286. doi: 10.1002/jmv.26691.
- Hadaya, J., Schumm, M. and Livingston, E. H. (2020) "Testing Individuals for Coronavirus Disease 2019 (COVID-19)," *JAMA - Journal of the American Medical Association*, 323(19), p. 2020. doi: 10.1001/jama.2020.5388.
- Hu, B. *et al.* (2020) "Characteristics of SARS-CoV-2 and COVID-19," *Nature Reviews Microbiology*. Springer US, (December). doi: 10.1038/s41579-020-00459-7.
- Huang, W. E. *et al.* (2020) "RT-LAMP for rapid diagnosis of coronavirus SARS-CoV-2," *Microbial Biotechnology*, 13(4), pp. 950–961. doi: 10.1111/1751-7915.13586.
- Huang, Y. *et al.* (2020) "Structural and functional properties of SARS-CoV-2 spike protein: potential antiviral drug development for COVID-19," *Acta Pharmacologica Sinica*. Springer US, 41(9), pp. 1141–1149. doi: 10.1038/s41401-020-0485-4.

- Khailany, R. A., Safdar, M. and Ozaslan, M. (2020) "Genomic characterization of a novel SARS-CoV-2," *Gene Reports*. Elsevier, 19(April), pp. 1–6. doi: 10.1016/j.genrep.2020.100682.
- Klein, S. *et al.* (2020) "SARS-CoV-2 RNA extraction using magnetic beads for rapid large-scale testing by RT-qPCR and RT-LAMP," *Viruses*, 12(8). doi: 10.3390/v12080863.
- Kwong, T. *et al.* (2013) "Accuracy of urine pH testing in a regional metabolic renal clinic: Is the dipstick accurate enough?," *Urological Research*, 41(2), pp. 129–132. doi: 10.1007/s00240-013-0546-y.
- Lamb, L. E. *et al.* (2020) "Rapid detection of novel coronavirus/Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) by reverse transcription-loop-mediated isothermal amplification," *PLoS ONE*, 15(6), pp. 1–15. doi: 10.1371/journal.pone.0234682.
- Lee, J. Y. H. *et al.* (2020) "Validation of a single-step, single-tube reverse transcription loop-mediated isothermal amplification assay for rapid detection of SARS-CoV-2 RNA," *Journal of Medical Microbiology*. doi: 10.1099/jmm.0.001238.
- Lee, S. H. *et al.* (2017) "One-pot reverse transcriptional loop-mediated isothermal amplification (RT-LAMP) for detecting MERS-CoV," *Frontiers in Microbiology*, 7(JAN), pp. 1–13. doi: 10.3389/fmicb.2016.02166.
- Massi, M. N. *et al.* (2022) "Full-genome sequencing and mutation analysis of SARS-CoV-2 isolated from Makassar, South Sulawesi, Indonesia," *PeerJ*, 10(June). doi: 10.7717/peerj.13522.
- Mcglynn, W. (2003) "Choosing and using a pH meter for food products," *Oklahoma Cooperative Extension Service*, pp. 1–4.
- Meagher, R. J. *et al.* (2018) "Impact of primer dimers and self-amplifying hairpins on reverse transcription loop-mediated isothermal amplification detection of viral RNA," *Analyst*, 143(8). doi: <https://doi.org/10.1039/C7AN01897E>.
- Mizoguchi, M. *et al.* (2021) "Comparative performance and cycle threshold values of 10 nucleic acid amplification tests for SARS-CoV-2 on clinical samples," *PLoS ONE*, 16(6 June), pp. 1–10. doi: 10.1371/journal.pone.0252757.
- Moehling, T. J. *et al.* (2021) "LAMP Diagnostics at the Point-of-Care: Emerging Trends and Perspectives for the Developer Community," *Expert Review of Molecular Diagnostics*. Taylor & Francis, 21(1), pp. 43–61. doi: 10.1080/14737159.2021.1873769.
- Mohon, A. N. *et al.* (2020) "Optimization and clinical validation of dual-target RT-LAMP for SARS-CoV-2," *Journal of Virological Methods*, 286(September), pp. 1–6. doi: 10.1016/j.jviromet.2020.113972.

- Notomi, T. *et al.* (2000) "Notomi et al LAMP.pdf," *Nucleic Acids Research*, 28(12), p. e63.
- de Oliveira Coelho, B. *et al.* (2021) "Essential properties and pitfalls of colorimetric Reverse Transcription Loop-mediated Isothermal Amplification as a point-of-care test for SARS-CoV-2 diagnosis," *Molecular Medicine*. BioMed Central, 27(1). doi: 10.1186/s10020-021-00289-0.
- Parivallal, P. B. and Vasanthakumar, M. K. P. K. C. (2020) "LAMP Assay : Could it be a Boon for the Molecular Diagnosis of COVID-19?," *Indian Journal of Clinical Biochemistry*. Springer India, 35(4), pp. 506–507. doi: 10.1007/s12291-020-00915-4.
- Park, G.-S. *et al.* (2020) "Development of Reverse Transcription Loop-Mediated Isothermal Amplification Assays Targeting SARS-CoV-2," *The Journal of Molecular Diagnostics*, (April), pp. 1–7. doi: 10.1016/j.jmoldx.2020.03.006.
- Park, M. *et al.* (2020) "Optimization of primer sets and detection protocols for SARS-CoV-2 of coronavirus disease 2019 (COVID-19) using PCR and real-time PCR," *Experimental and Molecular Medicine*. Springer US, 52(6), pp. 963–977. doi: 10.1038/s12276-020-0452-7.
- Putra, I. A. E. *et al.* (2016) "Modul Penelitian Uji Diagnostik dan Skrining," in *Program Studi Kesehatan Masyarakat Fakultas Kedokteran Universitas Udayana*. doi: 10.1515/9783111411286-069.
- Ramakrishna, G. *et al.* (2020) "SARS-Cov-2 (human) and COVID-19: Primer 2020," *Hepatology International*. Springer India, 14(4), pp. 475–477. doi: 10.1007/s12072-020-10049-7.
- Saah, A. J. and Hoover, D. R. (1997) "'Sensitivity' and 'specificity' revisited: the signification of these terms in analytical and diagnostic language," *Annals of Internal Medicine*, 126(1), pp. 91–94. doi: 10.7326/0003-4819-126-1-199701010-00026.
- Sastroasmoro, S. and Ismael, S. (2011) *Dasa-Dasar Metodologi Penelitian Klinis*. 4th ed. Jakarta: Sagung Seto.
- Shabani, E., Dowlatshahi, S. and Abdekhodaie, M. J. (2020) "Laboratory detection methods for the human coronaviruses," *European Journal of Clinical Microbiology and Infectious Diseases*. European Journal of Clinical Microbiology & Infectious Diseases. doi: 10.1007/s10096-020-04001-8.
- Soraya, G. V. *et al.* (2018) "An interdigitated electrode biosensor platform for rapid HLA-B*15:02 genotyping for prevention of drug hypersensitivity," *Biosensors and Bioelectronics*, 111(October 2017), pp. 174–183. doi: 10.1016/j.bios.2018.01.063.
- Soraya, G. V. and Ulhaq, Z. S. (2020) "Crucial laboratory parameters in COVID-19 diagnosis and prognosis: An updated meta-analysis,"

Medicina Clínica (English Edition). Elsevier España, S.L.U., 155(4), pp. 143–151. doi: 10.1016/j.medcle.2020.05.004.

- Subsoontorn, P., Lohitnavy, M. and Kongkaew, C. (2020) “The diagnostic accuracy of isothermal nucleic acid point-of-care tests for human coronaviruses: A systematic review and meta-analysis,” *Scientific Reports*. Nature Publishing Group UK, 10(1), pp. 1–13. doi: 10.1038/s41598-020-79237-7.
- Tomita, N. *et al.* (2008) “Loop-mediated isothermal amplification (LAMP) of gene sequences and simple visual detection of products,” *Nature Protocols*, 3(5), pp. 877–882. doi: 10.1038/nprot.2008.57.
- Udugama, B. *et al.* (2020) “Diagnosing COVID-19: The Disease and Tools for Detection,” *ACS nano*, 14(4), pp. 3822–3835. doi: 10.1021/acsnano.0c02624.
- Vandenberg, O. *et al.* (2020) “Considerations for diagnostic COVID-19 tests,” *Nature Reviews Microbiology*. Springer US. doi: 10.1038/s41579-020-00461-z.
- WHO (2020) “Laboratory testing for coronavirus disease 2019 (COVID-19) in suspected human cases,” (March), pp. 1–7.
- Yan, C. *et al.* (2020) “Rapid and visual detection of 2019 novel coronavirus (SARS-CoV-2) by a reverse transcription loop-mediated isothermal amplification assay,” *Clinical Microbiology and Infection*, 26(6), pp. 773–779. doi: 10.1016/j.cmi.2020.04.001.
- Yang, Y. *et al.* (2020) “SARS-CoV-2: characteristics and current advances in research,” *Virology Journal*. Virology Journal, 17(1), pp. 1–17. doi: 10.1186/s12985-020-01369-z.
- Yao, H. *et al.* (2020) “Article Molecular Architecture of the SARS-CoV-2 Virus II Article Molecular Architecture of the SARS-CoV-2 Virus,” *Cell*. Elsevier Inc., 183(3), pp. 730-738.e13. doi: 10.1016/j.cell.2020.09.018.
- Yu, L. *et al.* (2020) “Rapid detection of COVID-19 coronavirus using a reverse transcriptional loop-mediated isothermal amplification (RT-LAMP) diagnostic platform,” *American Association for Clinical Chemistry*.
- Zhang, Y. *et al.* (2020) “Rapid Molecular Detection of SARS-CoV-2 (COVID-19) Virus RNA Using Colorimetric LAMP,” 2. doi: 10.1101/2020.02.26.20028373.

LAMPIRAN

DAFTAR RIWAYAT HIDUP PENULIS

A. Data Pribadi

1. Nama : Dian Ekayanti Astari
2. Tempat, tanggal lahir : Ambon, 9 Maret 1996
3. Jenis kelamin : Perempuan
4. Alamat : Jl. Benda 10 No. 19 B5, Ciganjur,
Jagakarsa, Jakarta Selatan
5. Agama : Islam
6. Kewarganegaraan : Indonesia
7. Alamat *e-mail* : dian.zahrah@gmail.com

B. Riwayat Pendidikan

1. Tamat SD tahun 2007 di SD Inp. Tamalanrea 1
2. Tamat SMP tahun 2010 di SMP Neg. 12 Makassar
3. Tamat SMA tahun 2013 di SMA Neg. 21 Makassar
4. Sarjana (S1) tahun 2017 di Fakultas Kedokteran Universitas Hasanuddin
5. Profesi dokter tahun 2019 di Fakultas Kedokteran Universitas Hasanuddin
6. Magister (S2) tahun 2024 di Sekolah Pascasarjana Universitas Hasanuddin

C. Pekerjaan dan Riwayat Pekerjaan

1. Jenis pekerjaan : Dokter umum, mahasiswi
2. NIP/NIK : 7371114903960001
3. Pangkat/Jabatan : -
4. Riwayat pekerjaan :
 - i. Asisten dosen Departemen Biokimia FKUH (2016-2020)
 - ii. Dokter umum RSUD Kota Makassar (2019-2020)
 - iii. Dokter umum Puskesmas Kassi-Kassi (2020)
 - iv. Dokter umum Klinik Shafia Medika (2021-sekarang)
 - v. Dosen tidak tetap Departemen Biokimia FKUH (2020-2023)

- vi. Staf *Student Assessment Unit* (SAU) Program Studi Sarjana Kedokteran FKUH (2021-2022)

D. Karya Ilmiah yang Telah Dipublikasikan

1. *Benefits and challenges in the implementation of virtual laboratory simulations (vLABs) for medical biochemistry in Indonesia. Biochemistry and Molecular Biology Education. (2022)*

E. Makalah pada Seminar/Konferensi Ilmiah Nasional dan Internasional

1. -