

## DAFTAR PUSTAKA

1. Chouhan P, Gupta S, Kohli AV, Kour R. Comparison of safety and efficacy of dexmedetomidine, midazolam and propofol for elective fiberoptic bronchoscopy: A randomised prospective double blind study. *Wolters Kluwer - Medknow*. 2023;58–9.
2. Fang YF, Hsieh MH, Chung FT, Huang YK, Chen GY, Lin SM, et al. Flexible bronchoscopy with multiple modalities for foreign body removal in adults. *PLoS One*. 2015;10(3):1–9.
3. Li H, Zhang N, Zhang K, Wei Y. Observation of the clinical efficacy of dexmedetomidine in flexible bronchoscopy under general anesthesia: clinical case experience exchange. *J Int Med Res*. 2019;47(12):6215–22.
4. Goneppanavar U, Magazine R, Janardhana BP, Achar SK. Intravenous Dexmedetomidine Provides Superior Patient Comfort and Tolerance Compared to Intravenous Midazolam in Patients Undergoing Flexible Bronchoscopy. *Pulm Med*. 2015;2015.
5. Yuan F, Fu H, Yang P, Sun K, Wu S, Lv M, et al. Dexmedetomidine-fentanyl versus propofol-fentanyl in flexible bronchoscopy: A randomized study. *Exp Ther Med*. 2016;12(1):506–12.
6. Bakan M, Umutoglu T, Topuz U, Guler E, Uysal H, Ozturk E. Prospective evaluation of remifentanil-propofol mixture for total intravenous anesthesia: A randomized controlled study. *Exp Ther Med*. 2021;22(5):1–7.
7. Zhong C. Efficacy and Safety of Propofol combined with different doses of Remifentanil for gastroscopy : A- randomized controlled trial. 2020;1–13.
8. Mousa AH, Abd El-Mabood A, Mahmoud H, Refaie B. Efficacy of fentanyl, dexmedetomidine or lidocaine in attenuating the hemodynamic response to rigid bronchoscopy. *Sohag Med J*. 2019;23(1):135–43.
9. Minami D, Takigawa N. Safe sedation during diagnostic and therapeutic flexible bronchoscopy in Japan: A review of the literature. *Respir Investig [Internet]*. 2023;61(1):52–7. Tersedia pada: <https://doi.org/10.1016/j.resinv.2022.09.003>

10. Zhao L, Zhang Y, Xu S, Wang X. Comparison Effects of Propofol-Dexmedetomidine versus Propofol-Remifentanil for Endoscopic Ultrasonography: A Prospective Randomized Comparative Trial. *Biomed Res Int.* 2022;2022.
11. Turgut N, Turkmen A, Ali A, Altan A. Remifentanil-propofol vs dexmedetomidine-propofol--anesthesia for supratentorial craniotomy. *Middle East J Anaesthesiol* [Internet]. 2009;20(1):63–70. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/19266828>
12. Ryu JH, Lee SW, Lee JH, Lee EH, Do SH, Kim CS. Randomized double-blind study of remifentanil and dexmedetomidine for flexible bronchoscopy. *Br J Anaesth.* 2012;108(3):503–11.
13. Mahmoud N, Vashisht R, Sanghavi DK, Kalanjeri S. Bronchoscopy. *Natl Libr Med.* 2023;
14. Morris AE, Schnapp LM. Bronchoscopy. In: *Critical Care Secrets (Fifth Edition)Edition).* 2013. hal. 106.
15. Mondoni M, Rinaldo RF, Carlucci P, Terraneo S, Saderi L, Centanni S, et al. Bronchoscopic sampling techniques in the era of technological bronchoscopy. *Pulmonology.* 2022;28(6):461–71.
16. Wood RE. Bronchoscopy and Bronchoalveolar Lavage in Pediatric Patients [Internet]. Ninth Edit. *Kendig's Disorders of the Respiratory Tract in Children.* Elsevier Inc.; 2019. 134-146.e1 hal. Tersedia pada: <https://doi.org/10.1016/B978-0-323-44887-1.00009-2>
17. Chadha M, Kulshrestha M, Biyani A. Anaesthesia for bronchoscopy. *Indian J Anaesth.* 2015;59(9):565–73.
18. Griffin DK, Gordon AT. Preimplantation Testing for Polygenic Disease ( PGT-P ): Brave New World or Mad Pursuit ? *DNA.* 2023;104–8.
19. Kupeli E, Feller-Kopman D, Mehta AC. Diagnostic Bronchoscopy. *Med Manag Thorac Surg Patient.* 2009;65–72.
20. Sahinovic MM, Struys MMRF, Absalom AR. Clinical Pharmacokinetics and Pharmacodynamics of Propofol. *Clin Pharmacokinet* [Internet]. 2018;57(12):1539–58. Tersedia pada: <https://doi.org/10.1007/s40262-018->

0672-3

21. Fan W, Zhu X, Wu L, Wu Z, Li D, Huang F, et al. Propofol: An anesthetic possessing neuroprotective effects. *Eur Rev Med Pharmacol Sci*. 2015;19(8):1520–9.
22. Bas SS. Remifentanil-Propofol versus Fentanyl-Propofol for Circumcision Operations in Pediatric Ambulatory Surgical Patients. *Osmangazi J Med*. 2020;42(1):1–6.
23. Jo YY, Kwak HJ. Sedation strategies for procedures outside the operating room. *Yonsei Med J*. 2019;60(6):491–9.
24. Egbuta C, Mason KP. Current state of analgesia and sedation in the pediatric intensive care unit. *J Clin Med*. 2021;10(9).
25. Su H, Eleveld DJ, Struys MMRF, Colin PJ. Mechanism-based pharmacodynamic model for propofol haemodynamic effects in healthy volunteers☆. *Br J Anaesth* [Internet]. 2022;128(5):806–16. Tersedia pada: <https://doi.org/10.1016/j.bja.2022.01.022>
26. Hassan AH, Amer IA. Fentanyl versus Dexmedetomidine as an Adjuvant to Propofol for Fiberoptic Intubation in Patients with Temporomandibular Joint Ankylosis. *Egypt J Ear, Nose, Throat Allied Sci*. 2022;23(23):1–7.
27. Atterton B, Lobaz S, Konstantatos A. Remifentanil use in Anaesthesia and Critical Care. *Anaesth Tutor Week*. 2016;1–9.
28. Thobari JA, Haposan JH, Chandra LA, Hidayati N, Dewi RK, Purnamasari RW, et al. Safety profile of remifentanil: A post-marketing study in Indonesia. *J Appl Pharm Sci*. 2022;12(5):165–70.
29. Arikan M, Aslan B, Arikan O, But A, Horasanli E. Comparison of propofol-remifentanil and propofol-ketamine combination for dilatation and curretage: A randomized double blind prospective trial. *Eur Rev Med Pharmacol Sci*. 2015;19(18):3522–7.
30. Gray L. Prevention of Opioid-Induced Hyperalgesia Following Remifentanil Infusion : 2020;8(2):6–9.
31. Ramos-Matos C, Bistas K, Lopez-Ojeda W. Fentanyl. *StatPearls Publ*. 2022;

32. Gudin J, Fudin J. A Narrative Pharmacological Review of Buprenorphine: A Unique Opioid for the Treatment of Chronic Pain. *Pain Ther* [Internet]. 2020;9(1):41–54. Tersedia pada: <https://doi.org/10.1007/s40122-019-00143-6>
33. Lee H, Choe YH, Park S. Analgosedation during flexible fiberoptic bronchoscopy: Comparing the clinical effectiveness and safety of remifentanil versus midazolam/propofol. *BMC Pulm Med*. 2019;19(1):1–7.
34. O’Hare D, Chilvers RJ. Arterial blood sampling practices in intensive care units in England and Wales. *Anaesthesia*. 2001;56(6):568–71.
35. Teksan L, Baris S, Karakaya D, Dilek A. A dose study of remifentanil in combination with propofol during tracheobronchial foreign body removal in children. *J Clin Anesth* [Internet]. 2013;25(3):198–201. Tersedia pada: <http://dx.doi.org/10.1016/j.jclinane.2012.10.008>
36. Yuki K. The immunomodulatory mechanism of dexmedetomidine. *Int Immunopharmacol* [Internet]. 2021;97(April):107709. Tersedia pada: <https://doi.org/10.1016/j.intimp.2021.107709>
37. Kaur M, Singh P. Current role of dexmedetomidine in clinical anesthesia and intensive care. *Anesth Essays Res*. 2011;5(2):128.
38. Reel B, Maani C V. Dexmedetomidine. *StatPearls Publ*. 2022;
39. Lin R, Ansermino JM. Dexmedetomidine in paediatric anaesthesia. *BJA Educ* [Internet]. 2020;20(10):348–53. Tersedia pada: <https://doi.org/10.1016/j.bjae.2020.05.004>
40. Paranjpe J. Dexmedetomidine: Expanding role in anesthesia. *Med J Dr DY Patil Univ*. 2013;6(1):5.
41. Liaquat Z, Xu X, Zilundu PLM, Fu R, Zhou L. The current role of dexmedetomidine as neuroprotective agent: An updated review. *Brain Sci*. 2021;11(7).
42. Lee S. Dexmedetomidine: Present and future directions. *Korean J Anesthesiol*. 2019;72(4):323–30.
43. Pichot C, Ghignone M, Quintin L. Dexmedetomidine and clonidine: From second- to first-line sedative agents in the critical care setting? *J Intensive*

- Care Med. 2012;27(4):219–37.
44. Seyrek M, Halici Z, Yildiz O, Ulusoy HB. Interaction between dexmedetomidine and  $\alpha$ -adrenergic receptors: Emphasis on vascular actions. *J Cardiothorac Vasc Anesth* [Internet]. 2011;25(5):856–62. Tersedia pada: <http://dx.doi.org/10.1053/j.jvca.2011.06.006>
  45. Hemavathi A, S Prasad CG, Dongare PA, Manjunatha C, Srinivasan Nataraj M, Mohan Kumar RM. Comparison of Intubation Conditions between Dexmedetomidine and Propofol for Awake Fiberoptic Bronchoscopy: A Randomised Control Study. *Karnataka Anaesth J* [Internet]. 2019;17(3 dan 4):71–9. Tersedia pada: <http://www.karnatakaanesthesiajournal.in>
  46. Shoukry RA. Safety and efficacy of dexmedetomidine sedation for elective fiberoptic bronchoscopy: A comparative study with propofol. *Egypt J Anaesth* [Internet]. 2016;32(4):483–8. Tersedia pada: <http://dx.doi.org/10.1016/j.egja.2016.07.003>
  47. Jouybar R, Nemati M, Asmarian N. Comparison of the effects of remifentanil and dexmedetomidine on surgeon satisfaction with surgical field visualization and intraoperative bleeding during rhinoplasty. *BMC Anesthesiol* [Internet]. 2022;22(1):1–9. Tersedia pada: <https://doi.org/10.1186/s12871-021-01546-9>
  48. Menshawi MA, Fahim HM. Dexmedetomidine versus remifentanil infusion for controlled hypotension in shoulder arthroscopy: a comparative study. *Ain-Shams J Anesthesiol*. 2020;12(1).
  49. Grape S, Kirkham KR, Frauenknecht J, Albrecht E. Intra-operative analgesia with remifentanil vs. dexmedetomidine: a systematic review and meta-analysis with trial sequential analysis. *Anaesthesia*. 2019;74(6):793–800.
  50. Koo JM, Chung YJ, Lee M, Moon YE. Efficacy of Dexmedetomidine vs. Remifentanil for Postoperative Analgesia and Opioid-Related Side Effects after Gynecological Laparoscopy: A Prospective Randomized Controlled Trial. *J Clin Med*. 2023;12(1):4–13.

51. Xu N, Chen L, Liu L, Rong W. Dexmedetomidine versus remifentanyl for controlled hypotension under general anesthesia: A systematic review and meta-analysis. *PLoS One* [Internet]. 2023;18(1 January):1–15. Tersedia pada: <http://dx.doi.org/10.1371/journal.pone.0278846>
52. Alves HC, Valentim AM, Olsson IAS, Antunes LM. Intraperitoneal propofol and propofol fentanyl, sufentanil and remifentanyl combinations for mouse anaesthesia. *Lab Anim*. 2007;41(3):329–36.
53. Oriby ME, Elrashidy A. Comparative effects of total intravenous anesthesia with propofol and remifentanyl versus inhalational sevoflurane with dexmedetomidine on emergence delirium in children undergoing strabismus surgery. *Anesthesiol Pain Med*. 2021;11(1):1–5.
54. Al-Rifai Z, Mulvey D. Principles of total intravenous anaesthesia: practical aspects of using total intravenous anaesthesia. *BJA Educ*. 2016;16(8):276–80.
55. Uzümcügil F, Canbay O, Celebi N, Karagoz AH, Ozgen S. Comparison of dexmedetomidine-propofol vs. fentanyl-propofol for laryngeal mask insertion. *Eur J Anaesthesiol*. 2008;25(8):675–80.
56. Mohsin S, Ahmad Ganaie Z, Kundi H, Ahmed MB, Riaz B, Khurshid Ahmed N, et al. Comparison of Fentanyl and Dexmedetomidine in Preventing an Increase in Heart Rate During Intubation Among Patients Undergoing General Anesthesia: A Meta-Analysis. *Cureus*. 2022;14(6):10–7.
57. Lee JM, Lee SK, Lee SJ, Hwang WS, Jang SW, Park EY. Comparison of remifentanyl with dexmedetomidine for monitored anaesthesia care in elderly patients during vertebroplasty and kyphoplasty. *J Int Med Res*. 2016;44(2):307–16.
58. Abdalla W, Ammar MA, Tharwat AI. Combination of dexmedetomidine and remifentanyl for labor analgesia: A double-blinded, randomized, controlled study. *Saudi J Anaesth*. 2015;9(4):433–8.
59. Aguilar-Montiel M, Carrillo-Torres O. Remifentanyl and dexmedetomidine as an alternative to regional analgesia in obstetrics. *Rev Médica del Hosp*

Gen México. 2017;80(1):67–70.

60. Park JW, Kim EK, Lee HT, Park S, Do SH. The effects of propofol or dexmedetomidine sedation on postoperative recovery in elderly patients receiving lower limb surgery under spinal anesthesia: A retrospective propensity score-matched analysis. *J Clin Med*. 2021;10(1):1–10.
61. Kaya C, Celebi NO, Debbag S, Canbay O, Onal O. Comparison of dexmedetomidine and remifentanyl infusion in geriatric patients undergoing outpatient cataract surgery: a prospective, randomized, and blinded study. *Med Gas Res*. 2022;12(4):146–52.
62. Potočnik I, Andjelkovič-Juvan L, Hostnik A, Markovič-Božič J. Remifentanyl target-controlled infusion with intranasal dexmedetomidine for vitreoretinal procedures: A randomized controlled trial. *Croat Med J*. 2021;62(3):233–40.
63. Anderson BJ, Bagshaw O. Practicalities of Total Intravenous Anesthesia and Target-controlled Infusion in Children. *Anesthesiology*. 2019;131(1):164–85.
64. Lundström S, Twycross R, Mihalyo M, Wilcock A. Propofol. *J Pain Symptom Manage*. 2010;40(3):466–70.
65. Zhang H, Fang B, Zhou W. The efficacy of dexmedetomidine-remifentanyl versus dexmedetomidine-propofol in children undergoing flexible bronchoscopy. *Medicine (Baltimore)*. 2017;96(1):1–6.
66. Ding DF, Wu LF, Wang P, Jiang YX, Luo YW, Dai ZL, et al. Target-controlled infusion of propofol and remifentanyl combined with dexmedetomidine reduces functional endoscopic sinus surgery bleeding. *Exp Ther Med*. 2017;14(5):4521–6.
67. Chen KZ, Ye M, Hu CB, Shen X. Dexmedetomidine vs remifentanyl intravenous anaesthesia and spontaneous ventilation for airway foreign body removal in children. *Br J Anaesth*. 2014;112(5):892–7.
68. Kim JH, Ham SY, Kim DH, Chang CH, Lee JS. Efficacy of single-dose dexmedetomidine combined with low-dose remifentanyl infusion for cough suppression compared to high-dose remifentanyl infusion: A randomized,

- controlled, non-inferiority trial. *Int J Med Sci.* 2019;16(3):376–83.
69. Ramaswamy AH, Shaikh SI. Comparison of dexmedetomidine-propofol versus fentanyl-propofol for insertion of laryngeal mask airway. *J Anaesthesiol Clin Pharmacol.* 2015;31(2):217–20.
70. Kim H, Min KT, Lee JR, Ha SH, Lee WK, Seo JH, et al. Comparison of dexmedetomidine and remifentanyl on airway reflex and hemodynamic changes during recovery after craniotomy. *Yonsei Med J.* 2016;57(4):980–6.
71. Sudre M, Salvador DC, Bruno E, Vassallo V, Lauretti R, Filho S. Remifentanyl Versus Dexmedetomidine as Coadjutants of Standardized Anesthetic Technique in Morbidly Obese Patients. *Rev Bras Anesthesiol [Internet].* 2004;54(2):178–89. Tersedia pada: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed6&NEWS=N&AN=2004138134>
72. Hamed JME, Refaat HSM, Al-Wadaani H. Dexmedetomidine Compared to Remifentanyl Infusion as Adjuvant to Sevoflurane Anesthesia during Laparoscopic Sleeve Gastrectomy. *Anesth Essays Res.* 2019;13(4):636–42.
73. Gemma M, Tommasino C, Cozzi S, Narcisi S, Mortini P, Losa M, et al. Remifentanyl provides hemodynamic stability and faster awakening time in transsphenoidal surgery. *Anesth Analg.* 2002;94(1):163–8.
74. Kang WS, Kim SY, Son JC, Kim JD, Muhammad H Bin, Kim SH, et al. The effect of dexmedetomidine on the adjuvant propofol requirement and intraoperative hemodynamics during remifentanyl-based anesthesia. *Korean J Anesthesiol.* 2012;62(2):113–8.