

DAFTAR PUSTAKA

- [1] I. E. Napper and R. C. Thompson, “Plastic Debris in the Marine Environment: History and Future Challenges,” *Glob. Challenges*, vol. 4, no. 6, p. 1900081, 2020, doi: 10.1002/gch2.201900081.
- [2] T. D. Nielsen, J. Hasselbalch, K. Holmberg, and J. Stripple, “Politics and the plastic crisis: A review throughout the plastic life cycle,” *Wiley Interdiscip. Rev. Energy Environ.*, vol. 9, no. 1, pp. 1–18, 2020, doi: 10.1002/wene.360.
- [3] V. C. Tudor, D. N. Mocuta, R. F. Teodorescu, and D. I. Smedescu, “The issue of plastic and microplastic pollution in soil,” *Mater. Plast.*, vol. 56, no. 3, pp. 484–487, 2019, doi: 10.37358/mp.19.3.5214.
- [4] M. I. Hossain and M. A. S. Mahbub Tuha, “Biodegradable Plastic Production From Daily Household Waste Materials and Comparison the Decomposing Time With Synthetic Polyethylene Plastic,” *Int. J. Adv. Life Sci. Res.*, vol. 3, no. 3, pp. 16–19, 2020, doi: 10.31632/ijalsr.20.v03i03.002.
- [5] D. Kelurahan, D. Tangerang, S. Purwanto, and D. Hikmah, “Pemanfaatan Limbah Plastik Menjadi Biji Plastik Yang Bernilai Tambah Ekonomi,” vol. 2, no. 1, pp. 171–181, 2023.
- [6] Dasumiati, N. Saridewi, and M. Malik, “Food packaging development of bioplastic from basic waste of cassava peel (*manihot utilisima*) and shrimp shell,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 602, no. 1, 2019, doi: 10.1088/1757-899X/602/1/012053.
- [7] S. Galus, E. Aytunga, A. Kibar, M. Gniewosz, and K. Kra, “Novel Materials in the Preparation of Edible Films and Coatings — A Review,” pp. 1–14.
- [8] S. Pirsa, *Jo. Elsevier B.V.*, 2020. doi: 10.1016/j.ijbiomac.2020.07.041.
- [9] D. Arifiyana and V. A. Devianti, “Biosorption of Fe (II) Ions from Aqueous Solution using Kepok Banana Peel (*Musa acuminate*),” *JKPK*

(Jurnal Kim. dan Pendidik. Kim., vol. 6, no. 2, p. 206, 2021, doi: 10.20961/jkpk.v6i2.45181.

- [10] J. Khouri, A. Penlidis, and C. Moresoli, “Heterogeneous method of chitosan film preparation: Effect of multifunctional acid on film properties,” *J. Appl. Polym. Sci.*, vol. 137, no. 18, pp. 1–10, 2020, doi: 10.1002/app.48648.
- [11] W. Abera, K. Dekeba, and N. Satheesh, “Heliyon Optimization of citron peel pectin and glycerol concentration in the production of edible film using response surface methodology,” *Heliyon*, vol. 9, no. 3, p. e13724, 2023, doi: 10.1016/j.heliyon.2023.e13724.
- [12] S. Varghese *et al.*, “Chemosphere Leads and hurdles to sustainable microbial bioplastic production,” *Chemosphere*, vol. 305, no. March, p. 135390, 2022, doi: 10.1016/j.chemosphere.2022.135390.
- [13] I. Oberti and A. Paciello, “Bioplastic as a Substitute for Plastic in Construction Industry,” pp. 1408–1420, 2022.
- [14] N. R. Putra *et al.*, “Methods and Potential in Valorization of Banana Peels Waste by Various Extraction Processes : In Review,” pp. 1–18, 2022.
- [15] A. Yadav, Y. Prasad, A. Kumar, and P. Chand, “Effects of Different Gelling Agents and Different Doses of Plant Growth Regulators for Callus Induction under In vitro Culture of Banana (*Musa paradisiaca L.*) Variety Udhayam Effects of Different Gelling Agents and Different Doses of Plant Growth Regula,” no. June 2022, 2020, doi: 10.20546/ijcmas.2020.911.001.
- [16] V. Chandel, D. Biswas, S. Roy, D. Vaidya, A. Verma, and A. Gupta, “Current Advancements in Pectin: Extraction, Properties and Multifunctional Applications,” *Foods*, vol. 11, no. 17, pp. 1–30, 2022, doi: 10.3390/foods11172683.
- [17] T. Nisar *et al.*, “Functionality of different probiotic strains embedded in citrus pectin based edible films,” *Int. J. Food Sci. Technol.*, vol. 57, no. 2, pp. 1005–1015, 2022, doi: 10.1111/ijfs.15460.

- [18] A. G. Adeniyi and J. O. Ighalo, “A review of steam reforming of glycerol,” *Chem. Pap.*, vol. 73, no. 11, pp. 2619–2635, 2019, doi: 10.1007/s11696-019-00840-8.
- [19] L. Nuriyah, G. Saroja, and J. Rohmad, “The Effect of Calcium Carbonate Addition to Mechanical Properties of Bioplastic Made from Cassava Starch with Glycerol as Plasticizer,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 546, no. 4, 2019, doi: 10.1088/1757-899X/546/4/042030.
- [20] R. Dewi, R. Rahmi, and N. Nasrun, “Perbaikan Sifat Mekanik Dan Laju Transmisi Uap Air Edible Film Bioplastik Menggunakan Minyak Sawit Dan Plasticizer Gliserol Berbasis Pati Sagu,” *J. Teknol. Kim. Unimal*, vol. 8, no. 1, p. 61, 2021, doi: 10.29103/jtku.v10i1.4177.
- [21] I. Aranaz *et al.*, “Chitosan: An overview of its properties and applications,” *Polymers (Basel)*, vol. 13, no. 19, 2021, doi: 10.3390/polym13193256.
- [22] B. C. Behera, R. Mishra, and S. Mohapatra, “Microbial citric acid: Production, properties, application, and future perspectives,” *Food Front.*, vol. 2, no. 1, pp. 62–76, 2021, doi: 10.1002/fft2.66.
- [23] E. Melro *et al.*, “Chitosan films in food applications. Tuning film properties by changing acidic dissolution conditions,” *Polymers (Basel)*, vol. 23, no. 1, pp. 1–12, 2021, doi: 10.3390/polym13010001.
- [24] J. A. Adorna, R. L. Ruby, V. D. Dang, R. A. Doong, and J. R. S. Ventura, “Biodegradable polyhydroxybutyrate/cellulose/calcium carbonate bioplastic composites prepared by heat-assisted solution casting method,” *J. Appl. Polym. Sci.*, vol. 139, no. 7, 2022, doi: 10.1002/app.51645.
- [25] T. P. Haider, C. Völker, J. Kramm, K. Landfester, and F. R. Wurm, “Plastics of the Future? The Impact of Biodegradable Polymers on the Environment and on Society,” *Angew. Chemie - Int. Ed.*, vol. 58, no. 1, pp. 50–62, 2019, doi: 10.1002/anie.201805766.
- [26] E. M. N. Polman, G. J. M. Gruter, J. R. Parsons, and A. Tietema, “Comparison of the aerobic biodegradation of biopolymers and the

- corresponding bioplastics: A review," *Sci. Total Environ.*, vol. 753, p. 141953, 2021, doi: 10.1016/j.scitotenv.2020.141953.
- [27] M. Falzarano, A. Polettini, R. Pomi, A. Rossi, and T. Zonfa, "Anaerobic Biodegradability of Commercial Bioplastic Products: Systematic Bibliographic Analysis and Critical Assessment of the Latest Advances," *Materials (Basel)*., vol. 16, no. 6, 2023, doi: 10.3390/ma16062216.
- [28] F. Ruggero *et al.*, "Degradation of Film and Rigid Bioplastics During the Thermophilic Phase and the Maturation Phase of Simulated Composting," *J. Polym. Environ.*, vol. 29, no. 9, pp. 3015–3028, 2021, doi: 10.1007/s10924-021-02098-2.
- [29] N. K. Kalita, N. A. Damare, D. Hazarika, P. Bhagabati, A. Kalamdhad, and V. Katiyar, "Biodegradation and characterization study of compostable PLA bioplastic containing algae biomass as potential degradation accelerator," *Environ. Challenges*, vol. 3, no. March, p. 100067, 2021, doi: 10.1016/j.envc.2021.100067.
- [30] A. Folino, A. Karageorgiou, P. S. Calabrò, and D. Komilis, "Biodegradation of wasted bioplastics in natural and industrial environments: A review," *Sustain.*, vol. 12, no. 15, pp. 1–37, 2020, doi: 10.3390/su12156030.
- [31] K. Pleejaroen, D. Yiamsawas, and P. Opaprakasit, "In-situ Synthesis of Lignin / ZnO Composites from Black Liquor for UV-Resistant and Antioxidant Agents in Bioplastics," vol. 3, pp. 1–9, 2023.
- [32] O. S. Jangong, P. L. Gareso, I. Mutmainna, and D. Tahir, "Fabrication and characterization starch/chitosan reinforced polypropylene as biodegradable," *J. Phys. Conf. Ser.*, vol. 1341, no. 8, 2019, doi: 10.1088/1742-6596/1341/8/082022.
- [33] Eni, "済無No Title No Title No Title," *Angew. Chemie Int. Ed.* 6(11), 951–952., vol. 9, no. Mi, pp. 5–24, 1967.
- [34] A. B. D. Nandiyanto, M. Fiandini, R. Ragadhita, A. Sukmafifri, H. Salam,


- and F. Triawan, “Mechanical and biodegradation properties of cornstarch-based bioplastic material,” *Mater. Phys. Mech.*, vol. 44, no. 3, pp. 380–391, 2020, doi: 10.18720/MPM.4432020_9.
- [35] R. Siakeng, M. Jawaid, M. Asim, and S. Siengchin, “Accelerated weathering and soil burial effect on biodegradability, colour and texture of coir/pineapple leaf fibres/PLA biocomposites,” *Polymers (Basel)*., vol. 12, no. 2, 2020, doi: 10.3390/polym12020458.
- [36] S. Phosri *et al.*, “Biodegradability of bioplastic blown film in a marine environment,” *Front. Mar. Sci.*, vol. 9, no. August, pp. 1–11, 2022, doi: 10.3389/fmars.2022.917397.
- [37] M. Zioga, E. Tsouko, S. Maina, A. Koutinas, I. Mandala, and V. Evangelou, “Physicochemical and rheological characteristics of pectin extracted from renewable orange peel employing conventional and green technologies,” *Food Hydrocoll.*, vol. 132, no. February, p. 107887, 2022, doi: 10.1016/j.foodhyd.2022.107887.
- [38] J. Almond, P. Sugumaar, M. N. Wenzel, G. Hill, and C. Wallis, “Determination of the carbonyl index of polyethylene and polypropylene using specified area under band methodology with ATR-FTIR spectroscopy,” *E-Polymers*, vol. 20, no. 1, pp. 369–381, 2020, doi: 10.1515/epoly-2020-0041.
- [39] Y. Kusumastuti, N. R. E. Putri, D. Timotius, M. W. Syabani, and Rochmadi, “Effect of chitosan addition on the properties of low-density polyethylene blend as potential bioplastic,” *Heliyon*, vol. 6, no. 11, 2020, doi: 10.1016/j.heliyon.2020.e05280.
- [40] A. Hayatun, M. Jannah, A. Ahmad, and P. Taba, “Synthetic Bioplastic Film from Rice Husk Cellulose,” *J. Phys. Conf. Ser.*, vol. 1463, no. 1, 2020, doi: 10.1088/1742-6596/1463/1/012009.
- [41] Q. Xia *et al.*, “A strong, biodegradable and recyclable lignocellulosic

- bioplastic,” *Nat. Sustain.*, vol. 4, no. 7, pp. 627–635, 2021, doi: 10.1038/s41893-021-00702-w.
- [42] J. Chen, Y. Yao, H. Zeng, and X. Zhang, “Integrated Metabolome and Transcriptome Analysis Reveals a Potential Mechanism for Water Accumulation Mediated Translucency in Pineapple (*Ananas comosus* (L.) Merr.) Fruit,” *Int. J. Mol. Sci.*, vol. 24, no. 8, 2023, doi: 10.3390/ijms24087199.
- [43] F. Leite, C. Mota, J. Bessa, F. Cunha, and R. Fangueiro, “Mechanical Characterization of Home Compostable Biopolymer Composites Reinforced with Organic and Inorganic Residues for Single-Use Plastics,” *Mater. Circ. Econ.*, vol. 4, no. 1, 2022, doi: 10.1007/s42824-022-00058-2.
- [44] Y. C. Wong and D. N. Roma, “Potential of the biodegradability and characteristics of bioplastic from microalgae residues,” *Int. J. Algae*, vol. 23, no. 1, pp. 95–108, 2021, doi: 10.1615/InterJAlgae.v23.i1.50.
- [45] O. Monday Abel, G. Ifeanyi, A. S. Chinelo, G. Kparobo Agbajor, and J. E. Imanah, “Surface Hydrophobicity of Starch Acetate for Enhanced Bioplastic Properties,” *J. Mater. Environ. Sci.*, vol. 12, no. 4, pp. 497–510, 2021.
- [46] Y. W. Adi, S. Ekatiwi, and S. Suharti, “Preliminary study on preparing carboxymethyl cellulose-keratin biofilm,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 475, no. 1, 2020, doi: 10.1088/1755-1315/475/1/012074.
- [47] J. Y. Boey, C. K. Lee, and G. S. Tay, “Factors Affecting Mechanical Properties of Reinforced Bioplastics: A Review,” *Polymers (Basel)*., vol. 14, no. 18, 2022, doi: 10.3390/polym14183737.
- [48] Jamasri, F. Yudhanto, V. Yudha, and E. Syafri, “Mechanical, Physical and Thermal Characterization of PVA (Polyvinyl Alcohol)/Chitosan Bioplastic Film,” *Int. J. Heat Technol.*, vol. 41, no. 3, pp. 687–693, 2023, doi: 10.18280/ijht.410322.

- [49] M. Hasan, A. K. V, C. Maheshwari, and S. Mangraj, “Biodegradable and edible film : A counter to plastic pollution,” vol. 8, no. 1, pp. 2242–2245, 2020.
- [50] M. Cortés-Rodríguez, C. Villegas-Yépez, J. H. Gil González, P. E. Rodríguez, and R. Ortega-Toro, “Development and evaluation of edible films based on cassava starch, whey protein, and bees wax,” *Heliyon*, vol. 6, no. 9, 2020, doi: 10.1016/j.heliyon.2020.e04884.
- [51] N. Jain, V. K. Singh, and S. Chauhan, “A review on mechanical and water absorption properties of polyvinyl alcohol based composites/films,” *J. Mech. Behav. Mater.*, vol. 26, no. 5–6, pp. 213–222, 2017, doi: 10.1515/jmbm-2017-0027.
- [52] N. K. Kalita, N. A. Damare, D. Hazarika, P. Bhagabati, A. Kalamdhad, and V. Katiyar, “Biodegradation and characterization study of compostable PLA bioplastic containing algae biomass as potential degradation accelerator,” *Environ. Challenges*, vol. 3, no. March, p. 100067, 2021, doi: 10.1016/j.envc.2021.100067.

LAMPIRAN

Lampiran 1. Ekstraksi Pektin



Lampiran 2. Pembuatan Bioplastik

