

DAFTAR PUSTAKA

- Agarwal, A. and Nath, K.A. (2020) 'Pathophysiology of Chronic Kidney Disease Progression: Organ and Cellular Considerations', in *Chronic Renal Disease*. Elsevier, pp. 263–278. Available at: <https://doi.org/10.1016/B978-0-12815876-0.00018-8>.
- Amin, R. *et al.* (2021) 'Molecular characterization of xerosis cutis: A systematic review', *PLOS ONE*, 16(12), p. e0261253. Available at: <https://doi.org/10.1371/journal.pone.0261253>.
- Augustin, M. *et al.* (2019) 'Diagnosis and treatment of xerosis cutis – a position paper', *JDDG: Journal der Deutschen Dermatologischen Gesellschaft*, 17(S7), pp. 3–33. Available at: <https://doi.org/10.1111/ddg.13906>.
- Khanna D, Singal A, Karla O. Comparison of cutaneous manifestation in chronic kidney disease with or without dialysis. *Postgrad Med*. 2010; 86: 641-47.
- Chanda G, Chintagunta S, Arakkal. Dermatological manifestation in chronic renal failure patients with and without hemodialysis: A study at tertiary care center. *Journal of Dr. NTR University of Health Sciences*. 2017;6(1):8-13.
- Faludun O, Ogunbiyi A, Salako B.(2011) Skin changes in patients with chronic renal failure. *Saudi J Kidney Dis Transplan*. 201;22: 268-72.
- Furnawanti, Irni. (2017). *Kasiat dan Manfaat Tanaman Lidah Buaya*. Jakarta: Agro Media Pustaka.
- Grether-Beck S, Felsner I, Brenden H, Kohne Z, Majora M, Marini A, Jaenicke T Rodriguez-Martin M (2012). Urea uptake enhances barrier function and antimicrobial defense in humans by regulating epidermal gene expression. *J Invest Dermatol*; 132(6): 1561–1572
- Farida Yahya, Yulia. *et al.* (2017). Department Dermatology & Venereology, RS Hoesin Palembang Indonesia. Efficacy of 20% urea cream on uremic pruritus with uremic xerosis in chronic renal failure patients undergoing hemodialysis. [10.13140/RG.2.2.15119.79526](https://doi.org/10.13140/RG.2.2.15119.79526).
- Yousef, H., Alhadj, M. and Sharma, S. (2022) *Anatomy, Skin (Integument), Epidermis*. Lopez-Ojeda, W. *et al.* (2022) *Anatomy, Skin (Integument)*.
- Görög, A., Bánvölgyi, A. and Holló, P. (2022) 'Characteristics of the ageing skin, xerosis cutis and its complications', *Developments in Health Sciences*, 4(4), pp. 77–80. Available at: <https://doi.org/10.1556/2066.2021.00051>.
- Lacy, F. and Ziemer, C. (2020) 'Xerosis Cutis in the Aging Population:an Approach to Diagnosis and Treatment', *Current Geriatrics Reports*, 9(4), pp. 206– 209. Available at: <https://doi.org/10.1007/s13670-020-00333-7>.

- Proksch, E. *et al.* (2020) 'Dry skin management: practical approach in light of latest research on skin structure and function', *Journal of Dermatological Treatment*, 31(7), pp.716–722. Available at: <https://doi.org/10.1080/09546634.2019.1607024>.
- Gade, A., Matin, T. and Rubenstein, R. (2022). *Xeroderma*. Stat Pearls NCBI Bookshelf. NCBI. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK565884>.
- Legiawati L, Yusharyahya SN, Margaretha S. (2015). The Incidence of Dermatology Disease at Geriatric Dermatology Clinic Department of Dermatovenereology Ciptomangunkusumo. Jakarta: Universitas Indonesia.
- Mathias-Brüggen-Str. (2022) *The World's Most Popular Skin Hydration Measurement Instrument* [Online]. Kohn Courage + Khazaka electronic GmbH.
- Haroun MT. (2003). Dry Skin in the Elderly. Division of Dermatology, University of Toronto. <https://www.ncbi.nlm.nih.gov/pubmed/121146730>.
- Solak, B. *et al.* (2016) 'Cutaneous findings in patients with predialysis chronic kidney disease', *Journal of the European Academy of Dermatology and Venereology*, 30(9), pp. 1609–1613. Available at: <https://doi.org/10.1111/jdv.13643>.
- Vaidya SR, Aeddula NR. *Et al.* Chronic Kidney Disease (Nursing). In: StatPearls. StatPearls Publishing, Treasure Island (FL); 2023. PMID: 33760537.
- Wu, C.M. *et al.* (2015) 'Xerosis', in *Dermatological Manifestations of Kidney Disease*. New York, NY: Springer New York, pp. 75–79. Available at: https://doi.org/10.1007/978-1-4939-2395-3_6.
- Chen, T.K., Knicely, D.H. and Grams, M.E. (2019) 'Chronic Kidney Disease Diagnosis and Management', *JAMA*, 322(13), p. 1294. Available at: <https://doi.org/10.1001/jama.2019.14745>.
- Kalantar-Zadeh, K. *et al.*(2021)'Chronic kidney disease', *The Lancet*, 398(10302), pp. 786–802. Available at: [https://doi.org/10.1016/S0140-6736\(21\)00519-5](https://doi.org/10.1016/S0140-6736(21)00519-5).
- KDIGO (2021) 'Kdigo 2021 Clinical Practice Guideline For The Management Of Blood Pressure In Chronic Kidney Disease', *Kidney International*, 99(S1).
- Kurniawan, M., Regina, R. and Iryaningrum, M.R. (2022) 'The correlation between pruritus and xerosis with the quality of life of patients undergoing hemodialysis in Atma Jaya Hospital', *Journal of Pakistan Association of Dermatologists*, 32(2), pp. 288–292.
- Murdeshwar, H.N. and Anjum, F. (2022) *Hemodialysis*. StatPearls Publishing Treasure Island (FL).
- Ren, J. and Dai, C. (2020) 'Pathophysiology of Chronic Kidney Disease', in *Chronic Kidney Disease*. Singapore: Springer Singapore, pp. 13–32. Available at: https://doi.org/10.1007/978-981-32-9131-7_2.
- Wojtowicz-Prus, E. *et al.* (2015) 'Disturbed skin barrier in children with chronic kidney disease', *Pediatric Nephrology*, 30(2), pp. 333–338. Available at: <https://doi.org/10.1007/s00467-014-2932-2>.

- Faizah M.U and Suastri. (2021). Efek Samping Tindakan Hemodialisis pada Pasien *Chronic Kidney Disease (CKD)* dengan *Aloe Vera*. Vol 5(1): 75-82. Available at: <http://jurnal.umt.ac.id/index.php/jjk/index>. ISSN: 2580-3077
- Handriani R, Agustina W. (2020). Aloe Vera Extract 75% Effective in Providing Xerosis Repair In Chronic Kidney Failure Pasien's, Available at:<http://creativecommons.org/licenses/by-sa/4.0/>.DOI:10.26699/jnk.v7i3.ART.p415-420
- Polena H, Chavagnac-Bonneville M, Sayag M. (2022). Improvement of Quality of Life in Dialysis and Diabetic Patients by Skin Dryness and Pruritus Management with an Ecobiological Dermo-Cosmetic Product. *Clin Cosmet Investig Dermatol*. 2022;15:2143-2152
- Baalham, P. et al. (2011) 'Xerosis of the feet: At citolem tpwaora-dtievcek study on the effectiveness of two moisturizers', *British Journal of Community Nursing*, 16(12), pp. 591–597. doi: 10.12968/bjcn.2011.16.12.591.
- Bianti M. (2016). Kulit Kering pada Usia Lanjut. Universitas Indonesia Jakarta: CME. 43(10):737–40
- Castello, M. dan Milani, M. (2011) "Efficacy of topical hydrating and emollient lotion containing 10% urea ISDIN® plus dexpanthenol (Ureadin Rx 10) in the treatment of skin xerosis and pruritus in hemodialyzed patients: An open prospective pilot trial," *Giornale Italiano di Dermatologia e Venereologia*, 146(5), hal. 321–325.
- Piquero-Casals, J. et al. (2021) "Urea in Dermatology: A Review of its Emollient, Moisturizing, Keratolytic, Skin Barrier Enhancing and Antimicrobial Properties," *Dermatol Ther (Heidelb)*, 11(6), hal. 1905–1915.
- Karim, U.N., Zakiyah dan Berahmana, M.S. (2021) "Quality of Life of Chronic Kidney Failure Patients Undergoing Hemodialysis Therapy in Omni Hospital Pulomas Jakarta: Social and Psychological Perspective" *The 8th International Conference on Public Health Solo, Indonesia, November 17-18, 2021*, hal. 386. Tersedia pada: <https://doi.org/10.26911/ICPHepidemiology.FP.08.2021.18>.
- Tong, A. et al. 2022. "Nephrologists' Perspectives on Gender Disparities in CKD and Dialysis," *Kidney International Reports*, 7(3), hal. 424–435. <https://doi.org/10.1016/j.ekir.2021.10.022>.
- Hustrini, N.M., Susalit, E. dan Rotmans, J.I. 2022. "Prevalence and risk factors for chronic kidney disease in Indonesia: An analysis of the National Basic Health Survey 2018" *Journal of Global Health*, 12, hal. 1–10. <https://doi.org/10.7189/jogh.12.04071>.
- Risikesdas.Depkes.go.id.(2018).<http://www.depkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf>.

- Cobos-Moreno, P. et al. (2021) 'Influence of creams with different urea concentrations on plantar skin hydration', *Journal of Tissue Viability*, 30(4), pp. 608–611. doi: 10.1016/j.jtv.2021.05.001.
- Kadir, A. (2018) 'Hubungan Patofisiologi Hipertensi dan Hipertensi Renal', *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 5(1), p. 15. doi: 10.30742/jikw.v5i1.2.
- Dwiyana, R. F. et al. (2023) 'Characteristics of Xerosis, Pruritus, and Pallor in Stage 5 Chronic Kidney Disease Patients Undergoing Hemodialysis at Dr. Hasan Sadikin General Hospital, Bandung', *Clinical, Cosmetic and Investigational Dermatology*, 16(June), pp. 2613–2621. doi: 10.2147/CCID.S418776.
- Nasir, A. and Shehzad, A. (2017) 'Dermatological manifestations in patients with chronic kidney disease on regular hemodialysis', *Journal of Pakistan Association of Dermatologists*, 27(3), pp. 263–269. doi: 10.18203/issn.2455-4529.intjresdermatol20210576.
- Pan, M. *et al.* (2013) "Urea: A comprehensive review of the clinical literature," *Dermatology Online Journal*, 19(11). <https://doi.org/10.5070/D31911020392>.
- Laneri, S., Di Lorenzo, R., & Bernardi, A. (2020). Aloe barbadensis: a plant of nutria cosmetic Interest. *Natural product Communications*, 16. doi: 10.1177/1934578X20932744 Diakses pada Juli 2022, <https://journals.sagepub.com/doi/full/10.1177/1934578X20932744>.

LAMPIRAN: DOKUMENTASI















TAHAPAN PEMBUATAN *ALOE VERA* CREAM 20%



Alat dan Bahan





Massa Aloe vera 30%




Penimbangan *Aloe vera* cream 30%




Sediaan *aloe vera* cream 30%

TAHAPAN PEMBUATAN UREA CREAM 20%



Zat aktif urea



Penimbangan bahan fase air



Penimbangan bahan fase minyak



Pencampuran setelah peleburan



Massa urea cream yang sudah homogen



Urea cream 20%

Statistics

A U	M0	M0	M0	M0	M0	M0	M1
U N V	1	2	3	4	2	3	4
U N V	35	35	35	35	35	35	35
r e a							
Valid							
Missing	0	0	0	0	0	0	0
Mean	10.6829	17.143	25.900	34.2657	6.7314	15.217	23.5829
Std. Deviation	6.31983	8.73250	10.24810	9.4475	4.96806	6.8364	7.26913
Minimum	-40	-10	280	980	-60	-20	4.40

Maximum	27.40	34.50	42.80	49.80	14.00	23.40	37.70
ANV I o e	35	35	35	35	35	35	35
Valid							
Missing	0	0	0	0	0	0	0
Mean	21.3486	20.1829	27.0629	37.5457	-1.1616	5.7143	16.1971
Std. Deviation	53.74583	8.66944	10.2503	11.49971	53.8471	54.7874	55.85193
Minimum	-0.40	.80	8.00	17.30	-30.10	-30.80	-30.80
Maximum	32.750	44.00	50.30	63.00	16.60	25.60	43.30

Frequency Table

A_U		M0_1				
		Frequency	Percent	Valid Percent	Cumulative Percent	
Urea	Valid	-4.40	1	2.9	2.9	2.9
		1.00	1	2.9	2.9	5.7
		1.80	1	2.9	2.9	8.6
		2.50	1	2.9	2.9	11.4
		3.50	1	2.9	2.9	14.3
		5.40	1	2.9	2.9	17.1
		5.50	1	2.9	2.9	20.0
		6.80	1	2.9	2.9	22.9
		7.40	1	2.9	2.9	25.7
		7.50	1	2.9	2.9	28.6
		8.20	1	2.9	2.9	31.4
		8.40	1	2.9	2.9	34.3
		8.60	1	2.9	2.9	37.1
		9.10	1	2.9	2.9	40.0
		9.20	1	2.9	2.9	42.9
		10.20	1	2.9	2.9	45.7
		10.30	1	2.9	2.9	48.6
		10.80	2	5.7	5.7	54.3
		10.90	1	2.9	2.9	57.1
		11.00	1	2.9	2.9	60.0
11.50	1	2.9	2.9	62.9		
11.50	1	2.9	2.9	65.7		
11.80	1	2.9	2.9	68.6		

		12.60	1	2.9	2.9	71.4
		12.90	1	2.9	2.9	74.3
		14.40	1	2.9	2.9	77.1
		14.70	1	2.9	2.9	80.0
		17.00	1	2.9	2.9	82.9
		17.70	1	2.9	2.9	85.7
		18.00	1	2.9	2.9	88.6
		18.80	1	2.9	2.9	91.4
		19.20	1	2.9	2.9	94.3
		21.90	1	2.9	2.9	97.1
		27.40	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-.40	1	2.9	2.9	2.9
		2.00	1	2.9	2.9	5.7
		3.20	1	2.9	2.9	8.6
		3.50	1	2.9	2.9	11.4
		3.60	1	2.9	2.9	14.3
		4.30	1	2.9	2.9	17.1
		6.40	1	2.9	2.9	20.0
		7.00	1	2.9	2.9	22.9
		7.70	1	2.9	2.9	25.7
		7.80	1	2.9	2.9	28.6
		9.50	1	2.9	2.9	31.4
		10.20	1	2.9	2.9	34.3
		10.70	1	2.9	2.9	37.1
		11.00	1	2.9	2.9	40.0
		11.10	1	2.9	2.9	42.9
		11.70	1	2.9	2.9	45.7

11.90	1	2.9	2.9	48.6
12.00	1	2.9	2.9	51.4
12.60	1	2.9	2.9	54.3
12.80	1	2.9	2.9	57.1
13.20	1	2.9	2.9	60.0
13.50	1	2.9	2.9	62.9
13.60	1	2.9	2.9	65.7
14.50	1	2.9	2.9	68.6
14.70	1	2.9	2.9	71.4
16.10	1	2.9	2.9	74.3
16.40	1	2.9	2.9	77.1
17.00	1	2.9	2.9	80.0
17.30	1	2.9	2.9	82.9
20.00	1	2.9	2.9	85.7
20.20	1	2.9	2.9	88.6
24.40	1	2.9	2.9	91.4
25.50	1	2.9	2.9	94.3
34.70	1	2.9	2.9	97.1
327.50	1	2.9	2.9	100.0
Total	35	100.0	100.0	

M0_4

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	9.80	1	2.9	2.9	2.9
		18.40	1	2.9	2.9	5.7
		19.30	1	2.9	2.9	8.6
		21.90	1	2.9	2.9	11.4
		25.50	1	2.9	2.9	14.3
		26.10	1	2.9	2.9	17.1
		26.50	1	2.9	2.9	20.0
		26.60	1	2.9	2.9	22.9
		27.20	1	2.9	2.9	25.7
		28.80	1	2.9	2.9	28.6
		29.30	1	2.9	2.9	31.4
		29.50	1	2.9	2.9	34.3
		30.60	1	2.9	2.9	37.1
		31.60	1	2.9	2.9	40.0
		32.20	1	2.9	2.9	42.9
		32.90	1	2.9	2.9	45.7
		34.20	1	2.9	2.9	48.6
		35.40	1	2.9	2.9	51.4
		36.10	1	2.9	2.9	54.3
		36.60	2	5.7	5.7	60.0
		37.10	1	2.9	2.9	62.9
37.50	1	2.9	2.9	65.7		
37.60	1	2.9	2.9	68.6		
38.10	1	2.9	2.9	71.4		
39.30	1	2.9	2.9	74.3		

		42.30	1	2.9	2.9	77.1
		43.10	1	2.9	2.9	80.0
		44.20	1	2.9	2.9	82.9
		45.70	1	2.9	2.9	85.7
		46.30	1	2.9	2.9	88.6
		46.80	1	2.9	2.9	91.4
		47.10	1	2.9	2.9	94.3
		49.30	1	2.9	2.9	97.1
		49.80	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	17.30	1	2.9	2.9	2.9
		18.30	1	2.9	2.9	5.7
		20.60	1	2.9	2.9	8.6
		21.10	1	2.9	2.9	11.4
		25.30	1	2.9	2.9	14.3
		25.40	1	2.9	2.9	17.1
		26.70	1	2.9	2.9	20.0
		28.80	1	2.9	2.9	22.9
		29.40	1	2.9	2.9	25.7
		30.30	1	2.9	2.9	28.6
		31.00	1	2.9	2.9	31.4
		31.90	1	2.9	2.9	34.3
		32.80	1	2.9	2.9	37.1
		34.50	1	2.9	2.9	40.0
		35.00	1	2.9	2.9	42.9
		35.30	1	2.9	2.9	45.7
		35.80	1	2.9	2.9	48.6
		35.90	1	2.9	2.9	51.4

36.40	1	2.9	2.9	54.3
36.50	1	2.9	2.9	57.1
37.80	1	2.9	2.9	60.0
39.80	1	2.9	2.9	62.9
44.90	1	2.9	2.9	65.7
45.30	1	2.9	2.9	68.6
45.30	1	2.9	2.9	71.4
45.70	1	2.9	2.9	74.3
46.00	1	2.9	2.9	77.1
47.60	1	2.9	2.9	80.0
49.90	1	2.9	2.9	82.9
50.20	1	2.9	2.9	85.7
51.00	1	2.9	2.9	88.6
52.90	1	2.9	2.9	91.4
53.10	1	2.9	2.9	94.3
53.30	1	2.9	2.9	97.1
63.00	1	2.9	2.9	100.0
Total	35	100.0	100.0	

M1_2

A_U		Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-8.60	1	2.9	2.9
		-1.80	1	2.9	5.7
		-1.30	1	2.9	8.6
		-.90	1	2.9	11.4
		.10	1	2.9	14.3
		2.70	1	2.9	17.1
		3.00	2	5.7	22.9
		4.30	1	2.9	25.7
		4.40	1	2.9	28.6
		4.90	1	2.9	31.4
		5.00	1	2.9	34.3
		5.10	1	2.9	37.1
		5.70	1	2.9	40.0
		6.50	1	2.9	42.9
		7.10	1	2.9	45.7
		7.50	1	2.9	48.6
		7.80	1	2.9	51.4
		7.90	1	2.9	54.3
		8.10	1	2.9	57.1
		9.10	1	2.9	60.0
		9.40	1	2.9	62.9

		9.90	1	2.9	2.9	65.7
		10.40	1	2.9	2.9	68.6
		10.70	1	2.9	2.9	71.4
		10.90	1	2.9	2.9	74.3
		11.00	3	8.6	8.6	82.9
		11.10	1	2.9	2.9	85.7
		11.20	1	2.9	2.9	88.6
		11.40	2	5.7	5.7	94.3
		12.60	1	2.9	2.9	97.1
		14.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-309.10	1	2.9	2.9	2.9
		-6.40	1	2.9	2.9	5.7
		-2.70	1	2.9	2.9	8.6
		-1.00	1	2.9	2.9	11.4
		-.80	1	2.9	2.9	14.3
		.10	1	2.9	2.9	17.1
		4.30	1	2.9	2.9	20.0
		4.50	1	2.9	2.9	22.9
		4.90	1	2.9	2.9	25.7
		5.50	1	2.9	2.9	28.6
		5.60	1	2.9	2.9	31.4
		6.20	1	2.9	2.9	34.3
		6.40	1	2.9	2.9	37.1
		6.90	1	2.9	2.9	40.0
		7.10	1	2.9	2.9	42.9
		7.40	1	2.9	2.9	45.7
		7.90	2	5.7	5.7	51.4

8.90	1	2.9	2.9	54.3
9.30	1	2.9	2.9	57.1
9.30	1	2.9	2.9	60.0
9.40	1	2.9	2.9	62.9
9.80	1	2.9	2.9	65.7
10.90	1	2.9	2.9	68.6
11.30	1	2.9	2.9	71.4
12.00	1	2.9	2.9	74.3
12.40	1	2.9	2.9	77.1
12.70	1	2.9	2.9	80.0
12.80	1	2.9	2.9	82.9
12.80	2	5.7	5.7	88.6
13.40	1	2.9	2.9	91.4
13.90	1	2.9	2.9	94.3
16.20	1	2.9	2.9	97.1
16.60	1	2.9	2.9	100.0
Total	35	100.0	100.0	

M2_3

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-4.20	1	2.9	2.9	2.9
		-3.30	1	2.9	2.9	5.7
		-.60	1	2.9	2.9	8.6
		.00	1	2.9	2.9	11.4
		.30	1	2.9	2.9	14.3
		1.30	1	2.9	2.9	17.1
		3.90	1	2.9	2.9	20.0
		4.90	1	2.9	2.9	22.9
		5.30	1	2.9	2.9	25.7
		7.70	2	5.7	5.7	31.4
		7.90	1	2.9	2.9	34.3
		8.20	1	2.9	2.9	37.1
		8.40	1	2.9	2.9	40.0
		8.40	1	2.9	2.9	42.9
		8.90	1	2.9	2.9	45.7
		9.20	1	2.9	2.9	48.6
		9.40	1	2.9	2.9	51.4
		9.70	1	2.9	2.9	54.3
		10.40	1	2.9	2.9	57.1
		10.60	1	2.9	2.9	60.0
		10.70	1	2.9	2.9	62.9
10.70	1	2.9	2.9	65.7		
10.90	1	2.9	2.9	68.6		
11.30	1	2.9	2.9	71.4		
12.00	2	5.7	5.7	77.1		

		12.40	1	2.9	2.9	80.0
		13.10	1	2.9	2.9	82.9
		13.20	1	2.9	2.9	85.7
		13.60	1	2.9	2.9	88.6
		14.90	1	2.9	2.9	91.4
		15.30	1	2.9	2.9	94.3
		15.60	1	2.9	2.9	97.1
		17.20	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-6.60	1	2.9	2.9	2.9
		-3.80	1	2.9	2.9	5.7
		-3.70	1	2.9	2.9	8.6
		.00	1	2.9	2.9	11.4
		.60	1	2.9	2.9	14.3
		1.70	1	2.9	2.9	17.1
		1.80	1	2.9	2.9	20.0
		3.30	1	2.9	2.9	22.9
		3.60	1	2.9	2.9	25.7
		3.70	1	2.9	2.9	28.6
		3.80	1	2.9	2.9	31.4
		4.30	1	2.9	2.9	34.3
		5.30	1	2.9	2.9	37.1
		5.50	1	2.9	2.9	40.0
		6.10	1	2.9	2.9	42.9
		6.30	1	2.9	2.9	45.7
		7.90	1	2.9	2.9	48.6
		8.90	1	2.9	2.9	51.4
		9.00	1	2.9	2.9	54.3

9.80	3	8.6	8.6	62.9
9.80	1	2.9	2.9	65.7
9.90	1	2.9	2.9	68.6
10.50	1	2.9	2.9	71.4
10.60	1	2.9	2.9	74.3
10.90	1	2.9	2.9	77.1
11.10	1	2.9	2.9	80.0
11.20	1	2.9	2.9	82.9
12.10	1	2.9	2.9	85.7
12.50	1	2.9	2.9	88.6
12.70	1	2.9	2.9	91.4
12.90	1	2.9	2.9	94.3
13.70	1	2.9	2.9	97.1
15.80	1	2.9	2.9	100.0
Total	35	100.0	100.0	

M3_4

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-7.10	1	2.9	2.9	2.9
		-7.00	1	2.9	2.9	5.7
		-2.80	1	2.9	2.9	8.6
		-2.00	1	2.9	2.9	11.4
		-1.50	1	2.9	2.9	14.3
		-.80	1	2.9	2.9	17.1
		.70	1	2.9	2.9	20.0
		.70	1	2.9	2.9	22.9
		4.60	1	2.9	2.9	25.7
		4.80	1	2.9	2.9	28.6
		4.90	1	2.9	2.9	31.4
		5.40	1	2.9	2.9	34.3
		6.20	1	2.9	2.9	37.1
		7.00	2	5.7	5.7	42.9
		7.80	1	2.9	2.9	45.7
		8.90	1	2.9	2.9	48.6
		9.50	2	5.7	5.7	54.3
		9.60	1	2.9	2.9	57.1
		9.70	1	2.9	2.9	60.0
		10.70	2	5.7	5.7	65.7
11.10	1	2.9	2.9	68.6		
12.00	1	2.9	2.9	71.4		
12.60	1	2.9	2.9	74.3		
13.80	1	2.9	2.9	77.1		
15.20	1	2.9	2.9	80.0		

		16.50	1	2.9	2.9	82.9
		17.00	1	2.9	2.9	85.7
		17.20	1	2.9	2.9	88.6
		17.70	1	2.9	2.9	91.4
		18.30	1	2.9	2.9	94.3
		22.20	1	2.9	2.9	97.1
		22.70	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-10.50	1	2.9	2.9	2.9
		-4.80	1	2.9	2.9	5.7
		-3.80	1	2.9	2.9	8.6
		.20	1	2.9	2.9	11.4
		3.00	2	5.7	5.7	17.1
		4.00	1	2.9	2.9	20.0
		4.10	1	2.9	2.9	22.9
		5.80	1	2.9	2.9	25.7
		5.90	1	2.9	2.9	28.6
		6.20	1	2.9	2.9	31.4
		6.30	1	2.9	2.9	34.3
		6.90	1	2.9	2.9	37.1
		7.10	1	2.9	2.9	40.0
		7.70	1	2.9	2.9	42.9
		7.80	1	2.9	2.9	45.7
		9.00	1	2.9	2.9	48.6
		11.20	1	2.9	2.9	51.4
		12.70	1	2.9	2.9	54.3
		13.30	1	2.9	2.9	57.1
		13.60	1	2.9	2.9	60.0

14.00	1	2.9	2.9	62.9
14.90	1	2.9	2.9	65.7
15.10	1	2.9	2.9	68.6
15.70	1	2.9	2.9	71.4
16.30	1	2.9	2.9	74.3
17.40	1	2.9	2.9	77.1
17.70	1	2.9	2.9	80.0
18.00	1	2.9	2.9	82.9
18.00	1	2.9	2.9	85.7
19.60	1	2.9	2.9	88.6
20.70	1	2.9	2.9	91.4
21.40	1	2.9	2.9	94.3
22.90	1	2.9	2.9	97.1
26.50	1	2.9	2.9	100.0
Total	35	100.0	100.0	

ODS_0

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	1.00	13	37.1	37.1	37.1
		2.00	21	60.0	60.0	97.1
		3.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	1.00	13	37.1	37.1	37.1
		2.00	21	60.0	60.0	97.1
		3.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	

ODS_1

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	.00	11	31.4	31.4	31.4
		1.00	23	65.7	65.7	97.1
		2.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	.00	11	31.4	31.4	31.4
		1.00	23	65.7	65.7	97.1
		2.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	

ODS_2

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	.00	34	97.1	97.1	97.1
		1.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	
Aloe	Valid	.00	34	97.1	97.1	97.1
		1.00	1	2.9	2.9	100.0
		Total	35	100.0	100.0	

ODS_3

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	.00	35	100.0	100.0	100.0
Aloe	Valid	.00	35	100.0	100.0	100.0

ODS_4

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	.00	35	100.0	100.0	100.0
Aloe	Valid	.00	35	100.0	100.0	100.0

ODS0_1

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-2.00	1	2.9	2.9	2.9
		-1.00	31	88.6	88.6	91.4
		.00	3	8.6	8.6	100.0

		Total	35	100.0	100.0	
Aloe	Valid	-2.00	1	2.9	2.9	2.9
		-1.00	31	88.6	88.6	91.4
		.00	3	8.6	8.6	100.0
		Total	35	100.0	100.0	

ODS1_2

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-1.00	24	68.6	68.6	68.6
		.00	11	31.4	31.4	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-1.00	24	68.6	68.6	68.6
		.00	11	31.4	31.4	100.0
		Total	35	100.0	100.0	

ODS1_3

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-2.00	1	2.9	2.9	2.9
		-1.00	23	65.7	65.7	68.6
		.00	11	31.4	31.4	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-2.00	1	2.9	2.9	2.9
		-1.00	23	65.7	65.7	68.6
		.00	11	31.4	31.4	100.0
		Total	35	100.0	100.0	

Total	35	100.0	100.0
-------	----	-------	-------

ODS1_4

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-2.00	1	2.9	2.9	2.9
		-1.00	23	65.7	65.7	68.6
		.00	11	31.4	31.4	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-2.00	1	2.9	2.9	2.9
		-1.00	23	65.7	65.7	68.6
		.00	11	31.4	31.4	100.0
		Total	35	100.0	100.0	

ODS2_3

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-1.00	1	2.9	2.9	2.9
		.00	34	97.1	97.1	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-1.00	1	2.9	2.9	2.9
		.00	34	97.1	97.1	100.0
		Total	35	100.0	100.0	

ODS2_4

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	-1.00	1	2.9	2.9	2.9
		.00	34	97.1	97.1	100.0
		Total	35	100.0	100.0	
Aloe	Valid	-1.00	1	2.9	2.9	2.9
		.00	34	97.1	97.1	100.0
		Total	35	100.0	100.0	

ODS3_4

A_U			Frequency	Percent	Valid Percent	Cumulative Percent
Urea	Valid	.00	35	100.0	100.0	100.0
Aloe	Valid	.00	35	100.0	100.0	100.0

Mann-Whitney Test

Ranks

	A_U	N	Mean Rank	Sum of Ranks
M0_1	Urea	35	32.51	1138.00
	Aloe	35	38.49	1347.00
	Total	70		
M0_2	Urea	35	32.37	1133.00
	Aloe	35	38.63	1352.00
	Total	70		
M0_3	Urea	35	34.26	1199.00
	Aloe	35	36.74	1286.00

	Total	70		
M0_4	Urea	35	33.06	1157.00
	Aloe	35	37.94	1328.00
	Total	70		
M1_2	Urea	35	33.51	1173.00
	Aloe	35	37.49	1312.00
	Total	70		
M1_3	Urea	35	36.60	1281.00
	Aloe	35	34.40	1204.00
	Total	70		
M1_4	Urea	35	34.23	1198.00
	Aloe	35	36.77	1287.00
	Total	70		
M2_3	Urea	35	38.29	1340.00
	Aloe	35	32.71	1145.00
	Total	70		
M2_4	Urea	35	34.79	1217.50
	Aloe	35	36.21	1267.50
	Total	70		
M3_4	Urea	35	32.96	1153.50
	Aloe	35	38.04	1331.50
	Total	70		
ODS_0	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS_1	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		

ODS_2	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS_3	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS_4	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS0_1	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS0_2	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS_0_3	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS0_4	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS1_2	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS1_3	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS1_4	Urea	35	35.50	1242.50

	Aloe	35	35.50	1242.50
	Total	70		
ODS2_3	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS2_4	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		
ODS3_4	Urea	35	35.50	1242.50
	Aloe	35	35.50	1242.50
	Total	70		

Statistics

Kat HD			aloe0_4	Urea0_4
< 3 bulan	N	Valid	7	7
		Missing	0	0
	Mean		38.3143	33.6143
	Std. Deviation		12.46026	9.50902
	Minimum		25.30	19.30
	Maximum		63.00	49.30
> 3 bulan	N	Valid	28	28
		Missing	0	0
	Mean		37.3536	34.4286
	Std. Deviation		11.26116	9.60053
	Minimum		17.30	9.80
	Maximum		53.30	49.80

Ranks

	Kat_HD	N	Mean Rank	Sum of Ranks
aloe0_4	< 3 bulan	7	17.00	119.00
	> 3 bulan	28	18.25	511.00
	Total	35		
Urea0_4	< 3 bulan	7	17.43	122.00
	> 3 bulan	28	18.14	508.00
	Total	35		

Test Statistics^a

	aloe0_4	Urea0_4
Mann-Whitney U	91.000	94.000
Wilcoxon W	119.000	122.000
Z	-.289	-.165
Asymp. Sig. (2-tailed)	.773	.869
Exact Sig. [2*(1-tailed Sig.)]	.793 ^b	.888 ^b



REKOMENDASI PERSETUJUAN ETIK

Nomor : 45/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 17 Januari 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH23120893	No Sponsor	
Peneliti Utama	dr. Nur Hikmah Fajriani	Sponsor	
Judul Peneliti	Perbandingan Efektivitas Topikal Aloe Vera Cream 30% dengan Urea Cream 20% pada Tatalaksana Xerosis Cutis dengan Subjek Penyakit Ginjal Kronik di RS Wahidin Sudirohusodo dan RS Jejaringnya di Makassar		
No Versi Protokol	2	Tanggal Versi	15 Januari 2024
No Versi PSP	2	Tanggal Versi	15 Januari 2024
Tempat Penelitian	RSUP dr. Wahidin Sudirohusodo dan RS Jejaring Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 17 Januari 2024 sampai 17 Januari 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan