

DAFTAR PUSTAKA

- [1] N. Zheng *et al.*, “Health risk assessment of heavy metals in street dust around a zinc smelting plant in China based on bioavailability and bioaccessibility,” *Ecotoxicol Environ Saf*, vol. 197, Jul. 2020, doi: 10.1016/j.ecoenv.2020.110617.
- [2] C. Gallagher, E. Kerr, and S. McFadden, “Particle size distribution for additive manufacturing powder using stereological corrections,” *Powder Technol*, vol. 429, Nov. 2023, doi: 10.1016/j.powtec.2023.118873.
- [3] F. Nan, F. ming Cheng, Z. min Luo, J. yi Wang, X. kun Chen, and Y. Xiao, “Characteristics of dust explosion venting pressure and flame under high activation pressure,” *J Loss Prev Process Ind*, vol. 84, Sep. 2023, doi: 10.1016/j.jlp.2023.105108.
- [4] B. Farr, X. Wang, J. Goree, I. Hahn, U. Israelsson, and M. Horányi, “Dust mitigation technology for lunar exploration utilizing an electron beam,” *Acta Astronaut*, vol. 177, pp. 405–409, Dec. 2020, doi: 10.1016/j.actaastro.2020.08.003.
- [5] S. A. Mallios, V. Daskalopoulou, and V. Amiridis, “Modeling of the electrical interaction between desert dust particles and the Earth’s atmosphere,” *J Aerosol Sci*, vol. 165, Sep. 2022, doi: 10.1016/j.jaerosci.2022.106044.
- [6] Beydoun, M., and Jean, M.G., (2019), “Vehicle characteristic and emissions: logit and regression analysis of I/M data from Massachusetts, Maryland and Illinois” *Transportation Research, Part D*, Vol. 11 pp.59-76.
- [7] E. Sarver, C. Keles, and M. Rezaee, “Characteristics of respirable dust in eight appalachian coal mines: A dataset including particle size and mineralogy distributions, and metal and trace element mass concentrations,” *Data Brief*, vol. 25, Aug. 2019, doi: 10.1016/j.dib.2019.104032.
- [8] C. Wippich, D. Koppisch, K. Pitzke, and D. Breuer, “Estimating cobalt exposure in respirable dust from cobalt in inhalable dust,” *Int J Hyg Environ Health*, vol. 242, May 2022, doi: 10.1016/j.ijheh.2022.113965.
- [9] J. Howard, J. Weyhrauch, G. Loriaux, B. Schultz, and M. Baskaran, “Contributions of artifactual materials to the toxicity of anthropogenic soils and street dusts in a highly urbanized terrain,” *Environmental Pollution*, vol. 255, Dec. 2019, doi: 10.1016/j.envpol.2019.113350.
- [10] Z. Zhao, P. Chang, G. Xu, A. Ghosh, and R. Morla, “Experimental study of surfactants’ performance for suppressing coal dust with respirable size,” *Fuel*, vol. 352, Nov. 2023, doi: 10.1016/j.fuel.2023.129035.

- [11] Hwang, K. P., Tseng, P., (2019) CO₂ emission: status, reduction policy and management strategy of Taiwan's transportation sector. *Proceeding of the Eastern Asia Society for Transportation Studies*, Vol. 6.
- [12] G. Li, J. Hu, and S. Chen, "A review of dust control/removal methods in metal mines in China," *Powder Technology*, vol. 430. Elsevier B.V., Dec. 01, 2023. doi: 10.1016/j.powtec.2023.119035.
- [13] X. Zhang *et al.*, "Pollution sources of atmospheric fine particles and secondary aerosol characteristics in Beijing," *J Environ Sci (China)*, vol. 95, pp. 91–98, Sep. 2020, doi: 10.1016/j.jes.2020.04.002.
- [14] B. Švédová *et al.*, "Variation of the chemical composition of street dust in a highly industrialized city in the interval of ten years," *J Environ Manage*, vol. 267, Aug. 2020, doi: 10.1016/j.jenvman.2020.110506.
- [15] K. Adachi *et al.*, "Composition and mixing state of individual aerosol particles from northeast Greenland and Svalbard in the Arctic during spring 2018," *Atmos Environ*, vol. 314, p. 120083, Dec. 2023, doi: 10.1016/j.atmosenv.2023.120083.
- [16] X. Yang *et al.*, "Particle size distributions and health risks of polychlorinated dibenzo-p-dioxin/furans, polychlorinated biphenyls, and polychlorinated naphthalenes in atmospheric particles around two secondary copper smelters in Shandong Province, China," *Chemosphere*, vol. 269, Apr. 2021, doi: 10.1016/j.chemosphere.2020.128742.
- [17] Z. H. Li *et al.*, "Long-term air pollution exposure, habitual physical activity, and incident chronic kidney disease," *Ecotoxicol Environ Saf*, vol. 265, Oct. 2023, doi: 10.1016/j.ecoenv.2023.115492.
- [18] X. Ma *et al.*, "Simultaneous inversion of dust aerosol complex refractive index and particle morphology with measurement of aerosol Stokes parameters," *Opt Lasers Eng*, vol. 171, Dec. 2023, doi: 10.1016/j.optlaseng.2023.107822.
- [19] Kurnia, L & Soedjajadi, K. (2019). Analisis Risiko Paparan Debu PM2,5 Terhadap Kejadian Penyakit Paru Obstruktif Kronis pada Pekerja Bagian Boiler Perusahaan Lem di Probolinggo. *Jurnal Kesehatan Lingkungan*. 7(2), 118-125.
- [20] Hester, R & Harrison, R. (2019). *Airbone Particulate Matter Sources Atmospheric Processes and Health*. 42(2)
- [21] Y. Shi *et al.*, "Atmospheric aerosol particle size distribution from Lidar data based on the lognormal distribution mode," *Heliyon*, vol. 8, no. 8, Aug. 2022, doi: 10.1016/j.heliyon.2022.09975.

- [22] S. Bolegenova *et al.*, “The use of plasma technologies to optimize fuel combustion processes and reduce emissions of harmful substances,” *Energy*, vol. 277, Aug. 2023, doi: 10.1016/j.energy.2023.127635.
- [23] W. Li, L. Shao, H. Geng, G. S. Casuccio, and J. Gao, “Computer-controlled scanning electron microscope: Methodologies and application scenarios in atmospheric particle research,” *Science of the Total Environment*, vol. 885. Elsevier B.V., Aug. 10, 2023. doi: 10.1016/j.scitotenv.2023.163651.
- [24] Z. Chen, X. Gao, and J. Lei, “Dust emission and transport in the Aral Sea region,” *Geoderma*, vol. 428, Dec. 2022, doi: 10.1016/j.geoderma.2022.116177.
- [25] Y. Wang, K. Yao, X. Fu, X. Zhai, L. Jin, and H. Guo, “Size-resolved exposure risk and subsequent role of environmentally persistent free radicals (EPFRs) from atmospheric particles,” *Atmos Environ*, vol. 276, May 2022, doi: 10.1016/j.atmosenv.2022.119059.
- [26] T. Peng *et al.*, “Comprehensive assessment of soil and dust heavy metal(loid)s exposure scenarios at residential playgrounds in Beijing, China,” *Science of the Total Environment*, vol. 887, Aug. 2023, doi: 10.1016/j.scitotenv.2023.164144.
- [27] Y. yun Chen, M. Xu, and Y. yi Chen, “Measurement of atmospheric particle number density fluctuations based on moiré deflectometry,” *Optik (Stuttg)*, vol. 268, Oct. 2022, doi: 10.1016/j.ijleo.2022.169836.
- [28] Pacyna, J. M. (1986). Atmospheric trace elements from natural and anthropogenic sources. *Toxic metals in the atmosphere*, 33-52.
- [29] Hulett Jr, L., Weinberger, A., Northcutt, K., & Ferguson, M. (1980). Chemical species in fly ash from coal-burning power plants. *Science*, 210(4476), 1356-1358.
- [30] Eivazzadeh, M., Hassanvand, M. S., Faridi, S., & Gholampour, A. (2021). Source apportionment and deposition of dustfall-bound trace elements around Tabriz, Iran. *Environmental Science and Pollution Research*, 1-13.

LAMPIRAN

Lampiran 1. Pengambilan Sampel



Lampiran 2. Penimbangan Sampel



Lampiran 3 Proses XRF (*X-Ray Fluorescence*)



Lampiran 4. Hasil Uji XRF (*X-Ray Fluorescence*)

No	Kode Sample	Kadar (%)								
		Ni	Fe	SiO ₂	MgO	Al ₂ O ₃	Co	CaO	MnO	Cr ₂ O ₃
1	BTP 30	0.05	5.21	40.27	24.77	3.98	0.00	0.76	0.00	0.00
2	30 P.2	0.05	5.52	40.27	22.24	4.00	0.00	1.08	0.00	0.00
3	30 PERINTIS	0.05	7.43	39.27	23.73	4.90	0.00	4.39	0.03	0.00

No	Kode Sample	Kadar (%)									
		Ni	Fe	SiO ₂	MgO	Al ₂ O ₃	Co	CaO	MnO	Cr ₂ O ₃	TiO ₂
1	10 P.2	0.05	6.04	41.50	20.64	4.14	0.00	1.35	0.00	0.00	0.84
2	PERINTIS 10	0.05	8.15	39.83	23.59	4.87	0.01	5.37	0.04	0.00	1.55
3	10 BTP	0.05	6.04	41.11	22.37	4.60	0.00	1.05	0.00	0.00	0.62