

REFERENSI

1. Bettany-Saltikov J, Weiss HR, Chockalingam N, Taranu R, Srinivas S, Hogg J, et al. Surgical versus non-surgical interventions in people with adolescent idiopathic scoliosis. Cochrane Back and Neck Group, editor. Cochrane database of systematic reviews [Internet]. 2015 Apr 24 [cited 2023 Jan 19]; Available from: <https://doi.wiley.com/10.1002/14651858.CD010663.pub2>
2. Kluba T, Dikmenli G, Dietz K, Giehl JP, Niemeyer T. Comparison of surgical and conservative treatment for degenerative lumbar scoliosis. *Arch Orthop Trauma Surg.* 2009 Jan;129(1):1–5.
3. Cristante AF, Silva RT e, Costa GHR da, Marcon RM. Escoliose degenerativa do adulto. *Rev Bras Ortop (Sao Paulo).* 2021 Feb;56(01):001–8.
4. Cho KJ, Kim YT, Shin SH, Suk SI. Surgical treatment of adult degenerative scoliosis. *Asian Spine J.* 2014 Jun;8(3):371-81.
5. York PJ, Kim HJ. Degenerative Scoliosis. *Curr Rev Musculoskelet Med.* 2017 Dec;10(4):547–58.
6. Faraj SSA, Haanstra TM, Martijn H, de Kleuver M, van Royen BJ. Functional outcome of non-surgical and surgical management for de novo degenerative lumbar scoliosis: a mean follow-up of 10 years. *Scoliosis.* 2017 Dec;12(1):35.
7. Carreon LY, Glassman SD, Yanik EL, Kelly MP, Lurie JD, Bridwell KH. Differences in functional treadmill tests in patients with adult symptomatic lumbar scoliosis treated operatively and nonoperatively. *Spine.* 2020 Nov 15;45(22):E1476–82.
8. Bridwell KH, Glassman S, Horton W, Shaffrey C, Schwab F, Zebala LP, et al. Does treatment (nonoperative and operative) improve the two-year quality of life in patients with adult symptomatic lumbar scoliosis: a prospective multicenter evidence-based medicine study. *Spine.* 2009 Sep;34(20):2171–8.
9. Silva FE, Lenke LG. Adult degenerative scoliosis: evaluation and management. *Neurosurg Focus.* 2010; 28(3):E1.
10. McLynn RP, Grauer JN. Outcomes of operative and nonoperative treatment for adult spinal deformity: a prospective multicenter, propensity-matched cohort assessment with minimum 2-year follow-up. In: Vaccaro AR, Fisher CG, Wilson JR, editors. 50 Landmark Papers [Internet]. 1st ed. CRC Press; 2018 [cited 2023 Jan 19]. p. 211–5. Available from:

11. McAviney J, Roberts C, Sullivan B, Alevras AJ, Graham PL, Brown BT. The prevalence of adult de novo scoliosis: A systematic review and meta-analysis. *Eur Spine J*. 2020 Dec;29(12):2960-2969.
12. Kadow T, Sowa G, Vo N, Kang JD. Molecular basis of intervertebral disc degeneration and herniations: what are the important translational questions? *Clin Orthop Relat Res*. 2015;473(6):1903–1912.
13. Teles AR, Mattei T A, Righesso O, Falavigna A. Effectiveness of Operative and Nonoperative Care for Adult Spinal Deformity: Systematic Review of the Literature. *Global Spine J*. 2017;7(02):170–178.
14. Haldeman S, Nordin M, Chou R. The Global Spine Care Initiative: World Spine Care executive summary on reducing spine-related disability in low- and middle-income communities. *Eur Spine J*. 2018;27 06:776–785.
15. Campbell RC, Mobbs RJ, Lu VM, Xu J, Rao PJ, Phan K. Posterolateral Fusion Versus Interbody Fusion for Degenerative Spondylolisthesis: Systematic Review and Meta-Analysis. *Global Spine J*. 2017 Aug;7(5):482-490.
16. Rao P J, Loganathan A, Yeung V, Mobbs R J. Outcomes of anterior lumbar interbody fusion surgery based on indication: a prospective study. *Neurosurgery*. 2015;76(01):7–23.
17. Sansur C A, Smith J S, Coe J D. Scoliosis research society morbidity and mortality of adult scoliosis surgery. *Spine (Phila Pa 1976)* 2011;36(09):E593–E597.
18. Higgins J, Thomas J, Chandler J, Cumpston M, Li T, Page M, et al., editors. *Cochrane handbook for systematic reviews of interventions*. Chichester. John Wiley & Sons; 2019.
19. Review Manager (RevMan). 2020;
20. Kelly MP, Lurie JD, Yanik EL, Shaffrey CI, Baldus CR, Boachie-Adjei O, et al. Operative versus nonoperative treatment for adult symptomatic lumbar scoliosis. *J Bone Jt Surg*. 2019 Feb 20;101(4):338–52.
21. Smith JS, Shaffrey CI, Berven S, Glassman S, Hamill C, Horton W, et al. Improvement of back pain with operative and nonoperative treatment in adults with scoliosis. *Neurosurg*. 2009 Jul;65(1):86–94.
22. the International Spine Study Group (ISSG), Sciubba DM, Scheer JK, Yurter A, Smith JS, Lafage V, et al. Patients with spinal deformity over the age of 75: a retrospective analysis of operative versus non-operative management. *Eur Spine J*. 2016 Aug;25(8):2433–41.
23. Estimating the sample mean and standard deviation [Internet]. Available from: <https://smcgrath.shinyapps.io/estmeansd/>

24. Asher M, Min Lai S, Burton D, Manna B. The reliability and concurrent validity of the Scoliosis Research Society-22 patient questionnaire for idiopathic scoliosis. *Spine (Phila Pa 1976)*. 2003 Jan;28(1):63–9.
25. Fairbank JC, Pynsent PB. The Oswestry disability index. *Spine*. 2000 Nov 15;25(22):2940-52.
26. Kim WJ, Shin HM, Lee JS, Song DG, Lee JW, Chang SH, et al. Sarcopenia and back muscle degeneration as risk factors for degenerative adult spinal deformity with sagittal imbalance and degenerative spinal disease: a comparative study. *World Neurosurg*. 2021 Apr;148:e547–55.
27. Hanley EN. The indications for lumbar spinal fusion with and without instrumentation. *Spine (Phila Pa 1976)*. 1995 Dec; 20(24):143S-53S.
28. Kotwal S, Pumberger M, Hughes A, Girardi F. Degenerative scoliosis: a review. *HSS Journal®*. 2011 Oct;7(3):257–64.
29. Kim HJ, Yang JH, Chang DG, Lenke LG, Suh SW, Nam Y, et al. Adult spinal deformity: a comprehensive review of current advances and future directions. *Asian Spine J*. 2022 Oct 31;16(5):776–88.
30. Glassman SD, Carreon LY, Shaffrey CI, Kelly MP, Crawford CH, Yanik E, et al. Cost effectiveness of adult lumbar scoliosis surgery: an as-treated analysis from the adult symptomatic scoliosis surgery trial with five-year follow-up. *Spine J*. 2020 Sep;20(9):S65.
31. Glassman SD, Hamill CL, Bridwell KH, Schwab FJ, Dimar JR, Lowe TG. The impact of perioperative complications on clinical outcome in adult deformity surgery. *Spine (Phila Pa 1976)*. 2007 Nov 15;32(23):2764-70.
32. Scheer JK, Lafage R, Schwab FJ, Liabaud B, Smith JS, Mundis GM, et al. Under correction of sagittal deformities based on age-adjusted alignment thresholds leads to worse health-related quality of life whereas over correction provides no additional benefit. *Spine*. 2018 Mar 15;43(6):388–93.