

DAFTAR PUSTAKA

- Anandasivam, N. S., Russo, G. S., Fischer, J. M., Samuel, A. M., Ondeck, N. T., Swallow, M. S., Chung, S. H., Bohl, D. D., & Grauer, J. N. (2017). Analysis of bony and internal organ injuries associated with 26,357 adult femoral shaft fractures and their impact on mortality. *Orthopedics*, 40(3), e506–e512.
- Anyaehie, U., Ejimofor, O., Akpuaka, F., & Nwadinigwe, C. (2015). Pattern of femoral fractures and associated injuries in a Nigerian tertiary trauma centre. *Nigerian Journal of Clinical Practice*, 18(4), 462. <https://doi.org/10.4103/1119-3077.151761>
- Appley, A. G., & Solomon. (2010). *Orthopedi dan Fraktur Sistem Appley*. Widya Medika.
- Asrizal, R. A. (2014). Fakultas Kedokteran Universitas Lampung. *Jurnal Medula*, 2(3), 94–100.
- Association, O. T. (2010). ORIGINAL ARTICLE A New Classification Scheme for Open Fractures. *J Orthop Trauma*, 24(8), 457–465.
- Bartels, S., Gjertsen, J.-E., Frihagen, F., Rogmark, C., & Utvåg, S. E. (2019). Low bone density and high morbidity in patients between 55 and 70 years with displaced femoral neck fractures: A case-control study of 50 patients vs 150 normal controls. *BMC Musculoskeletal Disorders*, 20(1), 371. <https://doi.org/10.1186/s12891-019-2732-8>
- Berger, R., & Taylor, B. (2021). *Open Fracture*. <Https://Www.Orthobullets.Com>.
- Bergh, C., Wennergren, D., Möller, M., & Brisby, H. (2021). Fracture incidence in adults in relation to age and gender: A study of 27,169 fractures in the Swedish Fracture Register in a well-defined catchment area. *PLoS ONE*, 15(12 December), 1–18. <https://doi.org/10.1371/journal.pone.0244291>
- Black, J., & Hawks. (2014). *Keperawatan Medikal Bedah: Manajemen Klinis untuk Hasil yang Diharapkan*. Salemba Embar Patria.
- Boschitsch, E., Durchschlag, E., & Dimai, H. (2017). Age-related prevalence of osteoporosis and fragility fractures: Real-world data from an Austrian Menopause and Osteoporosis Clinic. *Climacteric*, 20(2), 157–163.
- Bouyer, B., Leroy, F., Rudant, J., Weill, A., & Coste, J. (2020). Burden of fractures in France: Incidence and severity by age, gender, and site in 2016. *International Orthopaedics*, 44(5), 947–955.
- BPS. (2016). *Angka kejadian kecelakaan lalu lintas Sulawesi Selatan*.
- Brunner, & Suddarth. (2002). *Buku Ajar Keperawatan Medikal Bedah edisi 8 volume 2*. EGC.
- Byrne, J. P., Nathens, A. B., Gomez, D., Pincus, D., & Jenkinson, R. J. (2017). Timing of femoral shaft fracture fixation following major trauma: A retrospective cohort study of United States trauma centers. *PLoS Medicine*, 14(7), e1002336.
- Charoenngam, N., Shirvani, A., & Holick, M. F. (2019). Vitamin D for skeletal and non-skeletal health: What we should know. *Journal of Clinical Orthopaedics and Trauma*, 10(6), 1082–1093.

- Chen, A. T., & Vallier, H. A. (2016). Noncontiguous and open fractures of the lower extremity: Epidemiology, complications, and unplanned procedures. *Injury*, 47(3), 742–747.
- Chi, Y., Bu, X., Li, X., Zhang, R., Zhang, Q., Tian, R., Xu, Y., Ma, F., Gao, L., & Meng, C. (2020). *A new classification of femoral shaft fracture combined with femoral artery injury*.
- Consigliere, P., Iliopoulos, E., Ads, T., & Trompeter, A. (2019). Early versus delayed weight bearing after surgical fixation of distal femur fractures: A non-randomized comparative study. *European Journal of Orthopaedic Surgery & Traumatology*, 29(8), 1789–1794. <https://doi.org/10.1007/s00590-019-02486-4>
- Desiartama, A., & Aryana, I. G. N. W. (2017). Gambaran Karakteristik Pasien Fraktur Femur Akibat Kecelakaan Lalu Lintas Pada Orang Dewasa Di Rumah Sakit Umum Pusat Sanglah Denpasar Tahun 2013. *E-Jurnal Medika*, 6(5), 1–4.
- E, Y., Manjas M, R, R., & Erkadius. (2013). Faktor-faktor yang Mempengaruhi Kontraktur Sendi Lutut pada Penanganan Fraktur Femur Secara Operatif dan Non Operatif di RS. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 2(1), 29. <https://doi.org/10.25077/jka.v2i1.63>
- Eastell, R., O'Neill, T. W., Hofbauer, L. C., Langdahl, B., Reid, I. R., Gold, D. T., & Cummings, S. R. (2016). Postmenopausal osteoporosis. *Nature Reviews Disease Primers*, 2(1), 1–16.
- Elaine, W. Y., Greenblatt, L., Ejaz, A., Torriani, M., & Bredella, M. A. (2017). Marrow adipose tissue composition in adults with morbid obesity. *Bone*, 97, 38–42.
- Elniel, A. R., & Giannoudis, P. V. (2018). Open fractures of the lower extremity: Current management and clinical outcomes. *EFORT Open Reviews*, 3(5), 316–325.
- Fischer, V., Haffner-Luntzer, M., Amling, M., & Ignatius, A. (2018). Calcium and vitamin D in bone fracture healing and post-traumatic bone turnover. *Eur Cell Mater*, 35(35), 365–385.
- Geraerds, A., Haagsma, J. A., De Munter, L., Kruithof, N., de Jongh, M., & Polinder, S. (2019). Medical and productivity costs after trauma. *PloS One*, 14(12), e0227131.
- Gilbert, F., Schneemann, C., Scholz, C., Kickuth, R., Meffert, R., Wildenauer, R., Lorenz, U., Kellersmann, R., & Busch, A. (2018). Clinical implications of fracture-associated vascular damage in extremity and pelvic trauma. *BMC Musculoskeletal Disorders*, 19(1), 1–9.
- Gordon, J. E., Anderson, J. T., Schoenecker, P. L., Dobbs, M. B., Luhmann, S. J., & Hoernschemeyer, D. G. (2020). Treatment of femoral fractures in children aged two to six: A multicentre prospective case series. *The Bone & Joint Journal*, 102(8), 1056–1061.
- Greeves, J. P. (2015). Physiological implications, performance assessment and risk mitigation strategies of women in combat-centric occupations. *The Journal of Strength & Conditioning Research*, 29, S94–S100.

- Guerado, E., Cano, J. R., Crespo, V., & Campos, A. (2022). Bone Mineralization and Osteoporotic Changes. In *Senior Trauma Patients* (pp. 23–42). Springer.
- Hars, M., & Trombetti, A. (2017). Body composition assessment in the prediction of osteoporotic fractures. *Current Opinion in Rheumatology*, 29(4), 394–401.
- Helmi, Z. N. (2011). *Buku Ajar GANGGUAN MUSKULOSKELETAL*. Salemba Medika.
- Hidayati, A., & Hendrati, L. Y. (2017). Traffic Accident Risk Analysis by Knowledge, the Use of Traffic Lane, and Speed. *Jurnal Berkala Epidemiologi*, 4(2), 275. <https://doi.org/10.20473/jbe.v4i2.2016.275-287>
- Holsworth, I. G. (2018). Femur Fractures. *Locking Plates in Veterinary Orthopedics*, 121–128.
- Ingstad, F., Solberg, L. B., Nordsletten, L., Thorsby, P. M., Hestnes, I., & Frihagen, F. (2021). Vitamin D status and complications, readmissions, and mortality after hip fracture. *Osteoporosis International*, 32(5), 873–881.
- Jabeen, N., Ashraf, I. U., Hakak, A., Ahmad, M. N., & Arfee, S. (2018). Anatomical Prevalence of Fractures among Admitted Patients in a Tertiary Care Hospital: A Retrospective Study. *Hand*, 42, 2–3.
- Jannin, A., Kerlan, V., & Desaillyoud, R. (2022). *Endocrinology of bone mineralization: An update*. 83(1), 46–53.
- Jeffrey, M. C., & Scott, K. (2012). *Master Plan Kedaruratan Medik*. Bina Aksara Publisher.
- Ji, M., & Yu, Q. (2015). Primary osteoporosis in postmenopausal women. *Chronic Diseases and Translational Medicine*, 1(1), 9–13. <https://doi.org/10.1016/j.cdtm.2015.02.006>
- Jones, C. B., & Walker, J. B. (2018). Diagnosis and management of ipsilateral femoral neck and shaft fractures. *JAAOS-Journal of the American Academy of Orthopaedic Surgeons*, 26(21), e448–e454.
- Joyce, M. F., Gupta, A., & Azocar, R. J. (2015). Acute trauma and multiple injuries in the elderly population. *Current Opinion in Anesthesiology*, 28(2), 145–150.
- Khan, A. M., Tang, Q. O., & Spicer, D. (2017). The epidemiology of adult distal femoral shaft fractures in a central London major trauma centre over five years. *The Open Orthopaedics Journal*, 11, 1277.
- Khoo, B. C. C., Wang, L., Lewis, J. R., Brown, K., Cheng, X., & Prince, R. L. (2020). Anatomical factors associated with femoral neck fractures of elderly Beijing women. *Archives of Osteoporosis*, 15(1), 1–6.
- Khoriati, A., Jones, C., Gelfer, Y., & Trompeter, A. (2016). The management of paediatric diaphyseal femoral fractures: A modern approach. *Strategies in Trauma and Limb Reconstruction*, 11(2), 87–97. <https://doi.org/10.1007/s11751-016-0258-2>
- Koehler, D., Marsh, J. L., Karam, M., Fruehling, C., & Willey, M. (2017). Efficacy of surgical-site, multimodal drug injection following operative management of femoral fractures: A randomized controlled trial. *JBJS*, 99(6), 512–519.

- Konarski, W., Poboży, T., Kotela, A., Śliwczyński, A., Kotela, I., Hordowicz, M., & Krakowiak, J. (2022). The Risk of Avascular Necrosis Following the Stabilization of Femoral Neck Fractures: A Systematic Review and Meta-Analysis. *International Journal of Environmental Research and Public Health*, 19(16), 10050.
- Kristiyanasari, W., & Jitowiyono, S. (2010). *Asuhan Keperawatan Post Operasi*.
- Lakho, M. T., Raza, A., Qadir, A., Kumar, D., Khanzada, A., & Muzzammil, M. (2019). To assess the frequency of common fractures secondary to motorcycle accident in patients admitted to the orthopedic department of a Tertiary Care Hospital, Pakistan. *International Journal of Medical Research & Health Sciences*, 8(7), 74–79.
- Layher, F., Matziolis, G., Kayhan, L. N., Bungartz, M., & Brinkmann, O. (2021). Minimally Invasive Internal Fixation of Femoral Shaft Fractures—A Biomechanical Study with a Disruptive Technique. *Life*, 11(11), 1254.
- Leonidou, A., Moazen, M., Lepetsos, P., Graham, S. M., Macheras, G. A., & Tsiridis, E. (2015). The biomechanical effect of bone quality and fracture topography on locking plate fixation in periprosthetic femoral fractures. *Injury*, 46(2), 213–217.
- Leslie, W. D., Schousboe, J. T., Morin, S. N., Martineau, P., Lix, L. M., Johansson, H., McCloskey, E. V., Harvey, N. C., & Kanis, J. A. (2020). Fracture risk following high-trauma versus low-trauma fracture: A registry-based cohort study. *Osteoporosis International*, 31(6), 1059–1067.
- Lin, X., Patil, S., Gao, Y.-G., & Qian, A. (2020). The Bone Extracellular Matrix in Bone Formation and Regeneration. *Frontiers in Pharmacology*, 11, 757. <https://doi.org/10.3389/fphar.2020.00757>
- Lindner, D., Gilat, R., & Domb, B. G. (2020). Ligamentum Teres Injuries. *Hip Preservation Surgery: Open, Arthroscopic, and Endoscopic Techniques*, 181.
- Linn, M. S., McAndrew, C. M., Prusaczyk, B., Brimmo, O., Ricci, W. M., & Gardner, M. J. (2015). Dynamic locked plating of distal femur fractures. *Journal of Orthopaedic Trauma*, 29(10), 447–450.
- Lowe, J. A. (2018). *Femur Shaft Fractures (Broken Thighbone)*. <Https://Orthoinfo.Aaos.Org/>.
- Lu, Y., & Üppal, H. S. (2019). Hip fractures: Relevant anatomy, classification, and biomechanics of fracture and fixation. *Geriatric Orthopaedic Surgery & Rehabilitation*, 10, 2151459319859139.
- Luhur, L. J., & Dharmawan, I. P. G. (2021). Gambaran Karakteristik Pasien Fraktur Terbuka Ekstremitas Bawah di Rumah Sakit. *Nursing Arts*, 15(1), 60–66.
- Lupescu, O., Nagea, M., Patru, C., Vasilache, C., & Popescu, G. I. (2015). *Treatment Options for Distal Femoral Fractures*. 6.
- Metsemakers, W.-J., Roels, N., Belmans, A., Reynders, P., & Nijs, S. (2015). Risk factors for nonunion after intramedullary nailing of femoral shaft fractures: Remaining controversies. *Injury*, 46(8), 1601–1607.
- Milovanovic, P., & Busse, B. (2020). Phenomenon of osteocyte lacunar mineralization: Indicator of former osteocyte death and a novel marker of impaired bone quality? *Endocrine Connections*, 9(4), R70–R80.

- Momaya, A., Baker, D., Gilbert, S., & Ponce, B. (2015). Risk factors for complications and readmission after operative fixation of pediatric femur fractures. *Journal of Children's Orthopaedics*, 9(4), 307–311.
- Muttaqin, A. (2009). *Asuhan keperawatan perioperatif: Konsep, proses, dan aplikasi*. Salemba Medika.
- Myers, D. L., Sung, V. W., Richter, H. E., Creasman, J., & Subak, L. L. (2012). Prolapse Symptoms in Overweight and Obese Women Before and After Weight Loss. *Female Pelvic Medicine & Reconstructive Surgery*, 18(1), 55–59. <https://doi.org/10.1097/SPV.0b013e31824171f9>
- Nakanishi, K., Takahira, N., Sakamoto, M., Yamaoka-Tojo, M., Katagiri, M., & Kitagawa, J. (2018). Effects of forced deep breathing on blood flow velocity in the femoral vein: Developing a new physical prophylaxis for deep vein thrombosis in patients with plaster cast immobilization of the lower limb. *Thrombosis Research*, 162, 53–59.
- Netter, F., Jędrzejewski, K., & Woźniak, W. (2019). *Atlas anatomiczny człowieka*. Edra Urban & Partner.
- Neumann, M., Südkamp, N., & Strohm, P. (2015). Management of femoral shaft fractures. *Acta Chirurgiae Orthopaedicae et Traumatologiae Cechoslovaca*, 82(1), 22–32.
- Noor, Z. (2016). *Buku Ajar Gangguan Muskuloskeletal*. Salemba Medika.
- Noorisa, R., Apriliwati, D., Aziz, A., & Bayusentono, S. (2017). THE CHARACTERISTIC OF PATIENTS WITH FEMORAL FRACTURE IN DEPARTMENT OF ORTHOPAEDIC AND TRAUMATOLOGY RSUD DR. SOETOMO SURABAYA 2013 – 2016. *Journal of Orthopaedi & Traumatology Surabaya*, 6(1).
- Panteli, M., Rodham, P., & Giannoudis, P. V. (2015). Biomechanical rationale for implant choices in femoral neck fracture fixation in the non-elderly. *Injury*, 46(3), 445–452.
- Platini, H., Chadir, R., & Rahayu, U. (2020). Karakteristik Pasien Fraktur Ekstermitas Bawah. *Jurnal Keperawatan 'Aisyiyah*, 7(1), 49–53. <https://doi.org/10.33867/jka.v7i1.166>
- Polinder, S., Haagsma, J., Panneman, M., Scholten, A., Brugmans, M., & Van Beeck, E. (2016). The economic burden of injury: Health care and productivity costs of injuries in the Netherlands. *Accident Analysis & Prevention*, 93, 92–100.
- Popp, K. L., Caksa, S., Martinez-Betancourt, A., Yuan, A., Tsai, J., Yu, E. W., & Bouxsein, M. L. (2019). Cortical bone material strength index and bone microarchitecture in postmenopausal women with atypical femoral fractures. *Journal of Bone and Mineral Research*, 34(1), 75–82.
- Ramadhani, R. P., Romadhona, N., Djojosugito, M. A., Hadiati, D. E., & Rukanta, D. (2019). Hubungan Jenis Kecelakaan dengan Tipe Fraktur pada Fraktur Tulang Panjang Ekstremitas Bawah. *Jurnal Integrasi Kesehatan & Sains*, 1(1), 32–35. <https://doi.org/10.29313/jiks.v1i1.4317>
- Rasjad, C. (2009). *Pengantar ilmu bedah ortopedi*. Pt. Yarsif Watampone.
- RISKESDAS. (2013). *LAPORAN PROVINSI SULAWESI SELATAN RISKESDAS 2013*. Lembaga Penerbit Badan Litbang Kesehatan.

- Rong, Y.-D., Bian, A.-L., Hu, H.-Y., Ma, Y., & Zhou, X.-Z. (2018). Study on relationship between elderly sarcopenia and inflammatory cytokine IL-6, anti-inflammatory cytokine IL-10. *BMC Geriatrics*, 18(1), 1–6.
- Sagaran, V. C., Manjas, M., & Rasyid, R. (2018). Distribusi Fraktur Femur Yang Dirawat Di Rumah Sakit Dr.M.Djamil, Padang (2010-2012). *Jurnal Kesehatan Andalas*, 6(3), 586. <https://doi.org/10.25077/jka.v6i3.742>
- Sakale, H., Agrawal, A. C., Kar, B. K., Sahoo, B., & Yadav, S. K. (2018). Vascularity of femoral head and its assessment after femoral neck fractures. *Journal of Orthopaedic Diseases and Traumatology*, 1(1), 1.
- Sanchez-Siles, J., Tamimi-Mariño, I., Cortes, A., Ackerman, J., González-Quevedo, D., Guerado, E., García, A., Yaghoubi, F., Abdallah, M., & Eimar, H. (2020). Age related changes in the bone microstructure in patients with femoral neck fractures. *Injury*, 51, S12–S18.
- Setyawati, B. (2014). *Pengetahuan Tentang Osteoporosis dan Kepadatan Tulang Hubungannya dengan Konsumsi Kalsium Pada Wanita Dewasa Muda*. 1–10.
- Siddiqui, Z. A., Siddiqui, H., Mohammad, N., & Bhat, O. A. (2020). Rehabilitation following intramedullary nailing of femoral shaft fracture: A case report. *INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH*, 8(2), 75–77.
- Singleton, R. C., Pharr, G. M., & Nyman, J. S. (2021). Increased tissue-level storage modulus and hardness with age in male cortical bone and its association with decreased fracture toughness. *Bone*, 148, 115949.
- Smeltzer, S. C., & Bare, B. G. (2001). *Buku Ajar Keperawatan Medikal-Bedah Brunner & Suddarth*. Vol. 2. E/8. EGC.
- Smith, J. R., Halliday, R., Aquilina, A. L., Morrison, R. J., Yip, G. C., McArthur, J., Hull, P., Gray, A., Kelly, M. B., & OTS, C.-O. T. S. (2015). Distal femoral fractures: The need to review the standard of care. *Injury*, 46(6), 1084–1088.
- Sorkun, H. Ç., Yay, A., Balçioğlu, E., & Özdamar, S. (2016). Assessment of femoral neck fractures in the elderly with respect to morphology and mineral density. *Folia Morphologica*, 75(4), 536–542.
- Talbot, C., Davis, N., Majid, I., Young, M., Bouamra, O., Lecky, F. E., & Jones, S. (2018). *Fractures of the femoral shaft in children*. 100(1), 10.
- Tano, A., Oh, Y., Fukushima, K., Kurosa, Y., Wakabayashi, Y., Fujita, K., Yoshii, T., & Okawa, A. (2019). Potential bone fragility of mid-shaft atypical femoral fracture: Biomechanical analysis by a CT-based nonlinear finite element method. *Injury*, 50(11), 1876–1882.
- Tarride, J.-E., Burke, N., Leslie, W. D., Morin, S. N., Adachi, J. D., Papaioannou, A., Bessette, L., Brown, J. P., Pericleous, L., & Muratov, S. (2016). Loss of health related quality of life following low-trauma fractures in the elderly. *BMC Geriatrics*, 16(1), 1–11.
- Tillinghast, C. M., & Gary, J. L. (2019). Compartment syndrome of the lower extremity. *Compartment Syndrome*, 67–81.
- Tsuda, T. (2017). Epidemiology of fragility fractures and fall prevention in the elderly: A systematic review of the literature. *Current Orthopaedic Practice*, 28(6), 580–585.

- UNHAS, F. (2012). *Buku Ajar Anatomi Biomedik 1 Edisi 2*. Fakultas Kedokteran Universitas Hasanuddin.
- van Driel, M., & van Leeuwen, J. P. (2017). Vitamin D endocrinology of bone mineralization. *Molecular and Cellular Endocrinology*, 453, 46–51.
- Via, A. G., Oliva, F., Spoliti, M., & Maffulli, N. (2015). Acute compartment syndrome. *Muscles, Ligaments and Tendons Journal*, 5(1), 18.
- Vishwanathan, K., Chhajwani, S., Gupta, A., & Vaishya, R. (2021). Evaluation and management of haemorrhagic shock in polytrauma: Clinical practice guidelines. *Journal of Clinical Orthopaedics and Trauma*, 13, 106–115.
- Wahyuningsih, H., & Kusmiyati, Y. (2017). Anatomi Fisiologi. *Kementerian Kesehatan Republik Indonesia*.
- Wang, W. T., Li, Y. Q., Guo, Y. M., Li, M., Mei, H. B., Shao, J. F., Xiong, Z., Li, J., Canavese, F., & Chen, S. Y. (2019). Risk factors for the development of avascular necrosis after femoral neck fractures in children: A review of 239 cases. *The Bone & Joint Journal*, 101(9), 1160–1167.
- Wantoro, G., Muniroh, M., & Kusuma, H. (2020). Analisis Faktor-Faktor yang mempengaruhi Ambulasi Dini Post ORIF pada Pasien Fraktur Femur Study Retrospektif. *Jurnal Akademika Baiturrahim Jambi*, 9(2), 283. <https://doi.org/10.36565/jab.v9i2.273>
- Weaver, C. M., Alexander, D. D., Boushey, C. J., Dawson-Hughes, B., Lappe, J. M., LeBoff, M. S., Liu, S., Looker, A. C., Wallace, T. C., & Wang, D. D. (2016). Calcium plus vitamin D supplementation and risk of fractures: An updated meta-analysis from the National Osteoporosis Foundation. *Osteoporosis International*, 27(1), 367–376. <https://doi.org/10.1007/s00198-015-3386-5>
- Weber, C. D., Lefering, R., Dienstknecht, T., Kobbe, P., Sellei, R. M., Hildebrand, F., Pape, H.-C., & TraumaRegister DGU. (2016). Classification of soft-tissue injuries in open femur fractures: Relevant for systemic complications? *Journal of Trauma and Acute Care Surgery*, 81(5), 824–833.
- Whitmarsh, T., Otake, Y., Uemura, K., Takao, M., Sugano, N., & Sato, Y. (2019). A cross-sectional study on the age-related cortical and trabecular bone changes at the femoral head in elderly female hip fracture patients. *Scientific Reports*, 9(1), 1–8.
- Wiarto, G. (2017). *Nyeri Tulang dan Sendi*.
- Wu, S.-C., Rau, C.-S., Kuo, S. C., Chien, P.-C., & Hsieh, C.-H. (2019). The influence of ageing on the incidence and site of trauma femoral fractures: A cross-sectional analysis. *BMC Musculoskeletal Disorders*, 20(1), 1–9.
- Xing, F., Li, L., Long, Y., & Xiang, Z. (2018). Admission prevalence of deep vein thrombosis in elderly Chinese patients with hip fracture and a new predictor based on risk factors for thrombosis screening. *BMC Musculoskeletal Disorders*, 19(1), 1–9.
- Xiong, R., Mai, Q., Yang, C., Ye, S., Zhang, X., & Fan, S. (2018). Intramedullary nailing for femoral shaft fractures in adults. *The Cochrane Database of Systematic Reviews*, 2018(2).

- Young, E. Y., & Stans, A. A. (2018). Distal femoral physeal fractures. *The Journal of Knee Surgery*, 31(06), 486–489.
- Zaslavsky, O., Li, W., Going, S., Datta, M., Snetselaar, L., & Zelber-Sagi, S. (2017). Association between body composition and hip fractures in older women with physical frailty. *Geriatrics & Gerontology International*, 17(6), 898–904.


Lampiran 1. Biodata Penulis

IDENTITAS MAHASISWA



Nama Mahasiswa : A. Firjatullah Syakirah Sarman
No. Stambuk : C011191237
Tempat Tanggal lahir : Makassar, 17 September 2003
Alamat : Jl. Bonto mene No.18B, Rappocini.
Riwayat Pendidikan : SD Al – Azhar 34 Makassar Tahun 2005
SMP IISS Jakarta Tahun 2017
SMA IIHS Jakarta Tahun 2019
Nama Orang Tua : Arismawaty (Ibu)
Andi Sarman (Ayah)
Nomor HP Mahasiswa : 085331166755
Email Mahasiswa : andifirjatullah4@gmail.com
Dosen Pembimbing : Dr. dr. Sitti Rafiah Husain, M.Si
No. HP Pembimbing : 08124238456

Lampiran 2. Surat Izin dari Instansi Kepada Komisi Etik Penelitian Kesehatan FKUH



Lampiran 3. Rekomendasi Persetujuan Etik oleh Komisi Etik Penelitian Kesehatan FKUH

KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN

KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN

RSPTN UNIVERSITAS HASANUDDIN

RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR

Sekretariat : Lantai 2 Gedung Laboratorium Terpadu

JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.

Contact Person: dr. Agussalim Bukhari..MMed,PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



REKOMENDASI PERSETUJUAN ETIK

Nomor : 612/UN4.6.4.5.31 / PP36/ 2022

Tanggal: 19 Oktober 2022

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH22100585	No Sponsor Protokol	
Peneliti Utama	A. Firjatullah Syakirah Sarman	Sponsor	
Judul Peneliti	Karakteristik Pasien Fraktur Femur di RSUD Labuang Baji Periode Januari 2020 – Desember 2021.		
No Versi Protokol	1	Tanggal Versi	10 Oktober 2022
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUD Labuang Baji Makassar		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 19 Oktober 2022 sampai 19 Oktober 2023	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan