

DAFTAR PUSTAKA

- Adachi KN, Karin Nielsen-Saines, et al. 2021. *Chlamydia trachomatis* Screening and Treatment in Pregnancy to Reduce Adverse Pregnancy and Neonatal Outcomes: A Review. *Front. Public Health*, 10 June 2021 | <https://doi.org/10.3389/fpubh.2021.531073>.
- Adams-Chapman I, Stoll BJ. 2006. Neonatal infection and long-term neurodevelopmental outcome in the preterm infant. *Curr Opin Infect Dis* 2006 Jun;19(3):290–297.
- Adkins B, Leclerc C, Marshall-Clarke S. 2004. Neonatal adaptive immunity comes of age. *Nat Rev Immunol* 4(7):553–564.
- Angus DC, Linde-Zwirble WT, Lidicker J, Clermont G, Carcillo J. 2001. Pinsky MR. Epidemiology of severe sepsis in the United States: Analysis on incidence, outcome and associated costs of care. *Crit Care Med* 29: 1303-1310.
- Anonym. 2021. Atypical pneumonia (non-covid 19). *BMJ Best Practice*.
- Arnon S, Litmanovitz I. 2008. Diagnostic tests in neonatal sepsis. *Current Opinion Infect Dis*, 21:223–227.
- Aryal S. 2021. Laboratory Diagnosis Of Legionella Pneumophila. *Microbe note*.
- Bassler D, Stoll BJ, Schmidt B, et al. 2009. Using a count of neonatal morbidities to predict poor outcome in extremely low birth weight infants: added role of neonatal infection. *Pediatrics* 2009 Jan;123(1):c313–318.ww
- Benitz WE. 2010. Adjunct laboratory tests in the diagnosis of early-onset neonatal sepsis. *Clin Perinatol*; 37:421-38; PMID:20569816; <http://dx.doi.org/10.1016/j.clp.2009.12.001>
- Bezerra P, Britto M, et al. 2011. Viral and atypical bacterial detection in acute respiratory infection in children under five years. *PLoS One* Apr 18;6(4):e18928. doi: 10.1371/journal.pone.0018928.
- Bizzarro MJ, Raskind C, Baltimore RS, Gallagher PG. Seventy-five years of neonatal sepsis at Yale 1928-2003. 2005.. *Pediatrics*; 116:595-602; PMID:16140698; <http://dx.doi.org/10.1542/peds.2005-0552>
- Boskabadi H, Maamouri G, Afshari JT, Ghayour-Mobarhan M, Shakeri MT. 2010. Serum interleukin 8 levels as a diagnostic marker in late neonatal sepsis. *Iran JPediatr*; 20:41-7; PMID:23056680.
- Brand MVD, Peters RPH. 2014. Development of a multiplex real-time PCR assay for the rapid diagnosis of neonatal late onset sepsis. *Microbiol Methods* . 2014 Nov;106:8-15. doi: 10.1016/j.mimet.2014.07.034. Epub 2014 Aug 4.
- Brozanski BS, Jones JG, Krohn MJ, Jordan JA. 2006. Use of polymerase chain reaction as a diagnostic tool for neonatal sepsis can result in a decrease in use of antibiotics and total neonatal intensive care unit length of stay. *J Perinatol*; 26:688-92; PMID:17024143; <http://dx.doi.org/10.1038/sj.jp.7211597>
- Byrne, Gerald I. 2003. *Chlamydia* uncloaked. *PNSA* 100:14.
- Cantey JB, Baird SD. 2017. Ending the culture of culture-negative sepsis in the neonatal ICU. *Pediatrics* (2017) 140:e20170044. doi: 10.1542/peds. 2017-0044.
- Camacho-Gonzalez A, Spearman PW, Stoll BJ. 2012. Neonatal infectious diseases: evaluation of neonatal sepsis. *Pediatr Clin North Am* 2013; 60:367-89; PMID:23481106; <http://dx.doi.org/10.1016/j.pcl.2012.12.003>

- Cassell GH, Waites KB, Watson HL, Crouse DT, Harasawa R. 1993. *Ureaplasma urealyticum* intrauterine infection: role in prematurity and disease in newborns. *Clin Microbiol Rev* 1993;6:69-87.
- Centre for Disease control and Prevention. Sexually transmitted disease surveillance 2009; 2010. Atlanta US Department of Health and Human service
- Chacko, B., Sohi, I. 2005. Early Onset Neonatal Sepsis. *Indian Journal of Pediatrics*.72: 45-50.
- Center for Disease Control. 2020. *Mycoplasma pneumonia* Infection. National Center for Immunization and Respiratory Diseases, Division of Bacterial Diseases.
- Chang-Hui Shen. 2019. Amplification of Nucleic Acids. *Diagnostic Molecular Biology*.
- Chen, M.Y., Fairley, C.K. and Donovan, B. 2005. Nowhere near the point of diminishing returns: correlations between *Chlamydia* testing and notification rate in New South Wales. *Aust. NZ J Public Health*, 29:249-253
- Chernesky MA. 2005. The laboratory diagnosis of *Chlamydia trachomatis* infections. *Can J Infect Dis Med Microbiol*. 2005 Jan-Feb; 16(1): 39–44.
- Chiesa C, Pellegrini G, Panero A, Osborn JF, Signore F, Assumma M, Pacifico L. 2003. C-reactive protein, inter-leukin-6, and procalcitonin in the immediate post-natal period: influence of illness severity, risk status, antenatal and perinatal complications, and infection. *Clin Chem* 2003; 49:60-8; PMID:12507961; <http://dx.doi.org/10.1373/49.1.60>
- Chong E, Reynolds J, Shaw J et al. 2013. Results of a two-center, before and after study of piperacillin-tazobactam versus ampicillin and gentamicin as empiric therapy for suspected sepsis at birth in neonates.
- Clare L. Ling, Timothy D. McHugh. 2013. Rapid Detection of Atypical Respiratory Bacterial Pathogens by Real-Time PCR. *PCR Detection of Microbial Pathogens* pp 125-133.
- Couroucli XI, Welty SE, Ramsay PL, Wearden ME, Fuentes-Garcia FJ, Ni J, Jacobs TN, Towbin JA and Bowles NE Detection of microorganisms in the tracheal aspirates of preterm infants by polymerase chain reaction: association of adenovirus infection with bronchopulmonary dysplasia *Pediatr Res* 2000, 47:225- 32.
- Cunha BA. 2006. The atypical pneumonias: clinical diagnosis and importance. *Clin Microbiol Infect*. 2006;12:12–24.
- Currie, M.J. and Bowden, F.J. 2007. The importance of *Chlamydia* in Obstetrics and Gynaecology: An update. *Aust. NZ Obstet. Gynecol.*, 47:2-8.
- Dollner H, Vatten L, Austgulen R. 2001. Early diagnostic markers for neonatal sepsis: comparing C-reactive protein, interleukin-6, soluble tumour necrosis factor receptors and soluble adhesion molecules. *J Clin Epidemiol* 54(12):1251– 1257.
- Dong DY, Binongo JN, et al. 2016. Maternal *Chlamydia* Infection During Pregnancy and Risk of Cyanotic Congenital Heart Defects in the Offspring. *Matern Child Health J* . 2016 Jan;20(1):66-76. doi: 10.1007/s10995-015-1804-0.
- Dorschner RA, Lin KH, Murakami M, Gallo RL. 2003. Neonatal skin in mice and humans expresses increased levels of antimicrobial peptides: innate immunity during development of the adaptive response. *Pediatr Res* 53(4):566–572.

- Elwell C, Mirrashidi K, et al. 2016. Chlamydia cell biology and pathogenesis. *Nat Rev Microbiol.* 2016 Jun; 14(6): 385–400.
- Erez O, Romero R, Tarca AL, et al. 2009. Differential expression pattern of genes encoding for anti-microbial peptides in the fetal membranes of patients with spontaneous preterm labor and intact membranes and those with preterm prelabor rupture of the membranes. *J Matern Fetal Neonatal Med* 1-3.
- Espy MJ, Uhl JR, Sloan LM, Buckwalter SP, Jones MF, Vetter EA, Yao JD, Wengenack NL, Rosenblatt JE, Cockerill FR, Smith TF. Real-time PCR in clinical microbiology: applications for routine laboratory testing. *Clin Microbiol Rev.* 2006;19:165–256.
- Feezor RJ, Cheng A, Paddock HN, Baker HV, Moldawer LL. 2009. Functional genomics and gene expression profiling in sepsis: beyond class prediction. *Clin Infect Dis* 2005 Nov 15;41 Suppl 7:S427–S435.
- Fleischmann C, Reichert F, Cassini A, Horner R, Harder T, Markwart R, et al. 2020. Global incidence and mortality of neonatal sepsis: a systematic review and meta-analysis. *Arch Dis Child* 2021;106:745–752. doi:10.1136/archdischild-2020-320217.
- Fuchsa A, Bielickia J, Mathur S, et al. 2016. Antibiotic Use for Sepsis in Neonates and Children: 2016 Evidence Update. World Health Organization (WHO).
- Giannoni E, Agyeman PK, Stocker M, Posfay-Barbe KM, Heining U, Spycher BD, et al. 2018. Neonatal sepsis of early onset, and hospital-acquired and community-acquired late onset: a prospective population-based cohort study. *J Pediatr.* 2018;201:106– 14.
- Glass JI, Lefkowitz EJ, Glass JS, Heiner CR, Chen EY, Cassell GH. 2000. The complete sequence of the mucosal pathogen. *Nature* 2000;407:757-62.
- Goldstein B, Giroir B, Randolph A. 2005. International Consensus Conference on Pediatric Sepsis. International pediatric sepsis consensus conference: definitions for sepsis and organ dysfunction in pediatrics. *Pediatr Crit Care Med* 2005; 6:2-8; PMID:15636651; <http://dx.doi.org/10.1097/01.PCC.0000149131.72248.E6>
- Gomella TL, Cunningham MD, et al. 2013. Sepsis In: Neonatology Management, Procedures, On-Call Problems, Diseases, and Drugs, 7th edition. McGraw Hill Education, 2013. P.865-73.
- Gonzalez BE, Mercado CK, Johnson L, BrodskyNL, Bhandari V. 2003. Early markers of late-onset sep-sis in premature neonates: clinical, hematologicaland cytokine profile. *J Perinat Med* 2003; 31:60-8; PMID:12661146; <http://dx.doi.org/10.1515/JPM.2003.009>
- Gray RH, Wabwire-Mangen F, Kigozi G, Sewankambo NK, Serwadda D, Moulton LH, et al. Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda. *Am J Obstetr Gynecol.* (2001) 185:1209–17. doi: 10.1067/mob.2001.118158
- Green DS, San Pedro GS. 2000. Empiric therapy of community-acquired pneumonia. *Semin Respir Infect* 2000;15:227-33.
- Gorbunov EF, Tsinzerling VA, Semenov NV. 2007. Characteristics of perinatal visceral lesions caused by chlamydia trachomatis]. *Arkh Patol* 69: 33-36.
- Hurtado ML, et al. Early Neonatal Infection by Chlamydia trachomatis. , *J Infect Dis Ther* 2014, 2:5, DOI: 10.4172/2332-0877.1000158.
- Hernandez-Trejoa M, Norma E., et al. 2013. Reporting detection of *Chlamydia trachomatis* DNA in tissues of neonatal death cases. *Jornal de Pediatria.*

- Hirata J, Kotani J, Aoyama M, et al. 2008. A role for IL-18 in human neutrophil apoptosis. *Shock* 30(6):628–633, 2008.
- Hofer N, Müller W, Resch B. 2012. Neonates presenting with temperature symptoms: role in the diagnosis of early onset sepsis. *Pediatr Int* 2012; 54:486-90; PMID:22299645; <http://dx.doi.org/10.1111/j.1442-200X.2012.03570.x>
- Hofer N, Zacharias E, Müller W, Resch B. 2012. An update on the use of C-reactive protein in early onset neonatal sepsis: current insights and new tasks. *Neonatology* 2012; 102:25-36; PMID:22507868; <http://dx.doi.org/10.1159/000336629>
- Hornik CP, Fort P, Clark RH, Watt K, Benjamin DK Jr., Smith PB, Manzoni P, Jacqz-Aigrain E, Kaguelidou F, Cohen-Wolkowicz M. 2012. Early and late onset sepsis in very-low-birth-weight infants from a large group of neonatal intensive care units. *Early Hum Dev* 2012; 88(Suppl 2):S69- 74; PMID:22633519; [http://dx.doi.org/10.1016/S0378-3782\(12\)70019-1](http://dx.doi.org/10.1016/S0378-3782(12)70019-1)
- Hornik CP, Benjamin DK, Becker KC, Benjamin DK Jr., Li J, Clark RH, Cohen-Wolkowicz M, Smith PB. 2012. Use of the complete blood cell count in early-onset neonatal sepsis. *Pediatr Infect Dis J* 2012; 31:799- 802; PMID:22531231; <http://dx.doi.org/10.1097/INF.0b013e318256905c>
- Horslev T, Binongo JN, et al. 2018. Maternal Chlamydia infection during pregnancy among younger mothers and risk of gastroschisis in singleton offspring. *Birth Defects Res.* 2018 Mar 15;110(5):429-442. doi: 10.1002/bdr2.1179. Epub 2017 Nov 30.
- Hotchkiss RS, Chang KC, Swanson PE, et al. 2000. Caspase inhibitors improve survival in sepsis: a critical role of the lymphocyte. *Nat Immunol* 1(6):496–501.
- Jamie Bartram, Yves Chartier, John V Lee, Kathy Pond and Susanne Surman-Lee. 2007. Legionella and the prevention of Legionellosis. World Health Organization (WHO).
- Jawetz, Melnick, et al. 2014. Mikrobiologi Kedokteran. Penerbit Buku Kedokteran EGC.
- Jouglet M, Wuillaume, Buchs C. 2019. Neonatal low respiratory tract *Chlamydia trachomatis* infection: Diagnostic and treatment management. *Respir Med Case Rep.* 2019; 28: 100852.
- Jung E, Sop B. 2019. Late-Onset Sepsis as a Risk Faktor for Bronchopulmonary Dysplasia in Extremely Low Birth Weight Infants: A Nationwide Cohort Study. *Sci Rep.* 2019; 9: 15448. Published online 2019 Oct 29. doi: 10.1038/s41598-019-51617-8.
- Kafetzis, D. A., C. L. Skevaki, et al. 2004. Maternal genital colonization with *Ureaplasma urealyticum* promotes preterm delivery: association of the respiratory colonization of premature infants with chronic lung disease and increased mortality. *Clin. Infect. Dis.* 39:1113-1122
- Kashyap, S., Sarkar, M. 2010. Mycoplasma pneumonia: clinical features and management. *Lung India* 27, 75–85. doi: 10.4103/0970-2113.63611
- Kawai T, Akira S. 2009. The roles of TLRs, RLRs and NLRs in pathogen recognition. *Int Immunol* 21(4):317–337.
- Kelly-Scumpia KM, Scumpia PO, Weinstein JS, et al. 2011. B cells enhance early innate immune responses during bacterial sepsis. *J Exp Med* 208(8):1673–1682.
- Kim, Sam Soo. 1977. Radiologic findings of neonatal sepsis. *Journal of the Korean*

- Radiological Society; ISSN 0301-2867; Worldcat; v. 36(6); p. 1065-1069.
- Klingenberg C, Cornelisse R.F, et al. 2018. Culture-Negatif Early-Onset Neonatal Sepsis — At the Crossroad Between Efficient Sepsis Care and Antimicrobial Stewardship. *Frontiers in Pediatrics*.
- Kokkayil P. 2015. Ureaplasma: Current perspectives. *Indian Journal of Medical Microbiology*, (2015) 33(2): 205-214.
- Kumagai Y, Takeuchi O, Akira S. 2008. Pathogen recognition by innate receptors. *J Infect Chemother* 14(2):86–92.
- Leaphart CL, Cavallo J, Gribar SC, et al. 2007. A critical role for TLR4 in the pathogenesis of necrotizing enterocolitis by modulating intestinal injury and repair. *J Immunol* 179(7):4808–4820.
- Levy O, Zarembler KA, Roy RM, et al. 2004. Selective impairment of TLR-mediated innate immunity in human newborns: neonatal blood plasma reduces monocyte TNF-alpha induction by bacterial lipopeptides, lipopolysaccharide, and imiquimod, but preserves the response to R-848. *J Immunol* 173(7):4627– 4634.
- Le Huong P, Hien PT, Lan NT, Binh TQ, Tuan DM, Anh DD. 2014. First report on prevalence and risk factors of severe atypical pneumonia in Vietnamese children aged 1-15 years. *BMC Public Health*.;14:1304.
- Mahony JB, et al. Detection of *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, *Ureaplasma urealyticum*, and *Mycoplasma genitalium* in First-void Urine Specimens by Multiplex Polymerase Chain Reaction. *Molecular Diagnosis* Vol. 2 No. 3 1997.
- Mandell LA, Wunderink RG, Anzueto A, Bartlett JG, Campbell GD, Dean NC, et al. Infectious Diseases Society of America/American Thoracic Society consensus guidelines on the management of community-acquired pneumonia in adults. *Clin Infect Dis*. 2007;44:S27–72.
- MacIraith, J. 2003. Chlamydia the young adults' epidemic. *NZ Fam. Physician*, 30:416-419.
- Martin RJ, Fanaroff AA, Walsh MC. 2011. Fanaroff and Martin's neonatal-perinatal medicine: diseases of the fetus and infant. Philadelphia: Saunders/Elsevier.
- Markoulatos P, Siafakas N, Moncany M. 2002. Multiplex Polymerase Chain Reaction: A Practical Approach. *Journal of Clinical Laboratory Analysis* 16:47–51.
- Mishra UK, Jacobs SE, Doyle LW, Garland SM. 2006. Newer approaches to the diagnosis of early onsetneonatal sepsis. *Arch Dis Child Fetal Neonatal Ed*2006;91:F208-12;PMID:16632649;http://dx.doi.org/10.1136/adc.2004.064188
- Murphy K, Weiner J. 2012. Use of leukocyte counts in evaluation of early-onset neonatal sepsis. *Pediatr Infect Dis J* 2012; 31:16-9; PMID:21860335; http://dx.doi.org/10.1097/INF.0b013e31822ffc17
- Naoyuki M, et al. 2004. PCR for the simultaneous detection of *Chlamydia pneumoniae*, *Mycoplasma pneumoniae* and *Legionella pneumophila* in communityacquired pneumonia. *Respiratory Medicine* (2004) 98, 542–550.
- Ng PC. 2004. Diagnostic markers of infection in neonates. *Arch Dis Child Fetal Neonatal Ed* 2004; 89:F229- 35; PMID:15102726; http://dx.doi.org/10.1136/adc.2002.023838

- Ng PC, Li K, Leung TF, et al. 2006. Early prediction of sepsis-induced disseminated intravascular coagulation with interleukin-10, interleukin-6, and RANTES in preterm infants. *Clin Chem* 52(6):1181–1189, 2006.
- Ng PC, Li K, Chui KM, et al. 2007. IP-10 is an early diagnostic marker for identification of late-onset bacterial infection in preterm infants. *Pediatr Res* 61(1):93–98, 2007.
- Nir-Paz, R., Michael-Gayego, A., Ron, M., and Block, C. (2006). Evaluation of eight commercial tests for *Mycoplasma pneumoniae* antibodies in the absence of acute infection. *Clin. Microbiol. Infect.* 12, 685–688. doi: 10.1111/j.1469-0691.2006.01469.x
- Novy MJ, Duffy L, Axthelm MK, Sadowsky DW, Witkin SS, Gravett MG, et al. 2009. *Ureaplasma parvum* or *Mycoplasma hominis* as sole pathogens cause chorioamnionitis, preterm delivery, and fetal pneumonia in rhesus macaques. *Reprod Sci* 2009;16:56-70.
- Numazaki K, Asanuma H, Niida Y. 2003. *Chlamydia trachomatis* infection in early neonatal period. *BMC Infectious Diseases* 2003, 3:2.
- Nyari T, Woodward M, Meszaros G, Karsai J, Kovacs L. *Chlamydia trachomatis* infection and the risk of perinatal mortality in Hungary. *J Perinat Med.* 2001;29:55–59.
- Oeser C, Pond M, et al. 2020. PCR for the detection of pathogens in neonatal early onset sepsis. *Plus.org.* <https://doi.org/10.1371/journal.pone.0226817>
- Polin RA. 2012. Committee on Fetus and Newborn. Management of neonates with suspected or proven early-onset bacterial sepsis. *Pediatrics* 2012; 129:1006-15; PMID:22547779; <http://dx.doi.org/10.1542/peds.2012-0541>
- Rama Chaudhry, Sutikshan Sharma, et al. 2013. Molecular detection of *Mycoplasma pneumoniae* by quantitative real-time PCR in patients with community acquired pneumonia. *Indian J Med Res.* 2013 Aug; 138(2): 244–251.
- Read, R. C. Brunham. 2015. Genome sequences of *Chlamydia trachomatis* MoPn and *Chlamydia pneumoniae* AR39. *Nucleic Acids Res.* 2000 Mar 15; 28(6): 1397–1406. doi: 10.1093/nar/28.6.1397
- Redelinghuys MJ, Ehlers ME, Dreyer AW, Lombaard HA, Kock MM. 2013. Comparison of the new mycofast revolution assay with a molecular assay for the detection of genital mycoplasmas from clinical specimens. *BMC Infect Dis* 2013;13:453
- Reno W III DO, McDaniel WW, Turner Jr et al. 2001. Polymerase chain reaction for the detection of bacteremia. *Am. Surg.*; 67508-67512.
- Rittirsch D, Flierl MA, Ward PA. 2008. Harmful molecular mechanisms in sepsis. *Nat Rev Immunol* 8(10):776–787.
- Ryan, T. 2013. *Sample Size Determination and Power.* John Wiley and Sons.
- Robertson JA, Stemke GW, Davis JW Jr, Harasawa R, Thirkell D, Kong F, et al. Proposal of *Ureaplasma parvum* sp. Nov. and emended description of *Ureaplasma urealyticum* (Shepard et al. 1974). *Int J Syst Evol Microbiol* 2002;52:587-97.
- Rohsiswatmo R. Kontroversi diagnosis sepsis neonatorum. In: Hegar B, Trihono PP, Ifran EB, editor. *Update in neonatal infection.* Jakarta: Departemen Ilmu Kesehatan Anak FKUI-RSCM; 2005. p. 32–43.
- Ronchetti MP, Bersani I, Piersigilli F, Auriti C (2017) Neonatal Sepsis *Arch Paediatr Dev Pathol* 1(3): 1015.

- Roy P, Kumar A, Kaur IR, Faridi MMA. Gender differences in outcomes of low birth weight and preterm neonates: the male disadvantage. *J Trop Pediatr*. 2014;60(6):480–481. 10.1093/tropej/fmu042.
- Rutter N. 2000. Clinical consequences of an immature barrier. *Semin Neonatol* 5(4):281–287, 2000.
- Schelonka RL, Waites KB. 2007. Ureaplasma infection and neonatal lung disease. *Semin Perinatol* 2007;31:2-9. Shah B.A, Padbury J.F. Neonatal sepsis An old problem with new insights. *Virulence* 5:1, 170–178; January 1, 2014; © 2014 Landes Bioscience.
- Schmidt, R., Muniz, R.R., Cola, E., Stauffert, D., Silveria, M.F. and Miranda, E.A. 2015. Maternal *Chlamydia trachomatis* infections and preterm births in a University Hospital in Victoria, Brazil.; PLOS|one DOI:10:1371 /Journal pone 0141367.
- Shane AL, Sanchez PJ, Stoll BJ. 2017. Neonatal sepsis. *Lancet* (2017) 390:1770–80. doi: 10.1016/S0140-6736(17)31002-4
- Siakwa M, Kpikpitse D. 2016. *Chlamydia trachomatis* Related Neonatal Sepsis. *International Journal of Current Research* Vol. 8, Issue, 05, pp.30525-30528.
- Sick AC, Tschudin-Sutter S, Turnbull AE et al. 2014. Empiric combination therapy for gram-negative bacteremia. *Pediatrics* 2014; 133: e1148-1155.
- Silveira RC, Procianny RS. Evaluation of interleukin-6, tumor necrosis factor- α and interleukin-1 β for early diagnosis of neonatal sepsis. *Acta Paediatr* 1999; 88:647-50.
- Singer M, Deutschman CS, Seymour CW, Shankar-Hari M, Annane D, Bauer M, et al. The third international consensus definitions for sepsis and septic shock (Sepsis-3). *JAMA* (2016) 315:801–10. doi: 10.1001/jama.2016.0287.
- Srinivasan L, Harris MC. New technologies for the rapid diagnosis of neonatal sepsis. *Curr Opin Pediatr*. 2012;24:165–71.
- Sullivan SE, Staba SL, Gersting JA, et al: Circulating concentrations of chemokines in cord blood, neonates, and adults. *Pediatr Res* 51(5):653–657, 2002.
- Shao L, Guo Y, Jiang J. 2016. Sensitivity of the Standard *Chlamydia trachomatis* Culture Method Is Improved After One Additional In Vitro Passage. *J Clin Lab Anal*. 2016 Sep; 30(5): 697–701.
- Singh M; Assaleem M; et al. 2022. Neonatal Sepsis. National Centre of Biotechnology Information.
- Spuesens EB, Brouwe RW, et al. 2016. Comparison of Mycoplasma pneumoniae Genome Sequences from Strains Isolated from Symptomatic and Asymptomatic Patients. *Front. Microbiol.*, 27 October 2016. Infectious Agents and Disease, <https://doi.org/10.3389/fmicb.2016.01701>.
- Stout JE, Yu VL. Legionellosis. *N Engl J Med* 1997;337:682-7.
- Tappero, E, Johnson P (2010): Laboratory Evaluation of Neonatal Sepsis *Newborn and Infant Nursing Reviews*; 10: 209 – 217.
- Tewari VV, Jain N. Monotherapy with amikacin or piperacillin-tazobactam empirically in neonates at risk for early-onset sepsis: a randomized controlled trial. *J Trop Pediatr* 2014; 60: 297-302.
- Thurman KA, Walter ND, Schwartz SB, et al. Comparison of laboratory diagnostic procedures for detection of Mycoplasma pneumoniae in community outbreak external icon. *Clin Infect Dis*. 2009;48:1244–9.


- Tollin M, Bergsson G, Kai-Larsen Y, et al: Vernix caseosa as a multi-component defence system based on polypeptides, lipids and their interactions. *Cell Mol Life Sci* 62(19–20):2390–2399, 2005.
- Trinchieri G, Sher A: Cooperation of Toll-like receptor signals in innate immune defence. *Nat Rev Immunol* 7(3):179–190, 2007.
- Valero LG, Rusniok C, et al. 2011. Comparative and functional genomics of *Legionella* identified eukaryotic like proteins as key players in host–pathogen interactions. *Front. Microbiol.*, 28 October 2011, Sec. Cellular and Infection Microbiology.
- Voora S, Srinivasan G, Lilien LD, Yeh TF, Pildes RS. Fever in full-term newborns in the first four days of life. *Pediatrics* 1982; 69:40-4; PMID:7033912
- Viscardi RM. *Ureaplasma* species: Role in diseases of prematurity. *Clin Perinatol* 2010;37:393-409.
- Waites KB, Schelonka RL, Xiao L, Grigsby PL, Novy M. Congenital and opportunistic infections: *Ureaplasma* species and *Mycoplasma hominis*. *Semin Fetal Neonatal Med* 2009;14:190-9.
- Waites KB, Talkington DF (October 2004). "Mycoplasma pneumoniae and its role as a human pathogen". *Clinical Microbiology Reviews*. 17 (4): 697–728, table of contents. doi:10.1128/CMR.17.4.697-728.2004.
- Waites KB, Katz B, Schelonka RL. Mycoplasmas and Ureaplasmas as neonatal pathogens. *Clin Microbiol Rev* 2005;18:757-89.
- Weisman LE, Stoll BJ, Cruess DF, Hall RT, Merenstein GB, Hemming VG, Fischer GW. Early-onset group B streptococcal sepsis: a current assessment. *J Pediatr* 1992; 121:428-33; PMID:1517922; [http://dx.doi.org/10.1016/S0022-3476\(05\)81801-3](http://dx.doi.org/10.1016/S0022-3476(05)81801-3)
- Whicher J, Bienvenu J, Monneret G. Procalcitonin as an acute phase marker. *Ann Clin Biochem* 2001; 38:483-93; PMID:11587126; <http://dx.doi.org/10.1258/0004563011901299>
- Wang ZL, Yu JL. [Recent progress in the diagnosis of neonatal septicemia]. *Zhongguo Dang Dai Er Ke ZaZhi* 2013; 15:236-41; PMID:23498771
- Wong HR, Cvijanovich N, Wheeler DS, et al: Interleukin-8 as a stratification tool for interventional trials involving pediatric septic shock. *Am J Respir Crit Care Med* 178(3):276–282, 2008.
- World Health Organization. 2020. WHO guidelines for the treatment of chlamydia trachomatis.
- World Health Organization. 2020. Global Report on The Epidemiology and Burden of Sepsis. Current evidence, identifying gaps and future directions. <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).
- Workowski KA, Berman SM. Centers for disease control and prevention sexually transmitted disease treatment guidelines. *Clin Infect Dis*. (2011) 53(Suppl. 3):S59–63. doi: 10.1093/cid/cir694.
- Wynn JL, Scumpia PO, Winfield RD, et al. Defective innate immunity predisposes murine neonates to poor sepsis outcome but is reversed by TLR agonists. *Blood* 2008 Sep 1;112(5):1750–1758.
- Wynn JL, Polin RA. Progress in the management of neonatal sepsis: the importance of a consensus definition. *Pediatr Res*. (2018) 83:13–5. doi: 10.1038/pr.2017.224
- Wynn JL, Wong HR, Shanley TP, Bizzarro MJ, Saiman L, Polin RA. Time for a neonatal-specific consensus definition for sepsis. *Pediatr Crit Care Med*. (2014) 15:523–8. doi: 10.1097/PCC.0000000000000157



- Wynn JL, Wong HR. Pathophysiology of Neonatal Sepsis. Elsevier: Section XXVI, 2020, p: 1536-1552.
- Zhou B, Liu X, Wu J, et al. Clinical and microbiological profile of babies born with risk of neonatal sepsis. *Exp Ther Med.* 2016;12:3621–5.
- Zhang Z, Kermekchiev M, Barnes W. 2010. Direct DNA Amplification from Crude Clinical Sampels Using a PCR Enhancer Cocktail and Novel Mutants of Taq. *J Mol Diagn.* 2010 Mar; 12(2): 152–161. doi: 10.2353/jmoldx.2010.090070

LAMPIRAN



Gambar Hasil Elektroforesis Yang Pengerjaanx Multiplex



- **Multiplex PCR Primer *C.pneumoniae* , *M.pneumoniae*, *L.pneumophila***









C







- Multiplex PCR Primer *C.trachomatis* dan *U.urealyticum*









	en		(200 bp)	(423 bp)			
1		F.1	Negatif	Negatif	Negatif	Negatif	Negatif
2		F.2	Negatif	Negatif	Negatif	Negatif	Negatif
3		F.3	Negatif	Negatif	Negatif	Negatif	Negatif
4		F.4	Negatif	Negatif	Negatif	Negatif	Negatif
5		F.5	Negatif	Negatif	Negatif	Negatif	Negatif
6		F.6	Negatif	Negatif	Negatif	Negatif	Negatif
7		F.7	Negatif	Negatif	Negatif	Negatif	Negatif
8		F.8	Negatif	Negatif	Negatif	Negatif	Negatif
9		F.9	Negatif	Negatif	Negatif	Negatif	Negatif
10		F.10	Negatif	Negatif	Negatif	Negatif	Negatif
11		F.11	Negatif	Negatif	Negatif	Negatif	Negatif
12		F.12	Negatif	Negatif	Negatif	Negatif	Negatif
13		F.13	Negatif	Negatif	Negatif	Negatif	Negatif
14		F.14	Negatif	Negatif	Negatif	Negatif	Negatif
15		F.15	Negatif	Negatif	Negatif	Negatif	Negatif
16		F.16	Negatif	Negatif	Negatif	Negatif	Negatif
17		F.17	Negatif	Negatif	Negatif	Negatif	Negatif
18		F.18	Negatif	Negatif	Negatif	Negatif	Negatif
19		F.19	Negatif	Negatif	Negatif	Negatif	Negatif
20		F.20	Negatif	Negatif	Negatif	Negatif	Negatif
21		F.21	Negatif	Negatif	Negatif	Negatif	Negatif
22		F.22	Negatif	Negatif	Negatif	Negatif	Negatif
23		F.23	Negatif	Negatif	Negatif	Negatif	Negatif
24		F.24	Negatif	Negatif	Negatif	Negatif	Negatif
25		F.25	Negatif	Negatif	Negatif	Negatif	Negatif
26		F.26	Negatif	Negatif	Negatif	Negatif	Negatif
27		F.27	Negatif	Negatif	Negatif	Negatif	Negatif
28		F.28	Negatif	Negatif	Negatif	Negatif	Negatif
29		F.29	Negatif	Negatif	Negatif	Negatif	Negatif
30		F.30	Negatif	Negatif	Negatif	Negatif	Negatif
31		F.31	Negatif	Negatif	Negatif	Negatif	Negatif
32		F.32	Negatif	Negatif	Negatif	Negatif	Negatif
33		F.33	Negatif	Negatif	Negatif	Negatif	Negatif
34		F.34	Negatif	Negatif	Negatif	Negatif	Negatif
35		F.35	Negatif	Negatif	Negatif	Negatif	Negatif
36		F.36	Negatif	Negatif	Negatif	Negatif	Negatif
37		F.37	Negatif	Negatif	Negatif	Negatif	Negatif
38		F.38	Negatif	Negatif	Negatif	Negatif	Negatif
39		F.39	Negatif	Negatif	Negatif	Negatif	Negatif
40		F.40	Negatif	Negatif	Negatif	Negatif	Negatif
41		F.41	Negatif	Negatif	Negatif	Negatif	Negatif
42		F.42	Negatif	Negatif	Negatif	Negatif	Negatif
43		F.43	Negatif	Negatif	Negatif	Negatif	Negatif
44		F.44	Negatif	Negatif	Negatif	Negatif	Negatif
45		F.45	Negatif	Negatif	Negatif	Negatif	Negatif
46		F.46	Negatif	Negatif	Negatif	Negatif	Negatif
47		F.47	Positif	Negatif	Negatif	Negatif	Negatif
48		F.48	Negatif	Negatif	Negatif	Negatif	Negatif
49		F.49	Negatif	Negatif	Negatif	Negatif	Negatif
50		F.50	Negatif	Negatif	Negatif	Negatif	Negatif
51		F.51	Negatif	Negatif	Negatif	Negatif	Negatif



52		F.52	Negatif	Negatif	Negatif	Negatif	Negatif
53		F.53	Negatif	Negatif	Negatif	Negatif	Negatif
54		F.54	Negatif	Negatif	Negatif	Negatif	Negatif
55		F.55	Negatif	Negatif	Negatif	Negatif	Negatif
56		F.56	Negatif	Negatif	Negatif	Negatif	Negatif
57		F.57	Negatif	Negatif	Negatif	Negatif	Negatif
58		F.58	Negatif	Negatif	Negatif	Negatif	Negatif
59		F.59	Negatif	Negatif	Negatif	Negatif	Negatif
60		F.60	Negatif	Negatif	Negatif	Negatif	Negatif


Gambar Hasil Elektroforesis Yang Pengerjaan PCR tdk multiplex utk Primer C.trachomatis dan U.urealyiticum

- C.trachomatis
















- **U.urealyticum**









Tabel Hasil PCR Multiplex Untuk Primer C.pneumoniae. M.pneumoniae, L.pneumophila tetapi utk primer C.trachomatis dan U.urealyticum bukan Multiplex PCR (Uniplex PCR)

No	Nama Pasien	Kode Sampel	Hasil PCR				
			<i>C. trachomatis</i> (200 bp)	<i>U. urealyticum</i> (423 bp)	C.pneumoniae (236)	M.pneumoniae (157 bp)	L.pneumophila (88 bp)
1		F.1	Positif	Negatif	Negatif	Negatif	Negatif
2		F.2	Positif	Negatif	Negatif	Negatif	Negatif
3		F.3	Positif	Negatif	Negatif	Negatif	Negatif
4		F.4	Negatif	Negatif	Negatif	Negatif	Negatif
5		F.5	Positif	Negatif	Negatif	Negatif	Negatif
6		F.6	Negatif	Negatif	Negatif	Negatif	Negatif
7		F.7	Positif	Negatif	Negatif	Negatif	Negatif
8		F.8	Positif	Negatif	Negatif	Negatif	Negatif
9		F.9	Negatif	Negatif	Negatif	Negatif	Negatif
10		F.10	Positif	Negatif	Negatif	Negatif	Negatif
11		F.11	Positif	Negatif	Negatif	Negatif	Negatif
12		F.12	Positif	Negatif	Negatif	Negatif	Negatif
13		F.13	Positif	Negatif	Negatif	Negatif	Negatif
14		F.14	Positif	Negatif	Negatif	Negatif	Negatif
15		F.15	Positif	Negatif	Negatif	Negatif	Negatif
16		F.16	Positif	Negatif	Negatif	Negatif	Negatif

17		F.17	Positif	Negatif	Negatif	Negatif	Negatif
18		F.18	Negatif	Negatif	Negatif	Negatif	Negatif
19		F.19	Negatif	Negatif	Negatif	Negatif	Negatif
20		F.20	Negatif	Negatif	Negatif	Negatif	Negatif
21		F.21	Negatif	Negatif	Negatif	Negatif	Negatif
22		F.22	Negatif	Negatif	Negatif	Negatif	Negatif
23		F.23	Negatif	Negatif	Negatif	Negatif	Negatif
24		F.24	Negatif	Negatif	Negatif	Negatif	Negatif
25		F.25	Negatif	Negatif	Negatif	Negatif	Negatif
26		F.26	Negatif	Negatif	Negatif	Negatif	Negatif
27		F.27	Positif	Negatif	Negatif	Negatif	Negatif
28		F.28	Positif	Negatif	Negatif	Negatif	Negatif
29		F.29	Negatif	Negatif	Negatif	Negatif	Negatif
30		F.30	Positif	Negatif	Negatif	Negatif	Negatif
31		F.31	Positif	Negatif	Negatif	Negatif	Negatif
32		F.32	Positif	Negatif	Negatif	Negatif	Negatif
33		F.33	Positif	Negatif	Negatif	Negatif	Negatif
34		F.34	Negatif	Negatif	Negatif	Negatif	Negatif
35		F.35	Positif	Negatif	Negatif	Negatif	Negatif
36		F.36	Positif	Negatif	Negatif	Negatif	Negatif
37		F.37	Positif	Negatif	Negatif	Negatif	Negatif
38		F.38	Positif	Negatif	Negatif	Negatif	Negatif
39		F.39	Positif	Negatif	Negatif	Negatif	Negatif
40		F.40	Negatif	Negatif	Negatif	Negatif	Negatif
41		F.41	Negatif	Negatif	Negatif	Negatif	Negatif
42		F.42	Negatif	Negatif	Negatif	Negatif	Negatif
43		F.43	Negatif	Negatif	Negatif	Negatif	Negatif
44		F.44	Negatif	Negatif	Negatif	Negatif	Negatif
45		F.45	Negatif	Negatif	Negatif	Negatif	Negatif
46		F.46	Negatif	Negatif	Negatif	Negatif	Negatif
47		F.47	Positif	Negatif	Negatif	Negatif	Negatif
48		F.48	Negatif	Negatif	Negatif	Negatif	Negatif
49		F.49	Positif	Negatif	Negatif	Negatif	Negatif
50		F.50	Positif	Negatif	Negatif	Negatif	Negatif
51		F.51	Positif	Negatif	Negatif	Negatif	Negatif
52		F.52	Positif	Negatif	Negatif	Negatif	Negatif
53		F.53	Negatif	Negatif	Negatif	Negatif	Negatif
54		F.54	Negatif	Negatif	Negatif	Negatif	Negatif
55		F.55	Negatif	Negatif	Negatif	Negatif	Negatif
56		F.56	Negatif	Negatif	Negatif	Negatif	Negatif
57		F.57	Negatif	Negatif	Negatif	Negatif	Negatif
58		F.58	Negatif	Negatif	Negatif	Negatif	Negatif
59		F.59	Negatif	Negatif	Negatif	Negatif	Negatif
60		F.60	Negatif	Negatif	Negatif	Negatif	Negatif