

DAFTAR PUSTAKA

- A, J., S, K., A, B., N, S., N, V., & S, V. (2017). Elevated Red Cell Distribution Width as a Prognostic Marker in Severe Sepsis: A Prospective Observational Study. *Indian Journal of Critical Care Medicine : Peer-Reviewed, Official Publication of Indian Society of Critical Care Medicine*, 21(9), 552–562.
https://doi.org/10.4103/IJCCM.IJCCM_208_17
- Alfares, M., Almrzouqi, A., Alghamdi, R., Alsharif, R., Kurdi, L., Kamfar, S., Alzahrani, F., & Maimani, L. (2023). Risk Factors of Hospital-Acquired Pneumonia Among Hospitalized Patients With Cardiac Diseases. *Cureus*, 15(1), e34253.
<https://doi.org/10.7759/cureus.34253>
- Amin Z. (2017). Konsensus: Pneumonia Viral. Staff UI [ebook]. Jakarta : Perhimpunan Subspesialis Respirologi dan Penyakit Kritis Spesialis Ilmu Penyakit Dalam Indonesia :
https://staff.ui.ac.id/system/files/users/zulkifli.amin/miscellaneous/pneumonia_viral_buku_konsensus.pdf [diakses 20 September 2020].
- Antman EM, Loscalzo J. (2015). *Harrison Principles of Internal Medicine*. 19th ed. Mc Graw Hill Education;
- Aung, N., Ling, H. Z., Cheng, A. S., Aggarwal, S., Flint, J., Mendonca, M., Rashid, M., Kang, S., Weissert, S., Coats, C. J., Richards, T., Thomas, M., Woldman, S., & Okonko, D. O. (2013). Expansion of the red cell distribution width and evolving iron deficiency as predictors of poor outcome in chronic heart failure. *International Journal of Cardiology*, 168(3), 1997–2002.
<https://doi.org/10.1016/j.ijcard.2012.12.091>

Oktober. *Riset Kesehatan Dasar.* Departemen Kesehatan RI;

<http://www.depkes.go.id>.

Bartlett, B. *et al.* (2019) ‘Cardiovascular complications following pneumonia: focus on pneumococcus and heart failure’, *Current Opinion in Cardiology*, 34(2). Available

at: https://journals.lww.com/cardiology/Fulltext/2019/03000/Cardiovascular_complications_following_pneumonia_19.aspx.

Bello, S., Fandos, S., Lasierra, A. B., Mincholé, E., Panadero, C., Simon, A. L., Gavin, O., De Pablo, F., Menendez, R., & Torres, A. (2015). Red blood cell distribution width [RDW] and long-term mortality after community-acquired pneumonia. A comparison with proadrenomedullin. *Respiratory Medicine*, 109(9), 1193–1206.
<https://doi.org/10.1016/j.rmed.2015.07.003>

Braun, E., Kheir, J., Mashiach, T., Naffaa, M., & Azzam, Z. S. (2014). Is elevated Red cell distribution width a prognostic predictor in adult patients with community acquired Pneumonia? *BMC Infectious Diseases*, 14(1), 1–11. <https://doi.org/10.1186/1471-2334-14-129/FIGURES/6>

British Thoracic Society Guidelines for the management of community acquired pneumonia in adults. (2009) Guideline Group. Guideline for the Management of community acquired pneumonia in adults : up date. Thorax 2009;64(Suppl III)

Cataudella, E., Giraffa, C. M., Di Marca, S., Pulvirenti, A., Alaimo, S., Pisano, M., Terranova, V., Corriere, T., Ronsisvalle, M. L., Di Quattro, R., Stancanelli, B., Giordano, M., Vancheri, C., & Malatino, L. (2017). Neutrophil-To-Lymphocyte Ratio: An Emerging Marker Predicting Prognosis in Elderly Adults with Community-Acquired Pneumonia. *Journal of the American Geriatrics Society*, 65(8), 1796–1801.
<https://doi.org/10.1111/JGS.14894>

Cauthen, C. A., Tong, W., Jain, A., & Tang, W. H. W. (2012). Progressive rise in red cell distribution width is associated with disease progression in ambulatory patients with chronic heart failure. *Journal of Cardiac Failure*, 18(2), 146–152.
<https://doi.org/10.1016/j.cardfail.2011.10.013>

Cho, J.H. et al. (2020) ‘Neutrophil-Lymphocyte Ratio in Patients with Acute Heart Failure Predicts In-Hospital and Long-Term Mortality’, *Journal of clinical medicine*, 9(2), p. 557. doi:10.3390/jcm9020557.

Corrales-Medina, V. F., Musher, D. M., Wells, G. A., Chirinos, J. A., Chen, L., & Fine, M. J. (2012). Cardiac complications in patients with community-acquired pneumonia incidence, timing, risk factors, and association with short-term mortality. *Circulation*, 125(6), 773–781. <https://doi.org/10.1161/CIRCULATIONAHA.111.040766>

Corrales-Medina, V. F., Serpa, J., Rueda, A. M., Giordano, T. P., Bozkurt, B., Madjid, M., Tweardy, D., & Musher, D. M. (2009). Acute bacterial pneumonia is associated with the occurrence of acute coronary syndromes. *Medicine*, 88(3), 154–159.
<https://doi.org/10.1097/MD.0B013E3181A692F0>

Curran, F.M. et al. (2021) ‘Neutrophil-to-lymphocyte ratio and outcomes in patients with new-onset or worsening heart failure with reduced and preserved ejection fraction’,

ESC Heart Failure, 8(4), pp. 3168–3179. doi:10.1002/eHF2.13424.

Dandachi D, Rodriguez-Barradas MC. (2018). Viral pneumonia: Etiologies and treatment. *J Investig Med.*;66(6):957–65.

Dahlan Z. (2009). Pneumonia, dalam Sudoyo AW, dkk (editor). Buku Ajar Ilmu Penyakit Dalam Edisi V. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam Universitas IndonesiaRestrepo, M.I. and Reyes, L.F. (2018) ‘Pneumonia as a cardiovascular disease’, *Respirology*, 23(3), pp. 250–259. doi:10.1111/resp.13233.

Desai, A., Aliberti, S., Amati, F., Stainer, A., & Voza, A. (2022). Cardiovascular Complications in Community-Acquired Pneumonia. *Microorganisms*, 10(11). <https://doi.org/10.3390/microorganisms10112177>

Duan J, Wu Y, Liu C, et al. (2020) deleterious effects of viral pneumonia on cardiovascular system. *European Heart Journal*;41(19):1833–8.

Fernandez-Gasso, L. et al. (2017) ‘Trends, causes and timing of 30-day readmissions after hospitalization for heart failure: 11-year population-based analysis with linked data’, *International Journal of Cardiology*, 248, pp. 246– 251. doi:10.1016/j.ijcard.2017.07.094.

Griffin, A. T., Wiemken, T. L., & Arnold, F. W. (2013). Risk factors for cardiovascular events in hospitalized patients with community-acquired pneumonia. *International Journal of Infectious Diseases*, 17(12), e1125–e1129. <https://doi.org/10.1016/j.ijid.2013.07.005>

Guyton AC, Hall JE. (2011) Buku Ajar Fisiologi Kedokteran. 12th ed. Amerika Serikat: Saunders Elsevier.

Han, X., Chen, L., Li, H., Zhou, F., Xing, X., Zhang, C., Suo, L., Wang, J., Liu, X., & Cao,

- B. (2022). Prognostic Factors for Cardiovascular Events in Elderly Patients with Community Acquired Pneumonia: Results from the CAP-China Network. *Clinical Interventions in Aging*, 17, 603–614. <https://doi.org/10.2147/CIA.S356925>
- Honda, T., Uehara, T., Matsumoto, G., Arai, S., & Sugano, M. (2016). Neutrophil left shift and white blood cell count as markers of bacterial infection. *Clinica Chimica Acta*, 457, 46–53. <https://doi.org/10.1016/J.CCA.2016.03.017>
- Houck, P. M., Bratzler, D. W., Nsa, W., Ma, A., & Bartlett, J. G. (2004). Timing of Antibiotic Administration and Outcomes for Medicare Patients Hospitalized With Community-Acquired Pneumonia. *Archives of Internal Medicine*, 164(6), 637–644. <https://doi.org/10.1001/ARCHINTE.164.6.637>
- Huang, Y., Liu, A., Liang, L., Jiang, J., Luo, H., Deng, W., Lin, G., Wu, M., Li, T., & Jiang, Y. (2018). Diagnostic value of blood parameters for community-acquired pneumonia. *International Immunopharmacology*, 64, 10–15. <https://doi.org/10.1016/J.INTIMP.2018.08.022>
- Jankowska, E. A., Malyszko, J., Ardehali, H., Koc-Zorawska, E., Banasiak, W., Von Haehling, S., MacDougall, I. C., Weiss, G., McMurray, J. J. V., Anker, S. D., Gheorghiade, M., & Ponikowski, P. (2013). Iron status in patients with chronic heart failure. *European Heart Journal*, 34(11), 827–834. <https://doi.org/10.1093/EURHEARTJ/EHS377>
- Jo, Y. H., Kim, K., Lee, J. H., Kang, C., Kim, T., Park, H. M., Kang, K. W., Kim, J., & Rhee, J. E. (2013). Red cell distribution width is a prognostic factor in severe sepsis and septic shock. *The American Journal of Emergency Medicine*, 31(3), 545–548. <https://doi.org/10.1016/J.AJEM.2012.10.017>
- Kutyifa, V. et al. (2018) ‘Impact of non-cardiovascular disease burden on thirty- day

hospital readmission in heart failure patients', *Cardiology Journal*, 25(6), p. 691–700.
doi:10.5603/CJ.2018.0147. *Circulation*, 133(4), pp. e38–e360.
doi:10.1161/CIR.0000000000000350.

Kuikel, S., Pathak, N., Poudel, S., Thapa, S., Bhattarai, S. L., Chaudhary, G., & Pandey, K. R. (2022). Neutrophil–lymphocyte ratio as a predictor of adverse outcome in patients with community-acquired pneumonia: A systematic review. *Health Science Reports*, 5(3), e630. <https://doi.org/10.1002/HSR2.630>

Lee, J. H., Chung, H. J., Kim, K., Jo, Y. H., Rhee, J. E., Kim, Y. J., & Kang, K. W. (2013). Red cell distribution width as a prognostic marker in patients with community-acquired pneumonia. *The American Journal of Emergency Medicine*, 31(1), 72–79. <https://doi.org/10.1016/J.AJEM.2012.06.004>

Lindner, G., Doberer, E., Vychytil, A., Sengölge, G., Wakounig, S., Moertl, D., Hörl, W. H., & Druml, W. (2009). Prognosis in patients with congestive heart failure and subacute renal failure treated with hemodialysis. *Wiener Klinische Wochenschrift*, 121(11–12), 391–397. <https://doi.org/10.1007/S00508-009-1158-Y>

Loonen, A. J. M., De Jager, C. P. C., Tosserams, J., Kusters, R., Hilbink, M., Wever, P. C., & Van Den Brule, A. J. C. (2014). Biomarkers and Molecular Analysis to Improve Bloodstream Infection Diagnostics in an Emergency Care Unit. *PLOS ONE*, 9(1), e87315. <https://doi.org/10.1371/JOURNAL.PONE.0087315>

Lowsby, R., Gomes, C., Jarman, I., Lisboa, P., Nee, P. A., Vardhan, M., Eckersley, T., Saleh, R., & Mills, H. (2015). Neutrophil to lymphocyte count ratio as an early indicator of blood stream infection in the emergency department. *Emergency Medicine Journal*, 32(7), 531–534. <https://doi.org/10.1136/EMERMED-2014-204071>

Luttfiya MN, Henley E, Chang L. (2010) Diagnosis and treatment of community acquired pneumonia. *American Family Physician*, 73(3):442-50.

Mancini, D., & Gibson, G. T. (2021). Impact of Pneumonia in Heart Failure Patients. *Journal of the American College of Cardiology*, 77(16), 1974–1976.
<https://doi.org/10.1016/j.jacc.2021.03.010>

Mandell, L. A., Wunderink, R. G., Anzueto, A., Bartlett, J. G., Campbell, G. D., Dean, N. C., Dowell, S. F., File, T. M., Musher, D. M., Niederman, M. S., Torres, A., & Whitney, C. G. (2007). Infectious Diseases Society of America/American Thoracic Society consensus guidelines on the management of community-acquired pneumonia in adults. *Clinical Infectious Diseases : An Official Publication of the Infectious Diseases Society of America*, 44 Suppl 2(Suppl 2). <https://doi.org/10.1086/511159>

Mann, D.L. (2015) ‘Innate Immunity and the Failing Heart’, *Circulation Research*, 116(7), pp. 1254–1268. doi:10.1161/CIRCRESAHA.116.302317.

Maxine A Papadakis, MD, Stephen J Mc Phee, MD, Michael W Rabow, MD, (2012) A Lange Medical Book, New York,.p.275-8

Mbadugha, U. J., Surani, S., Akuffo, N., & Udeani, G. (2021). Antimicrobial Therapy for Pneumonia or Fluid Overload? *Cureus*, 13(1), 1–8.
<https://doi.org/10.7759/cureus.12719>

McDonagh, T.A. et al. (2021) ‘2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: Developed by the Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC) With the special contribution of the Heart Failure Association (HFA) of the ESC’, *European Heart Journal*, 42(36), pp. 3599–3726.

doi:10.1093/eurheartj/ehab368.

Melchio, R., Giambello, J. D., Testa, E., Ruiz Iturriaga, L. A., Falcetta, A., Serraino, C., Riva, P., Bracco, C., Serrano Fernandez, L., D'Agnano, S., Leccardi, S., Porta, M., & Fenoglio, L. M. (2021). RDW-based clinical score to predict long-term survival in community-acquired pneumonia: a European derivation and validation study. *Internal and Emergency Medicine*, 16(6), 1547–1557. <https://doi.org/10.1007/S11739-020-02615-6>

Motte, S., Van Beneden, R., Mottet, J., Rondelet, B., Mathieu, M., Havaux, X., Lause, P., Clercx, C., Ketelslegers, J. M., Naeije, R., & McEntee, K. (2003). Early activation of cardiac and renal endothelin systems in experimental heart failure. *American Journal of Physiology. Heart and Circulatory Physiology*, 285(6). <https://doi.org/10.1152/AJPHEART.00419.2003>

Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M., Das, S. R., Ferranti, S. De, Després, J. P., Fullerton, H. J., Howard, V. J., Huffman, M. D., Isasi, C. R., Jiménez, M. C., Judd, S. E., Kissela, B. M., Lichtman, J. H., Lisabeth, L. D., Liu, S., ... Turner, M. B. (2016). Heart disease and stroke statistics-2016 update a report from the American Heart Association. In *Circulation* (Vol. 133, Issue 4). <https://doi.org/10.1161/CIR.0000000000000350>

Musher, D. M., Rueda, A. M., Kaka, A. S., & Mapara, S. M. (2007). The association between pneumococcal pneumonia and acute cardiac events. *Clinical Infectious Diseases*, 45(2), 158–165. <https://doi.org/10.1086/518849/2/45-2-158-TBL004.GIF>

Muzakkir, A. F., Juzar, D. A., Zainuddin, A. A., Herdanto, D. Y., Widayantoro, B., Zamroni, D., Danny, S. S., Firdaus, I., Tobing, D. P., & Irmalita, I. (2019). PERFORMANCE SIMPLIFIED ACUTE PHYSIOLOGY SCORE 3 SEBAGAI PREDIKTOR

MORTALITAS PADA UNIT RAWAT INTENSIF KARDIOVASKULAR.

Indonesian Journal of Cardiology, 39(4). <https://doi.org/10.30701/IJC.V39I4.702>

Ng, W. W. S., Lam, S. M., Yan, W. W., & Shum, H. P. (2022). NLR, MLR, PLR and RDW to predict outcome and differentiate between viral and bacterial pneumonia in the intensive care unit. *Scientific Reports*, 12(1). <https://doi.org/10.1038/S41598-022-20385-3>

PDPI. (2014). Pneumonia komuniti-pedoman diagnosis dan penatalaksana di Indonesia.

Perhimpunan Dokter Paru Indonesia.

PERKI. (2020). Pedoman tatalaksana gagal jantung. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

Peyrani, P., & Ramirez, J. (2013). What is the Association of Cardiovascular Events with Clinical Failure in Patients with Community-Acquired Pneumonia? *Infectious Disease Clinics of North America*, 27(1), 205–210. <https://doi.org/10.1016/j.idc.2012.11.010>

Ponikowski, P. et al. (2016) ‘2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC)Developed with the special contribution of the Heart Failure Association (HFA) of the ESC’, *European Heart Journal*, 37(27), pp. 2129–2200. doi:10.1093/eurheartj/ehw128.

Quinton LJ, Walkey AJ, Mizgerd JP. (2018) Integrative Physiology of Pneumonia. *Physiol Rev* 98: 1417–1464, 2018. Published May 16,; doi:10.1152/physrev.00032.2017

Salvagno, G. L., Sanchis-Gomar, F., Picanza, A., & Lippi, G. (2015). Red blood cell distribution width: A simple parameter with multiple clinical applications. *Https://Doi.Org/10.3109/10408363.2014.992064*, 52(2), 86–105.

<https://doi.org/10.3109/10408363.2014.992064>

Shen, L., Jhund, P. S., Anand, I. S., Bhatt, A. S., Desai, A. S., Maggioni, A. P., Martinez, F. A., Pfeffer, M. A., Rizkala, A. R., Rouleau, J. L., Swedberg, K., Vaduganathan, M., Vardeny, O., van Veldhuisen, D. J., Zannad, F., Zile, M. R., Packer, M., Solomon, S. D., & McMurray, J. J. V. (2021). Incidence and Outcomes of Pneumonia in Patients With Heart Failure. *Journal of the American College of Cardiology*, 77(16), 1961–1973. <https://doi.org/10.1016/J.JACC.2021.03.001>

Thomsen, R. W., Kasatpibal, N., Riis, A., Nørgaard, M., & Sørensen, H. T. (2008). The impact of pre-existing heart failure on pneumonia prognosis: Population-based cohort study. *Journal of General Internal Medicine*, 23(9), 1407–1413. <https://doi.org/10.1007/s11606-008-0672-3>

Van Craenenbroeck, E. M., Pelle, A. J., Beckers, P. J., Possemiers, N. M., Ramakers, C., Vrints, C. J., Van Hoof, V., Denollet, J., & Conraads, V. M. (2012). Red cell distribution width as a marker of impaired exercise tolerance in patients with chronic heart failure. *European Journal of Heart Failure*, 14(1), 54–60. <https://doi.org/10.1093/eurjhf/hfr136>

Varma, S., Varma, N., Jandial, A., & Kumar, S. (2017). Elevated red cell distribution width as a prognostic marker in severe sepsis: A prospective observational study. *Indian Journal of Critical Care Medicine*, 21(9), 552–562. https://doi.org/10.4103/IJCCM.IJCCM_208_17

Viasus, D., Simonetti, A., Garcia-Vidal, C., & Carratalà, J. (2014). Prediction of prognosis by markers in community-acquired pneumonia. <Http://Dx.Doi.Org/10.1586/14787210.2013.825442>, 11(9), 917–929. <https://doi.org/10.1586/14787210.2013.825442>

- Violi, F., Cangemi, R., Falcone, M., Taliani, G., Pieralli, F., Vannucchi, V., Nozzoli, C., Venditti, M., Chirinos, J. A., & Corrales-Medina, V. F. (2017). Cardiovascular complications and short-term mortality risk in community-acquired pneumonia. *Clinical Infectious Diseases*, 64(11), 1486–1493. <https://doi.org/10.1093/cid/cix164>
- Wattigney, W. A., Mensah, G. A., & Croft, J. B. (2003). Increasing trends in hospitalization for atrial fibrillation in the United States, 1985 through 1999: implications for primary prevention. *Circulation*, 108(6), 711–716. <https://doi.org/10.1161/01.CIR.0000083722.42033.0A>
- Walker R & Whittlesca C, (2012) Clinical Pharmacy and Therapeutics : fifth edition, London, Churchill Livingstone Elsevier.
- Wołowiec, Ł., Rogowicz, D., Banach, J., Buszko, K., Surowiec, A., Błazejewski, J., Bujak, R., & Sinkiewicz, W. (2016). Prognostic significance of red cell distribution width and other red cell parameters in patients with chronic heart failure during two years of follow-up. *Kardiologia Polska*, 74(7), 657–664. <https://doi.org/10.5603/KP.a2016.0004>