

## DAFTAR PUSTAKA

- A. van den Hoogen, E. Segers, H. Ockhuijsen, P. Baarendse, I. van E. (2018). *P-371 Tions in Nicu and Picu on Parental Satisfaction P-373 the Persist Study . How Do the Results Compare To P-372.* 19(6), 2017–2018.
- Abubakar, Z., Rivai, F., & Sapada, N. A. (2020). Effect of patient centered care application on inpatient outcomes in rskdia pertiwi and rsia ananda (Woman and child hospitals). *Open Access Macedonian Journal of Medical Sciences*, 8(T2), 162–167. <https://doi.org/10.3889/oamjms.2020.5217>
- Aghajani, S., & Kargari, M. (2016). Determining Factors Influencing Length of Stay and Predicting Length of Stay Using Data Mining in the General Surgery Department. *Hospital Practices and Research*, 1(2), 51–56. <https://doi.org/10.20286/hpr-010251>
- Anagnostopoulos, F., & Sciences, P. (2014). Encyclopedia of Quality of Life and Well-Being Research. *Encyclopedia of Quality of Life and Well-Being Research, December*. <https://doi.org/10.1007/978-94-007-0753-5>
- Arrif Zulhani, M. S., & Rossa, E. M. (2020). Pelaksanaan Perawatan Pasien Berpusat pada Penurunan Tingkat Nyeri Post-Caeser. *Jurnal Kesehatan Vokasional*, 5(1), 28. <https://doi.org/10.22146/jkesvo.53230>
- Australian Commission on Safety and Quality in Health Care (ACSQHC). (2010). *Patient-Centred Care: Improving Quality and Safety by Focusing on Care on Patients and Consumers. Discussion paper: Draft for public consultation, September 2010.* September. [http://www.health.gov.au/internet/safety/publishing.nsf/Content/36AB9E5379378EBECA2577B3001D3C2B/\\$File/PCCC-DiscussPaper.pdf](http://www.health.gov.au/internet/safety/publishing.nsf/Content/36AB9E5379378EBECA2577B3001D3C2B/$File/PCCC-DiscussPaper.pdf)
- Baek, H., Cho, M., Kim, S., Hwang, H., Song, M., & Yoo, S. (2018). Analysis of length of hospital stay using electronic health records: A statistical and data mining approach. *PLOS ONE*, 13(4), e0195901. <https://doi.org/10.1371/journal.pone.0195901>
- Baker, E., & Piper, J. (2017). Drainless mastectomy: Is it safe and effective? *Surgeon*, 15(5), 267–271. <https://doi.org/10.1016/j.surge.2015.12.007>
- Baniasadi, T., Ghazisaeedi, M., Hassaniazad, M., Kalhori, S. R. N., & Shahi, M.

- (2019). *A Study of Factors Affecting on Patients' Length of Stay in a Surgical Ward: Toward Optimization by Technology-based Solutions.* 1–20. <https://doi.org/10.21203/rs.2.14366/v2>
- Baniasadi, T., Kahnouji, K., Davaridolatabadi, N., & Hosseini Teshnizi, S. (2019). Factors affecting length of stay in Children Hospital in Southern Iran. *BMC Health Services Research*, 19(1), 1–6. <https://doi.org/10.1186/s12913-019-4799-1>
- Bensing, J. (2000). Bridging the gap. *Patient Education and Counseling*, 39(1), 17–25. [https://doi.org/10.1016/S0738-3991\(99\)00087-7](https://doi.org/10.1016/S0738-3991(99)00087-7)
- Berghout, M., van Exel, J., Leensvaart, L., & Cramm, J. M. (2015). Healthcare professionals' views on patient-centered care in hospitals. *BMC Health Services Research*, 15(1), 385. <https://doi.org/10.1186/s12913-015-1049-z>
- Bertakis, K. D., & Azari, R. (2011). Determinants and outcomes of patient-centered care. *Patient Education and Counseling*, 85(1), 46–52. <https://doi.org/10.1016/j.pec.2010.08.001>
- Bonnema, J., van Wersch, A. M. E., van Geel, A., Pruyn, J. F., Schmitz, P. I., Uyl-de Groot, C., & Wiggers, T. (1998). Cost of care in a randomised trial of early hospital discharge after surgery for breast cancer. *European Journal of Cancer*, 34(13), 2015–2020. [https://doi.org/10.1016/S0959-8049\(98\)00258-5](https://doi.org/10.1016/S0959-8049(98)00258-5)
- Bundred, N., Maguire, P., Reynolds, J., Grimshaw, J., Morris, J., Thomson, L., Barr, L., & Baildam, A. (1998). Randomised controlled trial of effects of early discharge after surgery for breast cancer. *BMJ*, 317(7168), 1275–1279. <https://doi.org/10.1136/bmj.317.7168.1275>
- Cardoso, F., Senkus, E., Costa, A., Papadopoulos, E., Aapro, M., André, F., Harbeck, N., Aguilar Lopez, B., Barrios, C. H., Bergh, J., Biganzoli, L., Boers-Doets, C. B., Cardoso, M. J., Carey, L. A., Cortés, J., Curigliano, G., Diéras, V., El Saghir, N. S., Eniu, A., ... Winer, E. P. (2018). 4th ESO-ESMO International Consensus Guidelines for Advanced Breast Cancer (ABC 4). *Annals of Oncology*, 29(8), 1634–1657. <https://doi.org/10.1093/annonc/mdy192>
- Castro, E. M., Van Regenmortel, T., Vanhaecht, K., Sermeus, W., & Van Hecke, A. (2016). Patient empowerment, patient participation and patient-

- centeredness in hospital care: A concept analysis based on a literature review. *Patient Education and Counseling*, 99(12), 1923–1939. <https://doi.org/10.1016/j.pec.2016.07.026>
- CDC. (2022). Surgical Site Infection Event ( SSI ) Introduction : Settings : Requirements : *National Healthcare Safety Network, January*, 1–39.
- Charmel, P. A., & Frampton, S. B. (2008). Building the business case for patient-centered care. *Healthcare Financial Management : Journal of the Healthcare Financial Management Association*, 62(3), 80–85.
- Chatterjee, A., Pyfer, B., Czerniecki, B., Rosenkranz, K., Tchou, J., & Fisher, C. (2015). Early postoperative outcomes in lumpectomy versus simple mastectomy. *Journal of Surgical Research*, 198(1), 143–148. <https://doi.org/10.1016/j.jss.2015.01.054>
- Choi, H. J., Adiyani, L., Sung, J., Choi, J. Y., Kim, H. B., Kim, Y. K., Kwak, Y. G., Yoo, H., Lee, S. O., Han, S. H., Kim, S. R., Kim, T. H., Lee, H. M., Chun, H. K., Kim, J. S., Yoo, J. D., Koo, H. S., Cho, E. H., & Lee, K. W. (2016). Five-year decreased incidence of surgical site infections following gastrectomy and prosthetic joint replacement surgery through active surveillance by the Korean Nosocomial Infection Surveillance System. *Journal of Hospital Infection*, 93(4), 339–346. <https://doi.org/10.1016/j.jhin.2015.12.021>
- Cliff, B. (2012). The evolution of patient-centered care. *Journal of Healthcare Management*, 57(2), 86–88. <https://doi.org/10.1097/00115514-201203000-00003>
- Collins, T. C., Daley, J., Henderson, W. H., & Khuri, S. F. (1999). Risk factors for prolonged length of stay after major elective surgery. *Annals of Surgery*, 230(2), 251–259. <https://doi.org/10.1097/00000658-199908000-00016>
- Cramm, J. M., Leensvaart, L., Berghout, M., & van Exel, J. (2015). Exploring views on what is important for patient-centred care in end-stage renal disease using Q methodology. *BMC Nephrology*, 16(1), 74. <https://doi.org/10.1186/s12882-015-0071-z>
- Cropley, S. (2012). The relationship-based care model: Evaluation of the impact on patient satisfaction, length of stay, and readmission rates. *Journal of Nursing Administration*, 42(6), 333–339. <https://doi.org/10.1097/NNA.0b013e31825738ed>

- Crossing the Quality Chasm.* (2001). National Academies Press.  
<https://doi.org/10.17226/10027>
- Dancet, E. A. F., D'Hooghe, T. M., Sermeus, W., van Empel, I., Strohmer, H., Wyns, C., Santa-Cruz, D., Nardo, L. G., Kovatchki, D., Vanlangenakker, L., Garcia-Velasco, J., Mulugeta, B., Nelen, W. L. D. M., & Kremer, J. A. M. (2012). Patients from across Europe have similar views on patient-centred care: an international multilingual qualitative study in infertility care. *Human Reproduction*, 27(6), 1702–1711. <https://doi.org/10.1093/humrep/des061>
- de Kok, M., van der Weijden, T., Voogd, A. C., Dirksen, C. D., van de Velde, C. J. H., Roukema, J. A., Finaly-Marais, C., van der Ent, F. W., & von Meyenfeldt, M. F. (2010). Implementation of a short-stay programme after breast cancer surgery. *British Journal of Surgery*, 97(2), 189–194.  
<https://doi.org/10.1002/bjs.6812>
- Dehal, A., Abbas, A., & Johna, S. (2013). Comorbidity and outcomes after surgery among women with breast cancer: Analysis of nationwide in-patient sample database. *Breast Cancer Research and Treatment*, 139(2), 469–476. <https://doi.org/10.1007/s10549-013-2543-9>
- Donegan, D., Teeling, S. P., McNamara, M., McAweeney, E., McGrory, L., & Mooney, R. (2021). Calling time on the 'dance of the blind reflex': how collaborative working reduced older persons 'length of stay in acute care and increased home discharge. *International Practice Development Journal*, 11(1), 1–14. <https://doi.org/10.19043/ipdj.111.004>
- Downing, A., Lansdown, M., West, R. M., Thomas, J. D., Lawrence, G., & Forman, D. (2009a). Changes in and predictors of length of stay in hospital after surgery for breast cancer between 1997/98 and 2004/05 in two regions of England: A population-based study. *BMC Health Services Research*, 9, 1–9. <https://doi.org/10.1186/1472-6963-9-202>
- Downing, A., Lansdown, M., West, R. M., Thomas, J. D., Lawrence, G., & Forman, D. (2009b). Changes in and predictors of length of stay in hospital after surgery for breast cancer between 1997/98 and 2004/05 in two regions of England: a population-based study. *BMC Health Services Research*, 9, 202. <https://doi.org/10.1186/1472-6963-9-202>
- Ekman, I., Wolf, A., Olsson, L. E., Taft, C., Dudas, K., Schaufelberger, M., &

- Swedberg, K. (2012). Effects of person-centred care in patients with chronic heart failure: The PCC-HF study. *European Heart Journal*, 33(9), 1112–1119. <https://doi.org/10.1093/eurheartj/ehr306>
- Ells, C., Hunt, M. R., & Chambers-Evans, J. (2011). Relational autonomy as an essential component of patient-centered care. *IJFAB: International Journal of Feminist Approaches to Bioethics*, 4(2), 79–101. <https://doi.org/10.3138/ijfab.4.2.79>
- Epstein, R. M., & Street, R. L. (2011). The Values and Value of Patient-Centered Care. *The Annals of Family Medicine*, 9(2), 100–103. <https://doi.org/10.1370/afm.1239>
- Erbaydar, S., Akgün, A., Eksik, A., Erbaydar, T., Bilge, O., & Bulut, A. (1995). Estimation of increased hospital stay due to nosocomial infections in surgical patients: comparison of matched groups. *Journal of Hospital Infection*, 30(2), 149–154. [https://doi.org/10.1016/0195-6701\(95\)90155-8](https://doi.org/10.1016/0195-6701(95)90155-8)
- Ferlay, J., Soerjomataram, I., Dikshit, R., Eser, S., Mathers, C., Rebelo, M., Parkin, D. M., Forman, D., & Bray, F. (2015). Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012. *International Journal of Cancer*, 136(5), E359–E386. <https://doi.org/10.1002/ijc.29210>
- Gerteis, M., Edgman-Levitin, S., Walker, J. D., Stoke, D. M., Cleary, P. D., & Delbanco, T. L. (1993). What patients really want. *Health Management Quarterly : HMQ*, 15(3), 2–6.
- Goldfarb, M. J., Bibas, L., Bartlett, V., Jones, H., & Khan, N. (2017). Outcomes of patient- and family-centered care interventions in the icu: A systematic review and meta-analysis. *Critical Care Medicine*, 45(10), 1751–1761. <https://doi.org/10.1097/CCM.0000000000002624>
- Granger, B. B., Sandelowski, M., Tahshjain, H., Swedberg, K., & Ekman, I. (2009). A Qualitative descriptive study of the work of adherence to a chronic heart failure regimen: Patient and physician perspectives. *Journal of Cardiovascular Nursing*, 24(4), 308–315. <https://doi.org/10.1097/JCN.0b013e3181a4be30>
- Great Ormond Street Hospital. (2017). *Clinical outcomes | Great Ormond Street Hospital Webpage*.

- Groene, O. (2011). Patient centredness and quality improvement efforts in hospitals: rationale, measurement, implementation. *International Journal for Quality in Health Care*, 23(5), 531–537.  
<https://doi.org/10.1093/intqhc/mzr058>
- Grogan, S., Conner, M., Norman, P., Willits, D., & Porter, I. (2019). *Validation of a questionnaire measuring patient satisfaction with general practitioner services*. www.qualityhealthcare.com
- Gruenberg, D. A., Shelton, W., Rose, S. L., Rutter, A. E., Socaris, S., & McGee, G. (2006). Factors influencing length of stay in the intensive care unit. *American Journal of Critical Care : An Official Publication, American Association of Critical-Care Nurses*, 15(5), 502–509.
- Gumus, M., Satici, O., Ulger, B. V., Oguz, A., Taskesen, F., & Girgin, S. (2015a). Factors Affecting the Postsurgical Length of Hospital Stay in Patients with Breast Cancer. *Journal of Breast Health*, 11(3), 128–131.  
<https://doi.org/10.5152/tjbh.2015.2546>
- Gumus, M., Satici, O., Ulger, B. V., Oguz, A., Taskesen, F., & Girgin, S. (2015b). Factors Affecting the Postsurgical Length of Hospital Stay in Patients with Breast Cancer. *Journal of Breast Health*, 11(3), 128–131.  
<https://doi.org/10.5152/tjbh.2015.2546>
- Hackel, J. M. (2013). 'Patient-Centered Care' for Complex Patients with Type 2 Diabetes Mellitus—Analysis of Two Cases. *Clinical Medicine Insights: Endocrinology and Diabetes*, 6, CMED.S12231.  
<https://doi.org/10.4137/CMED.S12231>
- HENBEST, R. J., & STEWART, M. A. (1989). Patient-Centredness in the Consultation. 1: A Method for Measurement. *Family Practice*, 6(4), 249–253.  
<https://doi.org/10.1093/fampra/6.4.249>
- Ho, A. L., Klassen, A. F., Cano, S., Scott, A. M., & Pusic, A. L. (2013). Optimizing patient-centered care in breast reconstruction: The importance of preoperative information and patient-physician communication. *Plastic and Reconstructive Surgery*, 132(2), 212–220.  
<https://doi.org/10.1097/PRS.0b013e31829586fa>
- Hobbs, J. L. (2009). A Dimensional Analysis of Patient-Centered Care. *Nursing Research*, 58(1), 52–62. <https://doi.org/10.1097/NNR.0b013e31818c3e79>

- Hudon, C., Fortin, M., Haggerty, J. L., Lambert, M., & Poitras, M.-E. (2011). Measuring Patients' Perceptions of Patient-Centered Care: A Systematic Review of Tools for Family Medicine. *The Annals of Family Medicine*, 9(2), 155–164. <https://doi.org/10.1370/afm.1226>
- Imaninda, V., & Azwar, S. (2018). Modifikasi Patient Satisfaction Questionnaire Short Form (PSQ-18) ke dalam Bahasa Indonesia. *Gadjah Mada Journal of Psychology (GamaJoP)*, 2(1), 8. <https://doi.org/10.22146/gamajop.31864>
- Jayadevappa, R., & Chhatre, S. (2011). Patient centered care - A conceptual model and review of the state of the art. *Open Health Services and Policy Journal*, 4, 15–25. <https://doi.org/10.2174/1874924001104010015>
- Jotterand, F., Amodio, A., & Elger, B. S. (2016). Patient education as empowerment and self-rebiasing. *Medicine, Health Care and Philosophy*, 19(4), 553–561. <https://doi.org/10.1007/s11019-016-9702-9>
- Junger, A., Klasen, J., Benson, M., Sciuk, G., Hartmann, B., Sticher, J., & Hempelmann, G. (2001). Factors determining length of stay of surgical day-case patients. *European Journal of Anaesthesiology*, 18(5), 314–321. <https://doi.org/10.1046/j.0265-0215.2000.00837.x>
- Karajicic, S. (2021). *Programa de Doutoramento em Phoenix JDP - Din^ amicas da Sa ^ ude e Prote , c ^ ao Social : Uma abordagem das Ci ^ encias Sociais Patient-centred care ( PCC ) as idea , process and practice Slavica Karajicic. January.*
- Kemenkes RI. (2011). Juknis SIRS 2011: Sistem Informasi Rumah Sakit. *Direktorat Jenderal Bina Upaya Kesehatan*, 1–48.
- Khosravizadeh, O., Vatankhah, S., Bastani, P., Kalhor, R., Alirezaei, S., & Doosty, F. (2016). Factors affecting length of stay in teaching hospitals of a middle-income country. *Electronic Physician*, 8(10), 3042–3047. <https://doi.org/10.19082/3042>
- Korol, E., Johnston, K., Waser, N., Sifakis, F., Jafri, H. S., Lo, M., & Kyaw, M. H. (2013). A systematic review of risk factors associated with surgical site infections among surgical patients. *PLoS ONE*, 8(12), 1–9. <https://doi.org/10.1371/journal.pone.0083743>
- Kuipers, S. J., Cramm, J. M., & Nieboer, A. P. (2019). The importance of patient-centered care and co-creation of care for satisfaction with care and physical

- and social well-being of patients with multi-morbidity in the primary care setting. *BMC Health Services Research*, 19(1), 1–9.  
<https://doi.org/10.1186/s12913-018-3818-y>
- Lacy, A. M., Delgado, S., Castells, A., Prins, H. A., Arroyo, V., Ibarzabal, A., & Pique, J. M. (2008). The Long-term Results of a Randomized Clinical Trial of Laparoscopy-assisted Versus Open Surgery for Colon Cancer. *Annals of Surgery*, 248(1), 1–7. <https://doi.org/10.1097/SLA.0b013e31816a9d65>
- Lateef, A., & Mhlongo, E. M. (2022). Factors Influencing Patient-Centered Care in the Primary Health Care Settings: The Impact of the Pandemic Crisis and Nurses' Experience. *Open Journal of Nursing*, 12(03), 220–233.  
<https://doi.org/10.4236/ojn.2022.123014>
- Lauver, D. R., Ward, S. E., Heidrich, S. M., Keller, M. L., Bowers, B. J., Brennan, P. F., Kirchhoff, K. T., & Wells, T. J. (2002). Patient-centered interventions. *Research in Nursing & Health*, 25(4), 246–255.  
<https://doi.org/10.1002/nur.10044>
- LC, Z., EMA, S., FJ, O., MH, G., & HCJ, de H. (2007). Medical specialists' patient-centered communication and patient-reported outcomes. *Medical Care*, 45(4), 330–339.  
<http://search.ebscohost.com/login.aspx?direct=true&db=rzh&AN=106295480&site=ehost-live>
- Leaper, D. J., & Edmiston, C. E. (2017). World Health Organization: global guidelines for the prevention of surgical site infection. *Journal of Hospital Infection*, 95(2), 135–136. <https://doi.org/10.1016/j.jhin.2016.12.016>
- Lee, J., Sudarshan, M., Kurth, T., Kaafarani, H., Klein, E., Yeh, D. D., A. deMoya, M., Eikermann, M., Shah, K., Velmahos, G., & Raja, A. S. (2014). Mandatory health care insurance is associated with shorter hospital length of stay among critically injured trauma patients. *Journal of Trauma and Acute Care Surgery*, 77(2), 298–303. <https://doi.org/10.1097/TA.0000000000000334>
- Lee, K. Y., Coleman, K., Paech, D., Norris, S., & Tan, J. T. (2011). The epidemiology and cost of surgical site infections in Korea: A systematic review. *Journal of the Korean Surgical Society*, 81(5), 295–307.  
<https://doi.org/10.4174/jkss.2011.81.5.295>
- Lee, Y. Y., & Lin, J. L. (2010). Do patient autonomy preferences matter? Linking

- patient-centered care to patient-physician relationships and health outcomes. *Social Science and Medicine*, 71(10), 1811–1818.  
<https://doi.org/10.1016/j.socscimed.2010.08.008>
- Leplege, A., Gzil, F., Cammelli, M., Lefeve, C., Pachoud, B., & Ville, I. (2007). Person-centredness: Conceptual and historical perspectives. *Disability and Rehabilitation*, 29(20–21), 1555–1565.  
<https://doi.org/10.1080/09638280701618661>
- Liu, W., Shi, J., He, S., Luo, X., Zhong, W., & Id, F. Y. (2021). *Understanding variations and influencing factors on length of stay for T2DM patients based on a multilevel model*. 1–14. <https://doi.org/10.1371/journal.pone.0248157>
- Liu, W., Shi, J., He, S., Luo, X., Zhong, W., & Yang, F. (2021). Understanding variations and influencing factors on length of stay for T2DM patients based on a multilevel model. *PLoS ONE*, 16(3 March), 1–14.  
<https://doi.org/10.1371/journal.pone.0248157>
- Liu, Y., Fu, M., Zhou, Q., Tian, M., Zhang, X., & Wang, Z. (2022). The application of patient-centered care bundle significantly reduces incidence of perioperative respiratory complications in hip fracture patients aged 80 and over. *Geriatric Nursing*, 43, 213–218.  
<https://doi.org/10.1016/j.gerinurse.2021.11.014>
- Mallinger, J. B., Griggs, J. J., & Shields, C. G. (2005). Patient-centered care and breast cancer survivors' satisfaction with information. *Patient Education and Counseling*, 57(3), 342–349. <https://doi.org/10.1016/j.pec.2004.09.009>
- Marla, S., & Stallard, S. (2009). Systematic review of day surgery for breast cancer. *International Journal of Surgery*, 7(4), 318–323.  
<https://doi.org/10.1016/j.ijsu.2009.04.015>
- Marla, Sekhar, McMillan, D. C., & Stallard, S. (2013). Factors influencing postoperative length of hospital stay after breast cancer surgery. *Breast*, 22(3), 289–294. <https://doi.org/10.1016/j.breast.2012.07.009>
- Marshall & Hays. (1994). psq18. RAND.
- Mathew, P. J., Jehan, F., Kulvatunyou, N., Khan, M., O'Keeffe, T., Tang, A., Gries, L., Hamidi, M., Zakaria, E.-R., & Joseph, B. (2018). The burden of excess length of stay in trauma patients. *The American Journal of Surgery*, 216(5), 881–885. <https://doi.org/10.1016/j.amjsurg.2018.07.044>

- McCormack, B. (2003). A conceptual framework for person-centred practice with older people. *International Journal of Nursing Practice*, 9(3), 202–209. <https://doi.org/10.1046/j.1440-172X.2003.00423.x>
- Mead, N., & Bower, P. (2002). Patient-centred consultations and outcomes in primary care: a review of the literature. *Patient Education and Counseling*, 48(1), 51–61. [https://doi.org/10.1016/S0738-3991\(02\)00099-X](https://doi.org/10.1016/S0738-3991(02)00099-X)
- Mehta, V., Flores, J. M., Thompson, R. W., & Nathan, C.-A. (2017). Primary payer status, individual patient characteristics, and hospital-level factors affecting length of stay and total cost of hospitalization in total laryngectomy. *Head & Neck*, 39(2), 311–319. <https://doi.org/10.1002/hed.24585>
- Mertz, B. G., Kroman, N., Williams, H., & Kehlet, H. (2013). Fast-track surgery for breast cancer is possible. *Danish Medical Journal*, 60(5).
- Michie, S., Miles, J., & Weinman, J. (2003). Patient-centredness in chronic illness: what is it and does it matter? *Patient Education and Counseling*, 51(3), 197–206. [https://doi.org/10.1016/S0738-3991\(02\)00194-5](https://doi.org/10.1016/S0738-3991(02)00194-5)
- Mohammad Mosadeghrad, A. (2013). Healthcare service quality: towards a broad definition. *International Journal of Health Care Quality Assurance*, 26(3), 203–219. <https://doi.org/10.1108/09526861311311409>
- Mortenson, M. M., Schneider, P. D., Khatri, V. P., Stevenson, T. R., Whetzel, T. P., Sommerhaug, E. J., Goodnight, J. E., & Bold, R. J. (2004). Immediate breast reconstruction after mastectomy increases wound complications: However, initiation of adjuvant chemotherapy is not delayed. *Archives of Surgery*, 139(9), 988–991. <https://doi.org/10.1001/archsurg.139.9.988>
- Nkrumah, J., & Abekah-Nkrumah, G. (2019). Facilitators and barriers of patient-centered care at the organizational-level: A study of three district hospitals in the central region of Ghana. *BMC Health Services Research*, 19(1), 1–11. <https://doi.org/10.1186/s12913-019-4748-z>
- Noronha, I. da R., Noronha, I. da R., Dantas, C. S., Penna, L. H. G., & Jomar, R. T. (2021). Incidence and factors associated with complications in surgical wounds of women after mastectomy. *Revista Enfermagem*, 29, 1–7. <https://doi.org/10.12957/reuerj.2021.56924>
- Nowak, M., Lee, S., Karbach, U., Pfaff, H., & Groß, S. E. (2019). Short length of stay and the discharge process: Preparing breast cancer patients

- appropriately. *Patient Education and Counseling*, 102(12), 2318–2324.  
<https://doi.org/10.1016/j.pec.2019.08.012>
- Nwaogu, I. Y., Bommarito, K., Olsen, M. A., & Margenthaler, J. A. (2015). Economic impact of bleeding complications after mastectomy. *Journal of Surgical Research*, 199(1), 77–83. <https://doi.org/10.1016/j.jss.2015.03.084>
- Olsson, L. E., Jakobsson Ung, E., Swedberg, K., & Ekman, I. (2013). Efficacy of person-centred care as an intervention in controlled trials - a systematic review. *Journal of Clinical Nursing*, 22(3–4), 456–465.  
<https://doi.org/10.1111/jocn.12039>
- Olsson, L. E., Karlsson, J., Berg, U., Kärrholm, J., & Hansson, E. (2014). Person-centred care compared with standardized care for patients undergoing total hip arthroplasty--a quasi-experimental study. *Journal of Orthopaedic Surgery and Research*, 9, 95. <https://doi.org/10.1186/s13018-014-0095-2>
- Oncology, E. S. for M. (2018). What is Breast Cancer ? Let us answer some of your questions. *European Society for Medical Oncology*, 1–55.  
<https://www.esmo.org/content/download/6593/114959/1>
- Örtenstrand, A., Westrup, B., Broström, E. B., Sarman, I., Åkerström, S., Brune, T., Lindberg, L., & Waldenström, U. (2010). The Stockholm neonatal family centered care study: Effects on length of stay and infant morbidity. *Pediatrics*, 125(2). <https://doi.org/10.1542/peds.2009-1511>
- Owens, C. D., & Stoessel, K. (2008). Surgical site infections: epidemiology, microbiology and prevention. *Journal of Hospital Infection*, 70(SUPPL. 2), 3–10. [https://doi.org/10.1016/S0195-6701\(08\)60017-1](https://doi.org/10.1016/S0195-6701(08)60017-1)
- Palit, T. K., Miltenburg, D. M., & Brunicardi, F. C. (2000). Cost analysis of breast conservation surgery compared with modified radical mastectomy with and without reconstruction. *American Journal of Surgery*, 179(6), 441–445.  
[https://doi.org/10.1016/S0002-9610\(00\)00383-4](https://doi.org/10.1016/S0002-9610(00)00383-4)
- Poochikian-Sarkissian, S., Sidani, S., Ferguson-Pare, M., & Doran, D. (2010). Examining the relationship between patient-centred care and outcomes. *Canadian Journal of Neuroscience Nursing*, 32(4), 14–21.
- Pritts, T. A., Nussbaum, M. S., Flesch, L. V., Fegelman, E. J., Parikh, A. A., & Fischer, J. E. (1999). Implementation of a clinical pathway decreases length of stay and cost for bowel resection. *Annals of Surgery*, 230(5), 728–733.

- <https://doi.org/10.1097/00000658-199911000-00017>
- Qin, Q., Tan, Q., Lian, B., Mo, Q., Huang, Z., & Wei, C. (2018). Postoperative outcomes of breast reconstruction after mastectomy. *Medicine (United States)*, 97(5). <https://doi.org/10.1097/MD.0000000000009766>
- Radwin, L. E. (2003). Cancer patients' demographic characteristics and ratings of patient-centered nursing care. *Journal of Nursing Scholarship*, 35(4), 365–370. <https://doi.org/10.1111/j.1547-5069.2003.00365.x>
- Rathert, C., Wyrwich, M. D., & Boren, S. A. (2013). Patient-centered care and outcomes: A systematic review of the literature. *Medical Care Research and Review*, 70(4), 351–379. <https://doi.org/10.1177/1077558712465774>
- Ridley, S., Moreno, R., & Capuzzo, M. (2010). *Clinical Outcome PACT* (Vol. 2010, Issue October).
- Rivai, F., Abubakar, Z., & Sapada, N. A. (2020). Effect of patient-centered care application on inpatient outcomes after emergency cesarean section surgery. *Enfermeria Clinica*, 30, 130–133. <https://doi.org/10.1016/j.enfcli.2020.06.030>
- Robinson, J. H., Callister, L. C., Berry, J. A., & Dearing, K. A. (2008a). Patient-centered care and adherence: Definitions and applications to improve outcomes. *Journal of the American Academy of Nurse Practitioners*, 20(12), 600–607. <https://doi.org/10.1111/j.1745-7599.2008.00360.x>
- Robinson, J. H., Callister, L. C., Berry, J. A., & Dearing, K. A. (2008b). Patient-centered care and adherence: Definitions and applications to improve outcomes. *Journal of the American Academy of Nurse Practitioners*, 20(12), 600–607. <https://doi.org/10.1111/j.1745-7599.2008.00360.x>
- Rosa, E. M. (2018). *Patient Centered Care Di Rumah Sakit*.
- Rosenthal, G. E., & Shannon, S. E. (1997). The use of patient perceptions in the evaluation of health-care delivery systems. *Medical Care*, 35(11 Suppl), NS58-68. <https://doi.org/10.1097/00005650-199711001-00007>
- Sandy-Hodgetts, K., Nair, H. K. R., Assadian, O., Leblanc, K., Mcisaac, C., Romanelli, M., & Armstrong, D. (2010). *The Early Identification and Prevention of Surgical Wound Complications*. [www.woundsinternational.com](http://www.woundsinternational.com)
- Scholl, I., Zill, J. M., Härter, M., & Dirmaier, J. (2014). An Integrative Model of

- Patient-Centeredness – A Systematic Review and Concept Analysis. *PLoS ONE*, 9(9), e107828. <https://doi.org/10.1371/journal.pone.0107828>
- Schoot, T., Proot, I., Meulen, R. Ter, & de Witte, L. (2005). Actual Interaction and Client Centeredness in Home Care. *Clinical Nursing Research*, 14(4), 370–393. <https://doi.org/10.1177/1054773805280093>
- Schouten, L. M. T., Hulscher, M. E. J. L., van Everdingen, J. J. E., Huijsman, R., Niessen, L. W., & Grol, R. P. T. M. (2010). Short- and long-term effects of a quality improvement collaborative on diabetes management. *Implementation Science*, 5(1), 94. <https://doi.org/10.1186/1748-5908-5-94>
- Segers, E., Ockhuijsen, H., Baarendse, P., van Eerden, I., & van den Hoogen, A. (2019). The impact of family centred care interventions in a neonatal or paediatric intensive care unit on parents' satisfaction and length of stay: A systematic review. *Intensive and Critical Care Nursing*, 50, 63–70. <https://doi.org/10.1016/j.iccn.2018.08.008>
- Seidelman, J., & Anderson, D. J. (2021). Surgical Site Infections. *Infectious Disease Clinics of North America*, 35(4), 901–929. <https://doi.org/10.1016/j.idc.2021.07.006>
- Shaller, D., & Consulting, S. (2007). PATIENT-CENTERED CARE : WHAT DOES IT TAKE ? Dale Shaller Shaller Consulting October 2007. *Commonwealthfund*, 1067. [www.commonwealthfund.org](http://www.commonwealthfund.org).
- Sidani, S. (2008). Effects of Patient-Centered Care on Patient Outcomes: An Evaluation. *Research and Theory for Nursing Practice*, 22(1), 24–37. <https://doi.org/10.1891/0889-7182.22.1.24>
- Sjarifudhin, M., & Maria Rosa, E. (2018). Effectiveness of Patient Centered Care to Reduce Anxiety Level and Improve Satisfaction in Patients Undergoing Cataract Surgery. *Jurnal Medicoeticolegal Dan Manajemen Rumah Sakit*, 7(3), 188–195. <https://doi.org/10.18196/jmmr.7372>
- Slatore, C. G., Hansen, L., Ganzini, L., Press, N., Osborne, M. L., Chesnutt, M. S., & Mularski, R. A. (2012). Communication by Nurses in the Intensive Care Unit: Qualitative Analysis of Domains of Patient-Centered Care. *American Journal of Critical Care*, 21(6), 410–418. <https://doi.org/10.4037/ajcc2012124>
- Stewart, M., Brown, J. B., Donner, A., McWhinney, I. R., Oates, J., Weston, W.

- W., & Jordan, J. (2000). The impact of patient-centered care on outcomes. *Journal of Family Practice*, 49(9), 796–804.
- Stewart, Moira, Meredith, L., Brown, J. B., & Galajda, J. (2000). The influence of older patient-physician communication on health and health-related outcomes. *Clinics in Geriatric Medicine*, 16(1), 25–36.  
[https://doi.org/10.1016/S0749-0690\(05\)70005-7](https://doi.org/10.1016/S0749-0690(05)70005-7)
- Stiles, W. B. (1989). Evaluating Medical Interview Process Components. *Medical Care*, 27(2), 212–220. <https://doi.org/10.1097/00005650-198902000-00011>
- Stone, S. (2008). A Retrospective Evaluation of the Impact of the Planetree Patient-Centered Model of Care on Inpatient Quality Outcomes. *HERD: Health Environments Research & Design Journal*, 1(4), 55–69.  
<https://doi.org/10.1177/193758670800100406>
- Street, R. L., Krupat, E., Bell, R. A., Kravitz, R. L., & Haidet, P. (2003). Beliefs about control in the physician-patient relationship. *Journal of General Internal Medicine*, 18(8), 609–616. <https://doi.org/10.1046/j.1525-1497.2003.20749.x>
- Sun, S. X., Leung, A. N., Dillon, P. W., & Hollenbeak, C. S. (2015). Length of stay and readmissions in mastectomy patients. *Breast Journal*, 21(5), 526–532.  
<https://doi.org/10.1111/tbj.12442>
- Torres, L. N., & Blanchard, S. (2012). Factors Influencing Length of Stay in 2007 National Hospital Discharge Survey of Individuals Diagnosed with Type II Diabetes. *Journal of Student Research*, 1(2), 62–66.  
<https://doi.org/10.47611/jsr.v1i2.66>
- Ulin, K., Malm, D., & Nygårdh, A. (2015). What Is Known About the Benefits of Patient-Centered Care in Patients with Heart Failure. *Current Heart Failure Reports*, 12(6), 350–359. <https://doi.org/10.1007/s11897-015-0272-6>
- Vårdanalys. (2012). *Patient-centeredness in Sweden's health system – an external assessment and six steps for progress* (Vol. 3).  
<http://www.vardanalys.se/Rapporter/2012/Patient-centeredness-in-Swedens-health-system---an-external-assesment-and-six-steps-for-progress/>
- Verhoeven, D., Biltjes, I., Demey, W., Naudts, P., & Teuwen, J. (2009). *Actual indications for mastectomy : how to cope with the increasing trend ?* 6, 236–

242.

- Ware, J. E., Snyder, M. K., Wright, W. R., & Davies, A. R. (1983). Defining and measuring patient satisfaction with medical care. *Evaluation and Program Planning*, 6(3–4), 247–263. [https://doi.org/10.1016/0149-7189\(83\)90005-8](https://doi.org/10.1016/0149-7189(83)90005-8)
- Wartawan, I. W. (2012). *Analisis lama..., I Wayan Wartawan*, FKM UI, 2012.
- Weber, W. P., Barry, M., Junqueira, M. J., Lee, S. S., Mazzella, A. M., & Sclafani, L. M. (2011). Initial experiences with a multidisciplinary approach to decreasing the length of hospital stay for patients undergoing unilateral mastectomy. *European Journal of Surgical Oncology*, 37(11), 944–949. <https://doi.org/10.1016/j.ejso.2011.08.001>
- Wei, J., Wang, X., Yang, H., & Yang, T. (2015). Development of an In-Patient Satisfaction Questionnaire for the Chinese Population. *PLOS ONE*, 10(12), e0144785. <https://doi.org/10.1371/journal.pone.0144785>
- Wensing, M., & Grol, R. (2000). Patients?? Views on Healthcare. *Disease Management and Health Outcomes*, 7(3), 117–125. <https://doi.org/10.2165/00115677-200007030-00001>
- WHO. (1984). A glossary of terms for community health care and services for older persons. *Methods in Enzymology*, 105(C), 283–293.
- WHO. (2005). Preparing a healthcare workforce for the 21st century: the challenge of chronic conditions. *Chronic Illness*, 1(2), 99–100.
- Wick, E. C., Galante, D. J., Hobson, D. B., Benson, A. R., Lee, K. H. K., Berenholtz, S. M., Efron, J. E., Pronovost, P. J., & Wu, C. L. (2015). Organizational Culture Changes Result in Improvement in Patient-Centered Outcomes: Implementation of an Integrated Recovery Pathway for Surgical Patientsfile:///Users/shafanadia/Downloads/136-181-365-2-10-20190225.pdf. *Journal of the American College of Surgeons*, 221(3), 669–677. <https://doi.org/10.1016/j.jamcollsurg.2015.05.008>
- Wika, R., & Sekarini, A. Y. U. (2018). *Pengalaman pasien rawat inap pada penerapan PCC*. 147. <http://repository.usu.ac.id/handle/123456789/13430>
- Williams, J. S., Walker, R. J., Smalls, B. L., Hill, R., & Egede, L. E. (2016). Patient-Centered Care, Glycemic Control, Diabetes Self-Care, and Quality of Life in Adults with Type 2 Diabetes. *Diabetes Technology and Therapeutics*, 18(10), 644–649. <https://doi.org/10.1089/dia.2016.0079>

- Wimmers, P. F., & Stuber, M. L. (2010). Assessing medical students' empathy and attitudes towards patient-centered care with an existing clinical performance exam (OSCE). *Procedia - Social and Behavioral Sciences*, 2(2), 1911–1913. <https://doi.org/10.1016/j.sbspro.2010.03.1008>
- Wolf, D., Lehman, L., Quinlin, R., Rosenzweig, M., Friede, S., Zullo, T., & Hoffman, L. (2008). Can nurses impact patient outcomes using a patient-centered care model? *Journal of Nursing Administration*, 38(12), 532–540. <https://doi.org/10.1097/NNA.0b013e31818ebf4f>
- Wolf, D. M., Lehman, L., Quinlin, R., Zullo, T., & Hoffman, L. (2008). Effect of Patient-Centered Care on Patient Satisfaction and Quality of Care. *Journal of Nursing Care Quality*, 23(4), 316–321.
- Xesfingi, S., & Vozikis, A. (2016). Patient satisfaction with the healthcare system: Assessing the impact of socio-economic and healthcare provision factors. *BMC Health Services Research*, 16(1), 1–7. <https://doi.org/10.1186/s12913-016-1327-4>
- Yulianti, M. (2017). *PENGARUH SERVICE EXPERIENCE TERHADAP KEPUASAN PELANGGAN DI INSTALASI RAWAT INAP RSUD A.M PARIKESIT KABUPATEN KUTAI KARTANEGARA*. University of Hasanuddin.
- Zhang, Y., Zheng, Q. J., Wang, S., Zeng, S. X., Zhang, Y. P., Bai, X. J., & Hou, T. Y. (2015). Diabetes mellitus is associated with increased risk of surgical site infections: A meta-analysis of prospective cohort studies. *American Journal of Infection Control*, 43(8), 810–815. <https://doi.org/10.1016/j.ajic.2015.04.003>