

DAFTAR PUSTAKA

1. Park J, Son H. Weapon Use in Korean Homicide: Differences Between Homicides Involving Sharp and Blunt Instruments. *J Forensic Sci.* 2018;63(4):1134-1137. <http://doi.org/10.1111/1556-4029.13673>
2. Vassalini M, Verzeletti A, De Ferrari F. Sharp force injury fatalities: A retrospective study (1982-2012) in Brescia (Italy). *J Forensic Sci.* 2014;59(6):1568-1574. <http://doi.org/10.1111/1556-4029.12487>
3. Verzeletti A, Bin P, De Ferrari F. Homicide by blunt trauma in Brescia County (Northern Italy) between 1982 and 2012. *Am J Forensic Med Pathol.* 2014;35(1):62-67. <http://doi.org/10.1097/PAF.0000000000000080>
4. Kemal CJ, Patterson T, Molina DK. Deaths due to sharp force injuries in Bexar County, Texas, with respect to manner of death. *Am J Forensic Med Pathol.* 2013;34(3):253-259. <http://doi.org/10.1097/PAF.0b013e31828ced68>
5. Mcewen T, Regoeczi W. Forensic Evidence in Homicide Investigations and Prosecutions. *J Forensic Sci.* 2015;60(5):1188-1198. <http://doi.org/10.1111/1556-4029.12787>
6. Brookman F, Innes M. The problem of success: What is a “good” homicide investigation? *Polic Soc.* 2013;23(3):292-310. <http://doi.org/10.1080/10439463.2013.771538>
7. Li F, Liu S, Lu X, Ou Y, Yip PSF. Application of the injury scales in homicides. *Forensic Sci Int.* 2018;292:83-89. <http://doi.org/10.1016/j.forsciint.2018.09.010>
8. Tamsen F, Logan FK, Thiblin I. Homicide Injury Quantification: Correlations and Reliability of Injury Severity Scores Applied to Homicide Victims. *Homicide Stud.* 2015;19(1):88-100. <http://doi.org/10.1177/1088767914558142>
9. Matzopoulos R, Prinsloo M, Pillay-Van Wyk V, et al. Injury-related mortality in south africa: A retrospective descriptive study of

- postmortem investigations. *Bull World Health Organ.* 2015;93(5):303-313. <http://doi.org/10.2471/BLT.14.145771>
10. Maeda H, Zhu B li, Ishikawa T, Michiue T. Forensic molecular pathology of violent deaths. *Forensic Sci Int.* 2010;203(1-3):83-92. <http://doi.org/10.1016/j.forsciint.2010.07.024>
 11. Li N, Du Q, Bai R, Sun J. Vitality and wound-age estimation in forensic pathology: review and future prospects. *Forensic Sci Res.* 2020;5(1):15-24. <http://doi.org/10.1080/20961790.2018.1445441>
 12. Cecchi R. Estimating wound age: Looking into the future. *Int J Legal Med.* 2010;124(6):523-536. <http://doi.org/10.1007/s00414-010-0505-x>
 13. Khalaf AA, Hassanen EI, Zaki AR, Tohamy AF, Ibrahim MA. Histopathological, immunohistochemical, and molecular studies for determination of wound age and vitality in rats. *Int Wound J.* 2019;16(6):1416-1425. <http://doi.org/10.1111/iwj.13206>
 14. Kasuya A, Tokura Y. Attempts to accelerate wound healing. *J Dermatol Sci.* 2014;76(3):169-172. <http://doi.org/10.1016/j.jdermsci.2014.11.001>
 15. Velnar T, Bailey T, Smrkolj V. The Wound Healing Process : an Overview of the Cellular and Molecular Mechanisms. Published online 2009. <http://doi.org/10.1177/147323000903700531>
 16. Oehmichen M. Vitality and time course of wounds. *Forensic Sci Int.* 2004;144(2-3):221-231. <http://doi.org/10.1016/j.forsciint.2004.04.057>
 17. Kondo T, Ishida Y. Molecular pathology of wound healing. *Forensic Sci Int.* 2010;203(1-3):93-98. <http://doi.org/10.1016/j.forsciint.2010.07.004>
 18. Casse JM, Martrille L, Vignaud JM, Gauchotte G. Skin wounds vitality markers in forensic pathology: An updated review. *Med Sci Law.* 2016;56(2):128-137. <http://doi.org/10.1177/0025802415590175>
 19. Peyron PA, Colomb S, Becas D, et al. Cytokines as new biomarkers of skin wound vitality. *Int J Legal Med.* 2021;135(6):2537-2545. <http://doi.org/10.1007/s00414-021-02659-z>

20. Gauchotte G, Wissler MP, Casse JM, et al. FVIIIra, CD15, and tryptase performance in the diagnosis of skin stab wound vitality in forensic pathology. *Int J Legal Med.* 2013;127(5):957-965. <http://doi.org/10.1007/s00414-013-0880-1>
21. El-fatah DSA. Cutaneous (tPA) and Skeletal (Tnl) mRNA as Markers of Aging in Contused Wound. 2016;(April 2015):1-4. <http://doi.org/10.1111/1556-4029.13072>
22. Sun J, Wang Y, Zhang L. Time-dependent expression of skeletal muscle troponin I mRNA in the contused skeletal muscle of rats : a possible marker for wound age estimation. Published online 2010:27-33. <http://doi.org/10.1007/s00414-009-0323-1>
23. Matteis A De, Aquila M, Maiese A, et al. The Troponin-I fast skeletal muscle is reliable marker for the determination of vitality in the suicide hanging. *Forensic Sci Int.* 2019;301:284-288. <http://doi.org/10.1016/j.forsciint.2019.05.055>
24. Lin L, Hu K. Tissue plasminogen activator and inflammation: from phenotype to signaling mechanisms. *Am J Clin Exp Immunol.* 2014;3(1):30-36. <http://www.ncbi.nlm.nih.gov/pubmed/24660119>
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3960759>
25. Zhang Q, Hearn SO, Ph D, Kavalukas SL, Barbul A. Role of High Mobility Group Box 1 (HMGB1) in Wound Healing. *J Surg Res.* 2012;176(1):343-347. <http://doi.org/10.1016/j.jss.2011.06.069>
26. Biology C, Melgarejo E, Ángel M, Sánchez-jiménez F, Luis J. The International Journal of Biochemistry Monocyte chemoattractant protein-1 : A key mediator in inflammatory processes. 2009;41:998-1001. <http://doi.org/10.1016/j.biocel.2008.07.018>
27. Bauer M. RNA in forensic science. *Forensic Sci Int Genet.* 2007;1(1):69-74. <http://doi.org/10.1016/j.fsigen.2006.11.002>
28. Sampaio-Silva F, Magalhães T, Carvalho F, Dinis-Oliveira RJ, Silvestre R. Profiling of RNA Degradation for Estimation of Post Mortem Interval. *PLoS One.* 2013;8(2).

<http://doi.org/10.1371/journal.pone.0056507>

29. Tozzo P, Scrivano S, Sanavio M, Caenazzo L. The role of DNA degradation in the estimation of post-mortem interval: A systematic review of the current literature. *Int J Mol Sci.* 2020;21(10). <http://doi.org/10.3390/ijms21103540>
30. Ali MM, Ibrahim SF, Fayed AA. Using Skin Gene Markers for Estimating Early Postmortem Interval at Different Temperatures. *Am J Forensic Med Pathol.* 2017;38(4):323-325. <http://doi.org/10.1097/PAF.0000000000000337>
31. Tao L, Ma J, Han L, et al. Early postmortem interval estimation based on Cdc25b mRNA in rat cardiac tissue. *Leg Med.* 2018;35(May):18-24. <http://doi.org/10.1016/j.legalmed.2018.09.004>
32. Wang H, Ma J, Xu H, et al. Early postmortem interval (EPMI) estimation using differentially expressed gene transcripts. *Leg Med.* 2019;38(April):83-91. <http://doi.org/10.1016/j.legalmed.2019.04.008>
33. Sturmberg JP, Martin CM. Systems and Complexity Thinking in the General Practice Literature: An Integrative, Historical Narrative Review. Published online 2014:66-74. <http://doi.org/10.1370/afm.1593>. INTRODUCTION
34. Xue H. Applications of systems modelling in obesity research. Published online 2018:1-16. <http://doi.org/10.1111/obr.12695>
35. Rikken QGH, Chadid A, Peters J, Geeraedts LMG, Giannakopoulos GF, Tan ECTH. Epidemiology of penetrating injury in an urban versus rural level 1 trauma center in the Netherlands. Published online 2020. <http://doi.org/10.1177/1024907920904190>
36. Byun CS, Park IH, Oh JH, Bae KS, Lee KH, Lee E. Epidemiology of Trauma Patients and Analysis of 268 Mortality Cases : Trends of a Single Center in Korea. 2015;56(1):220-226.
37. Thomsen AH, Hougen HP, Sc DM, Villesen P, Ph D, Brink O. PAPER PATHOLOGY / BIOLOGY. Published online 2019:1-7. <http://doi.org/10.1111/1556-4029.14244>
38. Bianchi ME. DAMPs from cell death to new life. 2015;(September).

- <http://doi.org/10.3389/fimmu.2015.00422>
39. Roh JS, Sohn DH. Damage-Associated Molecular Patterns in Inflammatory Diseases. 2018;18(4):1-14.
 40. Rodrigues M, Kosaric N, Bonham CA, Gurtner GC. Wound healing: A cellular perspective. *Physiol Rev.* 2019;99(1):665-706. <http://doi.org/10.1152/physrev.00067.2017>
 41. Straino S, Carlo A Di, Mangoni A, et al. High-Mobility Group Box 1 Protein in Human and Murine Skin : Involvement in Wound Healing. Published online 2008:1545-1553. <http://doi.org/10.1038/sj.jid.5701212>
 42. Gomes A V, Potter JD, Szczesna-cordary D. The Role of Troponins in Muscle Contraction. Published online 2002:323-333. <http://doi.org/10.1080/15216540290114676>
 43. Harper D, Young A, Mcnaught C. The physiology of wound healing. *Surgery.* 2014;32(9):445-450. <http://doi.org/10.1016/j.mpsur.2014.06.010>
 44. Qing C. SC. *Chinese J Traumatol.* Published online 2017. <http://doi.org/10.1016/j.cjtee.2017.06.001>
 45. Qu D, Tan X, Zhang K, Wang Q, Wang H. ATF3 mRNA , but not BTG2 , as a possible marker for vital reaction of skin contusion. *Forensic Sci Int.* 2019;303:109937. <http://doi.org/10.1016/j.forsciint.2019.109937>
 46. Balandiz H, Pehlivan S, Çiçek AF, Tu H. Evaluation of Vitality in the Experimental Hanging Model of Rats by Using Immunohistochemical IL-1 β Antibody Staining. 2015;36(4):317-322. <http://doi.org/10.1097/PAF.0000000000000199>
 47. Bai R, Wan L, Shi M. The time-dependent expressions of IL-1 β , COX-2, MCP-1 mRNA in skin wounds of rabbits. *Forensic Sci Int.* 2008;175(2-3):193-197. <http://doi.org/10.1016/j.forsciint.2007.07.006>
 48. He J, Huang H, Qu D, et al. CXCL1 and CXCR2 as potential markers for vital reactions in skin contusions. 2018;(1023).
 49. Wang Q. IL-6 and IL-20 as potential markers for vitality of skin contusion. Published online 2018.

- <http://doi.org/10.1016/j.jflm.2018.07.010>
50. Weis S, Llenos IC, Dulay JR, Elashoff M, Mart F, Miller CL. Quality control for microarray analysis of human brain samples : The impact of postmortem factors , RNA characteristics , and histopathology. 2007;165:198-209. <http://doi.org/10.1016/j.jneumeth.2007.06.001>
 51. Pozhitkov AE, Noble PA. Insights & Perspectives Gene expression in the twilight of death. 2017;1700066:1-7. <http://doi.org/10.1002/bies.201700066>
 52. Wen-can L, Kai-jun M, Ye-hui L, et al. Science and Justice Postmortem interval determination using 18S-rRNA and microRNA ☆. *Sci Justice*. Published online 2014:1-4. <http://doi.org/10.1016/j.scijus.2014.03.001>
 53. Du Q xiang, Sun J hong, Zhang L yu, et al. Time-dependent expression of SNAT2 mRNA in the contused skeletal muscle of rats: A possible marker for wound age estimation. *Forensic Sci Med Pathol*. 2013;9(4):528-533. <http://doi.org/10.1007/s12024-013-9482-y>
 54. Johnson G, Nolan T, Bustin SA. Chapter 1 Real-Time Quantitative PCR , Pathogen Detection and MIQE. 943:1-16. <http://doi.org/10.1007/978-1-60327-353-4>
 55. Article M. System Dynamics Modeling in Health and Medicine : A Systematic Literature Review. 2020;(June 2019):1-45. <http://doi.org/10.1002/sdr.1646>
 56. Malczynski LA. Best Practices for System Dynamics Model Design and Construction with Powersim Studio. 2011;(June).
 57. Syawal P, Budu B, Hatta M, Massi MN, Ichsan AM, Minhajat R. Comparison between the triamcinolone and bevacizumab subconjunctivals and changes in Interleukin-1 mRNA expression in pterygium. *J Taibah Univ Med Sci*. 2022;17(1):67-71. <http://doi.org/10.1016/j.jtumed.2021.07.009>
 58. Fachri M, Hatta M, Massi MN, et al. The strong correlation between ADAM33 expression and airway inflammation in chronic obstructive

- pulmonary disease and candidate for biomarker and treatment of COPD. *Sci Rep*. 2021;11(1):1-13. <http://doi.org/10.1038/s41598-021-02615-2>
59. Farsida, Hatta M, Patellongi I, et al. The correlation of Foxp3 + gene and regulatory T cells with scar BCG formation among children with Tuberculosis. *J Clin Tuberc Other Mycobact Dis*. 2020;21:100202. <http://doi.org/10.1016/j.jctube.2020.100202>
 60. Hatta M, Surachmanto EE, Islam AA, Wahid S. Expression of mRNA IL - 17F and sIL - 17F in atopic asthma patients. *BMC Res Notes*. Published online 2017:1-5. <http://doi.org/10.1186/s13104-017-2517-9>
 61. Lu Q, Pan B, Bai H, Zhao W. ScienceDirect Intranuclear cardiac troponin I plays a functional role in regulating Atp2a2 expression in cardiomyocytes. 2021;(xxxx). <http://doi.org/10.1016/j.gendis.2021.04.007>
 62. Kumar S, Shah S, Tang HM, Smith M, Borrás T, Danias J. Tissue plasminogen activator in trabecular meshwork attenuates steroid induced outflow resistance in mice. *PLoS One*. 2013;8(8):1-11. <http://doi.org/10.1371/journal.pone.0072447>
 63. Schiller KR, Zillhardt MR, Alley J, Borjesson DL, Beitz AJ, Mauro LJ. tumor-bone coculture model. 2009;17:1-17. <http://doi.org/10.1186/1471-2407-9-45>
 64. Article O. Systemic lidocaine inhibits high - mobility group box 1 messenger ribonucleic acid expression and protein in BALB / c mice after closed fracture musculoskeletal injury. Published online 2018:395-398. <http://doi.org/10.4103/sja.SJA>
 65. Made L, Rusyati M, Kedokteran F, et al. Higher Treg FoxP3 and TGF- β mRNA Expression in Type 2 Reaction ENL (Erythema Nodosum Leprosum) Patients in Mycobacterium leprae Infection. 2020;(December). <http://doi.org/10.2174/1874434602014010304>
 66. Hatta M, Massi MN, Natzir R, Ichsan AM, Sujuti H. The Effectiveness of Triamcinolone Injection on Risk of Postoperative Operations with the Conjunctiva Autograft Technique and Its Association with Change

- of VEGF mRNA Expression. 2020;13(June):543-549.
67. Madea B, Grellner W, Kondo T. Vital Reactions and Wound Age Estimation. *Handb Forensic Med*. Published online 2014:237-252. <http://doi.org/10.1002/9781118570654.ch18>
 68. Alshehhi S, Haddrill PR. Estimating time since deposition using quantification of RNA degradation in body fluid-specific markers. *Forensic Sci Int*. 2019;298:58-63. <http://doi.org/10.1016/j.forsciint.2019.02.046>
 69. Kubo H, Hayashi T, Ago K, Ago M, Kanekura T. Temporal expression of wound healing-related genes in skin burn injury. *Leg Med*. 2014;16(1):8-13. <http://doi.org/10.1016/j.legalmed.2013.10.002>
 70. Ye MY, Xu D, Liu JC, et al. IL-6 and IL-20 as potential markers for vitality of skin contusion. *J Forensic Leg Med*. 2018;59:8-12. <http://doi.org/10.1016/j.jflm.2018.07.010>
 71. Ibrahim SF, Issak M, Bayoumy AA, Abd El-Fatah DS. Cutaneous (tPA) and Skeletal (Tnl) mRNA as Markers of Aging in Contused Wound. *J Forensic Sci*. 2016;61(4):1007-1010. <http://doi.org/10.1111/1556-4029.13072>
 72. Takamiya M, Saigusa K, Kumagai R, Nakayashiki N, Aoki Y. Studies on mRNA expression of tissue-type plasminogen activator in bruises for wound age estimation. *Int J Legal Med*. 2005;119(1):16-21. <http://doi.org/10.1007/s00414-004-0453-4>
 73. Sun JH, Wang YY, Zhang L, Gao CR, Zhang LZ, Guo Z. Time-dependent expression of skeletal muscle troponin i mRNA in the contused skeletal muscle of rats: A possible marker for wound age estimation. *Int J Legal Med*. 2010;124(1):27-33. <http://doi.org/10.1007/s00414-009-0323-1>
 74. Abd-Elhakim YM, Omran BHF, Ezzeldein SA, Ahmed AI, El-Sharkawy NI, Mohamed AA-R. Time-dependent expression of high-mobility group box-1 and toll-like receptors proteins as potential determinants of skin wound age in rats: Forensic implication. *Int J Legal Med*. 2022;136(6):1781-1789. <http://doi.org/10.1007/s00414-022-02788-z>