

5.2 Masalah Terbuka

Beberapa masalah yang masih terbuka untuk pengembangan penelitian selanjutnya yaitu

1. Mengembangkan model dengan waktu tunda, bifurkasi, khususnya saat air laut pasang ikan *predator* terperangkap di mangrove.
2. Mengembangkan model dengan pemanenan dan kontrol bioekonomi.
3. Hubungan migrasi kepiting dengan peningkatan persediaan karbon yang diserap hutan mangrove.

DAFTAR PUSTAKA

- Abdul, M., Siddique, M., Rahman, M., Arifur, S., Hassan, R., & Fardous, Z. (2021). Assessment of heavy metal contamination in the surficial sediments from the lower Meghna River estuary, Noakhali coast, Bangladesh. *International Journal of Sediment Research*, 36, 384–391.
- Agnihotri, K., & Nayyer, S. (2018). Stability analysis of a predator bird – prey fish harvesting model in the reserved and unreserved area. *Malaya Journal of Matematik*, 6(3), 678–684. <https://doi.org/10.26637/MJM0603/0032>
- Alsakaji, H. J., Kundu, S., & Rihan, F. A. (2021). Delay differential model of one-predator two-prey system with Monod-Haldane and Holling type II functional responses. *Applied Mathematics and Computation*, 397, 125919. <https://doi.org/10.1016/j.amc.2020.125919>
- Banerjee, R., Das, P., & Mukherjee, D. (2020). Global dynamics of a Holling Type-III two prey–one predator discrete model with optimal harvest strategy. *Nonlinear Dynamics*, 99(4), 3285–3300. <https://doi.org/10.1007/s11071-020-05490-0>
- Barhoom, N. S. S., & Al-Nassir, S. (2021). Dynamical behaviors of a fractional-order three dimensional prey-predator model. *Hindawi Abstract and Applied Analysis*, 2021, 1–10. <https://doi.org/10.1155/2021>
- Brauer, F., Castillo-Chavez, C., & Castillo-Chavez, C. (2012). *Mathematical Models in Population Biology and Epidemiology* (2nd ed.). Springer New York, London.
- Chakraborty, K., Chakraborty, M., & Kar, T. K. (2011). Bifurcation and control of a bioeconomic model of a prey – predator system with a time delay. *Nonlinear Analysis: Hybrid Systems*, 5(4), 613–625. <https://doi.org/10.1016/j.nahs.2011.05.004>
- Didiharyono., Toaha, S., Kusuma, J., & Kasbawati. (2021). Stability analysis of two predators and one prey population model with harvesting in fisheries management. *IOP Conference Series: Earth and Environmental Science*, 1–8. <https://doi.org/10.1088/1755-1315/921/1/012005>
- Djilali, S., & Ghanbari, B. (2021). Dynamical behavior of two predators–one prey model with generalized functional response and time-fractional derivative. *Advances in Difference Equations*, 2021(1). <https://doi.org/10.1186/s13662->

021-03395-9

- Dubey, B., Agarwal, S., & Kumar, A. (2018). Optimal harvesting policy of a prey–predator model with Crowley–Martin-type functional response and stage structure in the predator. *Nonlinear Analysis: Modelling and Control*, 23(4), 493–514. <https://doi.org/10.15388/NA.2018.4.3>
- Hasimuna, O. J., Chibesa, M., Ellender, B. R., & Maulu, S. (2021). Variability of selected heavy metals in surface sediments and ecological risks in the Solwezi and Kifubwa Rivers, Northwestern province, Zambia. *Scientific African*, 12, e00822. <https://doi.org/10.1016/j.sciaf.2021.e00822>
- Huo, H., Jiang, H., & Meng, X. (2012). A dynamic model for fishery resource with reserve area and taxation. *Journal of Applied Mathematics*, 2012, 1–15. <https://doi.org/10.1155/2012/794719>
- Ibrahim, M. (2021). Optimal harvesting of a predator-prey system with marine reserve. *Scientific African*, 14, e01048. <https://doi.org/10.1016/j.sciaf.2021.e01048>
- Jana, S., Chakraborty, M., Chakraborty, K., & Kar, T. K. (2012). Global stability and bifurcation of time delayed prey – predator system incorporating prey refuge. *Mathematics and Computers in Simulation*, 85, 57–77. <https://doi.org/10.1016/j.matcom.2012.10.003>
- Ji, C., Jiang, D., & Shi, N. (2009). Analysis of a predator-prey model with modified Leslie-Gower and Holling-type II schemes with stochastic perturbation. *Journal of Mathematical Analysis and Applications*, 359(2), 482–498. <https://doi.org/10.1016/j.jmaa.2009.05.039>
- Lemnaouar, M. R., Benazza, H., Khalfaoui, M., & Louartassi, Y. (2021). Dynamical behaviours of prey-predator fishery model with two reserved area for prey in the presence of toxicity and response function holling type iv. *J. Math. Comput. Sci*, 11(3), 2893–2913. <https://doi.org/10.28919/jmcs/5268>
- Lemnaouar, M. R., Khalfaoui, M., Louartassi, Y., & Tolaimate, I. (2020). Fractional order prey-predator model with infected predators in the presence of competition and toxicity. *Mathematical Modelling of Natural Phenomena*, 15, 1–16. <https://doi.org/10.1051/mmnp/2020002>
- Lv, Y., Yuan, R., & Pei, Y. (2013). A prey-predator model with harvesting for fishery resource with reserve area q. *Applied Mathematical Modelling*, 37(5), 3048–3062. <https://doi.org/10.1016/j.apm.2012.07.030>
- Majid, I., Henie, M., Al, I., Rohman, F., & Syamsuri, I. (2016). Konservasi hutan mangrove di pesisir pantai kota Ternate terintegrasi dengan kurikulum sekolah. *Jurnal BIOeduKASI*, 4 (2), 488–496. <https://doi.org/https://doi.org/10.33387/bioedu.v4i2.162>
- Mapunda, A., & Sagamiko, T. (2021). Mathematical analysis of harvested predator-prey system with prey refuge and intraspecific competition. *Tanzania Journal of*

- Science*, 47(2), 728–737. <https://doi.org/10.4314/tjs.v47i2.28>
- Meirikayanti, Halimatus, B. S. R., & Sahidu, A. M. (2018). Analisis Kandungan Logam Berat Tembaga (Cu) pada Kepiting Bakau (*Scylla* sp.) di Sungai Wonorejo, Surabaya [Analysis of Heavy Metal Copper (Cu) Content on Mud Crab (*Scylla* sp.) at Wonorejo River, Surabaya]. *JURNAL ILMIAH PERIKANAN DAN KELAUTAN Research*, 10(2), 106–111. <https://doi.org/10.20473/jipk.v10i2.10499>
- Mirera, O. D., & Moksnes, P. O. (2013). Cannibalistic interactions of juvenile mud crabs *Scylla serrata*: the effect of shelter and crab size. *African Journal of Marine Science*, 35(4), 545–553. <https://doi.org/10.2989/1814232X.2013.865677>
- Mortoja, S. G., Panja, P., & Mondal, S. K. (2018). Dynamics of a predator-prey model with stage-structure on both species and anti-predator behavior. *Informatics in Medicine Unlocked*, 10, 50–57. <https://doi.org/10.1016/j.imu.2017.12.004>
- Murray, J. D. (2002). *Mathematical Biology I. An Introduction* (Third Edit). Springer-Verlag, Inc. Berlin
- Nagelkerken, I., Blaber, S. J. M., Bouillon, S., Green, P., Haywood, M., Kirton, L. G., Meynecke, J., Pawlik, J., Penrose, H. M., Sasekumar, A., & Somerfield, P. J. (2008). The habitat function of mangroves for terrestrial and marine fauna : A review. *Www.Sciencedirect.Com Aquatic*, 89, 155–185. <https://doi.org/10.1016/j.aquabot.2007.12.007>
- Otinus Lokbere, F.B. Boneka, C.A. Sinjal, Billy Th. Wagey, Medy Ompi, R. O. S. E. M. (2019). Ikan yang beruaya di daerah mangrove pantai tasik ria. *Jurnal Pesisir Dan Laut Tropis*, 7(3), 242–246. <https://doi.org/10.35800/jplt.7.3.2019.24515>
- Pandiyan, J., Mahboob, S., Govindarajan, M., & Al-ghanim, K. A. (2021). Saudi Journal of Biological Sciences An assessment of level of heavy metals pollution in the water , sediment and aquatic organisms : A perspective of tackling environmental threats for food security. *Saudi Journal of Biological Sciences*, 28(2), 1218–1225. <https://doi.org/10.1016/j.sjbs.2020.11.072>
- Panja, P. (2020). Prey–predator–scavenger model with Monod–Haldane type functional response. *Rendiconti Del Circolo Matematico Di Palermo*, 69(3), 1205–1219. <https://doi.org/10.1007/s12215-019-00462-9>
- Pradhan, A., Johri, A., & Jain, S. (2017). A Model for Fishery Resource with Reserve Area and Facing Prey-Predator Interactions. *International Journal of Contemporary Mathematical Sciences*, 12(6), 255–264. <https://doi.org/10.12988/ijcms.2017.7623 A>
- Primavera, J. H. (1997). Fish predation on mangrove-associated penaeids. The role of structures and substrate. *Journal of Experimental Marine Biology and Ecology*, 215(2), 205–216. [https://doi.org/10.1016/S0022-0981\(97\)00046-4](https://doi.org/10.1016/S0022-0981(97)00046-4)
- Raymond, C., Hugo, A., & Kung'Aro, M. (2019). Modeling dynamics of prey-predator

- fishery model with harvesting: A bioeconomic model. *Journal of Applied Mathematics*, 2019. <https://doi.org/10.1155/2019/2601648>
- Rindone, R. R., & Eggleston, D. B. (2011). Predator-prey dynamics between recently established stone crabs (*Menippe* spp.) and oyster prey (*Crassostrea virginica*). *Journal of Experimental Marine Biology and Ecology*, 407(2), 216–225. <https://doi.org/10.1016/j.jembe.2011.06.018>
- Roy, B., & Roy, S. K. (2021). Prey-predator model in drainage system with migration and harvesting. *Nonauton. Dyn. Sys*, 152–167. <https://doi.org/10.1515/msds-2021-0131>
- Sarwardi, S., Mandal, P. K., & Ray, S. (2012). Analysis of a competitive prey–predator system with a prey refuge. *BioSystems*, 110(3), 133–148. <https://doi.org/10.1016/j.biosystems.2012.08.002>
- Sarwardi, S., Mandal, P. K., & Ray, S. (2013). Dynamical behaviour of a two-predator model with prey refuge. *Journal of Biological Physics*, 39(4), 701–722. <https://doi.org/10.1007/s10867-013-9327-7>
- Savitri, D., & Abadi. (2015). Stability analysis and numerical simulation of 1 prey-2 predator system. *AIP Conference Proceedings*, 1651(Symomath 2014), 114–117. <https://doi.org/10.1063/1.4914442>
- Savoca, S., Grifó, G., Panarello, G., Albano, M., Giacobbe, S., Capillo, G., Spanó, N., & Consolo, G. (2020). Modelling prey-predator interactions in Messina beachrock pools. *Ecological Modelling*, 434(February), 109206. <https://doi.org/10.1016/j.ecolmodel.2020.109206>
- Sharma, A., & Gupta, B. (2014). Harvesting Model for Fishery Resource with Reserve Area and Bird Predator. *Journal of Marine Biology*, 2014. <https://doi.org/10.1155/2014/218451>
- Subchan, N. A. M. and. (2020). Stability and bifurcation analysis of time delayed prey-predator system with Holling type-III response function. *INTERNATIONAL JOURNAL OF COMPUTING SCIENCE AND APPLIED MATHEMATICS*, 6(2), 528–541. <https://doi.org/10.12962/j24775401.v6i2.5456>
- Toaha, S, Didiharyono., Kusuma, J., & Kasbawati. (2023). Harvesting Strategies in the Migratory Prey-Predator Model with a Crowley-Martin Type Response Function and Constant Efforts. *Nonlinear Dynamics and Systems Theory*, 23(1), 14–23.
- Tilaar, S. (2014). Analisis pencemaran logam berat di muara sungai Tondano dan muara sungai Sario Manado Sulawesi Utara [Analysis of heavy metal pollution In river mouths and estuaries Tondano and Sario in Manado City North Sulawes]. *Jurnal Ilmiah Platax*, 2(1), 32–39. <https://doi.org/10.35800/jip.2.1.2014.4406>
- Toaha, S, & Kasbawati. (2019). Optimal harvesting of prey-predator fishery modeling in a two patch environment and harvesting in unprotected area. *IOP Conference*

Series: *Earth and Environmental Science PAPER*, 0–8.
<https://doi.org/10.1088/1755-1315/279/1/012014>

- Toaha, S. (2013). *Pemodelan matematika dalam dinamika populasi*. Makassar, Dua Satu Press.
- Toaha, S, Kusuma, J., Khaeruddin, & Bahri, M. (2014). Stability Analysis and Optimal Harvesting Policy of Prey-Predator Model with Stage Structure for Predator. *Applied Mathematical Sciences*, 8(159), 7923–7934. <https://doi.org/10.12988/ams.2014.410792>
- Toaha, S, & Rustam. (2017). Optimal harvesting policy of predator-prey model with free fishing and reserve zones. *AIP Conference Proceedings, January 2017*. <https://doi.org/10.1063/1.4978992>
- Vay, L. L. E. (2001). Ecology and Management of Mud Crab *Scylla* spp . *Proceedings of the International Forum on the Culture of Portunid Crabs*, 14, 101–111. <https://doi.org/10.33997/j.afs.2001.14.2.001>
- Wahyu Widowati, Astiana Sastiono, R. J. R. (2008). *Efek toksik logam : pencegahan dan penanggulangan pencemaran* (R. W. Rosari (ed.)). Yogyakarta: Andi, 2008.
- Wei, Z., & Li, L. (2012). Hopf bifurcation analysis of a food web of four species. *International Journal of Physical Sciences*, 7(2), 250–255. <https://doi.org/10.5897/IJPS11.1388>
- Wijaya, N. I., Yulianda, F., Boer, M., & Juwana, S. (2010). Biologi populasi kepiting bakau (*Scylla serrata* F.) di habitat mangrove taman nasional Kutai Kabupaten Kutai Timur. *Oseanologi Dan Limnologi Di Indonesia*, 36(3), 443–461.
- Xu, Y., Liu, M., & Yang, Y. (2017). Analysis of a stochastic two-predators one-prey system with modified Leslie-Gower and Holling-type II schemes. *Journal of Applied Analysis and Computation*, 7(2), 713–727. <https://doi.org/10.11948/2017045>
- Yang, H., & Jia, J. (2016). Harvesting of a predator – prey model with reserve area for prey and in the presence of toxicity. *Journal of Applied Mathematics and Computing*. <https://doi.org/10.1007/s12190-016-0989-8>
- Yogeshwaran, A., Gayathiri, K., Muralisankar, T., Gayathri, V., Monica, J. I., Rajaram, R., Marimuthu, K., & Bhavan, P. S. (2020). Bioaccumulation of heavy metals, antioxidants, and metabolic enzymes in the crab *Scylla serrata* from different regions of Tuticorin, Southeast Coast of India. *Marine Pollution Bulletin*, 158(July), 111443. <https://doi.org/10.1016/j.marpolbul.2020.111443>.