

DAFTAR PUSTAKA

Alchuriyah, S. & Wahjuni, C.U. (2016) Faktor Risiko Kejadian Stroke Usia Muda Pada Pasien Rumah Sakit Brawijaya Surabaya. *Jurnal Berkala Epidemiologi*. 4 (1), 62–73.
doi:10.20473/jbe.v4i1.62-73.

Ali, M. (2006) *Kamus Lengkap Bahasa Indonesia Modern*. Pustaka Amani Jakarta.

Anon (n.d.) *Merriam-Webster*. Merriam-Webster.com dictionary. <https://www.merriam-webster.com/dictionary/onset> [Accessed: 11 May 2024].

Araliz, P.N. (2021) *Gambaran Faktor Risiko Stroke Usia Muda Pada Pasien Rawat Inap Di Rumah Sakit Otak Dr. Drs. M. Hatta Bukittinggi*. Thesis Diploma. Padang, Universitas Andalas.

Association, A.S. (2022) *About Stroke*. 8 October 2022. American Stroke Association.
<https://www.stroke.org/en/about-stroke> [Accessed: 16 July 2022].

Boehme, A.K., Esenwa, C. & Elkind, M.S.V. (2017) Stroke Risk Factors, Genetics, and Prevention. *Circulation Research*. 120 (3), 472–495.
doi:10.1161/CIRCRESAHA.116.308398.

Choudhury, M.J.H., Chowdhury, M.T.I., Nayeem, A. & Jahan, W.A. (2015a) Modifiable and Non-Modifiable Risk Factors of Stroke: A Review Update. *Journal of National Institute of Neurosciences Bangladesh*. 1 (1), 22–26. doi:10.3329/jninb.v1i1.22944.

Choudhury, M.J.H., Chowdhury, M.T.I., Nayeem, A. & Jahan, W.A. (2015b) Modifiable and Non-Modifiable Risk Factors of Stroke: A Review Update. *Journal of National Institute of Neurosciences Bangladesh*. 1 (1), 22–26. doi:10.3329/jninb.v1i1.22944.

8) *Buku Saku Patofisiologi*. Jakarta, EGC.

Coupland, A.P., Thapar, A., Qureshi, M.I., Jenkins, H. & Davies, A.H. (2017) The definition of stroke. *Journal of the Royal Society of Medicine*. 110 (1), 9–12. doi:10.1177/0141076816680121.

Dictionary, O.A.L. (2024) *Definition of age from the Oxford Advanced Learner's Dictionary*. 2024. Oxford University Press. https://www.oxfordlearnersdictionaries.com/definition/english/age_1?q=age [Accessed: 5 June 2024].

Dinata, C.A., Syafrita, Y. & Sastri, S. (2013) Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan Periode 1 Januari 2010 - 31 Juni 2012. *Jurnal Kesehatan Andalas*. 2 (2). <http://jurnal.fk.unand.ac.id>.

Donkor, E.S. (2018) Stroke in the 21st Century: A Snapshot of the Burden, Epidemiology, and Quality of Life. *Stroke Research and Treatment*. 2018. doi:10.1155/2018/3238165.

Feigin, V., Norrving, B., Sudlow, C.L.M. & Sacco, R.L. (2018) Updated criteria for population-based stroke and transient ischemic attack incidence studies for the 21st century. *Stroke*. 49 (9), 2248–2255. doi:10.1161/STROKEAHA.118.022161.

Feigin, V., Udumbara, B. & Anton, S. (2006) *Stroke : Panduan Bergambar Tentang Pencegahan dan Pemulihan Stroke*. Jakarta, Bhuana Ilmu Populer.

Feigin, V.L., Brainin, M., Norrving, B., Martins, S., Sacco, R.L., Hacke, W., Fisher, M., Pandian, J. & Lindsay, P. (2022) World Stroke Organization (WSO): Global Stroke

2022. *International journal of stroke : official journal of the International Society*. 17 (1), 18–29. doi:10.1177/17474930211065917.



Feigin, V.L., Stark, B.A., Johnson, C.O., Roth, G.A., Bisignano, C., et al. (2021) Global, regional, and national burden of stroke and its risk factors, 1990-2019: A systematic analysis for the Global Burden of Disease Study 2019. *The Lancet Neurology*. 20 (10), 1–26. doi:10.1016/S1474-4422(21)00252-0/ATTACHMENT/817F5B22-098B-42BB-AF7E-C7DAF55AAD0B/MMC1.PDF.

Ghani, L., Mihardja, L.K. & Delima, D. (2016) Faktor Risiko Dominan Penderita Stroke di Indonesia. *Buletin Penelitian Kesehatan*. 44 (1). doi:10.22435/BPK.V44I1.4949.49-58.

Goldberg, A.C., Leiter, L.A., Stroes, E.S.G., Baum, S.J., Hanselman, J.C., Bloedon, L.T., Lalwani, N.D., Patel, P.M., Zhao, X. & Duell, P.B. (2019) Effect of Bempedoic Acid vs Placebo Added to Maximally Tolerated Statins on Low-Density Lipoprotein Cholesterol in Patients at High Risk for Cardiovascular Disease. *JAMA*. 322 (18), 1780. doi:10.1001/jama.2019.16585.

Grace, M., Jacob, K.J., Kumar, A.V. & K., S. V. (2016) Role of dyslipidemia in stroke and comparison of lipid profile in ischemic and hemorrhagic stroke -a case control study. *International Journal of Advances in Medicine*. 3 (3), 694–698. doi:10.18203/2349-3933.IJAM20162520.

Indonesia, D.J.P. dan P.P.K.K.R. (2016) *Stroke Dapat Dicegah, Kenali Faktor Risiko dan Gejalanya*. 27 October 2016. Direktorat P2PTM Kementerian Kesehatan RI. <http://p2ptm.kemkes.go.id/kegiatan-p2ptm/dki-jakarta/stroke-dapat-dicegah-kenali-faktor-risiko-dan-gejalanya> [Accessed: 17 July 2022].

Ianardi Iskandar (2002) Patogenesis Stroke Infark Kardioemboli. *Jurnal Kardiologi FK USU*.



Johansson, B.B. (1999) Hypertension mechanisms causing stroke. *Clinical and experimental pharmacology & physiology*. 26 (7), 563–565. doi:10.1046/J.1440-1681.1999.03081.X.

Kernan, W.N., Inzucchi, S.E., Sawan, C., MacKo, R.F. & Furie, K.L. (2013) Obesity: A stubbornly obvious target for stroke prevention. *Stroke*. 44 (1), 278–286. doi:10.1161/STROKEAHA.111.639922.

Kesehatan, B.P. dan P. (2019) *Laporan Nasional Riskesdas 2018*. <https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-riskesdas/>.

Khariri & Saraswati, R.D. (2021) Transisi Epidemiologi Stroke sebagai Penyebab Kematian pada Semua Kelompok Usia di Indonesia. *Seminar Nasional Riset Kedokteran (SENSORIK II)* 2021. pp.82–83. <https://conference.upnvj.ac.id/index.php/sensorik/article/view/1001/842>.

Kuriakose, D. & Xiao, Z. (2020) Pathophysiology and treatment of stroke: Present status and future perspectives. *International Journal of Molecular Sciences*. 21 (20), 1–24. doi:10.3390/ijms21207609.

LeWine, H.E. (2023) *Hemorrhagic stroke*. 7 July 2023. Harvard Health Publishing Harvard Medical School.

Liao, C.-C., Shih, C.-C., Yeh, C.-C., Chang, Y.-C., Hu, C.-J., Lin, J.-G. & Chen, T.-L. (2015) Impact of Diabetes on Stroke Risk and Outcomes: Two Nationwide Retrospective Cohort Studies. *Medicine*. 94 (52), e2282. doi:10.1097/MD.0000000000002282.



2021) *Karakteristik Penderita Stroke Rawat Inap Di Rsup Dr. Wahidin Sudiro Tahun 2020*. Thesis S1. Makassar, Universitas Hasanuddin.

Mahendrakrisna, D., Windriya, D.P. & Gts, A.C. (2019) Karakteristik Pasien Stroke Usia Muda di RSUD Kota Surakarta. CDK-274. 46 (3). doi:<http://dx.doi.org/10.55175/cdk.v46i3.502>.

Mitchell, A.B., Cole, J.W., McArdle, Patrick.F., Cheng, Y.-C., Ryan, K.A., Sparks, M.J., Mitchell, B.D. & Kittner, S.J. (2015) Obesity Increases Risk of Ischemic Stroke in Young Adults. *Stroke*. 46 (6), 1690–1692. doi:[10.1161/STROKEAHA.115.008940](https://doi.org/10.1161/STROKEAHA.115.008940).

Notoatmodjo, S. (2012) *Metodologi Penelitian Kesehatan*. Rineka Cipta.

Organization, W.H. (2020) *The top 10 causes of death*. 9 December 2020. World Health Organization. <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death> [Accessed: 16 July 2022].

Organization, W.H. (2006) *WHO STEPS Stroke Manual: The WHO STEPwise approach to stroke surveillance*. <http://www.who.int/chp/steps/Stroke/en/>.

Pakpahan, J.E.S. & Hartati, B. (2022) Hubungan dislipidemia dengan kejadian stroke. *Holistik Jurnal Kesehatan*. 16 (6), 542–551. doi:[10.33024/hjk.v16i6.8089](https://doi.org/10.33024/hjk.v16i6.8089).

Parmar, P. (2018) Stroke: Classification and diagnosis. *Clinical Pharmacist*. 10 (1). doi:[10.1211/CP.2018.20204150](https://doi.org/10.1211/CP.2018.20204150).

Priyatna, R.E., Sinardja, C.W.D., Sinardja, C.W.D. & Artana, I.G.N.B. (2023) RELATIONSHIP BETWEEN HYPERTENSION AND THE INCIDENCE OF STROKE IN RSUP PROF. DR. I.G.N.G NGOERAH. *E-Jurnal Medika Udayana*. 12 (5), 45. doi:[10.24843/MU.2023.V12.i05.P07](https://doi.org/10.24843/MU.2023.V12.i05.P07).



Purnomo, R.T., Widjajanto, E. & Sulistyarini, I. (2017) Analisis Faktor-faktor Yang Mempengaruhi Kejadian Stroke Akut Pada Pasien Stroke Yang Dibawa Ke Instalasi Gawat Darurat Rsi Klaten. *Motorik*. 12.

Rodgers, H., Greenaway, J., Davies, T., Wood, R., Steen, N. & Thomson, R. (2004) Risk Factors for First-Ever Stroke in Older People in the North East of England: A Population-Based Study. *Stroke*. 35 (1), 7–11.
doi:10.1161/01.STR.0000106914.60740.78.

Sacco, R.L., Kasner, S.E., Broderick, J.P., Caplan, L.R., Connors, J.J., et al. (2013) An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association. *Stroke*. 44 (7), 2064–2089.
doi:10.1161/STR.0B013E318296AECA/FORMAT/EPUB.

Salim, A.W. (2015) Fibrilasi Atrium sebagai Faktor Risiko Kejadian Stroke Non Hemoragik di Bagian Saraf RSUD Dr Soedarso Pontianak. *Jurnal Mahasiswa Fakultas Kedokteran Untan*. 3.

Seobroto, L. (2004) *Hubungan antara Kadar LDL Kolesterol pada Penderita Stroke di Rumah Sakit Dr. Moewardi Surakarta*. Thesis. Surakarta, Universitas Sebelas Maret.

Shadine Mahannad (2010) *Mengenal Penyakit Hipertensi, Diabetes, Stroke & Serangan Jantung : Pencegahan dan Pengobatan Alternatif*. Jakarta, Keenbooks.

Siregar, F.A. (2002) *Determinan Kejadian Stroke Pada Penderita Rawat Inap RSUP Haji Adam Malik Medanw*. Medan, Universitas Sumatera Utara.



hombing, I.Y. & Hamra, Y. (2013) Hubungan Umur, Jenis Kelamin, dan dengan Kejadian Stroke. *Medula Scientific Journal of Medical Faculty of University*. 1, 28–28.

Soto-Cámara, R., González-Bernal, J.J., González-Santos, J., Aguilar-Parra, J.M., Trigueros, R. & López-Liria, R. (2020) Age-Related Risk Factors at the First Stroke Event. *Journal of Clinical Medicine*. 9 (7), 2233. doi:10.3390/jcm9072233.

Strazzullo, P., D'Elia, L., Cairella, G., Garbagnati, F., Cappuccio, F.P. & Scalfi, L. (2010) Excess Body Weight and Incidence of Stroke. *Stroke*. 41 (5). doi:10.1161/STROKEAHA.109.576967.

Sugiyono (2021) *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. 2nd edition. Bandung, Alfabeta.

Syah, A., Wati, R. & Negara, C.K. (2020) Hubungan Kadar Kolesterol Darah Dan Hipertensi Dengan Kejadian Stroke Di Rsud Ulin Banjarmasin Tahun 2020. *Jurnal Medika : Karya Ilmiah Kesehatan*. 5 (2). doi:10.35728/jmkik.v5i2.129.

Tadi, P. & Lui, F. (2022) *Acute Stroke*. StatPearls Publishing.
<https://www.ncbi.nlm.nih.gov/books/NBK535369/>.

Tirschwell, D.L., Smith, N.L., Heckbert, S.R., Lemaitre, R.N., Longstreth, W.T. & Psaty, B.M. (2004) Association of cholesterol with stroke risk varies in stroke subtypes and patient subgroups. *Neurology*. 63 (10), 1868–1875. doi:10.1212/01.WNL.0000144282.42222.DA.

Udani, G. (2013) FAKTOR RESIKO KEJADIAN STROKE. *Jurnal Kesehatan Metro Sai Wawai*. VI, 53–53.

Unger, T., Borghi, C., Charchar, F., Khan, N.A., Poulter, N.R., Prabhakaran, D., Ramirez, A., M., Stergiou, G.S., Tomaszewski, M., Wainford, R.D., Williams, B. & E. (2020) 2020 International Society of Hypertension Global Hypertension



Practice Guidelines. *Hypertension*. 75 (6), 1334–1357.

doi:10.1161/HYPERTENSIONAHA.120.15026/FORMAT/EPUB.

Unnithan, A.K.A., Das, J.M. & Mehta, P. (2022) *Hemorrhagic Stroke*. StatPearls Publishing.

<https://www.ncbi.nlm.nih.gov/books/NBK559173/>.

Venketasubramanian, N., Yoon, B.W., Pandian, J. & Navarro, J.C. (2017) Stroke Epidemiology in South, East, and South-East Asia: A Review. *Journal of Stroke*. 19 (3), 286–294. doi:10.5853/jos.2017.00234.

Wolf, P.A., Abbott, R.D. & Kannel, W.B. (1991) Atrial fibrillation as an independent risk factor for stroke: the Framingham Study. *Stroke*. 22 (8), 983–988. doi:10.1161/01.str.22.8.983.

Wolf, P.A., Dawber, T.R., Thomas, H.E. & Kannel, W.B. (1978) Epidemiologic assessment of chronic atrial fibrillation and risk of stroke. *Neurology*. 28 (10), 973–973. doi:10.1212/WNL.28.10.973.

Zendrato, T. (2021) *Pengaruh Riwayat Keluarga, Hipertensi dan Gaya Hidup terhadap Kejadian Stroke pada Kelompok Umur < 50 Tahun di RSUD Gunungsitoli*. Thesis S2. Medan, Universitas Sumatera Utara.



LAMPIRAN



Optimization Software:
www.balesio.com

| | JENIS STROKE | USIA SERANGAN | JENIS KELAMIN | RIWAYAT PENYAKIT KELUARGA | HIPERTENSI | DIABETES MELITUS | OBESITAS | RIWAYAT PENYAKIT JANTUNG | DISLIPIDEMIA |
|---|--------------|---------------|---------------|---------------------------|------------|------------------|----------|--------------------------|--------------|
| N | Valid | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 |
| | Missing | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Jenis Stroke

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid ISKEMIK | 82 | 83.7 | 83.7 | 83.7 |
| HEMORAGIK | 16 | 16.3 | 16.3 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |

Usia Serangan

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 5 | 5.1 | 5.1 | 5.1 |
| 2 | 4 | 4.1 | 4.1 | 9.2 |
| 3 | 15 | 15.3 | 15.3 | 24.5 |
| 4 | 19 | 19.4 | 19.4 | 43.9 |
| 5 | 34 | 34.7 | 34.7 | 78.6 |
| 6 | 16 | 16.3 | 16.3 | 94.9 |
| | 5 | 5.1 | 5.1 | 100.0 |
| | 98 | 100.0 | 100.0 | |



Riwayat Penyakit Keluarga

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 4 | 4.1 | 4.1 | 4.1 |
| 2 | 94 | 95.9 | 95.9 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |

Hipertensi

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 58 | 59.2 | 59.2 | 59.2 |
| 2 | 40 | 40.8 | 40.8 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |

Diabetes Melitus

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 33 | 33.7 | 33.7 | 33.7 |
| 2 | 65 | 66.3 | 66.3 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |



Optimization Software:
www.balesio.com

Obesitas

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 40 | 40.8 | 40.8 | 40.8 |
| 2 | 58 | 59.2 | 59.2 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |

Riwayat Penyakit Jantung

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 18 | 18.4 | 18.4 | 18.4 |
| 2 | 80 | 81.6 | 81.6 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |

Dislipidemia

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 24 | 24.5 | 24.5 | 24.5 |
| 2 | 74 | 75.5 | 75.5 | 100.0 |
| Total | 98 | 100.0 | 100.0 | |



CROSS TAB

Jenis Kelamin

| | | USIASERANGAN | | | | | | | Total | |
|---------|----|--------------|---|---|----|----|----|----|-------|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| JENIS | LK | Count | 2 | 2 | 9 | 15 | 26 | 9 | 3 | 66 |
| KELAMIN | PR | Count | 3 | 2 | 6 | 4 | 8 | 7 | 2 | 32 |
| Total | | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 6.084 ^a | 6 | .414 |
| Likelihood Ratio | 6.029 | 6 | .420 |
| Linear-by-Linear Association | .571 | 1 | .450 |
| N of Valid Cases | 98 | | |



Riwayat Penyakit Keluarga

| | | USIASERANGAN | | | | | | | Total |
|---------------------------|---------|--------------|---|----|----|----|----|---|-------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| RIWAYAT PENYAKIT KELUARGA | 1 Count | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 4 |
| | 2 Count | 5 | 4 | 14 | 18 | 33 | 15 | 5 | 94 |
| Total | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 1.225 ^a | 6 | .976 |
| Likelihood Ratio | 1.736 | 6 | .942 |
| Linear-by-Linear Association | .008 | 1 | .931 |
| N of Valid Cases | 98 | | |



Optimization Software:
www.balesio.com

Hipertensi

| | | USIASERANGAN | | | | | | | Total | |
|------------|---|--------------|---|---|----|----|----|----|-------|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| HIPERTENSI | 1 | Count | 1 | 1 | 5 | 13 | 27 | 8 | 3 | 58 |
| | 2 | Count | 4 | 3 | 10 | 6 | 7 | 8 | 2 | 40 |
| Total | | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 16.252 ^a | 6 | .012 |
| Likelihood Ratio | 16.749 | 6 | .010 |
| Linear-by-Linear Association | 5.608 | 1 | .018 |
| N of Valid Cases | 98 | | |



Optimization Software:
www.balesio.com

Diabetes Melitus

| | | USIASERANGAN | | | | | | | Total |
|-----------------|---------|--------------|---|----|----|----|----|---|-------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| DIABETESMELITUS | 1 Count | 0 | 0 | 1 | 6 | 18 | 8 | 0 | 33 |
| | 2 Count | 5 | 4 | 14 | 13 | 16 | 8 | 5 | 65 |
| Total | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 19.605 ^a | 6 | .003 |
| Likelihood Ratio | 24.970 | 6 | .000 |
| Linear-by-Linear Association | 7.595 | 1 | .006 |
| N of Valid Cases | 98 | | |



Optimization Software:
www.balesio.com

Obesitas

| | | USIASERANGAN | | | | | | | Total | |
|----------|---|--------------|---|---|----|----|----|----|-------|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| OBESITAS | 1 | Count | 2 | 2 | 4 | 8 | 17 | 4 | 3 | 40 |
| | 2 | Count | 3 | 2 | 11 | 11 | 17 | 12 | 2 | 58 |
| Total | | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 5.003 ^a | 6 | .543 |
| Likelihood Ratio | 5.136 | 6 | .526 |
| Linear-by-Linear Association | .123 | 1 | .726 |
| N of Valid Cases | 98 | | |



Optimization Software:
www.balesio.com

Riwayat Penyakit Jantung

| | | USIASERANGAN | | | | | | | | |
|--------------------------|---|--------------|---|---|----|----|----|----|-------|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | Total | |
| RIWAYAT PENYAKIT JANTUNG | 1 | Count | 0 | 0 | 1 | 1 | 9 | 7 | 0 | 18 |
| | 2 | Count | 5 | 4 | 14 | 18 | 25 | 9 | 5 | 80 |
| Total | | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 15.060 ^a | 6 | .020 |
| Likelihood Ratio | 17.064 | 6 | .009 |
| Linear-by-Linear Association | 6.560 | 1 | .010 |
| N of Valid Cases | 98 | | |



Optimization Software:
www.balesio.com

Dislipidemia

| | | USIASERANGAN | | | | | | | Total |
|----------------|-------|--------------|---|----|----|----|----|---|-------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| DISLIPIDEMIA 1 | Count | 0 | 0 | 1 | 6 | 11 | 6 | 0 | 24 |
| 2 | Count | 5 | 4 | 14 | 13 | 23 | 10 | 5 | 74 |
| Total | Count | 5 | 4 | 15 | 19 | 34 | 16 | 5 | 98 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 10.235 ^a | 6 | .115 |
| Likelihood Ratio | 14.083 | 6 | .029 |
| Linear-by-Linear Association | 3.518 | 1 | .061 |
| N of Valid Cases | 98 | | |



Optimization Software:
www.balesio.com