

DAFTAR PUSTAKA

1. Usman, M. H., & Aswar. (2020). Covid-19 Dalam Perjalanan Akhir Zaman : Sebab, Dampak Dan Anjuran Syariat Dalam Menghadapinya. *Bustanul Fugqoha: Jurnal Bidang Hukum Islam*. Vol 1 No 2 (2020). <https://journal.stiba.ac.id/index.php/bustanul/article/view/142>. DOI: <https://doi.org/10.36701/bustanul.v1i2.142>
2. Kumar,A. et.al. (2021) REVIEW article. *Front. Cell. Infect. Microbiol.*, 30 March 2021, Sec. Clinical Microbiology, Volume 11 - 2021 <https://doi.org/10.3389/fcimb.2021.596201>.
3. Guan W-J, Ni Z-Y, Hu Y, Liang W-H, Ou C-Q, He J-X, et al. Clinical characteristics of coronavirus disease 2019 in China. *New England J Med*; 2020
4. Y. Bai, L. Yao, T. Wei, F. Tian, D.-Y. Jin, L. Chen, et al. Presumed asymptomatic carrier transmission of COVID-19. *JAMA*. 2020;323(14):1406-1407. doi:10.1001/jama.2020.2565.
5. Hoffmann M, Kleine-Weber H, Schroeder S, Krüger N, Herrler T, Erichsen S, et al. SARS-coV-2 cell entry depends on ACE2 andTMPRSS2 andis blocked by a clinically proven protease inhibitor. *Cell*. 2020; <https://doi.org/10.1016/j.cell.2020.02.052>.
6. Raj VS, Mou H, Smits SL, Dekkers DH, Muller MA, Dijkman R, et al. Dipeptidyl peptidase 4 is a functional receptor for the emerging human coronavirus-EMC. *Nature*. 2013;495(7440):251–4.
7. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirusin Wuhan,China. *Lancet*. 2020;395(10223):497–506.
8. Wulandari, E., Rotnoatmodjo , S., Salama, N. (2020). Diabetes Mellitus and Mortality among COVID-19 Patients in Jakarta, March-August 2020. *National Public Health Journal Home*, Vol 17, No 2 (2022)
9. Who
10. Nurhalisa, Siti N 101 17 089. (2020). *Karakteristik Gambaran Foto Toraks Pasien COVID-19 di RSUD UNDATA Palu* . Fakultas Kedokteran Untad: Studi Pendidikan Dokter.
11. Zhou, P.; Yang, X.L.; Wang, X.G.; Hu, B.; Zhang, L.; Zhang, W.; Si, H.R.; Zhu, Y.; Li, B.; Huang, C.L.; et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature* 2020, 1–4.
12. Li, W.; Moore, M.J.; Vasilieva, N.; Sui, J.; Wong, S.K.; Berne, M.A.; Somasundaran, M.; Sullivan, J.L.; Luzuriaga, K.; Greenough, T.C.; et al. Angiotensin-converting enzyme 2 is a functional receptor for the SARS coronavirus. *Nature* 2003, 426, 450–454.
13. Donoghue, M.; Hsieh, F.; Baronas, E.; Godbout, K.; Gosselin, M.; Tagliano, N.; Donovan, M.; Wolf, B.; Robison, K.; Jeyaseelan, R.; et al. A novel angiotensin-converting enzyme-related carboxypeptidase (ACE2) converts angiotensin I to angiotensin 1-9. *Circ. Res*. 2000, 87, E1–E9.
14. Zhou, F. Structure, Function, and Evolution of Coronavirus Spike Proteins. *Annu. Rev. Virol*. 2016, 3, 237–261.



15. Codo, A. C. et al. Elevated glucose levels favor SARS-CoV-2 infection and monocyte response through a HIF-1 α /glycolysis-dependent axis. *Cell Metab.* 32, 437–446.e5 (2020).
16. Liu W.Z. , Li H.L. (2020). COVID-19: attacks the 1- β chain of hemoglobin and captures the porphyrin to inhibit human heme metabolism. *ChemRxiv*. Preprint. <https://doi.org/10.26434/chemrxiv.11938173.v9>
17. Means C. (2020). Mechanisms of increased morbidity and mortality of SARS-CoV-2 infection in individuals with diabetes: what this means for an effective management strategy. *Metabolism* 108, 154254.
18. San Juan I. , Bruzzone C. , Bizkarguenaga M. , et al. (2020). Abnormal concentration of porphyrins in serum from COVID-19 patients. *Br. J. Haematol.* 190, e265–e267.

