

## DAFTAR PUSTAKA

- Adams, J., Carder, P. J., Downey, S., Forbes, M. A., MacLennan, K., Allgar, V., Kaufman, S., Hallam, S., Bicknell, R., Walker, J. J., Cairnduff, F., Selby, P. J., Perren, T. J., Lansdown, M., & Banks, R. E. (2000). Vascular endothelial growth factor (VEGF) in breast cancer: Comparison of plasma, serum, and tissue VEGF and microvessel density and effects of tamoxifen. *Cancer Research*, 60(11), 2898–2905.
- Ariyanti, T., Fazrina, R. I., & Darmono. (2007). Pengaruh Ekstrak Etanol Daun Iler (Coleus Atropurpureus L . Benth) Terhadap Infeksi Salmonella Enteritidis Pada Mencit (Mus Musculus). *Seminar Nasional Teknologi Peternakan Dan Veteriner*, 799–806
- Arslan, C., Sari, E., Aksoy, S., & Altundag, K. (2011). Variation in hormone receptor and HER-2 status between primary and metastatic breast cancer: review of the literature. *Expert Opinion on Therapeutic Targets*, 15(1), 21–30.
- Badowska-Kozakiewicz, A. M., Budzik, M. P., & Przybylski, J. (2015). Hypoxia in breast cancer Characteristics of the hypoxia-inducible factor. *Pol J Pathol*, 66(4), 337–346.  
<https://www.termedia.pl/,55,26717,0,1.html>
- Barber, M. D. (2008). Anatomy and physiology of the breast. *Anatomy and Physiology of the Breast*, 1–7.



<https://www.proquest.com/docview/189246723/F54587061E24497EP8?accountid=33171>

Barros, A. C. S. D., Muranaka, E. N. K., Mori, L. J., Pelizon, C. H. T., Iriya, K., Giocondo, G., & Pinotti, J. A. (2004). Induction of experimental mammary carcinogenesis in rats with 7,12-dimethylbenz(a)anthracene. *Revista Do Hospital Das Clínicas*, 59(5), 257–261.  
<https://doi.org/10.1590/S0041-87812004000500006>

Bundred, N. (2005). Preclinical and clinical experience with fulvestrant (Faslodex) in postmenopausal women with hormone receptor-positive advanced breast cancer. *Cancer Investigation*, 23(2), 173–181.

Chabner, B. A., & Longo, D. L. (2011). *Cancer chemotherapy and biotherapy: principles and practice*. Lippincott Williams & Wilkins.

Cho, S. H., Raybuck, A. L., Blagih, J., Kemboi, E., Haase, V. H., Jones, R. G., & Boothby, M. R. (2019). Hypoxia-inducible factors in CD4+ T cells promote metabolism, switch cytokine secretion, and T cell help in humoral immunity. *Proceedings of the National Academy of Sciences of the United States of America*, 116(18), 8975–8984.

<https://doi.org/10.1073/pnas.1811702116>

Conde, E., Alegre, L., Blanco-Sánchez, I., Sáenz-Morales, D., Aguado-Fraile, E., Ponte, B., Ramos, E., Sáiz, A., Jiménez, C., Ordoñez, A., López-Cabrera, M., del Peso, L., de Landázuri, M. O., Liaño, F., Selgas, R., Sanchez-Tomero, J. A., & García-Bermejo, M. L. (2012). Hypoxia inducible factor 1- $\alpha$  (HIF-1  $\alpha$ ) is induced during reperfusion after renal ischemia and is critical for proximal tubule cell survival. *PLoS*

E, 7(3). <https://doi.org/10.1371/journal.pone.0033258>



- Corrado, C., & Fontana, S. (2020). Hypoxia and HIF signaling: One axis with divergent effects. *International Journal of Molecular Sciences*, 21(16), 1–17. <https://doi.org/10.3390/ijms21165611>
- Cui, X. Y., Tinholt, M., Stavik, B., Dahm, A. E. A., Kanse, S., Jin, Y., Seidl, S., Sahlberg, K. K., Iversen, N., Skretting, G., & Sandset, P. M. (2016). Effect of hypoxia on tissue factor pathway inhibitor expression in breast cancer. *Journal of Thrombosis and Haemostasis*, 14(2), 387–396. <https://doi.org/10.1111/jth.13206>
- David, R., & Michael, I. (2001). Targeting of HIF ( $\alpha$ ) to the von Hippel-Lindau ubiquitylation ... *Science*, 292, 468–472.
- De Francesco, E. M., Lappano, R., Santolla, M. F., Marsico, S., Caruso, A., & Maggiolini, M. (2013). HIF-1  $\alpha$ /GPER signaling mediates the expression of VEGF induced by hypoxia in breast cancer associated fibroblasts (CAFs). *Breast Cancer Research*, 15(4), R64. <https://doi.org/10.1186/bcr3458>
- Düzcü, S. E., Gürbüzel, M., & Barut, S. G. (2015). İnvaziv Duktal Karsinomda Modifiye Scarff-Bloom- Richardson Gradeleme Sistemi İle P16 Ve Bcl-2 Ekspresyonunun Karşılaştırılması. *Haseki Tip Bülteni*, 53(3), 229–236. <https://doi.org/10.4274/haseki.2443>
- Dwiyanti, R., Hatta, M., Natzir, R., Pratiwi, S., Sabir, M., Yasir, Y., Noviyanti, R. A., Junita, A. R., Tandirogan, N., Amir, M., Fias, M., Saning, J., & Bahar, B. (2017). Association of Typhoid Fever Severity Polymorphisms NOD2, VDR and NRAMP1 Genes in Endemic



- Area, Indonesia. *Journal of Medical Sciences*, 17(3), 133–139.  
<https://doi.org/10.3923/jms.2017.133.139>
- Ellis, I., Schnitt, S., & Sastre, G. (2003). Invasive breast carcinoma. *Pathology and Genetics of Tumours of the Breast and Female Genital Organs*.
- Ferreira, P., Varshini, A., Somasundara, H., Camila, O., Spring, C., Road, B., & Harbor, C. S. (2021). *Seminars in Cell and Developmental Biology The molecular basis of mammary gland development and epithelial differentiation*. 114, 93–112.
- Ferreira, T., Gama, A., Seixas, F., Faustino-Rocha, A., Lopes, C., Gaspar, V., . . . Oliveira, P. A. (2023). Mammary glands of women, female dogs and female rats: Similarities and differences to be considered in breast cancer research. *Veterinary Sciences*, 10(6), 379. doi:<https://doi.org/10.3390/vetsci10060379>
- Fox, E. M., Davis, R. J., & Shupnik, M. A. (2008). ER $\beta$  in breast cancer—onlooker, passive player, or active protector? *Steroids*, 73(11), 1039–1051.
- Gilkes, D. M., & Semenza, G. L. (2013). Role of hypoxia-inducible factors in breast cancer metastasis. *Future Oncology*, 9(11), 1623–1636. <https://doi.org/10.2217/fon.13.92>
- Gleadle, J. (2007). Pemeriksaan Payudara. In *At a Glance Anamnesis dan Pemeriksaan Fisik* (1st ed.). Erlangga.



Gaeini, A., Mo'tamed, P., & Rajabi, H. (2017). The effect of aerobic training on VEGF expression in diabetic rats. In *Medical Journal of*

*Tabriz University of Medical Sciences and Health Services Med J*

*Tabriz Uni Med Sciences Health Services* (Vol. 39, Issue 5).

Hatta, M., & Smits, H. L. (2007). Detection of *Salmonella typhi* by nested polymerase chain reaction in blood, urine, and stool samples. *American Journal of Tropical Medicine and Hygiene*, 76(1), 139–143.  
<https://doi.org/10.4269/ajtmh.2007.76.139>

Hatta, M., Surachmanto, E. E., Islam, A. A., & Wahid, S. (2017). Expression of mRNA IL-17F and sIL-17F in atopic asthma patients. *BMC Research Notes*, 10(1), 1–5. <https://doi.org/10.1186/s13104-017-2517-9>

Hayashi, Y., Yokota, A., Harada, H., & Huang, G. (2019). Hypoxia/pseudohypoxia-mediated activation of hypoxia-inducible factor-1α in cancer. *Cancer Science*, 110(5), 1510–1517.  
<https://doi.org/10.1111/cas.13990>

Hoda, S. A. (2014a). Invasive ductal carcinoma: Assessment of prognosis with morphologic and biologic markers. In *Rosen's Breast Pathology: Fourth Edition*.

Hoda, S. A. (2014b). Precarcinomatous breast disease: Epidemiologic, pathologic, and clinical considerations. In *Rosen's Breast Pathology: Fourth Edition*.

Hoda, S. A., Brogi, E., Koerner, F. C., & Rosen, P. P. (2014). Rosen's breast pathology: Fourth edition. In F. C. K. Paul P. Rosen, Syed A Hoda, Edi Brogi (Ed.), *Rosen's Breast Pathology: Fourth Edition* (4th ed.).



PINCOTT WILLIAMS & WILKINS, a WOLTERS KLUWER business.

Hughes, K. (2021). *Seminars in Cell and Developmental Biology Comparative mammary gland postnatal development and tumourigenesis in the sheep , cow , cat and rabbit: Exploring the menagerie.* 114, 186–195.

Iliopoulos, O., Levy, A. P., Jiang, C., Kaelin, W. G., & Goldberg, M. A. (1996). Negative regulation of hypoxia-inducible genes by the von Hippel-Lindau protein. *Proceedings of the National Academy of Sciences of the United States of America*, 93(20), 10595–10599.  
<https://doi.org/10.1073/pnas.93.20.10595>

Iommarini, L., Porcelli, A. M., Gasparre, G., & Kurelac, I. (2017). Non-Canonical Mechanisms Regulating Hypoxia-Inducible Factor 1 A in Cancer. *Frontiers in Oncology*, 7, 286.  
<https://doi.org/10.3389/fonc.2017.00286>

Junqueira, C., & Carneiro, J. (2013). *Histologia Básica, Texto E Atlas Junqueira & Carneiro* (12th ed.). Guanabara Koogan.

Kemenkes. (2015). Panduan Penatalaksanaan Kanker Payudara. *Kementerian Kesehatan Republik Indonesia*, 1–50.  
<http://kanker.kemkes.go.id/guidelines/PPKPayudara.pdf>

Kementerian Kesehatan RI. (2015). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 34 Tahun 2015 tentang Penanggulangan Kanker Payudara Dan Kanker Leher Rahim.*

Kronblad, Å., Jirström, K., Rydén, L., Nordenskjöld, B., & Landberg, G.

(2006). Hypoxia inducible factor-1 $\alpha$  is a prognostic marker in premenopausal patients with intermediate to highly differentiated



breast cancer but not a predictive marker for tamoxifen response. *International Journal of Cancer*, 118(10), 2609–2616. <https://doi.org/10.1002/ijc.21676>

Kwon, Y. J., Baek, H. S., Ye, D. J., Shin, S., Kim, D., & Chun, Y. J. (2016). CYP1B1 enhances cell proliferation and metastasis through induction of EMT and activation of Wnt/β-catenin signaling via Sp1 upregulation. *PLoS ONE*, 11(3). <https://doi.org/10.1371/journal.pone.0151598>

Laughner, E., Taghavi, P., Chiles, K., Mahon, P. C., & Semenza, G. L. (2001). HER2 (neu) Signaling Increases the Rate of Hypoxia-Inducible Factor 1α (HIF-1 α) Synthesis: Novel Mechanism for HIF-1 -Mediated Vascular Endothelial Growth Factor Expression. *Molecular and Cellular Biology*, 21(12), 3995–4004. <https://doi.org/10.1128/mcb.21.12.3995-4004.2001>

Leni, Z., Künzi, L. and Geiser, M. (2020) “Air pollution causing oxidative stress,” *Current Opinion in Toxicology*. Elsevier, 20–21, pp. 1–8. doi: 10.1016/J.COTOX.2020.02.006.

Levin, E. R., & Pietras, R. J. (2008). Estrogen receptors outside the nucleus in breast cancer. *Breast Cancer Research and Treatment*, 108, 351–361.

Lin, C., McGough, R., Aswad, B., Block, J. A., & Terek, R. (2004). Hypoxia induces HIF-1 α and VEGF expression in chondrosarcoma cells and chondrocytes. *Journal of Orthopaedic Research*, 22(6), 1175–1181.



<https://doi.org/10.1016/j.orthres.2004.03.002>

Lin, Y. Te, & Wu, K. J. (2020). Epigenetic regulation of epithelial-mesenchymal transition: Focusing on hypoxia and TGF- $\beta$  signaling. *Journal of Biomedical Science*, 27(1), 5–9.

<https://doi.org/10.1186/s12929-020-00632-3>

Liu, Z. ji, Semenza, G. L., & Zhang, H. feng. (2015). Hypoxia-inducible factor 1 and breast cancer metastasis. *Journal of Zhejiang University: Science B*, 16(1), 32–43. <https://doi.org/10.1631/jzus.B1400221>

Machida, Y., & Imai, T. (2021). Different properties of mammary carcinogenesis induced by two chemical carcinogens, DMBA and PhIP, in heterozygous BALB/c Trp53 knockout mice. *Oncology Letters*, 22(4), 1–11. <https://doi.org/10.3892/ol.2021.12999>

Majumder, A., Sandhu, M., Banerji, D., Steri, V., Olshen, A., & Moasser, M. M. (2021). The role of HER2 and HER3 in HER2-amplified cancers beyond breast cancers. *Scientific Reports*, 11(1), 9091. <https://doi.org/10.1038/s41598-021-88683-w>

Mani, G., Arumugam, M., & Mari, A. (2018). *Naringin Attenuates DMBA-Induced Mammary Carcinogenesis in Rats via Regulating the Oxidative Stress and Antioxidants Status Available online www.jocpr.com Journal of Chemical and Pharmaceutical Research , 2018 , 10 ( 7 ): Naringin Attenuates DMBA-Induced . August.*

Mannell, A. (2016). The role of ki-67 in breast cancer. *South African Journal of Surgery*, 54(2), 10–13.



- Masoud, G. N., & Li, W. (2015). HIF-1  $\alpha$  pathway: Role, regulation and intervention for cancer therapy. *Acta Pharmaceutica Sinica B*, 5(5), 378–389. <https://doi.org/10.1016/j.apsb.2015.05.007>
- Mas Rusyati, L. M., Hatta, M., Widiana, I. G. R., Adiguna, M. S., Wardana, M., Dwiyanti, R., Noviyanti, R. A., Sabir, M., Yasir, Y., Paramita, S., Junita, A. R., & Primaguna, M. R. (2020). Higher Treg FoxP3 and TGF- $\beta$  mRNA Expression in Type 2 Reaction ENL (Erythema Nodosum Leprosum) Patients in Mycobacterium leprae Infection. *The Open Microbiology Journal*, 14(1), 304–309. <https://doi.org/10.2174/1874434602014010304>
- Meyer, J. S., Alvarez, C., Milikowski, C., Olson, N., Russo, I., Russo, J., Glass, A., Zehnbauer, B. A., Lister, K., & Parwaresch, R. (2005). Breast carcinoma malignancy grading by Bloom-Richardson system vs proliferation index: Reproducibility of grade and advantages of proliferation index. *Modern Pathology*. <https://doi.org/10.1038/modpathol.3800388>
- Mills, D., Gomberawalla, A., Gordon, E. J., Tondre, J., Nejad, M., Nguyen, T., Pogoda, J. M., Rao, J., Chatterton, R., & Henning, S. (2016). *Examination of Duct Physiology in the Human Mammary Gland*. 1–14. <https://doi.org/10.1371/journal.pone.0150653>
- Miricescu, D., Totan, A., Badoiu, S. C., Stefani, C., & Greabu, M. (2021). PI3K / AKT / mTOR Signaling Pathway in Breast Cancer: From Molecular Landscape to Clinical Aspects. *International Journal of Molecular Sciences*, 22. <https://dx.doi.org/10.3390/ijms22010173>



Nalwoga, H., Ahmed, L., Arnes, J. B., Wabinga, H., & Akslen, L. A. (2016).

Strong expression of hypoxia-inducible factor-1α (HIF-1 α) is associated with Axl expression and features of aggressive tumors in African breast cancer. *PLoS ONE*, 11(1), 1–18.

<https://doi.org/10.1371/journal.pone.0146823>

Ngatidjan dan Hakim, L. (2006) Metode Laboratorium Dalam Toksikologi.

Yogyakarta: Bag. Farmakologi dan Toksikologi Fak. Kedokteran UGM.

Nobili, S., Mannini, A., Parenti, A., Raggi, C., Lapucci, A., Chiorino, G.,

Paccosi, S., Di Gennaro, P., Vezzosi, V., Romagnoli, P., Susini, T., & Coronello, M. (2021). Establishment and characterization of a new spontaneously immortalized ER-/PR-/HER2+ human breast cancer cell line, DHSF-BR16. *Scientific Reports*, 11(1), 1–16.

<https://doi.org/10.1038/s41598-021-87362-0>

Nugroho, Rudy Agung. 2018. Mengenal Mencit Sebagai Hewan Laboratorium. Mulawarman University PRESS: Kalimantan timur.

Nurbubu, M. et. (2020). Metabolic Heterogeneity of Cancer Cells : An.

*Cancer MDPI*, 1–31.

<https://www.proquest.com/docview/2387068225/fulltext/AA78BA0408CE4C4APQ/1?accountid=33171#>

Onitilo, A. A., Engel, J. M., Greenlee, R. T., & Mukesh, B. N. (2009). Breast cancer subtypes based on ER/PR and Her2 expression: Comparison of clinicopathologic features and survival. *Clinical Medicine and Research*. <https://doi.org/10.3121/cmr.2008.825>



- Payne, S. J. L., Bowen, R. L., Jones, J. L., & Wells, C. A. (2008). Predictive markers in breast cancer—the present. *Histopathology*, 52(1), 82–90.
- Perepechaeva, M. L. (2022). *Aryl Hydrocarbon Receptor in Oxidative Stress as a Double Agent and Its Biological and Therapeutic Significance*.
- Pradeep, C. R., Sunila, E. S., & Kuttan, G. (2005). Expression of vascular endothelial growth factor (VEGF) and VEGF receptors in tumor angiogenesis and malignancies. *Integrative Cancer Therapies*, 4(4), 315–321. <https://doi.org/10.1177/1534735405282557>
- Priyambodo S. 2003. Pengendalian Hama Tikus Terpadu. Penebar Swadaya.Jakarta.
- Purnamanita, Budu, Hatta, M., Massi, M. N., Natzir, R., Ichsan, A. M., & Sujuti, H. (2020). The effectiveness of triamcinolone injection on risk of postoperative operations with the conjunctiva autograft technique and its association with change of VEGF mRNA Expression. *Biomedical and Pharmacology Journal*, 13(2), 543–549. <https://doi.org/10.13005/bpj/1916>
- Rajakumar, T., Subbaiyan, T., Dhanabalan, A. K., & Krishnasamy, G. (2018). *Allyl isothiocyanate , a potent chemopreventive agent targets AhR / Nrf2 signaling pathway in chemically induced mammary carcinogenesis Allyl isothiocyanate , a potent chemopreventive agent targets AhR / Nrf2 signaling pathway in chemically induced mammar.* January. <https://doi.org/10.1007/s11010-017-3091-0>



E. A., Reis-Filho, J. S., Baehner, F., Dabbs, D. J., Decker, T., ebi, V., Fox, S. B., Ichihara, S., Jacquemier, J., & Lakhani, S. R.

- (2010). Breast cancer prognostic classification in the molecular era: the role of histological grade. *Breast Cancer Research*, 12(4), 1–12.
- Ridwan, E. (2013). Etika Pemanfaatan Hewan Percobaan dalam Penelitian Kesehatan. *Journal Indonesian Medical Assosiation*, 63(3), 112–116.
- Roland, C. L., Lynn, K. D., Toombs, J. E., Dineen, S. P., Udugamasooriya, D. G., & Brekken, R. A. (2009). *Cytokine Levels Correlate with Immune Cell Infiltration after Anti-VEGF Therapy in Preclinical Mouse Models of Breast Cancer*. 4(11), 1–14.  
<https://doi.org/10.1371/journal.pone.0007669>
- Rosai, J. (2004). Breast. In *Rosai and Ackerman's Surgical Pathology* (10th ed.). Elsevier.
- Semenza, G. L. (2013). HIF-1 mediates metabolic responses to intratumoral hypoxia and oncogenic mutations. *Journal of Clinical Investigation*, 123(9), 3664–3671. <https://doi.org/10.1172/JCI67230>
- Semenza, G. L. (2016). The hypoxic tumor microenvironment: A driving force for breast cancer progression. *Biochimica et Biophysica Acta - Molecular Cell Research*, 1863(3), 382–391.  
<https://doi.org/10.1016/j.bbamcr.2015.05.036>
- Serrano-Gomez, S. J., Maziveyi, M., & Alahari, S. K. (2016). Regulation of epithelial-mesenchymal transition through epigenetic and post-translational modifications. *Molecular Cancer*, 15(1), 1–15.  
<https://doi.org/10.1186/s12943-016-0502-x>



and their associations with tumor grade and lymph node involvement in breast carcinoma subtypes: Retrospective-observational analytical study. *Medicine (United States)*, 94(32), 1–6.  
<https://doi.org/10.1097/MD.0000000000001359>

Singh, D., Arora, R., Kaur, P., Singh, B., Mannan, R., & Arora, S. (2017). Overexpression of hypoxia-inducible factor and metabolic pathways: Possible targets of cancer. *Cell and Bioscience*, 7(1), 1–9.  
<https://doi.org/10.1186/s13578-017-0190-2>

Sirait, R., Hatta, M., Ramli, M., Islam, A., & Arief, S. (2018). Systemic lidocaine inhibits high-mobility group box 1 messenger ribonucleic acid expression and protein in BALB/c mice after closed fracture musculoskeletal injury. *Saudi Journal of Anaesthesia*, 12(3), 395–398.  
[https://doi.org/10.4103/sja.SJA\\_685\\_17](https://doi.org/10.4103/sja.SJA_685_17)

Sletta, K. Y., Tveitarås, M. K., Lu, N., Engelsen, A. S. T., Reed, R. K., Garmann-Johnsen, A., & Stuhr, L. (2017). Oxygen-dependent regulation of tumor growth and metastasis in human breast cancer xenografts. *PLoS ONE*, 12(8).  
<https://doi.org/10.1371/journal.pone.0183254>

Smith, R. A., Brooks, D., Cokkinides, V., Saslow, D., & Brawley, O. W. (2013). Cancer screening in the United States, 2013: a review of current American Cancer Society guidelines, current issues in cancer screening, and new guidance on cervical cancer screening and lung

cancer screening. *CA: A Cancer Journal for Clinicians*, 63(2), 87–105.



Surachmanto, E., Hatta, M., Islam, A., & Wahid, S. (2018). Association between asthma control and Interleukin-17F expression levels in adult patients with atopic asthma. *Saudi Medical Journal*, 39(7), 662–667.  
<https://doi.org/10.15537/smj.2018.7.22055>

Taneri, F. (2006). Microanatomy of Milk Ducts in the Nipple. *EUropean Surgical Research*, 38, 545–549. <https://doi.org/10.1159/000096775>

Tedardi, M. V., Oliveira, K. D., Avanzo, G. U., Rangel, M. M. M., Avanzo, J. L., Fukumasu, H., . . . Dagli, M. L. Z. (2013). Chemical carcinogenesis by 7,12-dimethylbenzanthracene in balb/c mice. *BMC Proceedings*, 7 doi:<https://doi.org/10.1186/1753-6561-7-S2-P46>

Twigger, A., & Khaled, W. T. (2021). *Seminars in Cell and Developmental Biology Mammary gland development from a single cell ‘omics view*. 114, 171–185.

Van Uden, P., Kenneth, N. S., & Rocha, S. (2008). Regulation of hypoxia-inducible factor-1 $\alpha$  by NF- $\kappa$ B. *Biochemical Journal*.  
<https://doi.org/10.1042/BJ20080476>

van Uden, P., Kenneth, N. S., Webster, R., Müller, H. A., Mudie, S., & Rocha, S. (2011). Evolutionary conserved regulation of HIF-1  $\beta$  by nf- $\kappa$ b. *PLoS Genetics*, 7(1), 1–15.  
<https://doi.org/10.1371/journal.pgen.1001285>

Wang, G. L., Jiang, B. H., Rue, E. A., & Semenza, G. L. (1995). Hypoxia-inducible factor 1 is a basic-helix-loop-helix-PAS heterodimer regulated by cellular O<sub>2</sub> tension. *Proceedings of the National Academy of Sciences of the United States of America*, 92(12), 5510–5514.  
<https://doi.org/10.1073/pnas.92.12.5510>



Wan, J., Chai, H., Yu, Z., Ge, W., Kang, N., Xia, W., & Che, Y. (2011). HIF-1 $\alpha$  effects on angiogenic potential in human small cell lung carcinoma. *Journal of experimental & clinical cancer research : CR*, 30(1), 77. <https://doi.org/10.1186/1756-9966-30-77> PMID: 21843314; PMCID: PMC3174873.

Wibowo, A. E., Sriningsih, S., Wuyung, P. E., & Ranasasmita, R. (2010). The Influence of DMBA (7,12-dimethylbenz-[a]anthracene) Regimen In The Development of Mammea Carcinogénésis on Sprague Dawley Female Rat. *Indonesian Journal of Cancer Chemoprevention*, 1(1), 60. <https://doi.org/10.14499/indonesianjcanchemoprev1iss1pp60-66>

Yager, J. D., & Davidson, N. E. (2006). Estrogen Carcinogenesis in Breast Cancer. *New England Journal of Medicine*, 354(3), 270–282. <https://doi.org/10.1056/nejmra050776>

Yeo-Jung, K., Baek, H., Dong-Jin, Y., Shin, S., Kim, D., & Young-Jin, C. (2016). CYP1B1 enhances cell proliferation and metastasis through induction of EMT and activation of wnt/ $\beta$ -catenin signaling via Sp1 upregulation. *PLoS One*, 11(3) doi:<https://doi.org/10.1371/journal.pone.0151598>

Yu, Y.-H., Wei, W., & Liu, J.-L. (2012). Diagnostic value of fine-needle aspiration biopsy for breast mass: a systematic review and meta-analysis. *BMC Cancer*, 12, 1–14.



Yusuf M, Al-Gizar MR, Rorrong YYA, Badaring DR, Aswanti H, Ayu SM, Dzalsabila A, Ahyar M, Wulan W, Putri MJ, Arisma WF. 2022. Teknik Manajemen dan Pengelolaan Hewan Percobaan (Memahami Perawatan dan Kesejahteraan Hewan Percobaan). Makassar.; Penerbit Jurusan Biologi FMIPA UNM

Zhang, M. H., Man, H. T., Zhao, X. D., Dong, N., & Ma, S. L. (2014). Estrogen receptor-positive breast cancer molecular signatures and therapeutic potentials (Review). *Biomedical Reports*, 2(1), 41–52. <https://doi.org/10.3892/br.2013.187>

Zhang, Q., Han, Z., Zhu, Y., Chen, J., & Li, W. (2021). Role of hypoxia inducible factor-1 in cancer stem cells (Review). *Molecular Medicine Reports*, 23(1), 1–15. <https://doi.org/10.3892/mmr.2020.11655>

Zhu, X. H., Du, J. X., Zhu, D., Ren, S. Z., Chen, K., & Zhu, H. L. (2020). Recent research on methods to improve tumor hypoxia environment. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/5721258>

