

## DAFTAR PUSTAKA

- Arscott, S. A., and Tanumihardjo, S. A. 2010. Carrots of Many Colors Provide Basic Nutrition and Bioavailable Phytochemicals Acting as a Functional Food. *CRFSFS: Comprehensive Reviews in Food Science and Food Safety*, 9: 224–239.
- Asaria, Wa Ode Al. 2021. *Statistik Perkebunan Provinsi Sulawesi Selatan 2019–2021*. Makassar: BPS Provinsi Sulawesi Selatan.
- Badan Pusat Statistik Indonesia. 2020. *Statistik Kakao Indonesia 2020*. Jakarta: Badan Pusat Statistik.
- Beaver, R. A., Sitticahaya, W., and Liu, L. 2014. A Synopsis of the Scolytine Ambrosia Beetles of Thailand (Coleoptera: Curculionidae: Scolytinae). *Zootaxa* 3875. Magnolia Press, New Zealand.
- Dzurenko, M. and Hulcr, J. 2022. Quick guide Ambrosia beetles. *Current Biology*, 32: R61–R62.
- Firmansyah, A. P., Sjam, S., Alam, G., & Dewi, V. S. 2020. Response of Cocoa Pod Borer to Chlorogenic Acid. *IOP Conference Series: Earth and Environmental Science*, 486 012166.
- Fitriyanti, Nur Azizah. 2023. Preferensi Penggerek Buah Kakao *Conopomorpha cramerella* Snallen. (Lepidoptera: Gracillariidae) Terhadap Ekstrak Daun Kopi pada Pertanaman Kakao. Skeripsi, Universitas Hasanuddin, Makassar.
- Flechtmann, C. A. H., Ottati, A. L. T., and Berisford C. W. 2000. Comparison of Four Trap Types for Ambrosia Beetles (Coleoptera, Scolytidae) in Brazilian Eucalyptus Stands. *Journal of Economic Entomology*, 93(6): 1701–1707.
- Fraedrich, S. W., Harrington, T. C., Rabaglia, R. J., Ulyshen, M. D., Mayfield, A. E., Hanula, J. L., Eickwort, J. M., and Miller, D. R. 2008. A Fungal Symbiont of the Redbay Ambrosia Beetle Causes a Lethal Wilt in Redbay and Other Lauraceae in the Southeastern United States. *Plant Disease*, 92: 215–224.
- Henriques, J., Inácio, M. d. L., and Sousa, E. 2006. Ambrosia Fungi in the Insect-Fungi Symbiosis in Relation to Cork Oak Decline. *Rev Iberoam Micol*, 23: 185–188.
- Hulcr, J. and Cognato, A. I. 2010. Repeated Evolution of Crop Theft in Fungus-Farming Ambrosia Beetles. *Evolution*, 64(11): 3205–3212.
- Hulcr, J. and Skelton, J. 2023. Chapter 11. Ambrosia Beetles. In Allison, J. D., Paine, T. D., Slippers, B., and Wingfield, M. J. (ed.). *Forest Entomology and Pathology*. Pp. 339–360. Springer, Switzerland. Retrieved from [10.1007/978-3-031-11553-0\\_11](https://doi.org/10.1007/978-3-031-11553-0_11).
- Stelinski. 2017. The Ambrosia Symbiosis: From Evolutionary to Practical Management. *Annu. Rev. Entomol.* 62(1): 285–303.
- Jordan, B. H., Cognato, A. I., Jordal, B. H., and Kenna D. D. M. 2015. *Morphology, Taxonomy, and Phylogenetics of Bark Beetles*. In Optimization Software: [www.balesio.com](http://www.balesio.com)

- Vega, F. E. and Hofstetter, R. W. (ed.). Biology and Ecology of Native and Invasive Species. Pp. 41–84. Academic Press, San Diego. Retrieved from <http://dx.doi.org/10.1016/B978-0-12-417156-5.00002-2>.
- Johnson, A., LeMay, G., and Hulcr, J. 2022. Identification of Coffee Berry Borer from Similar Bark Beetles in Southeast Asia and Oceania. University of Florida.
- Kavaletto, G., Faccoli, M., Ranger, C. M., & Rassati, D. 2021. Ambrosia Beetle Response to Ethanol Concentration ad Host Tree Species. *Journal of Applied Entomology*, 145(8): 800–809.
- Kirkendall, L. R., Biedermann, P. H.W., and Jordal, B. H.. 2015. *Chapter 3 Evolution and Diversity of Bark and Ambrosia Beetles*. In Vega, F. E. and Hofstetter, R. W. (ed.). Biology and Ecology of Native and Invasive Species. Pp. 85–156. Academic Press, San Diego. Retrieved from <http://dx.doi.org/10.1016/B978-0-12-417156-5.00003-4>.
- Kuhns, E. H., Martini, X., Tribuiani, Y., Coy, M., Gibbard, C. Pena, J., Hulcr, J., Stelinski L. L. 2014. Eucalyptol is an Attractant of the Redbay Ambrosia Beetle, *Xyleborus glabratus*. *Journal of Chemical Ecology*. DOI: 10.1007/s10886-014-0427-z
- Mann, R., Hulcr, J., Peña, J., and Stelinsk, L. 2011. Redbay Ambrosia Beetle *Xyleborus glabratus* Eichhoff (Insecta: Coleoptera: Curculionidae: Scolytinae). Universitas of Florida.
- Mazon, M., Diaz, F., & Gaviria, J. C. 2014. Effectiveness of Different Trap Types For Control of Bark and Ambrosia Beetles (Scolytinae) in Criollo Cacao Farms of Mérida, Venezuela. *Pest Management*, 59(3): 189–196.
- Priawandiputra, W., & Permana, A. D. 2015. Efektifitas Empat Perangkap Serangga dengan Tiga Jenis Atraktan di Perkebunan Pala (*Myristica fragrans* Houtt). *Sumberdaya Hayati*, 1(2), 54-59.
- Purwati, Lin. 2019. *Hasil Survey Komoditas Strategis Kakao Provinsi Sulawesi Selatan 2019*. Makassar: Badan Pusat Statistik Provinsi Sulawesi Selatan.
- Rabaglia, R. J., Dole, S. A., & Cognato, A. I. (006. Review of American Xyleborina (Coleoptera: Curculionidae: Scolytinae) Occuring North of Mexico, with an Illustrated Key. *Annals of the Entomological Society of America*, 99(6): 1034–1056.
- Ramli, N., Tobing, M. C., and Bakti, D. 2019. The Influence of Attractant From Coffe Bean and Outer Skin of Coffee to Imago of Coffee Berry Borer *Hypothenemus hampei* Ferr. (Coleoptera: Curculionidae) on the Field. *IOP Conference Series: Earth and Environmental Science*, 260 012140.



as, M. G., Bhtkar, H. S., and Saldana, G. 2000. Symbiotic in *Hypothenemus hampei* (Coleoptera: Scolytidae) and families: Tuberculariaceae). *Annals of the Entomological Society of America*, 93(3): 541–547.

- Ranger, C. M., Biedermann, P. H., Phuntumart, V., Beligala, G. U., Ghosh, S., Palmquist, D. E., Benz, J. P. 2018. Symbiont Selection Via Alcohol Benefits Fungus Farming by Ambrosia Beetles. *PNAS*, 115(17): 4447–4452.
- Rangera, C. M., Biedermannc, P. H. W., Phuntumarte, V., Beligalae, G. U., Ghoshe, S., Palmquistf. D. E., Muellerc, R., Barnetta, J., Schultzh, P. B., Redinga, M. E. and Benz, J. P. 2018. Symbiont selection via alcohol benefits fungus farming by ambrosia beetles. *PNAS*, 115(17): 4447–4452.
- Reding, M., Oliver, J., Schultz, P., and Ranger, C. 2010. Monitoring Flight Activity of Ambrosia Beetles in Ornamental Nurseries with Ethanol-Baited Traps: Influence of Trap Height on Captures. *Journal of Environmental Horticulture*, 28(2): 85–90.
- Rivay, M. A., Sjam, S., Sulaeha, T., Rosmana, A., Fitriyanti, N. A., & Dayanti, P. 2023. Plant Extract as Kairomone Attractant to Cocoa Pod Borer, *Conopomorpha cramerella* (Snellen) (Lepidoptera: Gracillariidae) in Cocoa Farm. *IOP Conference Series: Earth and Environmental Science*, 1230 012113.
- Rivera, M. J., Martini, X., Conover, D., Mafra-Neto, A., Carrillo, D., & Stelinski, L. L. 2020. Evaluation of semiochemical based push-pull strategy for population suppression of ambrosia beetle vectors of laurel wilt disease in avocado. *Scientific reports*, 10(1): 1–12.
- Rohman, M. T. 2020. Preferensi Kumbang Ambrosia Playtipus sp. (Coleoptera : Platypodidae) Terhadap Lapisan Kayu Tanaman Sono Kembang (*Pterocarpus indicus* Wild.). *Agrosinta*, 4(1): 48–53.
- Saputra, C., & Aluyah, C. 2019. Pengaruh Dosis Suspensi Tape Singkong dan Jenis Insektisida dalam Mengendalikan Kumbang Penggerek Batang Ambrosia pada Tanaman Krasikapa (*Acacia carassacirpa*) di PT. Bumi Mekar Hiaju. *Syilva*, 8(1): 13–20.
- Setiawan, Y., Rachmawati, R., & Tarno, H. 2018. Diversity of ambrosia beetles (Coleoptera: Scolytidae) on teak forest in Malang District, East Java, Indonesia. *Biodiversitas*, 19(5): 1791–1797.
- Siregar, T. H. S., Riyadi, S., and Nuraeni, L. 2021. *Panduan Praktis Budidaya Kakao*. Penebar Swadya, Depok.
- Sjam, S., Melina, & Thamrin, S. (2010). Pengujian Ekstrak Tumbuhan Vitex trifolia L., Acorus colomus L., dan Andropogon nardus L. terhadap Hama Pasca Panen Arecerus fasciculatus De Geer (Coleoptera: Anthribidae) pada Biji Kakao. *Entomologi Indonesia*, 7(1): 1–8.
-  Smith, C. M. B., & Cognato, A. I. (2020). A monograph of the Xyleborini (Curculionidae, Scolytinae) of the Indochinese Peninsula (except Thailand and China). *Zookeys*, 983, 1–442. doi:doi:10.3897/zookeys.983.52630
- Wijaya, J., Sigut, M., & Lucky, A. 2015. Simple and Efficient Trap for Ambrosia Beetles (Coleoptera: Curculionidae) to Facilitate Invasive

Species Monitoring and Citizen Involvement. *Forest Entomology*, 108(3): 1115–1123.

Vega, F. E., Infante, F., & Jhonson, A. J. 2015. Chapter 11 *The Genus Hypothenemus, with Emphasis on H. Hampei, the Coffee Berry Borer*. In Vega, F. E. and Hofstetter, R. W. (ed.). Biology and Ecology of Native and Invasive Species. Pp. 427–494. Academic Press, San Diego. Retrieved from <https://doi.org/10.1016/B978-0-12-417156-5.00011-3>

Viloria, Z., Villanueva, R. T., Dunwell, W., and Bessin, R. 2018. Non-Native Ambrosia Beetles: Damage and Management. University of Kentucky.

Werle, C. T., Ranger, C. M., Schultz, P. B., Reding, M. E., Addesso, K. M., Oliver, J. B., and Sampson, B. J. 2018. Integrating Repellent and Attractant Semiochemicals Into a Push–Pull Strategy For Ambrosia Beetles (Coleoptera: Curculionidae). *J Appl Entomol*, 00: 1–11.

Wood, Stephen L. 2007. *Bark and Ambrosia Beetles of South America (Coleoptera, Scolytidae)*. Provo, Utah: Monte L. Bean Museum, Brigham Young University.



Optimization Software:  
[www.balesio.com](http://www.balesio.com)

## LAMPIRAN

Lampiran 1. Data survei lahan

Nama Petani	Hairuddin
<b>Kondisi Lahan</b>	
Luas kebun	±2 Hektar
Posisi kebun	<ul style="list-style-type: none"> <li>- Bagian depan; Rumah warga</li> <li>- Samping kanan; kebun kelapa sawit</li> <li>- Samping kiri; kebun kakao (milik warga lain)</li> <li>- Belakang; kebun kakao milik warga lain</li> </ul>
Jumlah pohon	-
Jenis klon	45
Tanaman naungan	Kelapa, durian
Tanaman selingan	Pisang, nanas
Mulsa	-
Jarak tanam	2 meter
Umur tanaman	±10 tahun
<b>Pemupukan</b>	
Jenis pupuk	Pelangi, Ponska
Waktu pemupukan	2 kali dalam setahun
<b>Pemeliharaan</b>	
Pemangkasan	Dikondisikan
Pemberian pestisida	Jenis; Alika, turgen Tiap 15/20 hari
Produktivitas tahun 2022	±1 ton
<b>Panen</b>	
Panen rutin	2 kali sebulan atau tiap 2 bulan
Panen raya	2 kali dalam satu tahun
<b>Riwayat Serangan OPT</b>	
Hama	PBK, Penggerek batang
Penvakit	Kanker batang



Lampiran 2. Pengamatan populasi kumbang ambrosia yang tertarik pada perangkap

Perlakuan	Ulangan	Trap	Pengamatan hari ke-													
			3	6	9	12	15	18	21	24	27	30	33	35	39	42
Ekstrak daun kopi 10% + larutan sabun	1	1	2	0	0	0	0	1	1	0	0	1	0	1	0	0
		2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		2	0	0	0	0	1	0	0	0	1	0	0	0	0	0
	3	1	0	1	0	0	2	0	0	0	0	0	0	1	0	0
		2	2	0	0	0	0	0	0	1	0	0	0	0	0	0
Ekstrak daun wortel 15% + larutan sabun	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		2	0	0	0	0	1	0	1	1	0	0	0	1	0	0
	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	3	0	0	0	1	0	0	0	0	0	0	0	0	0
	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	1	0	0	5	1	0	0	0	1	0	0	0	0
Minyak eukaliptus + larutan sabun	1	1	1	1	0	1	0	0	0	0	0	0	0	2	0	0
		2	0	1	0	0	0	1	0	0	0	0	0	0	0	0
	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	1	0	0	0	0	0	2	0	0	0	0	0
Fermentasi	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	1	0	0	0	2	0	0
		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	1	0	0	0	0	0	0	0	0	0	0	0
		1	0	0	1	0	0	0	0	0	0	1	0	0	0	0
		2	1	0	0	0	0	0	0	0	0	0	0	1	0	0



Optimization Software:  
[www.balesio.com](http://www.balesio.com)

Perlakuan	Ulangan	Trap	Pengamatan hari ke-														
			3	6	9	12	15	18	21	24	27	30	33	35	39	42	
Ekstrak daun kopi 10% + alkohol	1	1	2	2	2	2	0	9	14	21	9	23	33	26	20	6	
		2	8	10	18	24	14	16	26	15	14	12	32	54	23	22	
	2	1	1	2	1	1	0	2	24	7	15	7	3	10	9	6	
		2	5	1	8	4	1	3	5	1	7	19	13	24	18	15	
	3	1	4	0	9	5	0	3	11	3	14	14	10	28	18	6	
		2	11	3	11	4	3	8	12	11	16	21	20	18	17	15	
Ekstrak daun wortel 15% + alkohol	1	1	2	2	1	8	0	32	44	25	29	42	58	58	22	3	
		2	3	3	20	20	3	8	12	5	14	22	30	72	22	60	
	2	1	1	2	1	1	0	7	5	3	6	6	16	17	12	5	
		2	9	1	13	14	8	16	18	23	25	28	59	77	29	33	
	3	1	1	2	5	2	2	8	7	4	3	6	16	21	10	28	
		2	9	3	16	5	6	7	4	6	8	14	19	22	13	11	
Minyak eukaliptus + alkohol	1	1	0	2	2	0	1	11	22	12	0	4	3	7	23	11	
		2	3	1	3	0	4	7	14	20	3	2	17	36	14	26	
	2	1	0	0	2	1	0	16	24	23	8	9	8	21	11	4	
		2	2	5	12	25	13	52	31	35	1	3	25	60	79	65	
	3	1	0	2	1	1	0	10	1	0	1	2	7	10	10	15	
		2	3	4	11	15	8	8	6	19	0	4	5	16	22	27	
Fermentasi kavu kakao	1	1	3	2	6	2	0	13	18	15	2	7	4	6	5	18	
		2	1	6	29	10	6	11	4	10	1	7	17	30	15	6	
	2	1	5	1	8	2	0	13	6	10	2	9	10	17	10	9	
		2	11	12	12	6	3	5	8	19	7	14	15	63	43	34	
	3	1	0	6	21	9	3	13	26	13	4	1	5	19	23	3	
		2	14	29	39	29	6	34	41	33	24	29	34	35	38	40	



Optimization Software:  
[www.balesio.com](http://www.balesio.com)

Perlakuan	Ulangan	Trap	Pengamatan hari ke-														
			3	6	9	12	15	18	21	24	27	30	33	35	39	42	
Alkohol	1	1	5	10	9	4	4	14	30	22	12	8	13	13	13	10	
		2	6	7	12	7	7	3	6	5	2	10	15	24	22	14	
	2	1	2	5	5	5	0	20	36	50	29	44	51	60	63	29	
		2	2	11	17	16	19	25	9	18	6	12	13	31	59	50	
	3	1	3	2	7	1	1	6	16	10	7	11	10	6	6	11	
		2	1	4	7	14	10	6	22	13	31	27	41	55	62	7	
Kontrol / larutan sabun	1	1	0	1	0	0	1	0	1	0	0	0	2	0	0	0	
		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	0	1	1	0	0	0	0	1	0	1	0	0	0	0	
	3	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	
		2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	

Lampiran 3. Jumlah kumbang ambrosia yang tertarik pada perangkap

Perlakuan	Pengamatan hari ke-															Jumlah
	3	6	9	12	15	18	21	24	27	30	33	35	39	42		
Ekstrak daun kopi 10% + larutan sabun	4	1	0	0	3	1	3	1	1	2	0	2	0	0	18	
Ekstrak daun wortel 15% + larutan sabun	4	1	0	0	7	1	1	1	0	2	0	1	0	0	18	
Minyak Eukaliptus 10% + larutan kao +	1	2	1	1	0	1	0	0	2	0	0	2	0	0	10	
0% +	2	0	2	0	0	0	0	1	0	1	0	3	0	0	9	
15% +	31	18	49	40	18	41	92	58	75	96	111	160	105	70	964	
	25	13	56	50	19	78	90	66	85	118	198	267	108	140	1313	



Optimization Software:  
[www.balesio.com](http://www.balesio.com)

Perlakuan	Pengamatan hari ke-														Jumlah
	3	6	9	12	15	18	21	24	27	30	33	35	39	42	
Minyak Eukaliptus + alkohol	8	14	31	42	26	104	98	109	13	24	65	150	159	148	991
Fermentasi kayu kakao + alkohol	34	56	115	58	18	89	103	100	40	67	85	170	134	110	1179
Alkohol	19	39	57	47	41	74	119	118	87	112	143	189	225	121	1391
Kontrol larutan sabun	0	2	1	1	1	0	1	2	0	1	3	0	1	0	13
Jumlah	128	146	312	239	133	389	507	456	303	423	605	944	732	589	5906

Lampiran 4. Rata-rata kumbang ambrosia yang tertarik pada perangkap

Perlakuan	Pengamatan hari ke-														
	3	6	9	12	15	18	21	24	27	30	33	35	39	42	
P1	0,7 <sup>ab</sup>	0,2 <sup>a</sup>	0,0 <sup>a</sup>	0,0	0,5 <sup>a</sup>	0,2	0,5	0,2 <sup>a</sup>	0,2 <sup>a</sup>	0,3 <sup>a</sup>	0,0 <sup>a</sup>	0,3 <sup>a</sup>	0,0 <sup>a</sup>	0,0 <sup>a</sup>	
P2	0,7 <sup>ab</sup>	0,2 <sup>a</sup>	0,0 <sup>a</sup>	0,0	1,2 <sup>a</sup>	0,2	0,2	0,2 <sup>a</sup>	0,0 <sup>a</sup>	0,3 <sup>a</sup>	0,0 <sup>a</sup>	0,2 <sup>a</sup>	0,0 <sup>a</sup>	0,0 <sup>a</sup>	
P3	0,2 <sup>a</sup>	0,3 <sup>a</sup>	0,2 <sup>a</sup>	0,2	0,0 <sup>a</sup>	0,2	0,0	0,0 <sup>a</sup>	0,3 <sup>ab</sup>	0,0 <sup>a</sup>	0,0 <sup>a</sup>	0,3 <sup>a</sup>	0,0 <sup>a</sup>	0,0 <sup>a</sup>	
P4	0,3 <sup>a</sup>	0,0 <sup>a</sup>	0,3 <sup>a</sup>	0,0	0,0 <sup>a</sup>	0,0	0,0	0,2 <sup>a</sup>	0,0 <sup>a</sup>	0,2 <sup>a</sup>	0,0 <sup>a</sup>	0,5 <sup>a</sup>	0,0 <sup>a</sup>	0,0 <sup>a</sup>	
P5	5,2 <sup>bc</sup>	3,0 <sup>ab</sup>	8,2 <sup>a</sup>	6,7	3,0 <sup>ab</sup>	6,8	15,3	9,7 <sup>ab</sup>	12,5 <sup>bd</sup>	16,0 <sup>bc</sup>	18,5 <sup>ac</sup>	26,7 <sup>ab</sup>	17,5 <sup>ab</sup>	11,7 <sup>ab</sup>	
P6	4,2 <sup>ac</sup>	2,2 <sup>ab</sup>	9,3 <sup>ab</sup>	8,3	3,2 <sup>ab</sup>	13,0	15,0	11,0 <sup>ab</sup>	14,2 <sup>cd</sup>	19,7 <sup>c</sup>	33,0 <sup>c</sup>	44,5 <sup>b</sup>	18,0 <sup>ab</sup>	23,3 <sup>b</sup>	
P7	1,3 <sup>ac</sup>	2,3 <sup>ab</sup>	5,2 <sup>a</sup>	7,0	4,3 <sup>ab</sup>	17,3	16,3	18,2 <sup>b</sup>	2,2 <sup>ac</sup>	4,0 <sup>ab</sup>	10,8 <sup>ab</sup>	25,0 <sup>ab</sup>	26,5 <sup>ab</sup>	24,7 <sup>b</sup>	
	9,3 <sup>b</sup>	19,2 <sup>b</sup>	9,7	3,0 <sup>ab</sup>	14,8	17,2	16,7 <sup>ab</sup>	6,7 <sup>ad</sup>	11,2 <sup>ac</sup>	14,2 <sup>ac</sup>	28,3 <sup>ab</sup>	22,3 <sup>ab</sup>	18,3 <sup>ab</sup>		
	6,5 <sup>ab</sup>	9,5 <sup>ab</sup>	7,8	6,8 <sup>b</sup>	12,3	19,8	19,7 <sup>b</sup>	14,5 <sup>d</sup>	18,7 <sup>bc</sup>	23,8 <sup>bc</sup>	31,5 <sup>b</sup>	37,5 <sup>b</sup>	20,2 <sup>b</sup>		
	0,3 <sup>a</sup>	0,2 <sup>a</sup>	0,2	0,2 <sup>a</sup>	0,0	0,2	0,3 <sup>a</sup>	0,0 <sup>a</sup>	0,2 <sup>a</sup>	0,5 <sup>a</sup>	0,0 <sup>a</sup>	0,2 <sup>a</sup>	0,0 <sup>a</sup>		



Lampiran 5. Hasil sidik ragam populasi kumbang ambrosia yang tertarik pada perangkap

Pengamatan 1

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	521,87	57,99	6,03	2,46	3,60	**
Kelompok	2	8,87	4,43	0,46	3,55	6,01	tn
Galat/Sisa	18	173,13	9,62				
Total	29	703,87					

Pengamatan 2

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	1074,80	119,42	3,98	2,46	3,60	**
Kelompok	2	12,87	6,43	0,21	3,55	6,01	tn
Galat/Sisa	18	539,80	29,99				
Total	29	1627,47					

Pengamatan 3

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	4414,53	490,50	9,82	2,46	3,60	**
Kelompok	2	115,80	57,90	1,16	3,55	6,01	tn
Galat/Sisa	18	898,87	49,94				
Total	29	5429,20					

Pengamatan 4

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	1908,97	212,11	2,74	2,46	3,60	*
Kelompok	2	6,47	3,23	0,04	3,55	6,01	tn
Galat/Sisa	18	1393,53	77,42				
Total	29	3308,97					



## Pengamatan 5

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	552,03	61,34	5,03	2,46	3,60	**
Kelompok	2	1,67	0,83	0,07	3,55	6,01	tn
Galat/Sisa	18	219,67	12,20				
Total	29	773,37					

## Pengamatan 6

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	5616,30	624,03	3,56	2,46	3,60	*
Kelompok	2	153,27	76,63	0,44	3,55	6,01	tn
Galat/Sisa	18	3153,40	175,19				
Total	29	8922,97					

## Pengamatan 7

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	8414,70	934,97	4,23	2,46	3,60	**
Kelompok	2	106,40	53,20	0,24	3,55	6,01	tn
Galat/Sisa	18	3975,60	220,87				
Total	29	12496,70					

## Pengamatan 8

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	7579,47	842,16	5,74	2,46	3,60	**
Kelompok	2	296,60	148,30	1,01	3,55	6,01	tn
Galat/Sisa	18	2642,73	146,82				
Total	29	10518,80					

## Pengamatan 9

		JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
		4337,37	481,93	6,96	2,46	3,60	**
		34,20	17,10	0,25	3,55	6,01	tn
		1247,13	69,29				
		5618,70					

Optimization Software:  
[www.balesio.com](http://www.balesio.com)

## Pengamatan 10

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	7622,03	846,89	7,93	2,46	3,60	**
Kelompok	2	22,20	11,10	0,10	3,55	6,01	tn
Galat/Sisa	18	1922,47	106,80				
Total	29	9566,70					

## Pengamatan 11

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	15610,17	1734,46	8,45	2,46	3,60	**
Kelompok	2	176,07	88,03	0,43	3,55	6,01	tn
Galat/Sisa	18	3693,93	205,22				
Total	29	19480,17					

## Pengamatan 12

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	31638,13	3515,35	8,06	2,46	3,60	**
Kelompok	2	1140,27	570,13	1,31	3,55	6,01	tn
Galat/Sisa	18	7855,07	436,39				
Total	29	40633,47					

## Pengamatan 13

SK	DB	JK	KT	F Hitung	F Tabel		Ket.
					0,05	0,01	
Perlakuan	9	20989,87	2332,21	7,01	2,46	3,60	**
Kelompok	2	1264,20	632,10	1,90	3,55	6,01	tn
Galat/Sisa	18	5991,13	332,84				
Total	29	28245,20					

## Pengamatan 14

	JK	KT	F Hitung	F Tabel		Ket.
				0,05	0,01	
	12817,63	1424,18	8,30	2,46	3,60	**
	440,47	220,23	1,28	3,55	6,01	tn
	3086,87	171,49				
	16344,97					

Optimization Software:  
[www.balesio.com](http://www.balesio.com)


Lampiran 6. Persentase ketertarikan kumbang ambrosia pada atraktan

Perlakuan	Populasi kumbang ambrosia	Peresentase Ketertarikan (%)
Kontrol / larutan sabun	13	
Ekstrak kopi 10% + larutan sabun	18	27,78
Ekstrak wortel 15% + larutan sabun	18	27,78
Minyak Eukaliptus + larutan sabun	10	-30,00
Fermentasi kayu kakao + larutan sabun	9	-44,44
Ekstrak kopi 10% + alkohol	964	98,65
Ekstrak wortel 15% + alkohol	1313	99,01
Minyak Eukaliptus + alkohol	991	98,69
Fermentasi kayu kakao + alkohol	1179	98,90
Alkohol	1391	99,07

Lampiran 7. Masa pendedahan atraktan

Perlakuan	Pergantian	Hari	Masa Pendadahan	Rata-rata Pendadahan
Ekstrak kopi 10%	I	12		
	II	30	42	21
Ekstrak wortel 15%	I	12		
	II	30	42	21
Minyak eukalitpus	I	24		
	II	18	42	21
Fermentasi kayu kakao	I	12		
	II	12	42	14
	III	18		

Lampiran 8. Proses pembuatan ekstrak daun kopi dan daun wortel







Lampiran 9. Proses pembuatan fermentasi kayu kakao




Lampiran 10. Pemasangan dan pengamatan perangkap kumbang ambrosia



Optimization Software:  
[www.balesio.com](http://www.balesio.com)





Optimization Software:  
[www.balesio.com](http://www.balesio.com)