

DAFTAR PUSTAKA

- Abrahamson, N., Silva, W. & Kamai, R., 2014. BC hydro ground motion prediction equations for subduction earthquakes. *Earthq Spectra*, Volume 32, pp. 23-44.
- Aki, K., 1965. Maximum Likelihood Estimate of b in the Formula $\log N = a - bM$ and its Confidence Limits. *Bulletin of Earthquake Research*, Volume 43, pp. 237-239.
- Anbazhagan, Vinod, S. J. & Sitahram, T. G., 2009. Probabilistic seismic hazard analysis for Bangalore. *Natural Hazard*, Volume 48, pp. 145-166.
- Andrews, D., 1976. Rupture Velocity Of Plain Strain Shear Cracks. *Journal of Geophysical Research*, 81(32), pp. 5679-5687.
- Bain, K. K., Firli, I. & Tri, S., 2016. Genetic Algorithm For Optimized Initial Centers K-Means Clustering In SMEs. *Journal of Theoretical and Applied Information Technology (JATIT)*, Volume 90, p. 23.
- Bataineh, K. M., Naji, M. & Saqer, M., 2011. A Comparison Study Between Various Fuzzy Clustering Algorithms. *Jordan Journal of Mechanical and Industrial Engineering (JJMIE)*, Volume 5, p. 335.
- Beaudouin, T., Bellier, O. & Sebrier, M., 2003. Present-day stress and deformation field within the sulawesi island area (Indonesia): geodynamic implication. *Bulletin de la Societe Geologique de France*, 174(3), pp. 305-317.
- Bellier, O. et al., 2006. Fission track and fault kinematics analyses for new insight into the Late Cenozoic tectonic regime changes in West-Central Sulawesi (Indonesia). *Tectonophysics*, Volume 413, pp. 201-220.
- Beroza, G. & Kanamori, H., 2007. Earthquake Seismology. In: H. Kanamori, ed. *Earthquake Seismology*. Oxford: Elsevier, pp. 21-27.
- BMKG, 2022. *Skala Intensitas Gempabumi (SIG) BMKG*. [Online] Available at: <https://www.bmkg.go.id/gempabumi/skala-intensitas-gempabumi.bmkg> [Accessed 6 November 2022].
- J. J. & Abrahamson, N. A., 2006. Why do modern probabilistic seismic-hazard analyses often lead to increased hazard estimates?. *Bulletin of the Seismological Society of America*, 96(6), pp. 1967-1977.



- Boore, D. M., Atkinson, G. M. & Eeri, M., 2008. Ground-Motion Prediction Equations for the Average Horizontal Component of PGA, PGV, and 5%-Damped PSA at Spectral Periods between 0.01 s and 10.0 s. *Earthquake Spectra*, 24(1), pp. 99-138.
- Brotopuspito, K. S., 2012. *Percepatan Getaran Tanah Maksimum Akibat Gempabumi*, Yogyakarta: Laboratorium Geofisika FMIPA UGM.
- Burton, P. W. & Hall, T. R., 2014. Segmentation of Sumatran Fault. *Geophysical Research Letters*, Volume 41, p. 4149–4158.
- Campbell, K. & Bozorgnia, Y., 2014. NGA-West2 ground motion model for the average horizontal components of PGA, PGV, and 5% damped linear acceleration response spectra. *Earthq Spectra*, Volume 30, pp. 1087-1114.
- Chiou, B. & Young, R., 2014. Update of the Chiou and Youngs NGA model for the average horizontal component of peak ground motion and response spectra. *Earthq Spectra*, Volume 30, pp. 1117-1153.
- Cipta, A., 2019. *Site and Basin Effects on Seismic Hazard in Indonesia: Sulawesi and Jakarta Case Studies*, Canberra: A thesis submitted for the degree of Doctor of Philosophy at Research School of Earth Sciences The Australian National University.
- Douglas, J., 2021. *Ground Motion Prediction Equation 1964-2021*. United Kingdom: Departemen of Civil and Enviromental Engineering, University of Strathclyde.
- Fauzi, 2005. *Daerah Rawan Gempa Bumi Tektonik Indonesia*, Jakarta: Pusat Gempa Nasional BMKG.
- Gadkari, D. & Mukherjee, S., 2023. *Assessment of efficacy of "b" values as a seismic precursor for select major seismic events*. Hoboken: John Wiley & Sons.
- Gui, Z., Bai, Y., Wang, Z. & Li, T., 2019. Seismic b-value anomalies in the Sumatran region: Seismotectonic. *Journal of Asian Earth Sciences*, Volume 173, pp. 29-41.
- Gutenberg, B. & Richter, C., 1942. Earthquake magnitude, intensity, energy, and duration. *Bulletin of the Seismological Society of America*, 32(3), pp. 163-191.
- berger, F. et al., 2000. Origin and evolution of the North Banda Basin (Indonesia): constraints from magnetic data.. *Earth and Planetary Sciences*, Volume 331, pp. 507-514.



- Huda, I. N., Lambert, S. & Souchay, J., 2023. Tidal triggering of seismicity in the region of Palu, Central Sulawesi, Indonesia. *Geodesy and Geodynamics*, Volume 14, pp. 377-384.
- Idriss, I. M. & Eeri, M., 2008. An NGA Empirical Model for Estimating the Horizontal Spectral Values Generated By Shallow Crustal Earthquakes. *Earthquake Spectra*, 24(1), pp. 217-242.
- Jaya, A., Nishikawa, O. & Jumadil, S., 2019. Distribution and morphology of the surface ruptures of the 2018 Donggala–Palu earthquake, Central Sulawesi, Indonesia. *Earth, Planet and Space*, 71(144), pp. 1-13.
- Kapojos, C. G., Tamuntuan, G. & Pasau, G., 2015. Analisis Percepatan Maksimum Dengan Menggunakan Rumusan Esteva dan Donovan. *Jurnal Ilmiah Sains*, 15(2), pp. 100-104.
- Kebede, F. & Kulhanek, O., 1994. Spatial and temporal variations of b-values. *Physics of the Earth and Planetary Interiors*, Volume 83, pp. 249-264.
- Letamo, A., Kavitha B. & Tazeswi T.P., 2023. Seismicity pattern of African regions from 1964–2022: b-value and energy mapping approach. *Geomatics, Natural Hazards and Risk*, 14(1), pp. 1-16.
- Li, Y., Chen, X. & Chen, L., 2021. Joint analysis of b-value and apparent stress before the 2011 MW9.0 Tohoku-Oki, Japan earthquake. *Earthquake Science*, 34(4), pp. 323-333.
- Massinai, A. M. et al., 2016. Analisis Percepatan Tanah Maksimum, Kecepatan Tanah Maksimum dan MMI Wilayah Sulawesi Utara. *Prosiding Seminar Nasional Fisika*, Volume 5, pp. 33-36.
- Matsuoka, M., Wakamatsu, K., Fujimoto, K. & Midorikawa, S., 2016. Average Shear-Wave Velocity Mapping Using Japan Engineering Geomorphologic Classification Map. *Journal of Structural Mechanics and Earthquake Engineering*, 23(1), pp. 239-251.
- Mishra, O. et al., 2007. *Seismological Research Letters*, 78(6), pp. 591-599.
- Muller, C. & Jokat, W., 2000. Seismic evidence for volcanic activity discovered in central Arctic. *Eos, Transactions, American Geophysical Union*, 81(24), pp. 265-269.
- Natawidjaja, D. H. et al., 2021. The 2018 Mw7.5 Palu ‘supershear’ earthquake ruptures geological fault’s multisegment separated by large bends: results from integrating field measurements, LiDAR, swath bathymetry and seismic-reflection data. *Geophysical Journal International*, Volume 224, pp. 985-1002.



- Peng, G., Lei, X., Wang, G. & Jiang, F., 2021. Precursory tidal triggering and b value variation before the 2011 Mw 5.1 and 5.0 Tengchong, China earthquakes. *Earth and Planetary Science Letters*, Volume 574, pp. 117-167.
- PuSGeN, 2017. *Peta Sumber Bahaya Gempa Indonesia Tahun 2017*. 1 ed. Bandung: PuSGeN.
- Rafie, M. T., 2022. *Variasi Orientasi Tegasan Utama dan Akumulasi Perubahan Tegasan Coulomb di Subduksi dan Sesara Sumatera Akibat Gempa Megathrust (Mw>7.5)*, Bandung: Institute Teknologi Bandung.
- Rahman, M. Z., Siddiqua, S. & Kamal, A. M., 2020. Seismic source modeling and probabilistic seismic hazard analysis for Bangladesh. *Natural Hazards*, Volume 103, pp. 2489-2532.
- Ranging, C. et al., 1999. Plate convergence measured by GPS across the Sundaland/Philippine Sea Plate deformed boundary: the Philippines and eastern Indonesia. *Geophys. J. Int.*, pp. 296-316.
- Rosid, M. S., Ali, Y. H. & Ramadhan, M., 2022. Characterization Of The Mamasa Earthquake Source Based On Hypocenter Relocation And Gravity Derivative Data Analysis. *International Journal of GEOMATE*, 23(97), pp. 220-227.
- Shi, C. et al., 2021. A quantitative discriminant method of elbow point for the optimal number of clusters in clustering algorithm. *Journal Wireless Communication and Network*, Volume 31, pp. 1-16.
- Socquet, A. et al., 2006. Microblock rotations and fault coupling in SE Asia triple junction (Sulawesi, Indonesia) from GPS and earthquake slip vector data. *Journal Of Geophysical Research*, 111(B8).
- Stevens, C. et al., 1999. Rapid rotations about a vertical axis in a collisional setting revealed by the Palu Fault, Sulawesi, Indonesia. *Geophysical Research Letters*, Volume 26, pp. 2677-2680.
- Surmont, J. et al., 1994. New paleomagnetic constraints on the Cenozoic tectonic evolution of the North Arm of Sulawesi, Indonesia. *Earth and Planetary Science Letters*, 121(3-4), pp. 629-638.
- Triyoso, W., 2023. Probabilistic seismic hazard function based on spatiotemporal earthquake likelihood simulation and Akaike information criterion: The PSHF study around off the west coast of Sumatra Island before large earthquake events. *Frontiers*, Volume 11, pp. 1-11.



- Triyoso, W. & Suwondo, A., 2022. From the geodynamic aspect to earthquake potential hazard analysis of Liwa city and its surrounding. *Natural HAzard*, p. 1329–1344.
- Triyoso, W., Suwondo, A., Yudistira, T. & Sahara, P. D., 2020. Seismic Hazard Function (SHF) study of coastal sources of Sumatra Island: SHF evaluation of Padang and Bengkulu cities. *Geoscience Letter*, 7(2), p. 7.
- Vigny, C. et al., 2002. Migration of seismicity and earthquake interactions monitored by GPS in SE Asia triple junction: Sulawesi, Indonesia. *Journal Of Geophysical Research*, 107(B10), pp. ETG7-1-ETG7-11.
- Walpersdorf, A. & Vigny, C., 1998. Monitoring of the Palu-Koro Fault (Sulawesi) by GPS. *Geophysical Research Letters*, Volume 25, pp. 1313-2316.
- Wiemer S (2001) A software package to analyze seismicity: ZMAP. *Seismol Res Lett* 72(2):373–382
- Wang, K. & Bilek, S. L., 2014. Invited review paper: Fault creep caused by subduction of rough seafloor relief. *Tectonophysics*, Volume 610, pp. 1-24.
- Wang, S. et al., 2019. The 2017 Mw 6.6 Poso Earthquake: Implications for Extrusion Tectonics in Central Sulawesi. *Seismological Research Letters*, 90(2A), pp. 649-658.
- Wells, D. L. & Coppersmith, K. J., 1994. New Empirical Relationships among Magnitude, Rupture Length, Rupture Width, Rupture Area, and Surface Displacement. *Bulletin of the Seismological Society of America*, 84(4), pp. 974-1002.



LAMPIRAN



Lampiran A Perhitungan PGA Boore and Atkinson (2008)

$$\ln a = F_M(M) + F_D(R_{JB}, M) + F_S(V_{S30}, R_{JB}, M) + \varepsilon\sigma_T$$

untuk $M \leq M_h$

$$F_M(M) = e_1U + e_2SS + e_3NS + e_4RS + e_5(M - M_h)$$
$$+ e_6(M - M_h)^2$$

untuk $M \geq M_h$

$$F_M(M) = e_1U + e_2SS + e_3NS + e_4RS + e_7(M - M_h)$$

$$M_h = 6.5$$

Fault Type	U	SS	NS	RS
Unspecified	1	0	0	0
Strike-slip	0	1	0	0
Normal	0	0	1	0
Thrust/reverse	0	0	0	1



Period	e_1	e_2	e_3	e_4	e_5	e_6	e_7	\mathbf{M}_h
PGV	5.00121	5.04727	4.63188	5.08210	0.18322	-0.12736	0.00000	8.50
PGA	-0.53804	-0.50350	-0.75472	-0.50970	0.28805	-0.10164	0.00000	6.75
0.010	-0.52883	-0.49429	-0.74551	-0.49966	0.28897	-0.10019	0.00000	6.75
0.020	-0.52192	-0.48508	-0.73906	-0.48895	0.25144	-0.11006	0.00000	6.75
0.030	-0.45285	-0.41831	-0.66722	-0.42229	0.17976	-0.12858	0.00000	6.75
0.050	-0.28476	-0.25022	-0.48462	-0.26092	0.06369	-0.15752	0.00000	6.75
0.075	0.00767	0.04912	-0.20578	0.02706	0.01170	-0.17051	0.00000	6.75
0.100	0.20109	0.23102	0.03058	0.22193	0.04697	-0.15948	0.00000	6.75
0.150	0.46128	0.48661	0.30185	0.49328	0.17990	-0.14539	0.00000	6.75
0.200	0.57180	0.59253	0.40860	0.61472	0.52729	-0.12964	0.00102	6.75
0.250	0.51884	0.53496	0.33880	0.57747	0.60880	-0.13843	0.08607	6.75
0.300	0.43825	0.44516	0.25356	0.51990	0.64472	-0.15694	0.10601	6.75
0.400	0.39220	0.40602	0.21398	0.46080	0.78610	-0.07843	0.02262	6.75
0.500	0.18957	0.19878	0.00967	0.26337	0.76837	-0.09054	0.00000	6.75
0.750	-0.21338	-0.19496	-0.49176	-0.10813	0.75179	-0.14053	0.10302	6.75
1.000	-0.46896	-0.43443	-0.78465	-0.39330	0.67880	-0.18257	0.05393	6.75
1.500	-0.86271	-0.79593	-1.20902	-0.88085	0.70689	-0.25950	0.19082	6.75
2.000	-1.22652	-1.15514	-1.57697	-1.27669	0.77989	-0.29657	0.29888	6.75
3.000	-1.82979	-1.74690	-2.22584	-1.91814	0.77966	-0.45384	0.67466	6.75
4.000	-2.24656	-2.15906	-2.58228	-2.38168	1.24961	-0.35874	0.79508	6.75
5.000	-1.28408	-1.21270	-1.50904	-1.41093	0.14271	-0.39006	0.00000	8.50
7.500	-1.43145	-1.31632	-1.81022	-1.59217	0.52407	-0.37578	0.00000	8.50
10.000	-2.15446	-2.16137	-2.53323	-2.14635	0.40387	-0.48492	0.00000	8.50

$$F_D(R_{JB}, M) = [c_1 + c_2(M - M_{Ref})] \ln (R/R_{Ref}) + c_3(R - R_{Ref})$$

$$R = \sqrt{R_{JB}^2 + h^2}$$

$$R_{Ref} = 1 \text{ km} \text{ dan } M_{Ref} = 4.5$$



Period	c_1	c_2	c_3	h
PGV	-0.87370	0.10060	-0.00334	2.54
PGA	-0.66050	0.11970	-0.01151	1.35
0.010	-0.66220	0.12000	-0.01151	1.35
0.020	-0.66600	0.12280	-0.01151	1.35
0.030	-0.69010	0.12830	-0.01151	1.35
0.050	-0.71700	0.13170	-0.01151	1.35
0.075	-0.72050	0.12370	-0.01151	1.55
0.100	-0.70810	0.11170	-0.01151	1.68
0.150	-0.69610	0.09884	-0.01113	1.86
0.200	-0.58300	0.04273	-0.00952	1.98
0.250	-0.57260	0.02977	-0.00837	2.07
0.300	-0.55430	0.01955	-0.00750	2.14
0.400	-0.64430	0.04394	-0.00626	2.24
0.500	-0.69140	0.06080	-0.00540	2.32
0.750	-0.74080	0.07518	-0.00409	2.46
1.000	-0.81830	0.10270	-0.00334	2.54
1.500	-0.83030	0.09793	-0.00255	2.66
2.000	-0.82850	0.09432	-0.00217	2.73
3.000	-0.78440	0.07282	-0.00191	2.83
4.000	-0.68540	0.03758	-0.00191	2.89
5.000	-0.50960	-0.02391	-0.00191	2.93
7.500	-0.37240	-0.06568	-0.00191	3.00
10.000	-0.09824	-0.13800	-0.00191	3.04

$$F_S = F_{LIN} + F_{NL}$$



$$= b_{lin} \ln \left(\frac{V_{S30}}{V_{Ref}} \right)$$

Dimana $V_{ref} = 760 \text{ m/s}$

a) $pga4nl \leq a_1$:

$$F_{NL} = b_{nl} \ln(pga_low/0.1)$$

b) $a_1 < pga4nl \leq a_2$:

$$F_{NL} = b_{nl} \ln(pga_low/0.1) + c[\ln(pga4nl/a_1)]^2 + d[\ln(pga4nl/a_1)]^3$$

c) $a_2 < pga4nl$:

$$F_{NL} = b_{nl} \ln(pga4nl/0.1)$$

a) $V_{S30} \leq V_1$:

$$b_{nl} = b_1.$$

b) $V_1 < V_{S30} \leq V_2$:

$$b_{nl} = (b_1 - b_2) \ln(V_{S30}/V_2) / \ln(V_1/V_2) + b_2.$$

c) $V_2 < V_{S30} < V_{ref}$:

$$b_{nl} = b_2 \ln(V_{S30}/V_{ref}) / \ln(V_2/V_{ref}).$$

d) $V_{ref} \leq V_{S30}$:

$$b_{nl} = 0.0.$$



Optimization Software:
www.balesio.com

Period	b_{lin}	b_1	b_2
PGV	-0.600	-0.500	-0.06
PGA	-0.360	-0.640	-0.14
0.010	-0.360	-0.640	-0.14
0.020	-0.340	-0.630	-0.12
0.030	-0.330	-0.620	-0.11
0.050	-0.290	-0.640	-0.11
0.075	-0.230	-0.640	-0.11
0.100	-0.250	-0.600	-0.13
0.150	-0.280	-0.530	-0.18
0.200	-0.310	-0.520	-0.19
0.250	-0.390	-0.520	-0.16
0.300	-0.440	-0.520	-0.14
0.400	-0.500	-0.510	-0.10
0.500	-0.600	-0.500	-0.06
0.750	-0.690	-0.470	0.00
1.000	-0.700	-0.440	0.00
1.500	-0.720	-0.400	0.00
2.000	-0.730	-0.380	0.00
3.000	-0.740	-0.340	0.00
4.000	-0.750	-0.310	0.00
5.000	-0.750	-0.291	0.00
7.500	-0.692	-0.247	0.00
10.000	-0.650	-0.215	0.00



Coefficient	Value
a_1	0.03 g
pga_low	0.06 g
a_2	0.09 g
V_1	180 m/s
V_2	300 m/s
V_{ref}	760 m/s



Lampiran D Peta geologi dan Vs30 wilayah Sulawesi (Cipta, 2019)

