

DAFTAR PUSTAKA

- Adeyemi, N. O., Atayese, M. O., Olubode, A. A., & Akan, M. E. (2020). Effect of commercial arbuscular mycorrhizal fungi inoculant on growth and yield of soybean under controlled and natural field conditions. *Journal of Plant Nutrition*, 43(4), 487-499.
- Agustamia, C., Widiastuti, A., & Sumardiyono, C. (2016). Pengaruh stomata dan klorofil pada ketahanan beberapa varietas jagung terhadap penyakit bulai. *Jurnal Perlindungan Tanaman Indonesia*, 20(2), 89-94.
- Allasia, V., Ponchet, M., Quentin, M., Favery, B., & Keller, H. (2018). Quantification of Salicylic Acid (SA) and SA-glucosides in *Arabidopsis thaliana*. *Bio-protocol*, 8(10), e2844-e2844.
- Ali, G., & Neda, G. (2011). Flavonoids and phenolic acids: Role and biochemical activity in plants and human. *Journal of medicinal plants research*, 5(31), 6697-6703.
- Antony, M., Menon, D. B., Joel, J., Lipin, D., Arun, K., & Thankamani, V. (2011). Phytochemical analysis and antioxidant activity of *Alstonia scholaris*. *Pharmacognosy Journal*, 3(26), 13-18.
- Baghaie, A. H., Aghili, F., & Jafarinia, R. (2019). Soil-indigenous arbuscular mycorrhizal fungi and zeolite addition to soil synergistically increase grain yield and reduce cadmium uptake of bread wheat (through improved nitrogen and phosphorus nutrition and immobilization of Cd in roots). *Environmental Science and Pollution Research*, 26(30), 30794-30807.
- Barea, J. M., Pozo, M. J., López-Ráez, J. A., Aroca, R., Ruíz-Lozano, J. M., Ferrol, N., ... & Azcón-Aguilar, C. (2013). Arbuscular mycorrhizas and their significance in promoting soil-plant systems sustainability against environmental stresses. *Beneficial plant-microbial interactions: ecology and applications*, 353-387.
- Baum, C., El-Tohamy, W., & Gruda, N. (2015). Increasing the productivity and product quality of vegetable crops using arbuscular mycorrhizal fungi: a review. *Scientia horticulturae*, 187, 131-141.

- Becker, W. N., & JW, G. (1977). *Glomus etunicatus* sp. nov. [*Mycorrhizal fungus, new taxa*]. [1977]. Retrieved October 16, 2022, from <https://agris.fao.org/agris-search/search.do?recordID=US19780257949>
- Benedetti, T., Antonioli, Z. I., Sordi, E., Carvalho, I. R., & Bortoluzzi, E. C. (2021). Use of the *Glomus etunicatum* as biocontrol agent of the soybean cyst nematode. *Research, Society and Development*, 10(6), e7310615132-e7310615132.
- Brookmeyer, R. (2014). Incubation period of infectious diseases. *Wiley StatsRef: Statistics Reference Online*, 1-8.
- Cui, G., Ai, S., Chen, K., & Wang, X. (2019). Arbuscular mycorrhiza augments cadmium tolerance in soybean by altering accumulation and partitioning of nutrient elements, and related gene expression. *Ecotoxicology and environmental safety*, 171, 231-239.
- Ding, P., & Ding, Y. (2020). Stories of salicylic acid: a plant defense hormone. *Trends in plant science*, 25(6), 549-565.
- Djaenuddin, N. (2016). Interaksi bakteri antagonis dengan tanaman: ketahanan terinduksi pada tanaman jagung.
- Dowarah, B., Gill, S. S., & Agarwala, N. (2021). Arbuscular mycorrhizal fungi in conferring tolerance to biotic stresses in plants. *Journal of Plant Growth Regulation*, 1-16.
- Eyles, A., Bonello, P., Ganley, R., & Mohammed, C. (2010). Induced resistance to pests and pathogens in trees. *New Phytologist*, 185(4), 893-908.
- Gianinazzi, S., Gollotte, A., Binet, M. N., van Tuinen, D., Redecker, D., & Wipf, D. (2010). Agroecology: the key role of arbuscular mycorrhizas in ecosystem services. *Mycorrhiza*, 20(8), 519-530.
- Habibullah, M. (2018). Respons Awal Ketahanan Jagung terhadap *Peronosclerospora maydis* dan Induksi Bahan Kimia. *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 27-32.
- Hamid, B., Zaman, M., Farooq, S., Fatima, S., Sayyed, R. Z., Baba, Z. A., ... & Suriani, N. L. (2021). Bacterial plant biostimulants: A

sustainable way towards improving growth, productivity, and health of crops. *Sustainability*, 13(5), 2856.

- Hao, Q., Wang, W., Han, X., Wu, J., Lyu, B., Chen, F., ... & Fu, D. (2018). Isochorismate-based salicylic acid biosynthesis confers basal resistance to *Fusarium graminearum* in barley. *Molecular plant pathology*, 19(8), 1995-2010.
- Harni, R., Supramana, S., Sinaga, M. S., Giyanto, G., & Supriadi, S. (2012). Mekanisme bakteri endofit mengendalikan nematoda *Pratylenchus brachyurus* pada tanaman nilam. *Buletin Penelitian Tanaman Rempah dan Obat*, 23(1), 102-114.
- Hikmahwati, H., Kuswinanti, T., & Melina, M. (2019). Karakterisasi Molekuler Isolat-Isolat Penyebab Bulai (*Peronosclerospora* spp) Pada Tanaman Jagung Berbasis Simple Sequence Repeat (SSR). *AGROVITAL: Jurnal Ilmu Pertanian*, 3(1), 1-7.
- Hoerussalam, A. P., & Khaeruni, A. (2013). Induksi ketahanan tanaman jagung (*Zea mays* L.) terhadap penyakit bulai melalui seed treatment serta pewarisannya pada generasi S1. *Ilmu Pertanian (Agricultural Science)*, 16(2), 42-59.
- Huang, W., Wang, Y., Li, X., & Zhang, Y. (2020). Biosynthesis and regulation of salicylic acid and N-hydroxypipecolic acid in plant immunity. *Molecular plant*, 13(1), 31-41.
- Imperato, F. (2006). *Phytochemistry: advances in research*.
- Jatnika, W., Abadi, A. L., & Aini, L. Q. (2014). Pengaruh aplikasi *Bacillus* sp. dan *Pseudomonas* sp. terhadap perkembangan penyakit bulai yang disebabkan oleh jamur patogen *Peronosclerospora maydis* pada tanaman jagung. *Jurnal Hama dan Penyakit Tumbuhan*, 1(4), pp-19.
- Jiang, Y., Wang, W., Xie, Q., Liu, N., Liu, L., Wang, D., ... & Wang, E. (2017). Plants transfer lipids to sustain colonization by mutualistic mycorrhizal and parasitic fungi. *Science*, 356(6343), 1172-1175.

- Jung, S. C., Martinez-Medina, A., Lopez-Raez, J. A., & Pozo, M. J. (2012). Mycorrhiza-induced resistance and priming of plant defenses. *Journal of chemical ecology*, 38(6), 651-664.
- Kamalakaran, A., & Shanmugam, V. (2009). Management approaches of maize downy mildew using biocontrol agents and plant extracts. *Acta Phytopathologica et Entomologica Hungarica*, 44(2), 255-266
- Kim, K. H., Moon, J. C., Kim, J. Y., Kim, H. C., Shin, S., Song, K., ... & Lee, B. M. (2016). Evaluation of maize downy mildew using spreader row technique. *Korean Journal of Crop Science*, 61(1), 41-49.
- Klessig, D. F., Choi, H. W., & Dempsey, D. M. A. (2018). Systemic acquired resistance and salicylic acid: past, present, and future. *Molecular plant-microbe interactions*, 31(9), 871-888.
- Koo, Y. M., Heo, A. Y., & Choi, H. W. (2020). Salicylic acid as a safe plant protector and growth regulator. *The plant pathology journal*, 36(1), 1.
- Kusmiyati, M., Sudaryat, Y., Lutfiah, I. A., Rustamsyah, A., & Rohdiana, D. (2015). Aktivitas antioksidan, kadar fenol total, dan flavonoid total dalam teh hijau (*Camellia sinensis* (L.) O. Kuntze) asal tiga perkebunan Jawa Barat. *Jurnal Penelitian Teh dan Kina*, 18(2), 101-106.
- Lefevre, H., Bauters, L., & Gheysen, G. (2020). Salicylic acid biosynthesis in plants. *Frontiers in plant science*, 11, 338.
- Liang, J. G., Tao, R. X., Hao, Z. N., Wang, L., & Zhang, X. (2011). Induction of resistance in cucumber against seedling damping-off by plant growth-promoting rhizobacteria (PGPR) *Bacillus megaterium* strain L8. *African Journal of Biotechnology*, 10(36), 6920-6927.
- Liu, Y., Sun, T., Sun, Y., Zhang, Y., Radojčić, A., Ding, Y., ... & Zhang, Y. (2020). Diverse roles of the salicylic acid receptors NPR1 and NPR3/NPR4 in plant immunity. *The Plant Cell*, 32(12), 4002-4016.
- Liu, Y., Gong, X., Zhou, Q., Liu, Y., Liu, Z., Han, J., ... & Gu, S. (2021). Comparative proteomic analysis reveals insights into the dynamic

responses of maize (*Zea mays* L.) to *Setosphaeria turcica* infection. *Plant Science*, 304, 110811.

- Li, J., Sun, Y., Jiang, X., Chen, B., & Zhang, X. (2018). Arbuscular mycorrhizal fungi alleviate arsenic toxicity to *Medicago sativa* by influencing arsenic speciation and partitioning. *Ecotoxicology and Environmental Safety*, 157, 235-243.
- Manaf, H. H., & Zayed, M. S. (2015). Productivity of cowpea as affected by salt stress in presence of endomycorrhizae and *Pseudomonas fluorescens*. *Annals of Agricultural Sciences*, 60(2), 219-226.
- Ma, J., Wang, W., Yang, J., Qin, S., Yang, Y., Sun, C., ... & Huang, J. (2022). Mycorrhizal symbiosis promotes the nutrient content accumulation and affects the root exudates in maize. *BMC Plant Biology*, 22(1), 1-13.
- Meena, R. S., Kumar, S., Datta, R., Lal, R., Vijayakumar, V., Brtnicky, M., ... & Marfo, T. D. (2020). Impact of agrochemicals on soil microbiota and management: A review. *Land*, 9(2), 34.
- Mohammadi, S., Shahabi, E., & Kasraian, A. (2020). Effect of endomycorrhiza fungi *Glomus* spp. on induction of resistance in potato plants against *Rhizoctonia solani*. *Indian Phytopathology*, 73(2), 213–217. <https://doi.org/10.1007/s42360-020-00207-0>
- Muis, A., Pabendon, M. B., Nonci, N., & Waskito, W. P. (2013). Keragaman genetik *Peronosclerospora maydis* penyebab bulai pada jagung berdasarkan analisis marka SSR. *Jurnal Penelitian Pertanian Tanaman Pangan*, 32(3), 139-147.
- Muis, A., Nonci, N., & Pabendon, M. B. (2016). Geographical distribution of *Peronosclerospora* spp., the causal organism of maize downy mildew, in Indonesia. *Advances in Agriculture & Botany*, 8(3), 143-155.
- Muis, A., Suriani, Kalqutni, S.H., Nonci N., 2018. Penyakit Bulai pada Tanaman Jagung dan Upaya Pengendaliannya. Penerbit Deepublish Sleman. Yogyakarta.
- Mustafa, G., Khong, N. G., Tisserant, B., Randoux, B., Fontaine, J., Magnin-Robert, M., ... & Sahraoui, A. L. H. (2017). Defence

mechanisms associated with mycorrhiza-induced resistance in wheat against powdery mildew. *Functional Plant Biology*, 44(4), 443-454.

Pakki, S., Aminah, S. S., & Musi, A. (2019). Pengaruh kombinasi varietas tahan dan fungisida metalaksil terhadap insidensi penyakit bulai *Peronosclerospora philippinensis* pada jagung. *Penelitian Pertanian Tanaman Pangan*, 3(2), 91-99.

Pakki, S. (2017). Kelestarian ketahanan varietas unggul jagung terhadap penyakit bulai *Peronosclerospora maydis*. *Jurnal Penelitian Pertanian Tanaman Pangan*, 1(1), 37-44.

Pakki, S., & Mappaganggang, M. (2018). Respons Ketahanan Plasma Nutfah Jagung terhadap Penyakit Bulai (*Peronosclerospora philippinensis*). *Buletin Plasma Nutfah*, 24(1), 43-52.

Pourmorad, F., Hossenimehr, SJ, Shahabimajd, N 2006, Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants. *African Journal of Biotechnology*. 5(11):1142-1145.

Rustiani, U. S., Sinaga, M. S., Hidayat, S. H., & Wiyono, S. (2015). Tiga spesies *Peronosclerospora* penyebab penyakit bulai jagung di Indonesia. *Berita Biologi*, 14(1), 29-37.

Sanmartín, N., Pastor, V., Pastor-Fernández, J., Flors, V., Pozo, M. J., & Sánchez-Bel, P. (2020). Role and mechanisms of callose priming in mycorrhiza-induced resistance. *Journal of experimental botany*, 71(9), 2769-2781.

Santos-Sánchez, N. F., Salas-Coronado, R., Hernández-Carlos, B., & Villanueva-Cañongo, C. (2019). Shikimic acid pathway in biosynthesis of phenolic compounds. *Plant physiological aspects of phenolic compounds*, 1, 1-15.

Semangun, H. (1991). Penyakit-penyakit tanaman pangan di Indonesia. Gadjah Mada University Press.

Soenartiningsih, S. (2013). Potensi Cendawan Mikoriza Arbuskular sebagai Media Pengendalian Penyakit Busuk Pelepah pada Jagung.

Srimathi Priya, L., Kumutha, K., Arthee, R., & Pandiyarajan, P. (2014).

Identification of Arbuscular mycorrhizal multiplicity in the saline-sodic soils. *International Journal of Agricultural and Biological Engineering*, 7(2), 56–67.
<https://doi.org/10.3965/ijabe.20140702.007>

- Suharjo, R., Swibawa, I. G., Prasetyo, J., Fitriana, Y., Danaatmadja, Y., Budiawan, A., & Thines, M. (2020). *Peronosclerospora australiensis* is a synonym of *P. maydis*, which is widespread on Sumatra, and distinct from the most prevalent Java maize downy mildew pathogen. *Mycological Progress*, 19(11), 1309-1315.
- Talanca, A. H. (2013). Status penyakit bulai pada tanaman jagung dan pengendaliannya. In *Seminar Nasional Inovasi Teknologi Pertanian* (pp. 76-87).
- Talbi, Z., Asri, A. E. L., Touati, J., Chliyeh, M., & Aguil, F. A. I. T. (2015). *Morphological characterization and diversity of endomycorrhizae in the rhizosphere of CAROB TREE IN morrocco*. 3(1), 196–211.
- Timizar, i., & Fodil, L. (2020). *Etude de la valeur nutritive et du potentiel antioxydant des graines de caroube (Ceratonia siliqua L.)* (Doctoral dissertation, M'hamed Bougara faculté des sciences).
- Ulhaq, M. A., & Masnilah, R. (2019). Pengaruh Penggunaan Beberapa Varietas dan Aplikasi *Pseudomonas fluorescens* untuk Mengendalikan Penyakit Bulai (*Peronosclerospora maydis*) pada Tanaman Jagung (*Zea mays L.*). *Jurnal Pengendalian Hayati*, 2(1), 1-9.
- Varma, A., Prasad, R., & Tuteja, N. (Eds.). (2018). *Mycorrhiza-nutrient uptake, biocontrol, ecorestoration*. Springer.
- Wang, Q., Chen, X., Chai, X., Xue, D., Zheng, W., Shi, Y., & Wang, A. (2019). The involvement of Jasmonic acid, ethylene, and salicylic acid in the signaling pathway of *Clonostachys rosea*-induced resistance to gray mold disease in tomato. *Phytopathology*, 109(7), 1102-1114.
- Warrier, R. R., Paul, M., & Vineetha, M. V. (2013). Estimation of salicylic acid in Eucalyptus leaves using spectrophotometric methods. *Genetics and plant physiology*, 3(1-2), 90-97

- White, R. F. (1979). Acetylsalicylic acid (aspirin) induces resistance to tobacco mosaic virus in tobacco. *Virology*, 99(2), 410-412
- Windasari, L., Proborini, M. W., & Defiani, M. R. Biokontrol Endomikoriza Terhadap Jamur *Curvularia* sp. Penyebab Penyakit Tanaman Jagung (*Zea mays* L.). *Simbiosis VII* (2): 28-36. <http://ojs.unud.ac.id/index.php/simbiosis>
- Yi, H. S., Yang, J. W., & Ryu, C. M. (2013). ISR meets SAR outside: additive action of the endophyte *Bacillus pumilus* INR7 and the chemical inducer, benzothiadiazole, on induced resistance against bacterial spot in field-grown pepper. *Frontiers in plant science*, 4, 122.
- Zayed, M. S., Hassanein, M. K. K., Esa, N. H., & Abdallah, M. M. F. (2013). Productivity of pepper crop (*Capsicum annum* L.) as affected by organic fertilizer, soil solarization, and endomycorrhizae. *Annals of Agricultural Sciences*, 58(2), 131-137.
- Zhang, Y., & Li, X. (2019). Salicylic acid: biosynthesis, perception, and contributions to plant immunity. *Current opinion in plant biology*, 50, 29-36.