

DAFTAR PUSTAKA

- [1] P. S. Kumar, K. Gurusami, R. Rajaprasanna, G. Puthilibai, M. C. A. Chakaravarthi, and G. Ramakrishnan, “Materials Today : Proceedings *Characterizations on hybrid of caustic treated natural and glass fiber composites,*” *Mater. Today Proc.*, no. xxxx, pp. 10–13, 2020, doi: 10.1016/j.matpr.2020.07.669.
- [2] S. Kannan, R. J. Bright, and A. J. Moses, “Materials Today : Proceedings A *review on mechanical characterization of polymer matrix composites & its effects reinforced with various natural fibres,*” *Mater. Today Proc.*, no. xxxx, 2020, doi: 10.1016/j.matpr.2020.06.259.
- [3] L. Prabhu *et al.*, “Materials Today : Proceedings A *review on natural fiber reinforced hybrid composites : chemical treatments , manufacturing methods and potential applications,*” *Mater. Today Proc.*, vol. 45, pp. 8080–8085, 2021, doi: 10.1016/j.matpr.2021.01.280.
- [4] M. Balachandar, V. R. B, P. Jagadeeshwar, and R. Yokesh, “ScienceDirect *Mechanical behaviour of Natural and Glass fiber reinforced with polymer matrix composite,*” *Mater. Today Proc.*, vol. 16, pp. 1297–1303, 2019, doi: 10.1016/j.matpr.2019.05.227.
- [5] S. Mishra, A. K. Mohanty, L. T. Drzal, M. Misra, and G. Hinrichsen, “*A review on pineapple leaf fibers, sisal fibers and their biocomposites,*” *Macromol. Mater. Eng.*, vol. 289, no. 11, pp. 955–974, 2004, doi: 10.1002/mame.200400132.
- [6] B. N. Sandeep, K. Buddha, J. Ashok Raj, K. Chandra Babu Naidu, and M. Manjunatha, “*Preparation and characterization using Tectona Grandis natural fiber for the green composite polymer matrix,*” *Mater. Today Proc.*, vol. 47,, pp. 3703–3710, 2021, doi: 10.1016/j.matpr.2021.01.754.
- [7] N. Karthi, K. Kumaresan, S. Sathish, S. Gokulkumar, L. Prabhu, and N. Vigneshkumar, “Materials Today : Proceedings An overview : *Natural fiber reinforced hybrid composites , chemical treatments and application areas,*” *Mater. Today Proc.*, no. pp. 1–7, 2020, doi: 10.1016/j.matpr.2020.01.011.

- [8] M. Ramesh, K. Palanikumar, and K. H. Reddy, “*Plant fibre based bio-composites : Sustainable and renewable green materials,*” *Renew. Sustain. Energy Rev.*, vol. 79, no. February, pp. 558–584, 2017, doi: 10.1016/j.rser.2017.05.094.
- [9] M. Ramesh, K. Palanikumar, and K. H. Reddy, “*Mechanical property evaluation of sisal-jute-glass fiber reinforced polyester composites,*” *Compos. Part B Eng.*, vol. 48, pp. 1–9, 2013, doi: 10.1016/j.compositesb.2012.12.004.
- [10] B. E. Pallesen, “*The quality of combine-harvested fibre flax for industrials purposes depends on the degree of retting,*” *Ind. Crops Prod.*, vol. 5, no. 1, pp. 65–78, 1996, doi: 10.1016/0926-6690(95)00049-6.
- [11] M. Ramesh, K. Palanikumar, and K. H. Reddy, “*Influence of fiber orientation and fiber content on properties of sisal-jute-glass fiber-reinforced polyester composites,*” vol. 42968, pp. 1–9, 2016, doi: 10.1002/app.42968.
- [12] R. Vimal, K. H. Hara, C. Aswin, V. Logeswaran, and M. Ramesh, “*Comparisional Study of Succinylation and Phthalicylation of Jute Fibres : Study of Mechanical Properties of Modified Fibre Reinforced Epoxy Composites,*” *Mater. Today Proc.*, vol. 2, no. 4–5, pp. 2918–2927, 2015, doi: 10.1016/j.matpr.2015.07.254.
- [13] M. Ramesh, “*Kenaf (Hibiscus cannabinus L .) fibre based bio-materials : A review on processing and properties,*” *J. Prog. Mater. Sci.*, 2016, doi: 10.1016/j.jpmatsci.2015.11.001.
- [14] A. Atiqah, *Characterization and Interface of Natural and Synthetic Hybrid Composites*. Elsevier Ltd., 2019.
- [15] J. I. Morán, V. A. Alvarez, V. P. Cyras, and A. Vázquez, “*Extraction of cellulose and preparation of nanocellulose from sisal fibers,*” *Cellulose*, vol. 15, no. 1, pp. 149–159, 2008, doi: 10.1007/s10570-007-9145-9.
- [16] Z. I. Glavcheva, D. Y. Yancheva, Y. K. Kancheva, E. A. Velcheva, and B. A. Stamboliyska, “*Development of FTIR spectra database of reference art and archaeological materials,*” *Bulg. Chem. Commun.*, vol. 46, no. Special

- Issue A, pp. 164–169, 2014.
- [17] P. Nascimento, R. Marim, G. Carvalho, and S. Mali, “*Nanocellulose produced from rice hulls and its effect on the properties of biodegradable starch films*,” *Mater. Res.*, vol. 19, no. 1, pp. 167–174, 2016, doi: 10.1590/1980-5373-MR-2015-0423.
 - [18] B. Mahltig, “High-performance fibres – a review of properties and ir-spectra,” *Tekstilec*, vol. 64, no. 2, pp. 96–118, 2021, doi: 10.14502/Tekstilec2021.64.96-118.
 - [19] M. H. Sainorudin *et al.*, “*Structural characterization of microcrystalline and nanocrystalline cellulose from Ananas comosus L. leaves: Cytocompatibility and molecular docking studies*,” *Nanotechnol. Rev.*, vol. 10, no. 1, pp. 793–806, 2021, doi: 10.1515/ntrev-2021-0053.