

## DAFTAR PUSTAKA

1. Sheet F. Global HIV statistics People living with HIV People living with HIV accessing antiretroviral therapy New HIV infections AIDS-related deaths. UNAIDS 2023; [https://www.unaids.org/sites/default/files/media\\_asset/UNAIDS\\_FactSheet\\_en.pdf](https://www.unaids.org/sites/default/files/media_asset/UNAIDS_FactSheet_en.pdf)
2. Nasruddin. Virologi HIV. In: Siti Setiati, Idrus Alwi, Aru W. Sudoyo, Marcellus Simadibrata,Bambang Setyohadi, Ari Fahrial Syam, editors. Ilmu Penyakit Dalam. Jakarta: Internal Publishing; 2014. Vol VI. pp. 898-901.
3. Merati P. imunopatogenesis infeksi HIV. In: Siti Setiati, Idrus Alwi, Aru W. Sudoyo, Marcellus Simadibrata,Bambang Setyohadi, Ari Fahrial Syam, editors. Ilmu Penyakit Dalam. Jakarta: Internal Publishing; 2014. Vol VI. pp.902-910.
4. Ganz T. Hepcidin, a key regulator of iron metabolism and mediator of anemia of inflammation. Blood. 2003;102(3):783-788. doi:10.1182/blood-2003-03-0672
5. Babitt JL, Lin HY. Molecular Mechanisms of Hepcidin Regulation: Implications for the Anemia of CKD. Am J Kidney Dis. 2010;55(4):726-741. doi:10.1053/j.ajkd.2009.12.030
6. Xu M, Kashanchi F, Foster A, et al. Hepcidin induces HIV-1 transcription inhibited by ferroportin. *Retrovirology*. 2010;7: 1-15. doi:10.1186/1742-4690-7-104.
7. Johnson EE, Wessling-Resnick M. Iron metabolism and the innate immune response to infection. *Microbes Infect.* 2012;14(3):207-216. doi:10.1016/j.micinf.2011.10.001
8. Masaisa F, Breman C, Gahutu JB, Mukabi J, Delanghe J, Philippé J. Ferroportin (SLC40A1) Q248H mutation is associated with lower circulating serum hepcidin levels in Rwandese HIV-positive women. *Ann Hematol.* 2012;91(6):911-916. doi:10.1007/s00277-011-1400-3
9. Institut Agus Somia I, Merati TP, Made Bakta I, et al. High levels of serum



- IL-6 and serum hepcidin and low CD4 cell count were risk factors of anemia of chronic disease in HIV patients on the combination of antiretroviral therapy. *HIV/AIDS - Res Palliat Care.* 2019;11:133-139. doi:10.2147/HIV.S195483
10. Kerkhoff AD, Meintjes G, Burton R, Vogt M, Wood R, Lawn SD. Relationship between blood concentrations of hepcidin and anemia severity, mycobacterial burden, and mortality among patients with HIV-associated tuberculosis. *J Infect Dis.* 2016;213(1):61-70. doi:10.1093/infdis/jiv364
  11. Armitage AE, Stacey AR, Giannoulatou E, et al. Distinct patterns of hepcidin and iron regulation during HIV-1, HBV, and HCV infections. *Proc Natl Acad Sci U S A.* 2014;111(33):12187-12192. doi:10.1073/pnas.1402351111
  12. Minchella PA, Armitage AE, Darboe B, et al. Elevated hepcidin is part of a complex relation that links mortality with iron homeostasis and anemia in men and women with HIV infection. *J Nutr.* 2015;145(6):1194-1201. doi:10.3945/jn.114.203158
  13. Quiros-Roldan E, Castelli F, Lanza P, et al. The impact of antiretroviral therapy on iron homeostasis and inflammation markers in HIV-infected patients with mild anemia. *J Transl Med.* 2017;15(1):1-11. doi:10.1186/s12967-017-1358-6
  14. Szymczak A, Zalewska M, Rymer W, Jankowska EA. Asymptomatic Human Immunodeficiency Virus-1 Infection with High CD4+ T Cell Count Does Not Alter Iron Metabolism or Hepcidin Levels: The Pilot Study. *Infect Dis Ther.* 2022;11(1):265-275. doi:10.1007/s40121-021-00560-1
  15. Goel N. National Guidelines for HIV Testing. New Delhi: National AIDS Control Organisation; 2015. pp.1-12
  16. Kwapisz J, Slomka A, Zekanowska E. Hepcidin and Its Role in Iron Homeostasis. *Ejifcc.* 2009;20(2):124-128.



[p://www.ncbi.nlm.nih.gov/pubmed/27683336%0Ahttp://www.ncbi.nlm.nih.gov/](http://www.ncbi.nlm.nih.gov/pubmed/27683336)  
<http://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC4975279>

High B, Arora S, Agrawal P, Gupta SK. Hepcidin: A novel peptide

- hormone regulating iron metabolism. *Clin Chim Acta.* 2011;412(11-12):823-830. doi:10.1016/j.cca.2011.02.014
18. Drakesmith H, Prentice A. Viral infection and iron metabolism. *Nat Rev Microbiol.* 2008;6(7):541-552. doi:10.1038/nrmicro1930
  19. Van Eijk LT, Kroot JJC, Tromp M, Van der Hoeven JG, Swinkels DW, Pickkers P. Inflammation-induced hepcidin-25 is associated with the development of anemia in septic patients: An observational study. *Crit Care.* 2011;15(1):2-7. doi:10.1186/cc9408
  20. Armitage AE, Moran E. HIV-associated tuberculosis: Does the iron-regulatory hormone hepcidin connect anemia with poor prognosis? *Journal of Infectious Diseases.* 2016;213(1):3-5. doi:10.1093/infdis/jiv365
  21. Wisaksana R, De Mast Q, Alisjahbana B, et al. Inverse relationship of serum hepcidin levels with CD4 cell counts in HIV-infected patients selected from an Indonesian prospective cohort study. *PLoS One.* 2013;8(11):1-8. doi:10.1371/journal.pone.0079904

