

## DAFTAR PUSTAKA

- Abbas, A. M., Al-Kibsi, T. A. M., Al-Akwa, A. A. Y., AL-Haddad, K. A., Al-Shamahy, H. A., & Al-Iabani, M. A. (2020). Characterization and antibiotic sensitivity of bacteria in orofacial abscesses of odontogenic origin. *Journal of Pharmaceutical Research*, 5(6), 36–42.
- Albillos, A., de la Hera, A., González, M., Moya, J., Calleja, J., Monserrat, J., Ruiz-del-Arbol, L., & Alvarez-Mon, M. (2003). Increased lipopolysaccharide binding protein in cirrhotic patients with marked immune and hemodynamic derangement. *Hepatology*, 37(1), 208–217.
- Alotaibi, N., Cloutier, L., Khaldoun, E., Bois, E., Chirat, M., & Salvan, D. (2015). Criteria for admission of odontogenic infections at high risk of deep neck space infection. *European Annals of Otorhinolaryngology, Head and Neck Diseases*, 132(5), 261–264. <https://doi.org/10.1016/j.anorl.2015.08.007>
- Ashraf F. Fouad and Asma A. Khan. (2019). Prevention and treatment of apical periodontitis. Third edition. *Essential Endodontology: John Wiley and Sons Ltd*;, 59–90.
- Bahl, R., Sandhu, S., Singh, K., Sahai, N., & Gupta, M. (2014). Odontogenic infections: Microbiology and management. *Contemporary Clinical Dentistry*, 5(3), 307–311. <https://doi.org/10.4103/0976-237X.137921>
- Bahl, R., Sandhu, S., Singh, K., Sahai, N., & Gupta, M. (2014b). Odontogenic infections: Microbiology and management. *Contemporary Clinical Dentistry*, 5(3), 307.
- Balaji. (2009). *Textbook of Oral and Maxillofacial Surgery* (L. M. Daniel (ed.); Third).
- Bota, D.P., Mélot, C., Ferreira, F.L., & Vincent, J.L. (2003). Infection Probability Score (IPS): A method to help assess the probability of infection in critically ill patients\*. *Critical Care Medicine*, 31, 2579-2584.
- Cai, Y. J., Dong, J. J., Dong, J. Z., Yang, N. B., Song, M., Wang, Y. Q., Chen, Y. P., Lin, Z., & Shi, K. Q. (2017). Neutrophil-lymphocyte ratio predicts hospital-acquired bacterial infections in decompensated cirrhosis. *Clinica Chimica Acta*, 469, 201–207. <https://doi.org/10.1016/j.cca.2017.04.011>
- Carroll, K. C., Hobden, J. A., Miller, S., Morse, S., Mietzner, T., Detrick, B., Mitchell, T. G., McKerrow, J. H., & Sakanari, J. A. (2016). *Microbiología médica*. McGraw-Hill Interamericana.
- Christensen R. D., Baer, V. L., Gordon, P. V., Henry, E., Whitaker, C., Andres, R. L., & Holland, I.S. (2012). Reference ranges for lymphocyte counts of neonates: between abnormal counts and outcomes. *Pediatrics*, 129(5). <https://doi.org/10.1542/peds.2011-2661>
- Christensen R. D., Baer, V. L., Gordon, P. V., Henry, E., Whitaker, C., Andres, R. L., & Holland, I.S. (2022). Dysphagia after incision and drainage of a deep neck caused by dental infection: a case report and review of the literature. *Iranian Journal of Oral and Maxillofacial Surgery*.
- Christensen R. D., Baer, V. L., Gordon, P. V., Henry, E., Whitaker, C., Andres, R. L., & Holland, I.S. (2022). Computed tomography-guided drainage of a deep neck abscess caused by dental infection: a case report and review of the literature. *Iranian Journal of Oral and Maxillofacial Surgery*.



tomography analysis of fascial space involvement demonstrates correlations with laboratory tests, length of hospital stays and admission to the intensive care unit in odontogenic infections. *Brazilian Journal of Otorhinolaryngology*, 88, S170 - S176.

Dirchwolf, M., & Ruf, A. E. (2015). Role of systemic inflammation in cirrhosis: From pathogenesis to prognosis. *World Journal of Hepatology*, 7(16), 1974.

Djordjevic, D., Rondovic, G., Surbatovic, M., Stanojevic, I., Udovicic, I., Andjelic, T., Zeba, S., Milosavljevic, S., Stankovic, N., Abazovic, D., Jevdjic, J., & Vojvodic, D. (2018). Neutrophil-to-Lymphocyte Ratio, Monocyte-to-Lymphocyte Ratio, Platelet-to-Lymphocyte Ratio, and Mean Platelet Volume-to-Platelet Count Ratio as Biomarkers in Critically Ill and Injured Patients: Which Ratio to Choose to Predict Outcome and Nature of Bacte. *Mediators of Inflammation*, 2018. <https://doi.org/10.1155/2018/3758068>

Dogrueel, F., Gonen, Z. B., Gunay-Canpolat, D., Zararsiz, G., & Alkan, A. (2017). The neutrophil-to-lymphocyte ratio as a marker of recovery status in patients with severe dental infection. *Medicina Oral, Patologia Oral y Cirugia Bucal*, 22(4), e440–e445. <https://doi.org/10.4317/medoral.21915>

Eberl, M., & Davey, M. (n.d.). *Neutrophils*. 8.

Forget, P., Khalifa, C., Defour, J. P., Latinne, D., Van Pel, M. C., & De Kock, M. (2017). What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Research Notes*, 10(1), 1–4. <https://doi.org/10.1186/s13104-016-2335-5>

Fornari, V., Souza, M.A., Dallepiane, F.G., Pasqualotti, A., & Conto, F.D. (2024). Maxillofacial infections of dental origin. *Brazilian Journal of Oral Sciences*.

Frías-Muñoz Dds<sup>1</sup>, M., Araujo-Espino, R., Víctor, P. ;, Martínez-Aguilar, M., Correa, T., Dds<sup>4</sup>, A., Luis, ;, Aguilera-Galaviz, A., & Gaitán-Fonseca, C. (2017). *Frías et al: Aggressive Periodontitis and its Multidisciplinary Focus: Review of the Literature Aggressive Periodontitis and its Multidisciplinary Focus: Review of the Literature Periodontitis agresiva y su enfoque multidisciplinario: Revisión de literatu*. 3, 27–33. <http://dx.doi.org/10.15517/ijds.v0i0.28869>

Ghasemi, S., Mortezaigholi, B., Movahed, E., Sanjarian, S., Ghaedi, A., Mallahi, A., Bazrgar, A., Khanzadeh, M., Lucke-Wold, B., & Khanzadeh, S. (2024). Neutrophil to lymphocyte ratio in odontogenic infection: a systematic review. *Head & Face Medicine*, 20.

Gallagher, N., Collyer, J., & Bowe, C. M. (2021). Neutrophil to lymphocyte ratio as a prognostic marker of deep neck space infections secondary to odontogenic infection. *British Journal of Oral and Maxillofacial Surgery*, 59(2), 228–232. <https://doi.org/https://doi.org/10.1016/j.bjoms.2020.08.075>

Gosses (2022). *Hematology and hemostasis in the pediatric, geriatric, and tions* (Sixth Edit). Elsevier Inc.



3). Hematology and hemostasis in the pediatric, geriatric, and tions. In *Rodak's Hematology: Clinical Principles and ixth Edit*). Elsevier Inc. <https://doi.org/10.1016/B978-0-323-0>

Optimized using  
trial version  
[www.balesio.com](http://www.balesio.com)

, J. (2016). Diffuse descending necrotising mediastinitis and

- pleural empyema secondary to acute odontogenic infection resulting in severe dysphagia. *BMJ Case Reports*, 2016.
- Greenlee-Wacker, M. C. (2016). Clearance of apoptotic neutrophils and resolution of inflammation. *Immunological Reviews*, 273(1), 357–370. <https://doi.org/10.1111/imr.12453>
- Grillo, R., Balel, Y., Brozowski, M. A., Ali, K., Adebayo, E. T., & da Graça Naclério-Homem, M. (2023). A global science mapping analysis on odontogenic infections. *Journal of Stomatology, Oral and Maxillofacial Surgery*, 101513.
- Guzmán-Letelier, M., Crisosto-Jara, C., Diaz-Ricouz, C., Peñarrocha-Diago, M., & Peñarrocha-Oltra, D. (2017). Severe odontogenic infection: An emergency. Case report. *Journal of Clinical and Experimental Dentistry*, 9(2), e319–e324. <https://doi.org/10.4317/jced.53308>
- Han, J., Liao, L., Bayetto, K., May, B., Goss, A., Sambrook, P., & Cheng, A. (2020). The financial burden of acute odontogenic infections: the South Australian experience. *Australian Dental Journal*, 65(1), 39–45. <https://doi.org/10.1111/adj.12726>
- Haug, R. H., Hoffman, M. J., & Indresano, A. T. (1991). An epidemiologic and anatomic survey of odontogenic infections. *Journal of Oral and Maxillofacial Surgery*, 49(9), 976–980. [https://doi.org/https://doi.org/10.1016/0278-2391\(91\)90063-R](https://doi.org/https://doi.org/10.1016/0278-2391(91)90063-R)
- Hauser, M.S., & Boraski, J. (1986). Oropharyngeal carcinoma presenting as an odontogenic infection with trismus. *Oral surgery, oral medicine, and oral pathology*, 61 4, 330-2.
- Hegab, A. (2017). Management of Oral and Maxillofacial Infection. Where Shall We Start? *Journal of Dental Health, Oral Disorders & Therapy*, 7(3), 282–283. <https://doi.org/10.15406/jdhodt.2017.07.00242>
- Heim, N., Jürgensen, B., Kramer, F.-J., & Wiedemeyer, V. (2021). Mapping the microbiological diversity of odontogenic abscess: are we using the right drugs? *Clinical Oral Investigations*, 25, 187–193.
- Holub, M., Beran, O., Kaspříková, N., & Chalupa, P. (2012). Neutrophil to lymphocyte count ratio as a biomarker of bacterial infections. *Central European Journal of Medicine*, 7(2), 258–261. <https://doi.org/10.2478/s11536-012-0002-3>
- Hsiao, A. L., & Baker, M. D. (2005). Fever in the new millennium: A review of recent studies of markers of serious bacterial infection in febrile children. *Current Opinion in Pediatrics*, 17(1), 56–61. <https://doi.org/10.1097/01.mop.0000151781.13635.70>
- Imran, M. M., Ahmad, U., Usman, U., Ali, M., Shaukat, A., & Gul, N. (2021). Neutrophil/lymphocyte ratio—A marker of COVID-19 pneumonia severity. *Journal of Clinical Practice*, 75(4), 1–7. [0.1111/ijcp.13698](https://doi.org/10.1111/ijcp.13698)
- Sharma, M.K., Sethi, M., Deswal, V., Kataria, S., Mehta, Y., & Saxena, S. (2021). Utility of new advanced hematological parameters in early prediction of COVID-19. *International Journal of Laboratory Hematology*, 45,



- Jiménez Y, Bagán JV, Murillo J, Poveda R. (2004). Infecciones odontogénicas. Complicaciones. Manifestaciones sistémicas. *Med Oral Patol Oral Cir Bucal*;9 Suppl:S139-47. © Medicina Oral S. L. C.I.F. B 96689336 - ISSN 1137 – 2834
- Jevon, P., Abdelrahman, A., & Pigadas, N. (2020). Odontogenicinfections. *British Dental Journal*, 229(6), 363–370.
- Kabanova AA, Pokhoden'ko–Chudakova IO, Kabanova SA. (2023). Systemic Inflammatory Response Syndrome and Serum Procalcitonin in Odontogenic Maxillofacial Infection. *I. P. Pavlov Russian Medical Biological Herald*;31(1):119–125. DOI: <https://doi.org/10.17816/PAVLOVJ106281>
- Khorshed, S. E., Ibraheem, H. A., & Awad, S. M. (2015). Macrophage Inflammatory Protein-1 Beta (MIP-1 $\beta$ ) and Platelet Indices as Pre-dictors of Spontaneous Bacterial Peritoni-tis—MIP, MPV and PDW in SBP. *Open Journal of Gastroenterology*, 5(07), 94.
- Ko, H., Chien, W., Lin, Y., Chung, C., & Cheng, S. (2017). Examining the correlation between diabetes and odontogenic infection: A nationwide, retrospective, matched-cohort study in Taiwan. *PLoS ONE*, 12.
- Könönen, E., GURSOY, M., & GURSOY, U. K. (2019). Periodontitis: A multifaceted disease of tooth-supporting tissues. *Journal of Clinical Medicine*, 8(8). <https://doi.org/10.3390/jcm8081135>
- Kusumoto, J., Iwata, E., Huang, W., Takata, N., Tachibana, A., & Akashi, M. (2022). Hematologic and inflammatory parameters for determining severity of odontogenic infections at admission: a retrospective study. *BMC Infectious Diseases*, 22(1), 1–11. <https://doi.org/10.1186/s12879-022-07934-x>
- Krastev, Z.A., Vladimirov, B., Mateva, L., & Alexiev, A. (1996). Quantitative assessment of severity of biliary tract infection. *Hepato-gastroenterology*, 43 10, 792-5.
- Lee, J.-H., Song, S., Yoon, S.-Y., Lim, C. S., Song, J.-W., & Kim, H.-S. (2016). Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio as diagnostic markers for pneumonia severity. *British Journal of Biomedical Science*, 73(3), 140–142.
- Li, T., Dong, G., Zhang, M., Xu, Z., Hu, Y., Xie, B., Wang, Y., & Xu, B. (2020). Association of neutrophil-lymphocyte ratio and the presence of neonatal sepsis. *Journal of Immunology Research*, 2020. <https://doi.org/10.1155/2020/7650713>
- Li, Y., Wang, M., Wang, W., Feng, D., Deng, H., Zhang, Y., Dang, S., & Zhai, S. (2020). Prognostic value of neutrophil-to-lymphocyte ratio in predicting death risk in patients with severe hand, foot and mouth disease. *Therapeutics and Clinical Risk Management*, 16, 1023–1029. <https://doi.org/10.2147/TCRM.S268130>
- Li, H. P., Xia, P. S., Qiu, D. H., Liang, M. Q., Qu, J. F., Chen, Y. O). High Neutrophil-to-Lymphocyte Ratio Predicts Hemorrhagic in Acute Ischemic Stroke Patients Treated with Intravenous *International Journal of Hypertension*, 2020, 2–7. 0.1155/2020/5980261
- Li, C., Jarman, I., Lisboa, P., Nee, P. A., Vardhan, M., Eckersley, Mills, H. (2015). Neutrophil to lymphocyte count ratio as an early



- indicator of blood stream infection in the emergency department. *Emergency Medicine Journal*, 32(7), 531–534.
- Maguire, D., Woods, M., Richards, C., Dolan, R., Veitch, J. W., Sim, W. M. J., Kemmett, O. E. H., Milton, D. C., Randall, S. L. W., Bui, L. D., Goldmann, N., Cameron, A., Laird, B., Talwar, D., Godber, I., Davidson, A., & McMillan, D. C. (2020). Prognostic factors in patients admitted to an urban teaching hospital with COVID-19 infection. *Journal of Translational Medicine*, 18(1), 1–11. <https://doi.org/10.1186/s12967-020-02524-4>
- McMillan, D. C. (2009). Systemic inflammation, nutritional status and survival in patients with cancer. *Current Opinion in Clinical Nutrition & Metabolic Care*, 12(3), 223–226.
- Mirochnik, R., Araida, S., Yaffe, V., & El-Naaj, I. A. (2017). C-reactive protein concentration as a prognostic factor for inflammation in the management of odontogenic infections. *British Journal of Oral and Maxillofacial Surgery*, 55(10), 1013–1017.
- Mohamad Qulam Zaki Bin Mohamad Rasidi, Muthukrishnan Arvind, Dinesh Prabu. (2020). Trismus and odontogenic infection - A retrospective study. *Int. J. Res. Pharm. Sci.*, , 11 (SPL3), 1731-1736
- Nauseef, W. M., & Borregaard, N. (2014). Neutrophils at work. *Nature Immunology*, 15(7), 602–611. <https://doi.org/10.1038/ni.2921>
- Netea, M. G., Joosten, L. A. B., Latz, E., Mills, K. H. G., Natoli, G., Stunnenberg, H. G., O'Neill, L. A. J., & Xavier, R. J. (2016). Trained immunity: A program of innate immune memory in health and disease. *Science*, 352(6284), 427. <https://doi.org/10.1126/science.aaf1098>
- Nugroho, A., & Nawawi, A. M. (2013). Hubungan antara rasio neutrofil-limfosit dan skor sequential organ failure assesment pada pasien yang dirawat di ruang intensive care unit. *Jurnal Anestesi Perioperatif*, 1(3), 189–196.
- Obradović, B. (2021). Intraoral management of odontogenic infection associated with severe trismus under local anesthesia. *Annali italiani di chirurgia*, 92, 116-118.
- Ogle, O. E. (2017). Odontogenic Infections. *Dental Clinics of North America*, 61(2), 235–252. <https://doi.org/10.1016/j.cden.2016.11.004>
- Opitz, D., Camerer, C., Camerer, D. M., Raguse, J. D., Menneking, H., Hoffmeister, B., & Adolphs, N. (2015). Incidence and management of severe odontogenic infections - A retrospective analysis from 2004 to 2011. *Journal of Cranio-Maxillofacial Surgery*, 43(2), 285–289. <https://doi.org/10.1016/j.jcms.2014.12.002>
- Oral and Dental Expert Group. (2019). *Therapeutic Guidelines: Oral and Dental Version 2: Therapeutic Guidelines*.
- ..., Steinberg, J.P., & Olsson, A.B. (2012). Ascending necrotizing osteomyelitis following odontogenic infection. *The Journal of craniofacial surgery*, 44(2), e211-4 .
- ..., Passori, G.E. (2001). Deep Facial Infection of Odontogenic Origin. *Journal of Oral and Maxillofacial Surgery*, 59(1), 15 - 15.
- ..., Marsh, P. D., Ekstrand, K., Weintraub, J. A., Ramos-Gomez, M., Twetman, S., Tsakos, G., & Ismail, A. (2017). Dental caries.



*Nature Reviews Disease Primers*, 3(November).  
<https://doi.org/10.1038/nrdp.2017.30>

- Prihandana, A. N., Yusuf, H. Y., Nurwiadh, A., & Lismayanti, L. (2021). Correlation of odontogenic infection severity score with C-reactive protein levels on patients with odontogenic infection in Dr Hasan Sadikin General Hospital Bandung. *Padjadjaran Journal of Dentistry*, 33(1), 19. <https://doi.org/10.24198/pjd.vol33no1.21252>
- Pricop, M.; Ancusa, O.; Talpos, S.; Urechescu, H.; Bumbu, B.A. (2022) The Predictive Value of Systemic Immune-Inflammation Index and Symptom Severity Score for Sepsis and Systemic Inflammatory Response Syndrome in Odontogenic Infections. *J. Pers. Med.*, 12, 2026. <https://doi.org/10.3390/jpm12122026>
- Qamar, A. A., & Grace, N. D. (2009). Abnormal hematological indices in cirrhosis. *Canadian Journal of Gastroenterology and Hepatology*, 23, 441–445.
- Riché, F., Gayat, E., Barthélémy, R., Le Dorze, M., Matéo, J., & Payen, D. (2015). Reversal of neutrophil-to-lymphocyte count ratio in early versus late death from septic shock. *Critical Care*, 19, 1–10.
- Roccia, F., Pecorari, G. C., Oliaro, A., Passet, E., Rossi, P., Nadalin, J., Garzino-Demo, P., & Berrone, S. (2007). Ten Years of Descending Necrotizing Mediastinitis: Management of 23 Cases. *Journal of Oral and Maxillofacial Surgery*, 65(9), 1716–1724. <https://doi.org/https://doi.org/10.1016/j.joms.2006.10.060>
- Rodrigues, C.M., Santos, D.M., Maciel Oliveira, M.M., De Almeida, V.L., Soares dos Reis, D.C., & Batista, J.D. (2021). Infecção cervicofacial grave de origem odontogênica – relato de caso.
- Rosca, O., Bumbu, B.A., Ancusa, O.E., Talpos, S., Urechescu, H., Ursoniu, S., Bloancă, V., & Pricop, M. (2022). The Role of C-Reactive Protein and Neutrophil to Lymphocyte Ratio in Predicting the Severity of Odontogenic Infections in Adult Patients. *Medicina*, 59.
- Rosales, C., Lowell, C. A., Schnoor, M., & Uribe-Querol, E. (2017). Neutrophils: Their role in innate and adaptive immunity 2017. *Journal of Immunology Research*, 2017, 2–4. <https://doi.org/10.1155/2017/9748345>
- Sainuddin, S., Hague, R., Howson, K., & Clark, S. (2017). New admission scoring criteria for patients with odontogenic infections: a pilot study. *British Journal of Oral and Maxillofacial Surgery*, 55(1), 86–89. <https://doi.org/10.1016/j.bjoms.2016.05.003>
- Saputra, I. M. Y., Gustawan, W., Utama, M. D., & Arhana, B. (2019). Rasio Neutrofil dan Limfosit (NLCR) Sebagai Faktor Risiko Terjadinya Infeksi Bakteri di Ruang Rawat Anak RSUP Sanglah Denpasar. *Sari Pediatri*, 20(6), 354. <https://doi.org/10.14238/sp20.6.2019.354-9>
- S., Deshpande, M., Ranadive, P., Sharma, S., Kazi, N., & (20). Influence of platelet-rich fibrin on wound healing and bone er tooth extraction: A clinical and radiographic study. *Journal of and Craniofacial Research*, 10(4), 385–390. <https://doi.org/10.1016/j.jobcr.2020.06.012>
- Freire Filho, F.W., Moreira, R.W., & de Moraes, M. (2009).



Eight-year retrospective study of odontogenic origin infections in a postgraduation program on oral and maxillofacial surgery. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 67 5, 1092-7.

Siqueira, J. F., & Rôças, I. N. (2013). Microbiology and treatment of acute apical abscesses. *Clinical Microbiology Reviews*, 26(2), 255–273. <https://doi.org/10.1128/CMR.00082-12>

Skouteris, C. A. (2018). *Dental Management of the Pregnant Patient*. Wiley Online Library.

Schwartz, R.H., Bahadori, R.S., & Willis, A. (2015). Submasseteric Infection: A Rare, Deep Space Cheek Infection Causing Trismus. *Pediatric Emergency Care*, 31, 787–788.

Tanriverdi, H., Örnek, T., Erboy, F., Altinsoy, B., Uygur, F., Atalay, F., & Tor, M. M. (2015). Comparison of diagnostic values of procalcitonin, C-reactive protein and blood neutrophil/lymphocyte ratio levels in predicting bacterial infection in hospitalized patients with acute exacerbations of COPD. *Wiener Klinische Wochenschrift*, 127.

T Handley, M Devlin, D Koppel, J McCaul. (2009). The sepsis syndrome in odontogenic infection. *JICS Volume 10*, Number 1, January

Tecchio, C., Micheletti, A., & Cassatella, M. A. (2014). Neutrophil-derived cytokines: Facts beyond expression. *Frontiers in Immunology*, 5(OCT), 1–8. <https://doi.org/10.3389/fimmu.2014.00508>

Topasian. (2004). *Oral and Maxillofasial Infection* (4 th).

Toppo, S., Chanda, H., & Tajrin, A. (2014). Abses spasium temporal akibat infeksi odontogenik. *Jurnal Persatuan Dokter Gigi Indonesia Makasar*, 3(4), 1–10.

Trinolaurig, S., Lismayanti, L., Nurwiadh, A., & Yusuf, H. Y. (2019). Correlation between Neutrophil-Lymphocyte-Ratio (NLR) and Clinical Severity in Acute Odontogenic Infection Patients. *International Journal of Science and Research*, 8(4), 957–961.

Trombelli, L., Farina, R., Silva, C. O., & Tatakis, D. N. (2018). Plaque-induced gingivitis: Case definition and diagnostic considerations. *Journal of Periodontology*, 89(1), S46–S73. <https://doi.org/10.1002/JPER.17-0576>

Tuchendler, E., Tuchendler, P. K., & Madej, G. (2018). Immunodeficiency caused by cirrhosis. *Clinical and Experimental Hepatology*, 4(3), 158–164.

Van der Sluis, L. W. (2005). Endodontic diagnosis. *Nederlands Tijdschrift Voor Tandheelkunde*, 112(11), 420–426. [https://doi.org/10.5005/jp/books/10028\\_1](https://doi.org/10.5005/jp/books/10028_1)

Van der Geest, P.J., Mohseni, M., Linssen, J., Duran, S., de Jonge, R., & Groeneveld, A.B. (2016). The intensive care infection score – a novel marker for the action and its severity. *Critical Care*, 20.



D. (2017). Clinical guideline for the management of odontogenic infection in a tertiary setting. *Australian Dental Journal*, 62(4), 464–470. [0.1111/adj.12538](https://doi.org/10.1111/adj.12538)

Young, S., & Fakhouri, W. D. (2019). An insight into acute infection and the need for an evidence-based standard of care. *Dentistry*, 49(10). <https://doi.org/10.3390/dj7030088>

- Weise, H., Naros, A., Weise, C., Reinert, S., & Hoefert, S. (2019). Severe odontogenic infections with septic progress - A constant and increasing challenge: A retrospective analysis. *BMC Oral Health*, 19(1), 1–6. <https://doi.org/10.1186/s12903-019-0866-6>
- Weimann, K., Zimmermann, M., Spies, C.D., Wernecke, K., Vicherek, O., Nachtigall, I., Tafelski, S., & Weimann, A. (2015). Intensive Care Infection Score – A new approach to distinguish between infectious and noninfectious processes in intensive care and medicosurgical patients. *Journal of International Medical Research*, 43, 435 - 451.
- Wolfe, D. T., & Hermanson, D. R. (2004). *e Fraud Diamond: Considering the Four Elements of Fraud.* *e CPA Journal*, 74 (12), 38-42.
- Xiaojie, L., Hui, L., Zhongcheng, G., Chenggang, W., & Yaqi, N. (2021). The predictive value of interleukin-6 and neutrophil-lymphocyte ratio in patients with severe and extremely severe oral and maxillofacial space infections. *BioMed Research International*, 2021.
- Yonetsu, K., Izumi, M., & Nakamura, T. (1998). Deep facial infections of odontogenic origin: CT assessment of pathways of space involvement. *AJNR. American journal of neuroradiology*, 19 1, 123-8.
- Yu, B.-Z., Fu, J., Chai, W., Hao, L.-B., & Chen, J.-Y. (2020). Neutrophil to lymphocyte ratio as a predictor for diagnosis of early Periprosthetic joint infection. *BMC Musculoskeletal Disorders*, 21(1), 1–7.
- Zahorec, R. (2001). Ratio of neutrophil to lymphocyte counts-rapid and simple parameter of systemic inflammation and stress in critically ill. *Bratislavske Lekarske Listy*, 102(1), 5–14.
- Zamir, A., Ali, S.M., Khan, S.R., Khattak, Y.R., Sheema, Wajid, A., & Khattak, J.U. (2023). Systemic Comorbidities in Patients with Primary Fascial Space Infections of Odontogenic Orogen: Experience of a Tertiary Care Center. *Journal of Gandhara Medical and Dental Science*.





Lampiran 1 Surat Izin Penelitian di RSGMP Unhas



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN,  
RISET, DAN TEKNOLOGI  
UNIVERSITAS HASANUDDIN  
FAKULTAS KEDOKTERAN GIGI

Jalan Perintis Kemerdekaan Km. 10, Makassar 90245  
Telepon (0411) 586012, Faximile (0411) 584641  
Laman [www.unhas.ac.id](http://www.unhas.ac.id) Email [fdbu@unhas.ac.id](mailto:fdbu@unhas.ac.id)

Nomor : 05070/UN4.13/PT.01.04/2023  
Hal : Izin Penelitian

4 Desember 2023

Yth. Direktur Rumah Sakit Gigi dan Mulut Pendidikan (RSGMP)  
Universitas Hasanuddin  
Makassar

Dengan hormat kami sampaikan bahwa mahasiswa **Program Studi Pendidikan Dokter Gigi Spesialis (PPDGS) Bedah Mulut dan Maksilofasial** Fakultas Kedokteran Gigi Universitas Hasanuddin bermaksud untuk melakukan penelitian.

Sehubungan dengan hal tersebut, mohon kiranya dapat diberikan **izin penelitian** kepada peneliti di bawah ini:

Nama / NIM : Syawaluddin Boy / J045192001  
Waktu Penelitian : Juli 2021 s.d. Juli 2023  
Tempat Penelitian : Rumah Sakit Gigi dan Mulut Pendidikan (RSGMP) Universitas Hasanuddin  
Pembimbing : 1. Andi Tajrin, drg., M.Kes., Sp.BM.M. Subsp. C.O.M. (K).  
2. Nurwahida, drg., M.K.G., Sp.BM.M. Subsp. C.O.M. (K).  
Judul Penelitian : Korelasi Nilai Neutrofil-Limfosit-Ratio (NLR) dengan Tingkat Keparahan Infeksi Odontogenik di Rumah Sakit Gigi dan Mulut Pendidikan Unhas

Demikian permohonan kami, atas perhatian dan kerjasama yang baik diucapkan terima kasih.

a.n. Dekan,  
Wakil Dekan Bidang Akademik dan Kemahasiswaan




Acing Habibie Mude, drg., Ph.D., Sp.Pro.s., Subsp. OGST(K).  
NIP 198102072008121002

Tembusan:

1. Dekan FKG Unhas;
2. Kepala Bagian Tata Usaha FKG Unhas.



Lampiran 2 Rekomendasi Persetujuan Etik



**REKOMENDASI PERSETUJUAN ETIK**  
 Nomor: 0205/PL.09/KLPK FKGM-RSGM UNHAS/2023

Tanggal: 28 Desember 2023

Dengan ini menyatakan bahwa protokol dan dokumen yang berhubungan dengan protokol berikut ini telah mendapatkan persetujuan etik:

No. Protokol	U11 17121004	No Protokol Sponsor	
Peneliti Utama	drg. Syawaluddin Boy	Sponsor	Pribadi
Judul Penelitian	Korelasi Nilai Neutrofil-Limfosit-Ratio (NLR) dengan Tingkat Keparahan Infeksi Odontogenik di Rumah Sakit Gigi dan Mulut Pendidikan Unhas		
No. Versi Protokol	1	Tanggal Versi	20 Desember 2023
No. Versi Protokol		Tanggal Versi	
Tempat Penelitian	Rumah Sakit Gigi dan Mulut Pendidikan Universitas Hasanuddin		
Dokumen Lain			
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard	Masa Berlaku 28 Desember 2023-28 Desember 2024	Frekuensi Review Lanjutan
Ketua Komisi Etik Penelitian	Nama: Dr. drg. Marluamah, M.Kes	Tanda Tangan 	Tanggal
Sekretaris Komisi Etik Penelitian	Nama: drg. Muhammad Ikbal, Sp.Prof	Tanda Tangan 	Tanggal

**Kewajiban peneliti utama:**

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum diimplementasikan
- Menyerahkan laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan lapor SUSAR dalam 72 jam setelah peneliti utama menerima laporan.
- Menyerahkan laporan kemajuan (*progress report*) setiap 6 bulan untuk penelitian tinggi dan setiap setahun untuk penelitian resiko rendah.
- Menyerahkan laporan akhir setelah penelitian berakhir.
- Menyerahkan laporan penyimpangan dari protokol yang disetujui (*protocol violation*) jika semua aturan yang berlaku.



Optimized using  
 trial version  
[www.balesio.com](http://www.balesio.com)

