

DAFTAR PUSTAKA

- Aberle, E. D., J. C. Forrest, H. B. Hendrick, M. D, et. all. 2001. Principles of Meat Science. W. H. Freeman and Co., San Fransisco.
- Al-Daraji, H. J., Al-Mashadani, A. A., Al-Mashadani, W. K, et. all. 2012. Effect of in ovo injection with L-arginine on productive and physiological traits of Japanese quail. South African Journal of Animal Science, 42(2), 139-145.
- Abustam, E. 2012. Ilmu Daging: Aspek Produksi, Kimia, Biokimia Dan Kualitas. Cet.1. Masegena Press. Makassar.
- Admianto. N. A. 2022. Performa Peneluran Pertama Ayam Buras Hasil In Ovo Feeding Dan Ayam Kalosi Pada Sistem Pemeliharaan Intensif Dan Free-Range. Skripsi, Universitas Hasanuddin. Makassar.
- Agustina, L. 2013. Potensi Ayam Buras Indonesia. Edisi Pertama. Graha Ilmu. Yogyakarta.
- Amertaningtyas, D. 2012. Kualitas daging sapi segar di pasar tradisional Kecamatan poncokusumo kabupaten malang. Jurnal Ilmu dan Teknologi Hasil Ternak. 7(1): 42-47.
- Anonim. 2021. Populasi Ayam Buras menurut Provinsi. <https://www.bps.go.id/indicator/24/476/1/populasi-ayam-buras-menurut-provinsi-.html> (diakses pada tanggal 17 Juli 2023).
- Azhar, M. 2016. Performa ayam kampong pra-dan pasca-tetas hasil in ovo feeding of L-arginine . Tesis. Sekolah Pasca Sarjana. Universitas Hasanuddin. Makassar).
- Azhar, M., Sara, U., & Mirnawati, M. 2019. Pengaruh in ovo feeding l-arginine terhadap konsumsi pakan, pertambahan berat badan, dan konversi pakan ayam kampung. *Jurnal Peternakan Lokal*, 1(2), 16-20.
- Balai Pengkajian Teknologi Pertanian (BPTP). 2011. Performans Ayam Kalosi Di Sulawesi Selatan. Dinas Peternakan Sulawesi Selatan.
- Bouton, P. E., P. V. Harris, and W. R. Shorthose. 1971. The effect of some postslaughter treatment upon the mechanical properties of bovine and ovinemuscle. *J. Food Sci.* 37:539-542.
- Carvalho, R. H., A. L. Soares., P. D. Guarnieri., A. Oba., E. I. Ida and M. Shimokomaki. 2018. Turkey meat seasonal effect on meat quality and on dead on arrival index in a commercial plant. *Food Science and Technology*. Londrina, Paraná, Brazil. 61: e18180106.

- Dewayani, R. E., Natsir, H., dan Sjofjan, O. 2015. Pengaruh penggunaan onggok dan ampas tahu terfermentasi mix culture Aspergillus niger dan Rhizopus oligosporus sebagai pengganti jagung dalam pakan terhadap kualitas fisik daging ayam pedaging. Ilmu Dan Teknologi Hasil Ternak, 10(1), 9–17.
- Domiszewski, Z., G. Bienkiewicz, and D. Plust. 2011. Effects of different heat treatments on lipid quality of striped catfish (*Pangasius hypophthalmus*). Acta Sci. Pol. Technol. Aliment. 10(3):359-373.
- Ebrahimnezhad, Y., Salmanzadeh, M., Aghdamshahryar, H. 2011. The effects of in ovo injection of glucose on characters of hatching and parameters of blood in broiler chickens. Annals of Biological Research. 2(3):347-351.
- El-Azeem, N. A., Abdo, M. S., Madkour, M. 2014. Physiological and histological responses of broiler chicks to in ovo injection with folic acid or l-carnitine during embryogenesis. Glob Vet. 13(4): 544-551.
- Haq, A. N., Septinova, D., & Santosa, P. E. 2015. Kualitas fisik daging dari pasar tradisional di Bandar Lampung. *Jurnal Ilmiah Peternakan Terpadu*, 3(3).
- Jamhari. 2000. Perubahan sifat fisik dan organoleptik daging sapi selama penyimpanan beku. Buletin Peternakan Vol. 24 (1): 43-50.
- Joo ST, Kim GD, Hwang YH, Ryu YC. 2013. Control of fresh meat quality through manipulation of muscle fiber characteristics. Review. Meat Sci 95(4): 828-836
- Kartasudjana, R. Dan E. Suprijatna. 2006. Manajemen Ternak Unggas. Penebar Swadaya. Jakarta.
- Kurnia. 2013. Umur pertama bertelur pada ayam kampung hasil in ovo asam amino l-glutamin. Skripsi. Fakultas Peternakan. Universitas Hasanuddin, Makassar.
- Lapase, O. A. 2016. Kualitas fisik (daya ikat air, susut masak, dan keempukan) daging paha ayam sentul akibat lama perebusan. *Students e-Journal*, 5(4).
- Lawrie, R. A. 2003. Meat science. Edisi Ke-5. Penerjemah: A. Perakasi. UI press. Jakarta.
- Lukman D.W., A.W. Sanjaya, M. Sudarwanto, RR. Soejoedono, T. Purnawarman, H. Latif. 2007. Higiene Pangan. Fakultas Kedokteran Hewan, Institut Pertanian Bogor. Bogor.

- Ma'ruf, W., D. Rosyadi., L. K. Radiati dan Purwadi. 2019. Pengaruh Jenis dan Proporsi Penggunaan Tepung Jagung Terhadap Daya Ikat Air dan Kualitas Organoleptik dari Nugget Ayam Kampung. *Jurnal Ilmu dan Teknologi Hasil Ternak*. 14(1): 38-49.
- Mahmud, A.T.B.A., Rahim, L., Dagong, M.I.A., Bugiwati, S.R.A. and Pakiding, W., 2023. Growth traits and carcass characteristics of kalosi chicken selected based on residual feed intake (rfi) phenotype. *Adv. Anim. Vet. Sci*, 11(1), pp.1-10.
- Mahmuda. 2010. Histomorfologi dan Karakteristik Fisik Daging Kerbau pada Umur dan Jenis Kelamin yang Berbeda. Skripsi. Fakultas Peternakan. Institut Pertanian Bogor.
- Mahmudah, K, Fitrianingsih, Bain, A. 2022. Susut Masak, Daya Ikat Air dan Kadar Protein Daging Ayam Broiler yang Diberi Pakan Mengandung Tepung Ikan. *Jurnal Ilmiah Peternakan Halu Oleo*, 4(3), 214-219.
- Merthayasa, J. D, Ketut, S dan Kadek, K. A. 2015. Daya Ikat Air, Ph, Warna, Bau Dan Tekstur Daging Sapi Bali dan Daging Wagyu. *Indonesia Medicus Veterinus*. 4(1): 16 – 24.
- Nataamijaya, A. G. 2010. Pengembangan potensi ayam lokal untuk menunjang peningkatan kesejahteraan petani. *Jurnal Litbang Pertanian*, 29(4), 131-138.
- Nur, K., Harifuddin, H., & Mihrani, M. 2021. Sifat Organoleptik Dan Nilai Susut Masak Daging Ayam Broiler Menggunakan Beberapa Jenis Pakan Herbal. In *Prosiding Seminar Nasional Politeknik Pertanian Negeri Pangkajene Kepulauan*.
- Nurmawati, R. 2011. Pengembangan Metode Pengukuran Warna Menggunakan Kamera CCD (Charge Coupled Device) dan Image Processing. Skripsi. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor.
- Pawlak, K., Dugan, M., Wojtysiak, D., Lis, M., dan Niedzioka, J. 2013. Effect of in ovo injection of cadmium on chicken embryo heart. *African Journal of Agricultural Research*. 8(16): 1534-1539
- Prayitno AH, Suryanto E. 2012. Kualitas Fisik dan Sensoris Daging Ayam Broiler yang Diberi Pakan dengan Penambahan Ampas Virgin Coconut Oil (VCO). *Buletin Peternakan* 34(1):55-63.
- Pearson, A. M and Young R. B. 1971. Muscle and Meat Biochemistry. New York (US): Academic Pr.

- Purbowati, E., C. I. Sutrisno., E. Baliarti., S. P. S. dkk. 2006. Karakteristik Fisik Otot Longissimus dorsi dan Biceps femoris Domba Lokal Jantan yang Dipelihara Di Pedesaan pada Bobot Potong yang Berbeda. *J. Protein*. 13(2): 147-153
- Rahmawati. 2016. Histologis Saluran Pencernaan Ayam Buras Hasil In Ovo Feeding Asam Amino L-Arginine. Skripsi. Universitas Hasanuddin, Makassar.
- Relli, R. 2021. Kualitas Daging Belibis Batu (*Dendrocygna Javanica*) Berdasarkan Jenis Kelamin yang Berbeda. Skripsi. Universitas Hasanuddin, Makassar.
- Rohim, M. N., Bintoro, V. P., & Estiningdriati, I. 2019. Uji (Warna, Tekstur Dan Susut Masak) Daging Dari Ayam Pedaging Lohman Yang Diberi Tepung Daun Kayambang (*Salvinia Molesta*) Sebagai Campuran Pakan. *Jurnal Pengembangan Penyuluhan Pertanian*, 13(23), 1-6.
- Sartika, T., Iskandar, S dan Tiesnamurti, B. 2016. Sumberdaya genetik ayam lokal Indonesia dan prospek pengembangannya. Jakarta: IAARD Press.
- Shanks BC, DM Wlf, dan RJ Maddock. 2002. Technical note: the effect of freezing on warner bratzler shear force values of beef longissimus steak across several postmortem aging period. *J. Anim. Sci.* 80:2122-2125.
- Soeparno. 2015. Ilmu dan Teknologi Daging. Gadjah Mada University Press. Yogyakarta.
- Suryati, T dan I. I. Arif. 2005. Pengujian daya putus Warner Bratzler, susut masak dan organoleptik sebagai penduga tingkat keempukan daging sapi yang disukai konsumen. Laporan Penelitian. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Sulandari, S., M. S. A. Zein, D. Astuti dan T. Sartika. 2007. Mengenal Plasma Nutfah Ayam Indonesia dan Pemanfaatannya Keanekaragaman Sumber Daya Hayati Ayam Lokal Indonesia. LIPI Press.
- Tambunan, R. D. 2009. Keempukan Daging dan Faktor-Faktor Yang Mempengaruhinya. Balai Pengkajian Teknologi Pertanian Lampung.
- Tien dan Sugiyono. 1992. Petunjuk Laboratorium Ilmu Pengetahuan Bahan Pangan. PAU IPB dan Departemen Pendidikan dan Kebudayaan. Jakarta.
- Ulupi, N., Nuraini, H., Parulian, J., & Kusuma, S. Q. 2018. Karakteristik karkas dan non karkas ayam broiler jantan dan betina pada umur pemotongan 30 hari. *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 6(1), 1-5.

Yasser, M. 2022. Pola Pertumbuhan dan Performa Produksi pada Fase Grower dari Jenis Ayam Buras yang Berbeda. Skripsi. Universitas Hasanuddin. Makassar.

Yusuf,. M. S. 2018. Karakteristik Fisiko-Kimia Daging Sapi Bali Hasil Penggemukan Dengan Pemberian Level Asap Cair dalam Pakan Suplemen dan Waktu Maturasi yang Berbeda. Skripsi. Universitas Hasanuddin, Makassar.

Van Laack R, Liu C-H, Smith M, Loveday H. 2000. Characteristics of pale, soft, exudative broiler breast meat. *Poult Sci* 79(7):1057-1061.

Warner, R.D., Kauffman, R.G. and Greaser, M.L., 1997. Muscle protein changes post mortem in relation to pork quality traits. *Meat science*, 45(3), pp.339-352.

LAMPIRAN

Lampiran 1. Hasil Analisis Ragam Nilai pH

a. Nilai pH Dada

Between-Subjects Factors

		Value Label	N
BREED	1	ALLOPE	6
	2	KALOSI	6
SEX	1	BETINA	6
	2	JANTAN	6

Descriptive Statistics

Dependent Variable: PH

BREED	SEX	Mean	Std. Deviation	N
ALLOPE	BETINA	5.5233	.12220	3
	JANTAN	5.9467	.27135	3
	Total	5.7350	.29865	6
KALOSI	BETINA	5.5500	.02646	3
	JANTAN	5.7467	.09074	3
	Total	5.6483	.12319	6
Total	BETINA	5.5367	.08042	6
	JANTAN	5.8467	.21153	6
	Total	5.6917	.22246	12

Tests of Between-Subjects Effects

Dependent Variable: PH

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	.349 ^a	3	.116	4.778	.034
Intercept	388.741	1	388.741	15948.342	.000
TIPE	.023	1	.023	.924	.364
JENIS KELAMIN	.288	1	.288	11.828	.009
TIPE * JENIS KELAMIN	.039	1	.039	1.581	.244
Error	.195	8	.024		
Total	389.285	12			
Corrected Total	.544	11			

a. R Squared = ,642 (Adjusted R Squared = ,507)

b. Nilai pH Paha Atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: PH

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	6.0667	.06506	3
	JANTAN	6.2733	.27791	3
	Total	6.1700	.21307	6
KALOSI	BETINA	6.0633	.07024	3
	JANTAN	6.3967	.04933	3
	Total	6.2300	.19047	6
Total	BETINA	6.0650	.06058	6
	JANTAN	6.3350	.19087	6
	Total	6.2000	.19522	12

Tests of Between-Subjects Effects

Dependent Variable: PH

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	.242 ^a	3	.081	3.625	.064
Intercept	461.280	1	461.280	20770.582	.000
TIPE	.011	1	.011	.486	.505
JENIS KELAMIN	.219	1	.219	9.848	.014
TIPE * JENIS KELAMIN	.012	1	.012	.542	.483
Error	.178	8	.022		
Total	461.699	12			
Corrected Total	.419	11			

a. R Squared = ,576 (Adjusted R Squared = ,417)

c. Nilai pH paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: PH

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	6.0000	.14177	3
	JANTAN	6.2933	.21502	3
	Total	6.1467	.22879	6
KALOSI	BETINA	6.1267	.16258	3
	JANTAN	6.1933	.14844	3
	Total	6.1600	.14394	6
Total	BETINA	6.0633	.15306	6
	JANTAN	6.2433	.17409	6
	Total	6.1533	.18237	12

Tests of Between-Subjects Effects

Dependent Variable: PH

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	.136 ^a	3	.045	1.583	.268
Intercept	454.362	1	454.362	15831.433	.000
TIPE	.001	1	.001	.019	.895
JENIS KELAMIN	.097	1	.097	3.387	.103
TIPE * JENIS KELAMIN	.039	1	.039	1.343	.280
Error	.230	8	.029		
Total	454.728	12			
Corrected Total	.366	11			

a. R Squared = ,372 (Adjusted R Squared = ,137)

Lampiran 2. Hasil Analisis Ragam Nilai Daya Ikat Air

a. Daya Ikat Air dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DIA

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	22.5867	4.15126	3
	JANTAN	17.9500	5.53263	3
	Total	20.2683	5.05834	6
KALOSI	BETINA	19.0200	3.31501	3
	JANTAN	17.5367	3.67010	3
	Total	18.2783	3.23166	6
Total	BETINA	20.8033	3.88654	6
	JANTAN	17.7433	4.20513	6
	Total	19.2733	4.17822	12

Tests of Between-Subjects Effects

Dependent Variable: DIA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	47.429 ^a	3	15.810	.875	.493
Intercept	4457.537	1	4457.537	246.607	.000
TIPE	11.880	1	11.880	.657	.441
JENIS KELAMIN	28.091	1	28.091	1.554	.248
TIPE * JENIS KELAMIN	7.458	1	7.458	.413	.539
Error	144.604	8	18.075		
Total	4649.569	12			
Corrected Total	192.032	11			

a. R Squared = ,247 (Adjusted R Squared = -,035)

b. Daya Ikat Air paha atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DIA

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	12.3233	4.83239	3
	JANTAN	12.9433	3.05641	3
	Total	12.6333	3.63219	6
KALOSI	BETINA	12.6833	5.75618	3
	JANTAN	12.1933	2.16909	3
	Total	12.4383	3.89967	6
Total	BETINA	12.5033	4.75743	6
	JANTAN	12.5683	2.40570	6
	Total	12.5358	3.59438	12

Tests of Between-Subjects Effects

Dependent Variable: DIA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1.051 ^a	3	.350	.020	.996
Intercept	1885.765	1	1885.765	106.945	.000
TIPE	.114	1	.114	.006	.938
JENIS KELAMIN	.013	1	.013	.001	.979
TIPE * JENIS KELAMIN	.924	1	.924	.052	.825
Error	141.064	8	17.633		
Total	2027.881	12			
Corrected Total	142.115	11			

a. R Squared = ,007 (Adjusted R Squared = -,365)

c. Nilai daya ikat air paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DIA

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	13.5067	5.59940	3
	JANTAN	11.8333	1.02890	3
	Total	12.6700	3.71548	6
KALOSI	BETINA	11.3433	3.29947	3
	JANTAN	10.8967	4.17968	3
	Total	11.1200	3.37674	6
Total	BETINA	12.4250	4.27784	6
	JANTAN	11.3650	2.77030	6
	Total	11.8950	3.48037	12

Tests of Between-Subjects Effects

Dependent Variable: DIA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	11.707 ^a	3	3.902	.257	.854
Intercept	1697.892	1	1697.892	111.762	.000
TIPE	7.208	1	7.208	.474	.510
JENIS KELAMIN	3.371	1	3.371	.222	.650
TIPE * JENIS KELAMIN	1.129	1	1.129	.074	.792
Error	121.536	8	15.192		
Total	1831.135	12			
Corrected Total	133.243	11			

a. R Squared = ,088 (Adjusted R Squared = -,254)

Lampiran 3. Hasil Analisis Ragam Susut Masak

a. Nilai susut masak dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: SM

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	17.3833	12.24146	3
	JANTAN	24.8167	1.50444	3
	Total	21.1000	8.79903	6
KALOSI	BETINA	16.7667	1.22916	3
	JANTAN	18.6667	2.46644	3
	Total	17.7167	2.02994	6
Total	BETINA	17.0750	7.78844	6
	JANTAN	21.7417	3.83216	6
	Total	19.4083	6.33934	12

Tests of Between-Subjects Effects

Dependent Variable: SM

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	122.638 ^a	3	40.879	1.024	.432
Intercept	4520.201	1	4520.201	113.210	.000
TIPE	34.341	1	34.341	.860	.381
JENIS KELAMIN	65.333	1	65.333	1.636	.237
TIPE * JENIS KELAMIN	22.963	1	22.963	.575	.470
Error	319.422	8	39.928		
Total	4962.260	12			
Corrected Total	442.059	11			

a. R Squared = ,277 (Adjusted R Squared = ,006)

b. Nilai susut masak paha atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: SM

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	27.5667	2.08946	3
	JANTAN	28.3167	5.05206	3
	Total	27.9417	3.48201	6
KALOSI	BETINA	21.0167	1.72940	3
	JANTAN	22.7333	1.70392	3
	Total	21.8750	1.80049	6
Total	BETINA	24.2917	3.97661	6
	JANTAN	25.5250	4.55222	6
	Total	24.9083	4.12580	12

Tests of Between-Subjects Effects

Dependent Variable: SM

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	115.678 ^a	3	38.559	4.310	.044
Intercept	7445.101	1	7445.101	832.242	.000
TIPE	110.413	1	110.413	12.342	.008
JENIS KELAMIN	4.563	1	4.563	.510	.495
TIPE * JENIS KELAMIN	.701	1	.701	.078	.787
Error	71.567	8	8.946		
Total	7632.345	12			
Corrected Total	187.244	11			

a. R Squared = ,618 (Adjusted R Squared = ,474)

c. Nilai susut masak paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: SM

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	27.0167	4.27970	3
	JANTAN	26.4333	2.12858	3
	Total	26.7250	3.03986	6
KALOSI	BETINA	23.7500	3.11776	3
	JANTAN	25.9833	.79110	3
	Total	24.8667	2.37378	6
Total	BETINA	25.3833	3.79682	6
	JANTAN	26.2083	1.45719	6
	Total	25.7958	2.77551	12

Tests of Between-Subjects Effects

Dependent Variable: SM

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	18.352 ^a	3	6.117	.737	.559
Intercept	7985.100	1	7985.100	962.266	.000
TIPE	10.360	1	10.360	1.248	.296
JENIS KELAMIN	2.042	1	2.042	.246	.633
TIPE * JENIS KELAMIN	5.950	1	5.950	.717	.422
Error	66.386	8	8.298		
Total	8069.838	12			
Corrected Total	84.738	11			

a. R Squared = ,217 (Adjusted R Squared = -,077)

Lampiran 4. Hasil Analisis Ragam Daya putus daging

a. Nilai daya putus daging mentah dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DPD MENTAH

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	.2733	.05686	3
	JANTAN	.4100	.11533	3
	Total	.3417	.11053	6
KALOSI	BETINA	.3167	.02517	3
	JANTAN	.3933	.04041	3
	Total	.3550	.05167	6
Total	BETINA	.2950	.04593	6
	JANTAN	.4017	.07782	6
	Total	.3483	.08255	12

Tests of Between-Subjects Effects

Dependent Variable: DPD MENTAH

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	.037 ^a	3	.012	2.650	.120
Intercept	1.456	1	1.456	309.794	.000
TIPE	.001	1	.001	.113	.745
JENIS KELAMIN	.034	1	.034	7.262	.027
TIPE * JENIS KELAMIN	.003	1	.003	.574	.470
Error	.038	8	.005		
Total	1.531	12			
Corrected Total	.075	11			

a. R Squared = ,498 (Adjusted R Squared = ,310)

b. Nilai daya putus daging Mentah paha atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DPD MENTAH

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	.2400	.06083	3
	JANTAN	.9700	.21071	3
	Total	.6050	.42321	6
KALOSI	BETINA	.2067	.02309	3
	JANTAN	.5533	.17039	3
	Total	.3800	.21881	6
Total	BETINA	.2233	.04502	6
	JANTAN	.7617	.28541	6
	Total	.4925	.34203	12

Tests of Between-Subjects Effects

Dependent Variable: DPD MENTAH

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	1.131 ^a	3	.377	19.425	.000
Interce pt	2.911	1	2.911	149.906	.000
TIPE	.152	1	.152	7.822	.023
JENIS KELAMIN	.869	1	.869	44.776	.000
TIPE * JENIS KELAMIN	.110	1	.110	5.676	.044
Error	.155	8	.019		
Total	4.198	12			
Corrected Total	1.287	11			

a. R Squared = ,879 (Adjusted R Squared = ,834)

c. Nilai daya putus daging mentah paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DPD MENTAH

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	.2200	.07211	3
	JANTAN	.3833	.07234	3
	Total	.3017	.11035	6
KALOSI	BETINA	.2233	.07638	3
	JANTAN	.4800	.23431	3
	Total	.3517	.20990	6
Total	BETINA	.2217	.06646	6
	JANTAN	.4317	.16388	6
	Total	.3267	.16200	12

Tests of Between-Subjects Effects

Dependent Variable: DPD MENTAH

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	.146 ^a	3	.049	2.742	.113
Intercept	1.281	1	1.281	71.974	.000
TIPE	.008	1	.008	.422	.534
JENIS KELAMIN	.132	1	.132	7.436	.026
TIPE * JENIS KELAMIN	.007	1	.007	.367	.561
Error	.142	8	.018		
Total	1.569	12			
Corrected Total	.289	11			

a. R Squared = ,507 (Adjusted R Squared = ,322)

d. Nilai daya putus daging masak dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DPD MASAK

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	.2167	.04163	3
	JANTAN	.8733	.36171	3
	Total	.5450	.42707	6
KALOSI	BETINA	.2467	.01528	3
	JANTAN	.6467	.26764	3
	Total	.4467	.27703	6
Total	BETINA	.2317	.03251	6
	JANTAN	.7600	.31048	6
	Total	.4958	.34703	12

Tests of Between-Subjects Effects

Dependent Variable: DPD MASAK

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	.916 ^a	3	.305	5.973	.019
Intercept	2.950	1	2.950	57.725	.000
TIPE	.029	1	.029	.568	.473
JENIS KELAMIN	.837	1	.837	16.385	.004
TIPE * JENIS KELAMIN	.049	1	.049	.967	.354
Error	.409	8	.051		
Total	4.275	12			
Corrected Total	1.325	11			

a. R Squared = ,691 (Adjusted R Squared = ,576)

e. Nilai daya putus daging masak paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DPD MASAK

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	.1933	.04933	3
	JANTAN	.4633	.13650	3
	Total	.3283	.17406	6
KALOSI	BETINA	.1633	.02082	3
	JANTAN	.5767	.18583	3
	Total	.3700	.25542	6
Total	BETINA	.1783	.03764	6
	JANTAN	.5200	.15849	6
	Total	.3492	.20952	12

Tests of Between-Subjects Effects

Dependent Variable: DPD MASAK

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	.371 ^a	3	.124	8.824	.006
Intercept	1.463	1	1.463	104.438	.000
TIPE	.005	1	.005	.372	.559
JENIS KELAMIN	.350	1	.350	25.000	.001
TIPE * JENIS KELAMIN	.015	1	.015	1.100	.325
Error	.112	8	.014		
Total	1.946	12			
Corrected Total	.483	11			

a. R Squared = ,768 (Adjusted R Squared = ,681)

f. Nilai daya putus daging masak paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	BETINA	6
KELAMIN	2	JANTAN	6

Descriptive Statistics

Dependent Variable: DPD MASAK

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	BETINA	.1767	.05686	3
	JANTAN	.4700	.12530	3
	Total	.3233	.18272	6
KALOSI	BETINA	.1767	.06110	3
	JANTAN	.8467	.30072	3
	Total	.5117	.41513	6
Total	BETINA	.1767	.05279	6
	JANTAN	.6583	.29158	6
	Total	.4175	.32122	12

Tests of Between-Subjects Effects

Dependent Variable: DPD MASAK

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Corrected Model	.909 ^a	3	.303	10.714	.004
Intercept	2.092	1	2.092	73.976	.000
TIPE	.106	1	.106	3.763	.088
JENIS KELAMIN	.696	1	.696	24.616	.001
TIPE * JENIS KELAMIN	.106	1	.106	3.763	.088
Error	.226	8	.028		
Total	3.227	12			
Corrected Total	1.135	11			

a. R Squared = ,801 (Adjusted R Squared = ,726)

Lampiran 5. Hasil Analisis Ragam Warna

a. Nilai Warna L dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
KELAMIN	2	BETINA	6

Descriptive Statistics

Dependent Variable: DADA

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	54.4200	.61798	3
	BETINA	55.3300	1.53480	3
	Total	54.8750	1.15906	6
KALOSI	JANTAN	65.3333	12.34970	3
	BETINA	52.4633	3.77505	3
	Total	58.8983	10.78877	6
Total	JANTAN	59.8767	9.84322	6
	BETINA	53.8967	3.01794	6
	Total	56.8867	7.61139	12

Tests of Between-Subjects Effects

Dependent Variable: DADA

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	298.259 ^a	3	99.420	2.346	.149
Intercept	38833.114	1	38833.114	916.396	.000
TIPE	48.562	1	48.562	1.146	.316
JENIS KELAMIN	107.281	1	107.281	2.532	.150
TIPE * JENIS KELAMIN	142.416	1	142.416	3.361	.104
Error	339.007	8	42.376		
Total	39470.380	12			
Corrected Total	637.266	11			

a. R Squared = ,468 (Adjusted R Squared = ,269)

b. Nilai warna a dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: DADA_A

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	4.5367	2.47553	3
	BETINA	.2233	.81635	3
	Total	2.3800	2.88085	6
KALOSI	JANTAN	2.1267	1.89817	3
	BETINA	2.1333	1.36990	3
	Total	2.1300	1.48050	6
Total	JANTAN	3.3317	2.37380	6
	BETINA	1.1783	1.45315	6
	Total	2.2550	2.18764	12

Tests of Between-Subjects Effects

Dependent Variable: DADA_A

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	28.095 ^a	3	9.365	3.052	.092
Intercept	61.020	1	61.020	19.885	.002
TIPE	.188	1	.188	.061	.811
JENIS KELAMIN	13.911	1	13.911	4.533	.066
TIPE * JENIS KELAMIN	13.997	1	13.997	4.561	.065
Error	24.549	8	3.069		
Total	113.664	12			
Corrected Total	52.644	11			

a. R Squared = ,534 (Adjusted R Squared = ,359)

c. Nilai warna b dada

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: DADA_B

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	5.1667	3.40142	3
	BETINA	4.0200	2.84796	3
	Total	4.5933	2.87518	6
KALOSI	JANTAN	7.1367	4.25094	3
	BETINA	5.0533	3.22949	3
	Total	6.0950	3.56401	6
Total	JANTAN	6.1517	3.60837	6
	BETINA	4.5367	2.78146	6
	Total	5.3442	3.18532	12

Tests of Between-Subjects Effects

Dependent Variable: DADA_B

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	15.248 ^a	3	5.083	.422	.742
Intercept	342.721	1	342.721	28.453	.001
TIPE	6.765	1	6.765	.562	.475
JENIS KELAMIN	7.825	1	7.825	.650	.444
TIPE * JENIS KELAMIN	.658	1	.658	.055	.821
Error	96.361	8	12.045		
Total	454.331	12			
Corrected Total	111.609	11			

a. R Squared = ,137 (Adjusted R Squared = -,187)

d. Nilai warna L paha atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
KELAMIN	2	BETINA	6

Descriptive Statistics

Dependent Variable: PAHA_ATAS

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	53.9467	3.51002	3
	BETINA	54.1600	2.11454	3
	Total	54.0533	2.59428	6
KALOSI	JANTAN	65.3967	6.09506	3
	BETINA	58.1300	4.93863	3
	Total	61.7633	6.36060	6
Total	JANTAN	59.6717	7.68887	6
	BETINA	56.1450	4.03396	6
	Total	57.9083	6.13685	12

Tests of Between-Subjects Effects

Dependent Variable: PAHA_ATAS

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	257.607 ^a	3	85.869	4.385	.042
Intercept	40240.501	1	40240.501	2054.886	.000
TIPE	178.332	1	178.332	9.107	.017
JENIS KELAMIN	37.312	1	37.312	1.905	.205
TIPE * JENIS KELAMIN	41.963	1	41.963	2.143	.181
Error	156.663	8	19.583		
Total	40654.771	12			
Corrected Total	414.270	11			

a. R Squared = ,622 (Adjusted R Squared = ,480)

e. Nilai warna a paha atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: PAHA_ATAS_A

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	10.3000	1.68155	3
	BETINA	8.3633	3.00294	3
	Total	9.3317	2.42142	6
KALOSI	JANTAN	6.3867	5.09924	3
	BETINA	4.9667	3.69876	3
	Total	5.6767	4.05933	6
Total	JANTAN	8.3433	4.01574	6
	BETINA	6.6650	3.54127	6
	Total	7.5042	3.71464	12

Tests of Between-Subjects Effects

Dependent Variable: PAHA_ATAS_A

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	48.728 ^a	3	16.243	1.261	.351
Intercept	675.750	1	675.750	52.457	.000
TIPE	40.077	1	40.077	3.111	.116
JENIS KELAMIN	8.450	1	8.450	.656	.441
TIPE * JENIS KELAMIN	.200	1	.200	.016	.904
Error	103.057	8	12.882		
Total	827.535	12			
Corrected Total	151.784	11			

a. R Squared = ,321 (Adjusted R Squared = ,066)

g. Nilai warna b paha atas

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: PAHA_ATAS_B

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	7.3333	1.01046	3
	BETINA	5.3100	1.46366	3
	Total	6.3217	1.57908	6
KALOSI	JANTAN	7.0133	5.01717	3
	BETINA	1.6333	2.84802	3
	Total	4.3233	4.69006	6
Total	JANTAN	7.1733	3.24160	6
	BETINA	3.4717	2.85601	6
	Total	5.3225	3.49585	12

Tests of Between-Subjects Effects

Dependent Variable: PAHA_ATAS_B

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	61.537 ^a	3	20.512	2.251	.160
Intercept	339.948	1	339.948	37.309	.000
TIPE	11.980	1	11.980	1.315	.285
JENIS KELAMIN	41.107	1	41.107	4.511	.066
TIPE * JENIS KELAMIN	8.450	1	8.450	.927	.364
Error	72.893	8	9.112		
Total	474.379	12			
Corrected Total	134.431	11			

a. R Squared = ,458 (Adjusted R Squared = ,254)

h. Nilai warna L paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: PAHA_BAWAH_L

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	59.5333	4.06460	3
	BETINA	55.1667	2.89365	3
	Total	57.3500	3.95955	6
KALOSI	JANTAN	64.3100	10.08732	3
	BETINA	59.6133	1.06327	3
	Total	61.9617	6.91169	6
Total	JANTAN	61.9217	7.35901	6
	BETINA	57.3900	3.11983	6
	Total	59.6558	5.88565	12

Tests of Between-Subjects Effects

Dependent Variable: PAHA_BAWAH_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	125.492 ^a	3	41.831	1.309	.337
Intercept	42705.821	1	42705.821	1336.867	.000
TIPE	63.802	1	63.802	1.997	.195
JENIS KELAMIN	61.608	1	61.608	1.929	.202
TIPE * JENIS KELAMIN	.082	1	.082	.003	.961
Error	255.558	8	31.945		
Total	43086.871	12			
Corrected Total	381.050	11			

a. R Squared = ,329 (Adjusted R Squared = ,078)

i. Nilai warna a paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: PAHA_BAWAH_A

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	4.2867	1.80334	3
	BETINA	3.9467	2.43106	3
	Total	4.1167	1.92341	6
KALOSI	JANTAN	4.7233	4.72980	3
	BETINA	5.6667	1.82571	3
	Total	5.1950	3.24787	6
Total	JANTAN	4.5050	3.21036	6
	BETINA	4.8067	2.14122	6
	Total	4.6558	2.60645	12

Tests of Between-Subjects Effects

Dependent Variable: PAHA_BAWAH_A

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	4.997 ^a	3	1.666	.191	.900
Intercept	260.121	1	260.121	29.842	.001
TIPE	3.488	1	3.488	.400	.545
JENIS KELAMIN	.273	1	.273	.031	.864
TIPE * JENIS KELAMIN	1.235	1	1.235	.142	.716
Error	69.733	8	8.717		
Total	334.851	12			
Corrected Total	74.729	11			

a. R Squared = ,067 (Adjusted R Squared = -,283)

j. Nilai warna b paha bawah

Between-Subjects Factors

		Value Label	N
TIPE	1	ALLOPE	6
	2	KALOSI	6
JENIS	1	JANTAN	6
	2	BETINA	6

Descriptive Statistics

Dependent Variable: PAHA_BAWAH_B

TIPE	JENIS KELAMIN	Mean	Std. Deviation	N
ALLOPE	JANTAN	4.2233	4.01085	3
	BETINA	2.6967	1.22272	3
	Total	3.4600	2.78065	6
KALOSI	JANTAN	2.7300	1.83475	3
	BETINA	3.4933	4.74486	3
	Total	3.1117	3.24451	6
Total	JANTAN	3.4767	2.90694	6
	BETINA	3.0950	3.12952	6
	Total	3.2858	2.88662	12


Tests of Between-Subjects Effects

Dependent Variable: PAHA_BAWAH_B

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	4.734 ^a	3	1.578	.145	.930
Intercept	129.560	1	129.560	11.924	.009
TIPE	.364	1	.364	.034	.859
JENIS KELAMIN	.437	1	.437	.040	.846
TIPE * JENIS KELAMIN	3.933	1	3.933	.362	.564
Error	86.924	8	10.866		
Total	221.219	12			
Corrected Total	91.658	11			

a. R Squared = ,052 (Adjusted R Squared = -,304)

Lampiran 6. Dokumentasi Penelitian



Ket. Persiapan Kandang



Ket. Chick in Doc



Ket. Penimbangan bobot ayam



Ket. Pemberian pakan



Ket. Pemotongan ayam



Ket. Pengkarkasan

BIODATA PENELITI



Agung Setia Nugraha (I011 19 1062) lahir pada tanggal 10 agustus 2001 di Anabanua, Kec. Maniang Pajo, Kab. Wajo, Provinsi Sulawesi Selatan. Penulis merupakan anak ketiga dari Abdul Rahim dan Sitti Harlina S.Pd. penulis mulai bersekolah di SDN 273 Anabanua dan mulai mengikuti organisasi pramuka sejak kelas IV (empat). Pada tahun 2013 melanjutkan pendidikan di SMP Negeri 1 Maniang Pajo dan berkecimpung dalam organisasi pramuka dan OSIS. Setelah lulus, penulis melanjutkan pendidikan di SMA Negeri 4 Wajo jurusan IPA. Selama tiga tahun di SMA, penulis aktif menjadi pengurus dalam organisasi Karya Ilmiah Remaja. Penulis cukup aktif dalam dunia organisasi kampus, penulis pernah menjadi pengurus harian Himpunan Mahasiswa Nutrisi dan Makanan Ternak dan Pengurus Inti dalam Forum Studi Ilmiah. Penulis memiliki beberapa hal yang disukai, misalnya saja penulis menyukai berimajinasi, penulis juga menyukai mendengarkan musik, Penulis sangat menyukai musik dari Band Turnover,.feast, The Panturas, Kodaline, Guns and Rose, Black Sabbath, The Sigit. Penulis bertekad untuk memajukan Indonesia dan menyejahterakan masyarakatnya dengan berbekal ilmu peternakan di kampus. Selain itu, harapan besar penulis adalah dapat membuat bangga kedua orang tua dengan kesuksesannya kelak.