DAFTAR PUSTAKA

Agussalim A, 2016. Efektivitas Pupuk Organik Terhadap Produktivitas Tanaman Kakao di Sulawesi Tenggara. *Jurnal Pengkajian dan Pengembangan Telknologi Pertanian*, 19(2): 167-176.

Anu, A., T.K. Sabu, and P. Vineesh. 200k9. Seasonality of Litter Insects and Relationship with Rainfall in a Wet Evergreen Forest in South Western Ghats. J. Insect Sci. 9(46): 1–10. doi: 10.1673/031.009.4601.

Asman, Rosmana A., Hussin, M., Amiruddin A., Amin N., Syam S, Dewi VS, 2020. The occurrence of Xylosandrus campactus and its associated fungi on cacao from South Sulawesi, Indonesian: A preliminary studi of an emerging threat to the cacao industry. *Journal of Plant Diseases and Protection*. DOI 10.1007/s41348-020=00387-x

Bhattacharje Rancana. 2018. *Taxonomy and Classification of Cacao. International institute of Tropical Agriculture (IITA), Nigeria and Malachy Akroda, Cocoa Reserch Institute of Nigeria, Nigeria*

Bright, D.E., and R.W. Stark. 1973. The Bark and Ambrosia Beetle Coleoptera : Scolytidae and Platypodidae. University of California, Berkeley, Los Angeles, London.

Bulandari S, 2016. Pengaruh Produksi Kakao terhadap Pertumbuhan Ekonomi di Kabupaten Kolaka Utara. *Doctoral dissertation*. Universitas Islam Negeri Alauddin Makassar.

Bumrungsri, S., Beaver, R., Phongpaichit, S., dan Sittichaya, W. 2008. The Infestation by An Exotic Ambrosia Beetle, *Euplatypus parallelus* (F.) (Coleoptera: Curculionidae: Platypodinae) of Angsana Trees (*Pterocarpus indicus* Willd.) in Southern Thailand. Songklanakarin J. Sci. Technol. 30(5): 579-582.

Cheng, E.Y, C. Kao, W. Su & C. Chen 1996. The application of insect sex pheromone for crop pest management in Taiwan. pp.: 29-57 *in Proc. Int. Symp. Insect Pest Control with Pheromones*, Taiwan.

Dinas Perkebunan. 2022. *Statistik Perkebunan Propinsi Sulawesi Selatan*. Dinas Perkebunan, Makassar.

Ditjenbun (Direktorat Jenderal Perkebunan). 2014. Peningkatan Produksi, Produktivitas dan Mutu Tanaman Rempah dan Penyegar. Jakarta.

Dodds, K.J., C. Graber, and F.M. Stephen. 2001. Facultative Intraguild Predation by Larval Cerambycidae (Coleoptera) on Bark Beetle Larvae (Coleoptera : Scolytidae). J. Environ. Entomol. 30(1): 17–22

Dufour, B. P., & Frérot, B. (2008). Optimization of coffee berry borer, *Hypothenemus hampei* Ferrari (Col., Scolytidae), mass trapping with an attractant mixture. *Journal of Applied Entomology*, 132(7), 591–600. https:// doi.org/10.1111/j.1439-0418.2008.012 91.x

Fabig, W. 2011. The Microbial Community Associated with the Ambrosia Beetle *Xyleborinus saxesenii* (Coleoptera: Scolytinae) and its Influence on the Growth of the Mutualistic Fungus. Universitat Bayreuth.

Farah, A. 2012. Coffee Constituens in Coffee : Emerging Health Effects and Disease revention. First Edition. United Kingdom : Blackwell Publishing Ltd.

Firmansyah A.,. 2020. Investigasi Efek Atraktan di Beberapa Ekstrak Tanaman terhadap Penggerek Buah Kakao. Disertasi. Universitas Hasanuddin.

Fraedrich, S.W., T.C. Harrington, R.J. Rabaglia, M.D. Ulyshen, A.E. Mayfield, J.M. Eickwort, D.R. Miller, and J.L. Hanula. 2008. A Fungal Symbiont of the Redbay Ambrosia Beetle Causes a Lethal Wilt in Redbay and Other Lauraceae in the Southeastern United States. Journal of Plant Disease 92(2). 215-224 Furniss dan Carolin, 1977

Harrington, T.C. 2005. Ecology and Evolution of Mycophagous Bark Beetles and Their Fungal Partners

Harrington, T. C., Fraedrich, S. W., dan Aghayeva, D. N. 2008. *Raffaelea lauricola*, a New Ambrosia Beetle Symbiont and Pathogen on the Lauraceae. Mycotaxon 104: 399–404

Herlinda Siti, Irsan Chandra, Pujiastuti Yulia, Anggraini Erise, Tili Karenina, Lina Budiarti, Lilian Rizkie , dan Dian Maharani. 2021. Pengantar Ekologi Serangga. UNSRI Press: ISBN 978-979-587-956-5

Hofstetter, R.W., J. Dinkins-Bookwalter, T.S. Davis, and K.D. Klepzig. 2015. Symbiotic Associations of Bark Beetles. p. 209–245. *In* Vega, F., Hoffstetter, R. (eds.), Bark Beetles. 1st ed. Elsevier.

Hulcr, J., Atkinson, T. H., Cognato, A. I., Jordal, B. H., dan McKenna, D. D. 2015. Morphology, Taxonomy, and Phylogenetics of Bark Beetles. Bark Beetles: Biology and Ecology of Native and Invasive Species. Hlm.: 41–84.

Karmawati, E., Mahmud, Z., Syakir, M., Munarso, J., Ardana, K., Rubiyo. 2010. Budidaya dan Pasca Panen Kakao. Pusat Penelitian dan Pengembangan Perkebunan Republik Indonesia, Bogor

Kinuura, H. 1995. Symbiotic Fungi Associated with Ambrosia Beetles. Jpurnal of Insect Pest 29(1): 57–63.

Kirkendall, L. R., Biedermann, P. H. W., dan Jordal, B. H. 2015. Evolution and Diversity of Bark and Ambrosia Beetles. Bark Beetles Biology and Ecology of Native and Invasive Spesies. Hlm.: 85–156.

Knizek, M., dan Beaver, R. 2007. Taxonomy and Systematics of Bark and Ambrosia Beetles. Systematics of Bark and Ambrosia Beetles. Springer: 41–54.

Laba, W,I., Wahyuno, D dan Rizal,M. 2014. Peran PHT, Pertanian Organik dan Biopestisida Menuju Pertanian Berwawasan Lingkungan dan Berkelanjutan. *Prosiding Seminar Nasional Pertanian Organik*. 25-34. Balai Penelitian Tanaman Rempah dan Obat. Jalan Tentara Pelajar No. 3 Bogor.

Landi, L., D. Gómez, C.L. Braccini, V.A. Pereyra, S.M. Smith, and A.E. Marvaldi. 2017. Morphological and Molecular identification of the invasive Xylosandrus crassiusculus (Coleoptera: Curculionidae: Scolytinae) and its south American range extending into Argentina and Uruguay. Annals of Entomology Society America. 110(3): c344–349

Lindgren, B.S., and K.F. Raffa. 2013. Evolution of Tree Killing in Bark Beetles (Coleoptera: Curculionidae) Trade-offs Between the Maddening Crowds and a Sticky Situation. Journal of Entomology Society Canada 145(1): 471–495.

Macedo-Reis, L.E., S.M.A. De Novais, G.F. Monteiro, C.A.H. Flechtmann, M.L. De Faria, and F. De Siqueira Neves. 2016. Spatio-temporal distribution of bark and ambrosia beetles in a brazilian tropical dry forest. J. Insect Sci. 16(1): 1–9. doi: 10.1093/jisesa/iew027.

Maner, M.L., J.L. Hanula, and S.K. Braman. 2013. Gallery productivity, emergence, and flight activity of the redbay ambrosia beetle (coleoptera: curculionidae: scolytinae). Environ. Entomol. 42(4): 642–7. doi: 10.1603/EN13014.

Mecca, G. F., Bego, L. R., dan Nascimento, F. S. 2013. Foraging Behavior of *Scaptotrigona depilis* (Hymenoptera, Apidae, Meliponini) and Its Relationship with Temporal and Abiotic Factors. Sociobiology 60(3): 277-282.

Metcalf, C. L. Dan W. P. Flint., 1992. Destructive and Useful Insect : Their Habits and Control. Tata Mc Graw- Hill Publishing Company Ltd., New Delhi. Hlm. 871.

Muhlison, W. 2016. Hama Tanaman Belimbing dan Dinamika Populasi Lalat Buah pada Pertanaman Belimbing di Wilayah Kabupaten Blitar, Jawa Timur. Thesis. Institut Pertanian Bogor.

Nababan P, 2019. Pengaruh Pemberian Pupuk Kandang Sapi dan Pupuk NPK Terhadap Pembibitan Tanaman Kakao.Abd El-Naby, S.K.M. 2000. Effect of Banana Compost as Organic Manure on Growth, Nutrients Status, Yield and Fruit Quality of Maghrabi Banana. Assiut J. Agric. Sci. (EGY), 31(3): 101-114.

Nizori A, Tanjung OY, Ulyarti U, Arzita A, Lavlinesia L, dan Ichwan B, 2021. Pengaruh Lama Fermentasi Biji Kakao (*Theobroma cacao* L.) Terhadap Sifat Fisik, Kimia dan Organoleptik Bubuk Kakao. *Jurnal Pangan dan Agroindustri*, 9(2): 129-138.

Noprianto, C., Dirham, danPuradewa, M. T. 2022. Keanekaragaman Serangga pada Tanaman Tomat (*Lycopersicum esculentum* Mill) di Desa Ogomolos. AGRI-TEK: Jurnal *Penelitian IlmuIlmu Eksakta* 23(1): 5–10.

Oktavia, N. D., Moelyaningrum, A. D.,dan Pujiati, R. S. 2015. Teknologi Budidaya Tomat Dengan Menggunakan Mulsa Plastik Perak Hitam Di Desa Boddia Kecamatan Galesong Kabupaten Takalar. *Jurnal Ilmiah Hasil Penelitian Mahasiswa*. 1(1) :1–9.Orbay dan McLean, 1994

Orbay, L., and J.A. McLean. 1994. Economic losses resulting from ambrosia beetle infestation of sawlog in coastal British Columbia, Canada. Can. J. For. Res. 24(6): 1266–1276.

Ortiz A, Veja F. E and Posada, F (2004) Volatile composition of coffee berries at different stages of ripeness and their possible attraction to the coffee berry borer *Hypothenemus hampei* (Coleoptera: Curculionidae). J Agric Food Chem 52: 5914-5918.

Priawandiputra W, Barsulo CY, Permana AD, Nakamura K. 2015. Comparison of abundance and diversity of bees (Hymenoptera: Apoidea) collected by window traps among four types of forest on Noto Peninsula, Japan. *Far Eastern Entomologist* 287: 1-23

Raffa, K. F., Grégoire, J.-C., dan Staffan Lindgren, B. 2015. Natural History and Ecology of Bark Beetles. Bark Beetles. Hlm.: 1–40.

Ryan MF. 2002. *Insect Chemoreception fundamental and applied*. New York : Kluwer Academic Publisher

Samudra, M., I. 2011. Perangkap Berferomon Pengendalian Penggerek Batang Padi Kuning. *Jurnal Agroinovasi*.33(87): 13-14.

Saputra, C. dan Aluyah, C. 2019. 'Pengaruh Dosis Suspensi Tape Singkong dan Jenis Insektisida dalam Mengendalikan Kumbang Penggerek Batang Ambrosia pada Tanaman Krasikarpa (*Acacia crassicarpa*) Di PT.Bumi Mekar Hijau', *Jurnal Sylva*,8(1): 13-20.

Shimoda,M.,Honda.K,. 2013. Insect Reactions to Light and Its Application to Pest Management. Entomology journal. 48 (2) : 413- 421

Schoonhoven LM, Van Loon JJA, Dicke M. 2005. *Insect–plant biology 2nd Edition*. New York: Oxford University Press Inc.

Schowalter TD. 2006. *Insect ecology an ecosystem approach 2nd edition*. New York : Elsevier inc

Sihaloho, M. R. (2019). Uji Ketinggian dan Perangkap Atraktan Untuk Mengendalikan Hama Penggerek Buah Kopi (*Hypothenemus hampei* Ferr.) (Coleoptera : Scolytidae) di Tanjung Beringin Kabupaten Dairi. *Skripsi*. Fakultas Pertanian. Universitas Sumatera Utara. Medan.

Sihombing WJ, 2008. Penggunaan Tape Kulit Kakao Sebagai Pakan Kambing sedang Tumbuh. Skripsi. Departemen Peternakan. Fakultas Pertanian. Universitas Sumatra Utara. Medan.

Situmorang, W. N. S., & Siregar, A. Z. (2018). Uji tipe dan ketinggian perangkap untuk mengendalikan penggerek buah kopi *Hypothenemus hampei* Ferr.(Coleoptera: Scolytidae) di Desa Pegagan Julu II Kecamatan Sumbul Kabupaten Dairi. *Pertanian Tropik*, 5(1), 113-119. https://doi.org /10.32734/jpt.v5i1.3143

Syakir, M. 2011. Status Penelitian Pestisida Nabati. Pusat Penelitian dan Pengembangan Tanaman Perkebunan. Badan Litbang Pertanian. Dalam Seminar Nasional Pestisida Nabati IV pada 15 Oktober 2011. Jakarta. 9-18 hal

Tarno, H., Suprapto, H., dan Himawan, T. 2014. First Record of Ambrosia Beetle (*Euplatypus paralellus* Fabricius) Infestation on Sonokembang (Pterocarpus indicus Willd.) from Malang Indonesia. Agrivita:36(2): 189–200.

Uetz GW, Unzicker JD. 1976. Pitfaal Trapping in ecological studies of wandering spiders. *Journal of Arachnology* 3: 101-111.

Unterstenhofer, G. 1963. The basic principles of crop protection field trials. Pflanzenschutz Nachrichten Bayer. 16 : 81-164.

Urano, T. 2000. Relationships between Mass Mortality of Two Oak Species (Quercus mongolica. J. For. Res 5(1): 187–193.

Wahyudi T dan Rahardjo P, 2008. *Sejarah dan Prospek. dalam* Wahyudi T, Panggabean TR, dan Pujiyanto, 2008. *Panduan Lengkap Kakao: Manajemen Agribisnis dari Hulu hingga Hilir*. Jakarta: Penebar Swadaya. p.11-37.

Widhiono, I., dan Sudiana, E. 2015. Keragaman Serangga Penyerbuk dan Hubunganya dengan Warna Bunga pada Tanaman Pertanian di Lereng Utara Gunung Slamet, Jawa Tengah. Biospesies 8(2): 43-50.

Wiryadiputra, S. (2014). Pola distribusi hama penggerek buah kopi (*Hypothenemus Hampei*) pada kopi arabika dan robusta. *Pelita Perkebunan*, 30(2), 123-136. https://doi.org/10.22302/iccri .jur.pelitaperkebunan.v30i2.5

Wood, S. L. 2007. Bark and Ambrosia Beetles of south America (Coleoptera, Scolytidae). Print and Mail Production Center. United State of America. Brigham Young University. Provo, Utah United State of America.

Yahmadi, M. 2007. Rangkaian Perkembangan dan Permasalahan Budidaya dan Pengolahan Kopi di Indonesia. Asosiasi Eksportir Kopi Indonesia. Surabaya