

Daftar Pustaka

1. Hossain N, Mobarak MH, Islam MA, Hossain A, Al Mahmud MZ, Rayhan MT, et al. Recent development of dental implant materials, synthesis process, and failure—a review. *Results Chem.* 2023;101136.
2. Fiorillo L, Cicciu M, Tozum TF, Saccucci M, Orlando C, Romano GL, et al. Endosseous dental implant materials and clinical outcomes of different alloys: A systematic review. *Materials.* 2022;15(5):1979.
3. Bigueti CC, Cavalla F, Fonseca AC, Tabanez AP, Siddiqui DA, Wheelis SE, et al. Effects of titanium corrosion products on in vivo biological response: a basis for the understanding of osseointegration failures mechanisms. *Front Mater.* 2021;8:651970.
4. Abaricia JO, Shah AH, Ruzga MN, Olivares-Navarrete R. Surface characteristics on commercial dental implants differentially activate macrophages in vitro and in vivo. *Clin Oral Implants Res.* 2021;32(4):487–97.
5. NAGAI M, HAYAKAWA T, FUKATSU A, YAMAMOTO M, FUKUMOTO M, NAGAHAMA F, et al. In vitro Study of Collagen Coating of Titanium Implants for Initial Cell Attachment. *Dent Mater J.* 2002;21(3):250–60.
6. López-Valverde N, Aragoneses J, López-Valverde A, Rodríguez C, Macedo de Sousa B, Aragoneses JM. Role of chitosan in titanium coatings. trends and new generations of coatings. *Front Bioeng Biotechnol.* 2022 Jul 22;10.
7. Fasya G. POTENSI ANTIKANKER DAN ANTIOKSIDAN SERTA IDENTIFIKASI ISOLAT STEROID MIKROALGA *Chlorella* sp. 2016;
8. Hasan H, Machmud E, Alpiyanti P. The effect of *Chlorella vulgaris* salep extract on the formation of bone remodeling. *Makassar Dental Journal.* 2020 Nov 28;9(3):170–3.
9. Sutiyo, Iraniza AD, Machmud E. The effect of application of *Chlorella vulgaris* extract gel on bone remodeling. *Makassar Dental Journal.* 2020 Nov 28;9(3):220–4.

10. Andrade A, Egito M, Vilela W, Costa R, Neto P, Silva R, et al. Wound healing gel based on chlorella vulgaris extract characterization. *Biointerface Res Appl Chem*. 2022 Aug 15;12(4):4463–75.
11. Ashikeen NM, Suhaniza S, Saad S, Junaida. Chlorella vulgaris Menunjukkan Kesan Antioksidan dan Antitumor Terhadap Kanser Hepar dalam Kajian in vivo dan in vitro. *Sains Malays*. 2009 Apr 22;38(5):773–84.
12. Cahyani FR, Isman HSM. POTENCY OF CHLORELLA SPP. AS AN ANTIOXIDANT AND ANTI-INFLAMMATORY AGENT. *Journal of Vocational Health Studies*. 2022 Mar 28;5(3):203.
13. Dammar I, Tanti I, Amir LR. Journal of International Dental and Medical Research ISSN 1309-100X Polyphenol and Antioxidant Chlorella Vulgaris Irfan Dammar and et al Volume • 16 • Number • 1 • 2023 Experimental article [Internet]. Vol. 16, *J Int Dent Med Res*. 2023. Available from: <http://www.jidmr.com>
14. Utami DP, Indrani DJ, Eriwati YK. <p>Peran metode modifikasi permukaan implan terhadap keberhasilan osseointegrasi</p><p>The role of implant surface modification method on the success of osseointegration</p>. *Jurnal Kedokteran Gigi Universitas Padjadjaran*. 2019 Aug 31;31(2).
15. Naseri H, Ghatee M, Yazdani A, Mohammadi M, Manafi S. Characterization of the 3YSZ/CNT/HAP coating on the Ti6Al4V alloy by electrophoretic deposition. *J Biomed Mater Res B Appl Biomater*. 2021 Oct 1;109(10):1395–406.
16. Arista A, Dahlan D. SINTESIS LAPISAN TIO₂ PADA SUBSTRAT ITO MENGGUNAKAN METODE ELEKTRODEPOSISI DAN SPIN COATING. Vol. 8, *JIF*. 2016.
17. Ogle OE. Implant Surface Material, Design, and Osseointegration. Vol. 59, *Dental Clinics of North America*. W.B. Saunders; 2015. p. 505–20.
18. Mccracken M. Dental Implant Materials: Commercially Pure Titanium and Titanium Alloys. Vol. 8, *J Prosthodont*. 1999.

19. Osman RB, Swain M V. A critical review of dental implant materials with an emphasis on titanium versus zirconia. Vol. 8, *Materials*. MDPI AG; 2015. p. 932–58.
20. Hanawa T. Biofunctionalization of titanium for dental implant. Vol. 46, *Japanese Dental Science Review*. 2010. p. 93–101.
21. Schwarz F, Wieland M, Schwartz Z, Zhao G, Rupp F, Geis-Gerstorfer J, et al. Potential of chemically modified hydrophilic surface characteristics to support tissue integration of titanium dental implants. Vol. 88, *Journal of Biomedical Materials Research - Part B Applied Biomaterials*. 2009. p. 544–57.
22. Siddiqi A, Payne AGT, De Silva RK, Duncan WJ. Titanium allergy: Could it affect dental implant integration? Vol. 22, *Clinical Oral Implants Research*. 2011. p. 673–80.
23. Liu X, Chen S, Tsoi JKH, Matinlinna JP. Binary titanium alloys as dental implant materials-a review. Vol. 4, *Regenerative Biomaterials*. Oxford University Press; 2017. p. 315–23.
24. Wally ZJ, van Grunsven W, Claeysens F, Goodall R, Reilly GC. Porous titanium for dental implant applications. Vol. 5, *Metals*. MDPI AG; 2015. p. 1902–20.
25. Louropoulou A, Slot DE, van der Weijden F. The effects of mechanical instruments on contaminated titanium dental implant surfaces: A systematic review. *Clin Oral Implants Res*. 2014;25(10):1149–60.
26. Biguetti CC, Cavalla F, Fonseca AC, Tabanez AP, Siddiqui DA, Wheelis SE, et al. Effects of Titanium Corrosion Products on In Vivo Biological Response: A Basis for the Understanding of Osseointegration Failures Mechanisms. *Front Mater*. 2021 May 14;8.
27. Steffano Aditya Handoko drg, SpPros M, Profesi Dokter Gigi Fakultas Kedokteran D. DENTAL IMPLANT : A LITERATURE REVIEW. 2022.
28. Jemat A, Ghazali MJ, Razali M, Otsuka Y. Surface modifications and their effects on titanium dental implants. Vol. 2015, *BioMed Research International*. Hindawi Publishing Corporation; 2015.

29. Bosshardt DD, Chappuis V, Buser D. Osseointegration of titanium, titanium alloy and zirconia dental implants: current knowledge and open questions. Vol. 73, *Periodontology* 2000. Blackwell Munksgaard; 2017. p. 22–40.
30. Makishi S, Yamazaki T, Ohshima H. Osteopontin on the Dental Implant Surface Promotes Direct Osteogenesis in Osseointegration. *Int J Mol Sci*. 2022 Feb 1;23(3).
31. Riset Teknologi Pencegahan Pencemaran Industri J, Djayanti S, Irnaning Handayani N, Purwanto A, Ruliaty L, Dwi Harjanto G. Efficient cell-wall disruption of microalgae *Chlorella Vulgaris* in water by catalytic ozonation over microporous carbon-supported titanium oxide. 2018;9(2):30–6. Available from: <https://10.21771/jrtpi.2018.v9.no.2.p30-36>
32. de Melo RG, de Andrade AF, Bezerra RP, Viana Marques D de A, da Silva VA, Paz ST, et al. Hydrogel-based *Chlorella vulgaris* extracts: a new topical formulation for wound healing treatment. *J Appl Phycol*. 2019 Dec 1;31(6):3653–63.
33. Sutiyo, Iraniza AD, Machmud E. The effect of application of *Chlorella vulgaris* extract gel on bone remodeling. *Makassar Dental Journal*. 2020 Nov 28;9(3):220–4.
34. Machmud E, Ruslin M, Waris R, Asse RA, Qadafi AM, Achmad H. Effect of the application of *chlorella vulgaris* ointment to the number of fibroblast cells as an indicator of wound healing in the soft tissue of pig ears. *Pesqui Bras Odontopediatria Clin Integr*. 2020;20.
35. Andrade A, Egito M, Vilela W, Costa R, Neto P, Silva R, et al. Wound healing gel based on *chlorella vulgaris* extract characterization. *Biointerface Res Appl Chem*. 2022 Aug 15;12(4):4463–75.
36. Affi J, Amin Z, Ficky Nuswantoro N, Juliadmi D, Fajri H, Manjas M, et al. PELAPISAN HIDROKSIAPATIT PADA PADUAN TITANIUM DENGAN ELECTROPHORETIC DEPOSITION (EPD) UNTUK IMPLAN ORTOPEDI. Vol. 9. 2019.
37. Alipal J, Mohd Pu'ad NAS, Nayan NHM, Sahari N, Abdullah HZ, Idris MI, et al. An updated review on surface functionalisation of titanium and its

- alloys for implants applications. In: *Materials Today: Proceedings*. Elsevier Ltd; 2019. p. 270–82.
38. Pawłowski Ł, Bartmański M, Strugała G, Mielewczyk-Gryń A, Jazdzewska M, Zieliński A. Electrophoretic Deposition and Characterization of Chitosan/Eudragit E 100 Coatings on Titanium Substrate. *Coatings*. 2020 Jun 28;10(7):607.
 39. Heise S, Forster C, Heer S, Qi H, Zhou J, Virtanen S, et al. Electrophoretic deposition of gelatine nanoparticle/chitosan coatings. *Electrochim Acta*. 2019 Jun;307:318–25.
 40. Aprilia L, Nuryadi R, Rianti W, Gustiono D, Herdianto N. Preparasi Lapisan Hidroksiapatit Lia Aprilia dkk PREPARASI LAPISAN HIDROKSIAPATIT PADA SUBSTRAT STAINLESS STEEL 316 DENGAN METODE DEPOSISI ELEKTROFORESIS (PREPARATION OF HYDROXYAPATITE FILM ON STAINLESS STEEL 316 SUBSTRATES USING ELECTROPHORETIC DESPOSITION METHOD). 2010.
 41. Ameen AP, Short RD, Johns R, Schwach G. The Surface Analysis of Implant Materials. *Clinical Oral Implants Research* . 1993 Feb 11;4:144–50.
 42. Juliadmi D, Fauzi VR, Gunawarman, Nur H, Idris MH. Hydroxyapatite coating on titanium alloy Ti-6Al-4V with electrophoretic deposition (EPD) for dental root application. *Int J Adv Sci Eng Inf Technol*. 2017;7(6):2152–8.
 43. Affi J. PELAPISAN HIDROKSIAPATIT PADA PADUAN TITANIUM DENGAN ELECTROPHORETIC DEPOSITION (EPD) UNTUK IMPLAN ORTOPEDI. 2019;
 44. Farrokhi-Rad M, Loghmani SK, Shahrabi T, Khanmohammadi S. Electrophoretic deposition of hydroxyapatite nanostructured coatings with controlled porosity. *J Eur Ceram Soc*. 2014;34(1):97–106.
 45. Juliadmi D, Harlendri, Hon Tjong D, Manjas M, Gunawarman. The Effect of Sintering Temperature on Bilayers Hydroxyapatite Coating of Titanium (Ti-6Al-4V) ELI by Electrophoretic Deposition for Improving Osseointegration. In: *IOP Conference Series: Materials Science and Engineering*. Institute of Physics Publishing; 2019.

46. Maleki-Ghaleh H, Khalili V, Khalil-Allafi J, Javidi M. Hydroxyapatite coating on NiTi shape memory alloy by electrophoretic deposition process. *Surf Coat Technol.* 2012 Sep;208:57–63.
47. Yildirim OS, Aksakal B, Celik H, Vangolu Y, Okur A. An investigation of the effects of hydroxyapatite coatings on the fixation strength of cortical screws. *Med Eng Phys.* 2005 Apr;27(3):221–8.
48. Muharni R. Pelapisan Hidroksiapatit Nano dengan Metode Electro Phoretic Deposition pada Ti6Al4V ELI untuk Dental Implant [Internet]. Vol. 15, *Jurnal Rekayasa Mesin.* 2020. Available from: <https://jurnal.polines.ac.id/index.php/rekayasa>
49. Luis J, Manrique E, Metalúrgico I. DENSIFICATION AND ELECTROPHORETIC DEPOSITION (EPD) ON Ti6Al4V SUBSTRATE USING BIOGLASS®.
50. Karimi N, Kharaziha M, Raeissi K. Electrophoretic deposition of chitosan reinforced graphene oxide-hydroxyapatite on the anodized titanium to improve biological and electrochemical characteristics. *Materials Science and Engineering C.* 2019 May 1;98:140–52.
51. Hussain R, Tabassum S, Gilani MA, Ahmed E, Sharif A, Manzoor F, et al. In situ synthesis of mesoporous polyvinyl alcohol/hydroxyapatite composites for better biomedical coating adhesion. *Appl Surf Sci.* 2016 Feb;364:117–23.
52. LeniD D, Yetri Y, Affi J, Cengkeh no A. Perilaku Titanium Murni (CPTi grade 2) terhadap Lapisan Hydroxyapatite Untuk Aplikasi Medis. 2018;(1). Available from: <http://joernal.umsb.ac.id/index.php/RANGTEKNIKJOURNAL>
53. Ma K, Cai X, Zhou Y, Wang Y, Jiang T. In Vitro and In Vivo Evaluation of Tetracycline Loaded Chitosan-Gelatin Nanosphere Coatings for Titanium Surface Functionalization. *Macromol Biosci.* 2017 Feb 1;17(2).