

DAFTAR PUSTAKA

- Adhityatama, S. (2020). *Adaptasi Maritim Pada Masa Prasejarah: Para Pemburu-Pengumpul Makanan di Lingkungan Maritim* (p. 167).
- Alfitri, M. A. (2022). *Subsistensi Canidae Bagi Penghuni Situs Leang Jarie Kecamatan Simbang, Kabupaten Maros: Studi Zooarkeologi* [Skripsi] Universitas Hasanuddin. <https://repository.unhas.ac.id/id/eprint/26222/>
- Alfitri, M. A., Hakim, B., Sumantri, I., Yusriana, Fakhri, & Saiful, A. M. (2023). Subsistensi Penghuni Situs Leang Jarie Kecamatan Simbang, Kabupaten Maros Terhadap Canidae: Studi Zooarkeologi. *WALENNAE: Jurnal Arkeologi Sulawesi Selatan dan Tenggara*, 21(1), Article 1. <https://doi.org/10.24832/wln.v21i1.735>
- Amin, W. (2020). *Sisa Tulang Fauna Situs Cappa Lombo, Kecamatan Bontocani, Kabupaten Bone* [Skripsi]. Universitas Hasanuddin.
- Amir, N. I. (2022). *Teknologi Artefak Moluska di Situs Liang Batu Genra , Kecamatan Buki, Kabupaten Kepulauan Selayar* [Skripsi, Universitas Hasanuddin]. <https://repository.unhas.ac.id/id/eprint/24359/>
- Andrews, R. G., & Glover, I. C. (1986). Ulu leang 2, an iron age jar burial cave in South Sulawesi, Indonesia. *Indonesia Circle. School of Oriental & African*.
- Anonim. (2023). *Laporan Ekskavasi Penyelamatan Gua Prasejarah Karst Maros-Pangkep*. Balai Pelestarian Kebudayaan Wilayah XIX.
- Atmoko, F. T. (2014). *Pemanfaatan Sumberdaya Lingkungan Gua Gilap Di Kawasan Giri Pada Masa Prasejarah: Kajian Terhadap Sisa Fauna Gadjah Mada*. repository.ugm.ac.id/penelitian/detail/72782



- Aziz, F. (2020). Strategi Subsistensi Komunitas Penghuni Gua Lawa dari Masa Holosen. *AMERTA*, 23, 1–26. <https://doi.org/10.24832/amt.v23i0.1-26>
- Aziz, F. A. (2001). Limbah Cangkang Moluska Dari Situs Gua Babi: Kajian Model Subsistensi. *AMERTA*, 21, 19–40.
- Bellwood, P. (2017). *Late Paleolithic Archaeology in Island Southeast Asia* (pp. 131–180). <https://doi.org/10.1002/9781119251583.ch5>
- Bulbeck, D. (2001). *Island Southeast Asia Late Prehistoric* (pp. 82–116). https://doi.org/10.1007/978-1-4615-1189-2_15
- Bulbeck, D., Pasqua, M., & Di Lello, A. (2000). Culture History of the Toalean of South Sulawesi, Indonesia. *Asian Perspectives*, 39(1), 71–108
- Brothwell, D., & Pollard, A. (2001). *Handbook of Archaeological Sciences*.
- Brumm, A., Hakim, B., Ramli, M., Aubert, M., Van Den Bergh, G. D., Li, B., Burhan, B., Saiful, A. M., Siagian, L., Sardi, R., Jusdi, A., Abdullah, Mubarak, A. P., Moore, M. W., Roberts, R. G., Zhao, J., McGahan, D., Jones, B. G., Perston, Y., ... Morwood, M. J. (2018). A reassessment of the early archaeological record at Leang Burung 2, a Late Pleistocene rock-shelter site on the Indonesian island of Sulawesi. *PLOS ONE*, 13(4), e0193025. <https://doi.org/10.1371/journal.pone.0193025>
- Carlhoff, S., Duli, A., Nägele, K., Nur, M., Skov, L., Sumantri, I., Oktaviana, A. A., Hakim, B., Burhan, B., Syahdar, F. A., McGahan, D. P., Bulbeck, D., Perston, Y. L., Newman, K., Saiful, A. M., Ririmasse, M., Chia, S., Hasanuddin, D., ... Brumm, A. T., ... Brumm, A. (2021). Genome of a middle Holocene hunter from Wallacea. *Nature*, 596(7873), 543–547. <https://doi.org/10.1038/s41586-021-03823-6>



- Casteel, R. W. (1976). *Fish Remains in Archaeology and Paleo-environmental Studies*. Academic Press.
- Chappell, J. (1982). Sea Levels and Sediments: Some Features of the Context of Coastal Archaeological Sites in the Tropics. *Archaeology in Oceania*, 17(2), 69–78.
- Church, J. A., & Gregory, J. M. (2001). *Sea Level Change*. Encyclopedia of Ocean Sciences. <https://www.sciencedirect.com/topics/earth-and-planetary-sciences/sea-level-change>
- Clason, A. T. (1976). A Preliminary Note About the Animal Remains from the Leang 1 Cave. South Sulawesi. Indonesia. *Modern Quaternary Res. South East Asia*, 2, 53–67.
- (2020). *Late Pleistocene/Holocene Hunter-Gatherers of Sulawesi* (H. T. Waterbolk, Ed.; 1 ed., hlm. 67–76). CRC Press. <https://doi.org/10.1201/9781003079446-4>
- Dincauze, D. F. (2000). *Environmental Archaeology: Principles and Practice*. Cambridge University Press.
- Fakhri, N. (2018). Arkeofauna Kawasan Karst Bontocani Kabupaten Bone Sulawesi Selatan. *WALENNAE: Jurnal Arkeologi Sulawesi Selatan Dan Tenggara*, 16(1), Article 1. <https://doi.org/10.24832/wln.v16i1.314>
- Fakhri, Hakim. *Pemanfaatan Fauna Vertebrata dan Kondisi Lingkungan Masa Okupasi 8.000 – 550 BP di Situs Leang Jarie, Maros, Sulawesi Selatan* | AMERTA | <https://jurnalarkeologi.kemdikbud.go.id/index.php/amerta/article/view>



- Febryanto. (2012). *Konsumsi dan Perolehan Sumber Daya Moluska Situs Gua Pappanaungang II, Bowong Cindea Kabupaten Pangkep [Skripsi]*. Universitas Hasanuddin.
- F.K, H. A. (2016). *Pola Subsistensi Penghuni Gua Here Sorot Entapa Pada Masa Prasejarah: Analisis Fauna Dan Lingkungan [Skripsi]*, Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/105108>
- Fairbridge, R. W. (1961). Eustatic changes in sea level. In "Physics and Chemistry of the Earth." (L. H. Ahrens et al., Eds.). *Pergamon Press, London*, 99–184.
- France, D. (2009). *Human and Nonhuman Bone Identification: A Color Atlas*. <https://doi.org/10.1201/9781420062878>
- Gustiantini, L., Maryunani, M., Zuraida, R., Kissel, C., & Bassinot, F. (2015). Distribusi Foraminifera di Laut Halmahera dari Glasial Akhir Sampai Resen. *Jurnal Geologi Kelautan*, 13(1), 230277.
- Glover, E. (1990, Juni 10). *The molluscan fauna of Ulu Leang 1 Cave, south Sulawesi, Indonesia*.
- Glover, I. C. (1976). Ulu Leang Cave, Maros: A Preliminary Sequence of post-Pleistocene Cultural Development in South Sulawesi. *Archipel*, 11(1), 113–154. <https://doi.org/10.3406/arch.1976.1271>
- Groves, C. (1975). *The origin of the mammalian fauna of Sulawesi (Celebes)*. <https://www.semanticscholar.org/paper/The-origin-of-the-mammalian-fauna-of-Sulawesi-Groves/2cf465fd4c33d8d4c789128bb5318ca9e94afd51>
- W.C. (1999). *Low stand sea level and landform changes: Climatic changes and sea-level fall from glacial maximum to epicontinent shelf and fauna migration through Indonesian archipelago*. In Preceeding of: "The environmental and Cultural History and Archaeology of the Australian-Southeast Asian Region. 10–12.



----- (1992). *Etude des terrasses récifales quaternaires soulevées entre le détroit de la Sonde et l'île de Timor, Indonésie: Mouvements verticaux de la croûte terrestre et variations du niveau de la mer* [These de doctorat, Aix-Marseille 2]. <https://theses.fr/1992AIX22047>

----- (2001). Low stand sea level and landform changes: climatic changes consequence to epicontinental shelf and fauna migration through Indonesian Archipelago. In Preceeding of: "The environmental and Cultural History and Dynamics of the Australian-Southeast Asian Region [seminar]. Melbourne. December 10-12, 1996.

Hasanuddin, nFN. (2017). Situs Neolitik Mallawa Maros, Sulawesi Selatan (Suatu Hasil Analisis Keterkaitan antara Artefak dengan Sumber Daya Lingkungan). *Jurnal Penelitian Arkeologi Papua Dan Papua Barat*, 9(1), Article 1. <https://doi.org/10.24832/papua.v9i1.205>

Hasanuddin, D., Akw, D. B., Syaiful, A. M., Yondri, L., Sumantri, I., Nur, M., Supriadi, D., Rustan, D., Isbahuddin, D., Ansyary, K. A., & Sirajuddin, K. (2020). Interaction Between The Toalean And Austronesian Cultures In The Mallawa Area, Maros District, South Sulawesi. *Journal of Indo-Pacific Archaeology*, 44, 329–349. <https://doi.org/10.7152/jipa.v44i0.15675>

Hasanuddin, H. (2017). Gua Panninge Di Mallawa, Maros, Sulawesi Selatan: Kajian Tentang Gua Hunian Berdasarkan Artefak Batu Dan Sisa Fauna. *Naditira Widya*, 11(2), Article 2. <https://doi.org/10.24832/nw.v11i2.210>

Hasanuddin, D. (2011). Strategi Subsistensi Di Situs Gua Gede Nusa Penida Pada Prasejarah. *Forum Arkeologi*, 27. brin.go.id/id/eprint/15755/1/67



- Hillson, S. (2016). *Mammal Bones and Teeth: An Introductory Guide to Methods of Identification* (1st edition). Routledge.
- Jati, S. S. P. (2013). PRASEJARAH INDONESIA: Tinjauan Kronologi dan Morfologi. *Sejarah dan Budaya*, 7(2).
- Jolly, C. J., & Fooden, J. (1971). Taxonomy and Evolution of the Monkeys of Celebes(Primates: Cercopithecidae). *Man*, 6(3), 491.
<https://doi.org/10.2307/2799038>
- Kealy, S., Louys, J., & O'Connor, S. (2017). Reconstructing palaeogeography and inter-island visibility in the Wallacean Archipelago during the likely period of Sahul colonization, 65—45,000 years ago. *Archaeological Prospection*.
- Keates, S. G., Pasveer, J. M., & Bulbeck, D. (2021). *South Sulawesi in the corridor of island populations along East Asia's Pacific rim*. 221–258.
<https://doi.org/10.1201/9780367810627-12>
- Keates, S. G., Pasveer, J. M., Olsen, S. L., & Glover, I. C. (2021). *The bone industry of Ulu Leang 1 and Leang Burung 1 rockshelters, Sulawesi, Indonesia, in its regional context*. 273–299. <https://doi.org/10.1201/9780367810627-14>
- Kempf, M., & Günther, G. (2023). Point pattern and spatial analyses using archaeological and environmental data – A case study from the Neolithic Carpathian Basin. *Journal of Archaeological Science: Reports*, 47, 103747.
<https://doi.org/10.1016/j.jasrep.2022.103747>
- Kholilullah, I. (2016). Kondisi Iklim Indonesia Pada Masa Integlasial (Holosen).  *Geocronostratigrafi*. <https://www.academia.edu/30344049>
- ?). Archaeofaunas and Subsistence Studies. *Advances in Paleobiology: Method and Theory*, 5, 331–393.

- (1994, Juli 7). *Vertebrate Taphonomy*.
<https://doi.org/10.1017/CBO9781139878302>
- (2008, Maret 31). *Quantitative Paleozoology*.
<https://doi.org/10.1017/CBO9780511813863>
- Marom, N., Yeshuran, R., Weissbrod, L., & Bar-Oz, G. (2016). *Bones and Identity: Zooarchaeological Approaches to Reconstructing Social and Cultural Landscapes in Southwest Asia*. Oxbow Books.
- Masrukhin, M. A. A., Sugianto, D. N., & Satriadi, A. (n.d.). *Studi Batimetri Dan Morfologi Dasar Laut Dalam Penentuan Jalur Peletakan Pipa Bawah Laut (Perairan Larangan-Maribaya, Kabupaten Tegal)*.
- Muda, K. T. (2018). *Bukti-Bukti Penghunian Sejak Fase Praneolitik Sampai Resen Di Situs Delubang Dan Situs Toroan, Madura* [Universitas Gadjah Mada].
<https://etd.repository.ugm.ac.id>
- Mulvaney, D. J., & Soejono, R. (1970). *The Australian-Indonesian Archaeological Expedition to Sulawesi*. <https://www.semanticscholar.org/paper/The-Australian-Indonesian-Archaeological-Expedition-Mulvaney-Soejono/0911a55d0e140d4a4f764e7a33b89f0392317cc7>
- Mustika, S. (1990). *Moluska Sebagai Sisa Sampah Dapur Manusia Prasejarah Pada Situs Gua-gua di Minasate'ne Kabupaten Pangkep (Suatu analisis Arkeologi)* [Skripsi]. Universitas Hasanuddin.
- O'Connor, T. (2008). *The Archaeology of Animal Bones*. Texas A&M University



The Geological Background to Prehistory In Island Southeast
Quaternary Research in Southeast Asia, 9, 25–42.

- Olsen, S. L., & Glover, I. C. (2004). The bone industry of Ulu Leang 1 and Leang Burung 1 rockshelters, Sulawesi, Indonesia, in its regional context. Dalam *Modern Quaternary Research in Southeast Asia, Volume 18*. CRC Press.
- Perston, Y. L., Moore, M., Suryatman, Langley, M., Hakim, B., Oktaviana, A. A., & Brumm, A. (2021). A standardised classification scheme for the Mid-Holocene Toalean artefacts of South Sulawesi, Indonesia. *PLOS ONE*, 16(5), e0251138. <https://doi.org/10.1371/journal.pone.0251138>
- Perston, Y., Burhan, B., Newman, K., Hakim, B., Oktaviana, A., & Brumm, A. (2021). *Technology, subsistence strategies and cultural diversity in South Sulawesi, Indonesian, during the Toalean Mid-Holocene period: Recent advances in research*. 45, 1–24. <https://doi.org/10.7152/jipa.v45i0.15693>
- Platt, D. E., Haber, M., Dagher-Kharrat, M. B., Douaihy, B., Khazen, G., Ashrafiyan Bonab, M., Salloum, A., Mouzaya, F., Luiselli, D., Tyler-Smith, C., Renfrew, C., Matisoo-Smith, E., & Zalloua, P. A. (2017). Mapping Post-Glacial expansions: The Peopling of Southwest Asia. *Scientific Reports*, 7(1), 40338. <https://doi.org/10.1038/srep40338>
- Prasetyo, B. (2004). Pola Hunian Dan Subsistensi. In *Prasejarah Gunung Sewu* (pp. 61–65). Ikatan Ahli Arkeologi Indonesia.
- Priyambodo, A. A., Ardika, I. W., & Bawono, R. A. (2021). Identifikasi Anatomi dan Analisis Jejak Pemanfaatan Tulang Babi di Situs Gua Gede, Nusa Penida Bali. *Tumotowa*, 4(1), 13–22. <https://doi.org/10.24832/tmt.v4i1.81>
- [Tidak diberikan tahun]. *Sisa-Sisa Tulang Kera Sebagai Bukti Konsumsi Manusia di Situs Leang Jarie (Simbang) dan Situs Uttangnge I (Mallawa), Kabupaten Maros* [Skripsi, Universitas Hasanuddin].



<http://repository.unhas.ac.id/id/eprint/26119/>

- Reitz, E. J., & Wing, E. S. (2008). *Zooarchaeology* (2nd edition). Cambridge University Press.
- Renfrew, C. (2013). *Archaeology: The Key Concepts* (1 ed.). Routledge.
<https://doi.org/10.4324/9780203491096>
- Roper, D. C. (1979). The Method and Theory of Site Catchment Analysis: A Review. *Advances in Archaeological Method and Theory*, 2, 119–140.
- Rustan. (2001). *Sistem Perolehan Mollusca Pada Leang Jarie Kabupaten Maros* [Skripsi]. Universitas Hasanuddin.
- Saiful, A. M. (2019). *Suidae Dalam Strategi Subsistensi Penghuni Liang Panningnge, Maros, Sulawesi Selatan* [Universitas Gadjah Mada].
<https://etd.repository.ugm.ac.id/penelitian/detail/172245>
- Saiful, A. M., & Anggraeni, A. (2019). Eksplorasi Suidae Pada Kala Holosen Di Liang Panningge, Maros, Sulawesi Selatan. *PURBAWIDYA: Jurnal Penelitian dan Pengembangan Arkeologi*, 8(2), Article 2.
<https://doi.org/10.24164/pw.v8i2.306>
- Saiful, A. M. (2019). *Suidae Dalam Strategi Subsistensi Penghuni Liang Panningnge, Maros, Sulawesi Selatan* [Universitas Gadjah Mada].
<https://etd.repository.ugm.ac.id/penelitian/detail/172245>
- Saiful, A. M., & Hakim, B. (2016). Interaksi Manusia Terhadap Binatang Di Gua Batti. *WALENNAE: Jurnal Arkeologi Sulawesi Selatan Dan Tenggara*, 14(1), Article 1. <https://doi.org/10.24832/wln.v14i1.35>
- ddin, N., Bernadeta, N., Sumantri, I., Supriadi, N., Isbahuddin, & Sirajuddin, K. (2023a). Teknologi artefak tulang Toala dan budaya neolitik di Mallawa, Maros. *Berkala Arkeologi*, 43(1), s://doi.org/10.55981/jba.2023.101

- Sari, D. M. (2023). *Strategi Subsistensi Penghuni Gua Panggung, Kabupaten Pangandaran Pada Kala Holosen Awal: Kajian Zooarkeologi* [Thesis, Universitas Gadjah Mada].
- Sémah, F., Sémah, A.-M., & Djubiantono, T. (1990). *Mereka Menemukan Pulau Jawa*. Pusat Penelitian Arkeologi Nasional.
- Simanjuntak, T. (2021). *Manusia-Manusia dan Peradaban Indonesia*. UGM PRESS.
- Simanjuntak, T., Prasetyo, B., Widianto, H., S. Intan, Muh. F., Handini, R., & Mahareni, E. (2004). *Prasejarah Gunung Sewu*. Ikatan Ahli Arkeologi Indonesia.
- Simanjuntak, H.T. (1999). Budaya Awal Holosen Di Gunung Sewu. *Berkala Arkeologi*, 19(1), Article 1. <https://doi.org/10.30883/jba.v19i1.789>
- (1995). Mesolithique En Indonesie: Heterogeneite culturelle. *L'Anthropologie (Paris)*, 100(4), 680–690.
- (2004). Hunian Gua Dan Ceruk: Trend Baru Di Akhir Pleistosen. In *Prasejarah Gunung Sewu* (pp. 81–91). Ikatan Ahli Arkeologi Indonesia.
- (2006). Indonesia–Southeast Asia: Climates, settlements, and cultures in Late Pleistocene. *Comptes Rendus Palevol*, 5(1), 371–379. <https://doi.org/10.1016/j.crpv.2005.10.005>
- Simanjuntak, T., & Intan, F. S. (2004). Selintas Paleoiklim Dan Paleogeografi Nusantara Pada Kala Pleistosen Holosen. In *Prasejarah Gunung Sewu* (pp. 23–45). Ikatan Ahli Arkeologi Indonesia.
- Simanjuntak, T., Prasetyo, B. (2004). Hunian Gua dan Subsistensi. In *Prasejarah Gunung Sewu* (pp. 139–152). Ikatan Ahli Arkeologi Indonesia.



- Simons, A., & Bulbeck, D. (2004). Late Quaternary faunal successions in South Sulawesi, Indonesia. In *Modern Quaternary Research in Southeast Asia, Volume 18*. CRC Press.
- Siswanto, Zaim, Y., & Sofwan, N. (2016). *Melacak Jejak Kehidupan Purba Di Patiayam*. Kepel Press.
- Suryatman, Fakhri, Hakim, B., Hasanuddin, Nur, M., Muda, K. T., Isbahuddin, Harris, A., & Anshari, K. Al. (2022). Strategi Adaptasi Teknologi Artefak Litik Toalean di Situs leang Jarie dan Cappalombo 1, Sulawesi Selatan. *Berkala Arkeologi*, 42(2), 83–110. <https://doi.org/10.30883/jba.v4i2.982>
- Suryatman, N., Hakim, B., Mahmud, M. I., Fakhri, N., Burhan, B., Oktaviana, A. A., Saiful, A. M., & Syahdar, F. A. (2019). Artefak Batu Preneolitik Situs Leang Jarie: Bukti teknologi Maros point tertua di kawasan budaya Toalean, Sulawesi Selatan. *AMERTA*, 37(1), 1. <https://doi.org/10.24832/amt.v37i1.1-17>
- Tang, M. (2000). *Sampah Dapur Moluska Indikasi Perolehan Makanan Musiman pada Situs Leang Pettae Kabupaten Maros* [Skripsi]. Universitas Hasanuddin.
- Tjia, H. D. (1968). New evidence of Recent diastrophism in East Indonesia. *Institut Teknologi Bandung, Contributions of the Departement of Geology*, 69, 71–76.
- (1970). Quartenary Shorelines Of The Sunda Land, Southeast Asia. *Quaternary International*, 49(2), 135–144.
- Kigoshi, K., Sugimura, A., & Zakaria, T. (1972). Radiocarbon dated Shorelines, Indonesia and Malaysia. Part 1. *Quaternary International*, 4(4), 487–495. [https://doi.org/10.1016/0033-5894\(72\)90087-7](https://doi.org/10.1016/0033-5894(72)90087-7)



- Van BEMMELEN, R. W. V. (1970). *The geology of Indonesia: General geology of Indonesia and adjacent archipelagoes*.-- ed.2. 1. Martinus Nijhoff.
- Widodo, S. (2005). Pola Adaptasi Manusia Terhadap Lingkungannya. *Berkala Arkeologi*, 25(1), 69–75. <https://doi.org/10.30883/jba.v25i1.911>
- Yulia, Y. M. (2020). *Perubahan Konsumsi Fauna Pada Tiap Lapisan Budaya Di Situs Leang Jarie, Kabupaten Maros* [Skripsi, Universitas Hasanuddin]. <https://repository.unhas.ac.id/id/eprint/1590/>
- Yincan et al, Y. (2017). Chapter 14—Sea Level Change, Sea Water Intrusion, and Coastal Land Subsidence. In Y. Yincan et al (Ed.), *Marine Geo-Hazards in China* (pp. 587–656). Elsevier. <https://doi.org/10.1016/B978-0-12-812726-1.00014-0>
- Zalloua, D. E. P., Marc Haber, Magda Bou Dagher-Kharrat, Bouchra Douaihy, Georges Khazen, Maziar Ashrafian Bonab, Angélique Salloum, Francis Mouzaya, Donata Luiselli, Chris Tyler-Smith, Colin Renfrew, Elizabeth Matisoo-Smith & Pierre A. (2019). *Evolution of temperature in the Post-Glacial period according to Greenland ice cores (Younger Dryas)* [Graphic].



Optimized using
trial version
www.balesio.com

LAMPIRAN

Tabel Data Analisis dan Identifikasi moluska Leang Karajae 2

No	Class	Family	Species	Spit	Fragment	Left Umbo	Right Umbo	Complete	Last Whorl	Spine	NISP	MNI	Habitat	Phase
1	Bivalvia	Veneridae	Meretrix lyrata	1		2	2				2	2	Air Asin	Akhir
2	Bivalvia	Veneridae	Meretrix meretrix	1	154	114	136				404	136	Air Asin	Akhir
3	Bivalvia	Veneridae	Meretrix lyrata	2	1	6	8				15	8	Air Asin	Akhir
4	Bivalvia	Veneridae	Meretrix meretrix	2	58	149	127				334	149	Air Asin	Akhir
5	Bivalvia	Veneridae	Meretrix meretrix	3	16	110	89				215	110	Air Asin	Akhir
6	Bivalvia	Veneridae	Meretrix meretrix	4	96	232	309				637	309	Air Asin	Akhir
7	Bivalvia	Veneridae	Meretrix lyrata	4		7	11				18	11	Air Asin	Akhir
8	Bivalvia	Veneridae	Meretrix meretrix	5	17	103	99				209	103	Air Asin	Akhir
9	Bivalvia	Veneridae	Meretrix lyrata	5		6	5				11	6	Air Asin	Akhir
10	Bivalvia	Veneridae	Meretrix lyrata	6		13	12				25	13	Air Asin	Akhir
11	Bivalvia	Veneridae	Meretrix meretrix	6	67	90	149				306	149	Air Asin	Akhir
		idae	Meretrix meretrix	8		3	5				8	5	Air Asin	Akhir
		idae	Meretrix meretrix	8	11	44	44				99	44	Air Asin	Akhir
		idae	Meretrix meretrix	9	17	156	186				359	186	Air Asin	Akhir
		idae	Meretrix lyrata	9		1	7				9	7	Air Asin	Akhir



16	Bivalvia	Veneridae	Meretrix lyrata	10		11	10					21	11	Air Asin	Akhir
17	Bivalvia	Veneridae	Meretrix meretrix	10	36	136	140					312	140	Air Asin	Akhir
18	Bivalvia	Veneridae	Meretrix meretrix	11	21	158	131					310	158	Air Asin	Akhir
19	Bivalvia	Veneridae	Meretrix lyrata	11	11	10	10					31	10	Air Asin	Akhir
20	Bivalvia	Veneridae	Meretrix meretrix	12	17	225	156					398	225	Air Asin	Akhir
21	Bivalvia	Veneridae	Meretrix meretrix	13	60	151	132					343	151	Air Asin	Akhir
22	Bivalvia	Veneridae	Meretrix lyrata	13		10	19					29	19	Air Asin	Akhir
23	Bivalvia	Veneridae	Meretrix lyrata	14	13	13	15					41	15	Air Asin	Akhir
24	Bivalvia	Veneridae	Meretrix meretrix	14	17	217	167					401	217	Air Asin	Akhir
25	Bivalvia	Veneridae	Meretrix lyrata	15	19		4					23	4	Air Asin	Awal
26	Bivalvia	Veneridae	Meretrix meretrix	15	3	49	362					414	362	Air Asin	Awal
27	Bivalvia	Veneridae	Meretrix lyrata	16		2	3					5	3	Air Asin	Awal
28	Bivalvia	Veneridae	Meretrix meretrix	16	26	188	185					399	188	Air Asin	Awal
29	Bivalvia	Veneridae	Meretrix meretrix	17	13	326	373					712	373	Air Asin	Awal
30	Bivalvia	Veneridae	Meretrix meretrix	18	64	247	245					556	247	Air Asin	Awal
		idae	Meretrix meretrix	19		1	4					5	4	Air Asin	Awal
		idae	Meretrix meretrix	19	49	295	226					570	295	Air Asin	Awal
		idae	Meretrix meretrix	20	39	175	197					411	197	Air Asin	Awal
		idae	Meretrix meretrix	21	49	258	345					652	345	Air Asin	Awal



35	Bivalvia	Veneridae	Meretrix meretrix	22	27	405	371					803	405	Air Asin	Awal
36	Bivalvia	Veneridae	Meretrix lyrata	22			3					3	3	Air Asin	Awal
37	Bivalvia	Veneridae	Meretrix lyrata	23	54	156	213					423	213	Air Asin	Awal
38	Bivalvia	Veneridae	Meretrix meretrix	23		177	84					261	177	Air Asin	Awal
39	Bivalvia	Veneridae	Meretrix meretrix	24	15	443	576					1034	443	Air Asin	Awal
40	Bivalvia	Veneridae	Meretrix meretrix	25	191	360	310					861	360	Air Asin	Awal
41	Bivalvia	Veneridae	Meretrix lyrata	25			1					1	1	Air Asin	Awal
42	Bivalvia	Veneridae	Meretrix meretrix	26	20	493	304					817	493	Air Asin	Awal
43	Bivalvia	Veneridae	Meretrix meretrix	27	39	301	369					709	369	Air Asin	Awal
44	Bivalvia	Arcidae	Anadara sp.	1		15	20					35	20	Air Asin	Akhir
45	Bivalvia	Arcidae	Anadara sp.	2		32	19					51	32	Air Asin	Akhir
46	Bivalvia	Arcidae	Anadara sp.	3		17	17					34	17	Air Asin	Akhir
47	Bivalvia	Arcidae	Anadara sp.	4		10	18					28	18	Air Asin	Akhir
48	Bivalvia	Arcidae	Anadara sp.	5		12	11					23	12	Air Asin	Akhir
49	Bivalvia	Arcidae	Anadara sp.	6		14	33					47	33	Air Asin	Akhir
		lae	Anadara sp.	7	2	18	23					43	23	Air Asin	Akhir
		lae	Anadara sp.	8	2	14	14					30	14	Air Asin	Akhir
		lae	Anadara sp.	9	6	18	23					47	23	Air Asin	Akhir
		lae	Anadara sp.	10		17	8					25	17	Air Asin	Akhir



54	Bivalvia	Arcidae	Anadara sp.	11		23	17					40	23	Air Asin	Akhir
55	Bivalvia	Arcidae	Anadara sp.	12		8	12					20	12	Air Asin	Akhir
56	Bivalvia	Arcidae	Anadara sp.	13		14	16					30	16	Air Asin	Akhir
57	Bivalvia	Arcidae	Anadara sp.	14		21	17					38	21	Air Asin	Akhir
58	Bivalvia	Arcidae	Anadara sp.	15		31	33					64	33	Air Asin	Awal
59	Bivalvia	Arcidae	Anadara sp.	16		52	11					63	52	Air Asin	Awal
60	Bivalvia	Arcidae	Anadara sp.	17		40	65					105	65	Air Asin	Awal
61	Bivalvia	Arcidae	Anadara sp.	18		26	65					91	65	Air Asin	Awal
62	Bivalvia	Arcidae	Anadara sp.	19	1	14	10					25	14	Air Asin	Awal
63	Bivalvia	Arcidae	Anadara sp.	20	1	10	17					28	17	Air Asin	Awal
64	Bivalvia	Arcidae	Anadara sp.	21	1	9	11					21	11	Air Asin	Awal
65	Bivalvia	Arcidae	Anadara sp.	22	3	16	6					25	16	Air Asin	Awal
66	Bivalvia	Arcidae	Anadara sp.	23	1	6	8					15	8	Air Asin	Awal
67	Bivalvia	Arcidae	Anadara sp.	24		12	6					18	12	Air Asin	Awal
68	Bivalvia	Arcidae	Anadara sp.	25		2	9					11	9	Air Asin	Awal
		iae	Anadara sp.	26		4	1					5	4	Air Asin	Awal
		iae	Anadara sp.	27		8	17					25	17	Air Asin	Awal
		idae	Crassostrea	2		1						1	1	Air Asin	Akhir
		idae	Crassostrea	6		1						1	1	Air Asin	Akhir



73	Bivalvia	Ostreidae	Crassostrea	15				1					1	1	Air Asin	Awal
74	Bivalvia	Ostreidae	Crassostrea	18				2					2	2	Air Asin	Awal
75	Bivalvia	Ostreidae	Crassostrea	21				6					6	6	Air Asin	Awal
76	Gastropoda	Bursidae	Tritonoranella ranelloides	3						1			1	1	Air Asin	Akhir
77	Gastropoda	Bursidae	Tritonoranella ranelloides	6							1		1	1	Air Asin	Akhir
78	Gastropoda	Bursidae	Tritonoranella ranelloides	10						2			2	2	Air Asin	Akhir
79	Gastropoda	Melongenidae	Melongena melongena	1					2	1	1	4	3	Air Asin	Akhir	
80	Gastropoda	Melongenidae	Melongena melongena	2					2		1	3	3	Air Asin	Akhir	
81	Gastropoda	Melongenidae	Melongena melongena	3					1	1		2	2	Air Asin	Akhir	
82	Gastropoda	Melongenidae	Melongena melongena	8						1			1	1	Air Asin	Akhir
83	Gastropoda	Melongenidae	Melongena melongena	9					1		2	3	3	Air Asin	Akhir	
84	Gastropoda	Melongenidae	Melongena melongena	14						1	1	2	1	Air Asin	Akhir	
85	Gastropoda	Bursidae	Tritonoranella ranelloides	1							1	1	1	Air Asin	Akhir	
86	Gastropoda	Bursidae	Tritonoranella ranelloides	3							1	1	1	Air Asin	Akhir	
87	Gastropoda	Bursidae	Tritonoranella ranelloides	6							1	1	1	Air Asin	Akhir	
	dae	Tritonoranella ranelloides	10						1		1	1	Air Asin	Akhir		
	dae	Tritonoranella ranelloides	11							2	2	2	Air Asin	Akhir		
	dae	Tritonoranella ranelloides	13							2	2	2	Air Asin	Akhir		
	dae	Tritonoranella ranelloides	25							1	1	1	Air Asin	Awal		



92	Gastropoda	Strombidae	<i>Strombus pugilis</i>	6						1	1	2	1	Air Asin	Akhir
93	Gastropoda	Strombidae	<i>Strombus pugilis</i>	10						2	2	2	Air Asin	Akhir	
94	Gastropoda	Strombidae	<i>Strombus pugilis</i>	11				1			1	1	Air Asin	Akhir	
95	Gastropoda	Strombidae	<i>Strombus pugilis</i>	13						1	1	1	Air Asin	Akhir	
96	Gastropoda	Potamididae	<i>Telescopium telescopium</i>	2						1	1	1	Air Paya u	Akhir	
97	Gastropoda	Potamididae	<i>Telescopium telescopium</i>	8						1	1	1	Air Paya u	Akhir	
98	Gastropoda	Potamididae	<i>Telescopium telescopium</i>	10				3		6	9	9	Air Paya u	Akhir	
99	Gastropoda	Potamididae	<i>Telescopium telescopium</i>	11				2			2	2	Air Paya u	Akhir	
100	Gastropoda	Potamididae	<i>Telescopium telescopium</i>	12				1			1	1	Air Paya u	Akhir	
101	Gastropoda	Potamididae	<i>Telescopium telescopium</i>	14						1	1	1	Air Paya u	Akhir	
102	Gastropoda	Pachychiliidae	<i>Tylomelania Sp.</i>	1				5084			5084	5084	Air Tawar	Akhir	
		'chili e	<i>Tylomelania Sp.</i>	2				6304			6304	6304	Air Tawar	Akhir	
		'chili e	<i>Tylomelania Sp.</i>	3				4833			4833	4833	Air Tawar	Akhir	
		'chili e	<i>Tylomelania Sp.</i>	4				4611			4611	4611	Air Tawar	Akhir	



Optimized using
trial version
www.balesio.com

10 6	Gastropo da	Pachychili dae	Tylomelania Sp.	5				5474			5474	5474	Air Taw ar	Akhir
10 7	Gastropo da	Pachychili dae	Tylomelania Sp.	6				3515			3515	3515	Air Taw ar	Akhir
10 8	Gastropo da	Pachychili dae	Tylomelania Sp.	7				4290			4290	4290	Air Taw ar	Akhir
10 9	Gastropo da	Pachychili dae	Tylomelania Sp.	8				2824			2824	2824	Air Taw ar	Akhir
11 0	Gastropo da	Pachychili dae	Tylomelania Sp.	9				5175			5175	5175	Air Taw ar	Akhir
11 1	Gastropo da	Pachychili dae	Tylomelania Sp.	10				5174			5174	5174	Air Taw ar	Akhir
11 2	Gastropo da	Pachychili dae	Tylomelania Sp.	11				5158			5158	5158	Air Taw ar	Akhir
11 3	Gastropo da	Pachychili dae	Tylomelania Sp.	12				2960			2960	2960	Air Taw ar	Akhir
11 4	Gastropo da	Pachychili dae	Tylomelania Sp.	13				1788			1788	1788	Air Taw ar	Akhir
11 5	Gastropo da	Pachychili dae	Tylomelania Sp.	14				1911			1911	1911	Air Taw ar	Akhir
		'chili e	Tylomelania Sp.	15				766			766	766	Air Taw ar	Awal
		'chili e	Tylomelania Sp.	16				338			338	338	Air Taw ar	Awal
		'chili e	Tylomelania Sp.	17				477			477	477	Air Taw ar	Awal



Optimized using
trial version
www.balesio.com

11 9	Gastropo da	Pachychili dae	Tylomelania Sp.	18				233			233	233	Air Taw ar	Awal
12 0	Gastropo da	Pachychili dae	Tylomelania Sp.	19				223			223	223	Air Taw ar	Awal
12 1	Gastropo da	Pachychili dae	Tylomelania Sp.	20				135			135	135	Air Taw ar	Awal
12 2	Gastropo da	Pachychili dae	Tylomelania Sp.	21				70			70	70	Air Taw ar	Awal
12 3	Gastropo da	Pachychili dae	Tylomelania Sp.	22				63			63	63	Air Taw ar	Awal
12 4	Gastropo da	Pachychili dae	Tylomelania Sp.	23				61			61	61	Air Taw ar	Awal
12 5	Gastropo da	Pachychili dae	Tylomelania Sp.	24				68			68	68	Air Taw ar	Awal
12 6	Gastropo da	Pachychili dae	Tylomelania Sp.	25				61			61	61	Air Taw ar	Awal
12 7	Gastropo da	Pachychili dae	Tylomelania Sp.	26				22			22	22	Air Taw ar	Awal
12 8	Gastropo da	Pachychili dae	Tylomelania Sp.	27				45			45	45	Air Taw ar	Awal



Tabel Data Identifikasi dan Analisis Tulang Fauna Leang Karajae 2


Nomor Analisis	La ye r	Ko ta k	S pi t	Taxon	Element	Si d e	Part of Element	Fu se d	Bur ning	Nat Mo d	Anth Mod	Panjang temuan (mm)	Ju ml ah	Berat Temuan (gr)	Notes
KRJ_U 2T7_00_1	3	U2 T7	2 3	UI	UI		Fragment		B	WS 3		<10	2	0,31	
KRJ_U 2T7_00_2	3	U2 T7	2 3	UI	UI		Fragment		NB	WS 3		<20	9	1,26	
KRJ_U 2T7_00_3	3	U2 T7	2 3	Fish	Vertebra		Centrum		NB	WS 2		<10	1	0,17	
KRJ_U 2T7_00_4	3	U2 T7	2 3	Fish	Dentary		Fragment		NB	WS 3		<20	1	0,36	
KRJ_U 2T7_00_5	3	U2 T7	2 3	Fish	Vertebra		Haemal Spine		NB	WS 2		<10	1	0,14	
KRJ_U 2T7_00_6	3	U2 T7	2 3	Fish	UI		Fragment		NB	WS 1		<20	1	0,28	
KRJ_U 2T7_00_7	3	U2 T7	2 2	Suidae	Calcaneus		Shaft fragment		NB	WS 2		26,31	1	1,61	
KRJ_U 2T7_00_8	3	U2 T7	2 2	Fish	Vertebra		Centrum		NB	WS 3		<20	4	2,62	
				Varanus	Vertebra		Fragment		NB	WS 3		<20	10	6,58	
				Snake	Vertebra		Fragment		NB	WS 2		14,4	1	0,64	
				Fish	UI		Fragment		NB	WS 2		<30	6	21,19	



KRJ_U 2T7_01 2	3	U2 T7	2 2	Suidae	Incisor	Le ft	Lower Incisor 3		NB	WS 1		24,4	1	0,39	
KRJ_U 2T7_01 3	3	U2 T7	2 2	Fish	Vertebra		Vertebral body		B	WS 1		19,4	1	0,44	
KRJ_U 2T7_01 4	3	U2 T7	2 2	UI	UI		Fragment		NB		jejak streasi dan polish	24,3	1	0,53	Indikas i Artefak
KRJ_U 2T7_01 5	3	U2 T7	2 2	Bird	Radius		Shaft fragment		NB	WS 1		<50	3	1,34	
KRJ_U 2T7_01 6	3	U2 T7	2 2	Rat Sized	Metapodial		Complete		NB	WS 1		17	1	0,09	
KRJ_U 2T7_01 7	3	U2 T7	2 2	Megachiropter a	Canine		Lower Canine		NB	WS 1		12,7	1	0,13	
KRJ_U 2T7_01 8	3	U2 T7	2 2	Bird	Vertebra		Vertebral Body (Centrum)		NB	WS 2		11	1	0,16	
KRJ_U 2T7_01 9	3	U2 T7	2 2	Rat Sized	Humerus		Fragment		NB	WS 2		12,6	1	0,17	
KRJ_U 2T7_02 0	3	U2 T7	2 2	Bird	Humerus		Fragment		NB	WS 3		12,5	1	0,36	
KRJ_U 2T7_02 1	3	U2 T7	2 2	Rat Sized	Tibia	Right	Tibia Shaft		NB	WS 1		24,3	1	0,17	
				Bird	Long Bone		Shaft fragment		NB	WS 2		30,7	1	0,65	
				Small Mammal	Vertebra		Neural Arch Fragment		NB	WS 3		<20	3	1,91	
				Brachyura	Chela		Fragment		NB	WS 2		14,2	1	0,28	



KRJ_U 2T7_02 5	3	U2 T7	2 2	UI	UI		Fragment		NB	WS 2		<30	42	13,34	
KRJ_U 2T7_02 6	3	U2 T7	2 2	Bird	Metatarsus		Distal End		NB	WS 3		15,2	1	0,12	
KRJ_U 2T7_02 7	3	U2 T7	2 2	Varanus	Vertebra		Vertebral Body		B	WS 2		<30	3	1,56	
KRJ_U 2T7_02 8	3	U2 T7	2 2	Bird	Tibia		Proximal End		NB	WS 3		13	1	0,14	
KRJ_U 2T7_02 9	3	U2 T7	2 2	Bird	Tibia		Distal End		NB	WS 3		15,3	1	0,2	
KRJ_U 2T7_03 0	3	U2 T7	2 2	UI	UI		Fragment		B	WS 3		< 20	3	1,04	
KRJ_U 2T7_03 1	3	U2 T7	2 2	Brachiyura	UI		Fragment		NB	WS 3		< 20	2	0,67	
KRJ_U 2T7_03 2	3	U2 T7	1 8	Fish	Vertebra		Vertebral Body (Centrum)		NB	WS 3		<20	12	2,76	
KRJ_U 2T7_03 3	3	U2 T7	1 8	Rat Sized	Vertebra		Vertebral Body		NB	WS 2		<20	4	1,01	
KRJ_U 2T7_03 4	3	U2 T7	1 8	Snake	Vertebra		Vertebral Body		NB	WS 2		7,2	1	1,26	
				Varanus	Vertebra		Vertebral Body		B	WS 1		<20	2	3,44	
				Varanus	Vertebra		Vertebral Body		NB	WS 1		<20	3	2,09	
				Suidae	Metapodial		Metapodial Distal		NB	WS 2		12,9	1	1,2	



Optimized using
trial version
www.balesio.com

KRJ_U 2T7_03 8	3	U2 T7	1 8	Bird	Tibia		Tibia Complit		NB	WS 1		30,3	1	0,34	
KRJ_U 2T7_03 9	3	U2 T7	1 8	Suidae	Phalages		Phalages terminal	F	NB	WS 2		15,7	1	1,5	
KRJ_U 2T7_04 0	3	U2 T7	1 8	Brachyura (Kepiting)	Chela (Capit)				B	WS 1		<20	2	1,1	
KRJ_U 2T7_04 1	3	U2 T7	1 8	Brachyura (Kepiting)	Chela (Capit)				NB	WS 1		<20	5	16	
KRJ_U 2T7_04 2	3	U2 T7	1 8	Intermediete mammals	UI		Fragment		NB	WS 2		<30	2	2,43	
KRJ_U 2T7_04 3	3	U2 T7	1 8	Fish	Ribs		Shaft Fragment		NB	WS 1		18,9	1	0,09	
KRJ_U 2T7_04 4	3	U2 T7	1 8	Small Mammal	UI				NB	WS 2		<30	34	7,38	
KRJ_U 2T7_04 5	3	U2 T7	1 8	Small Mammal	UI				B	WS 2		20,7	1	0,19	
KRJ_U 2T7_04 6	3	U2 T7	1 8	Small Mammal	Vertebra		Vertebral body		NB	WS 3		<20	2	1,26	
KRJ_U 2T7_04 7	3	U2 T7	1 8	Small Mammal	Tibia		Proximal		NB	WS 3		1,13	1	21	
				Small Mammal	Fibula		Proximal		NB	WS 2		22,3	1	0,92	
				Fish	Vertebra		Vertebral body		NB	WS 2		9	1	0,61	
				Fish	UI		Fragment		NB	WS 1		<40	2	1,77	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_05 1	3	U1 T7	2 4	Brachyura (Kepiting)	Chela (Capit)			NB	WS 2		29,8	1	0,89		
KRJ_U 1T7_05 2	3	U1 T7	2 4	UI	UI			NB	WS 3		<20	2	0,14		
KRJ_U 1T7_05 3	3	U1 T7	2 3	Fish	Vertebra		Vertebral Body (Centrum)	NB	WS 3		<20	3	1,5		
KRJ_U 1T7_05 4	3	U1 T7	2 3	Varanus	Vertebra		Vertebral Body	NB	WS 2		25,7	1	1,04		
KRJ_U 1T7_05 5	3	U1 T7	2 3	Snake	Vertebra		Vertebral Body	NB	WS 2		12,7	1	0,31		
KRJ_U 1T7_05 6	3	U1 T7	2 3	Suidae	Femur		Femoral head	UF	B	WS 2		18,8	1	1,76	
KRJ_U 1T7_05 7	3	U1 T7	2 3	Brachyura (Kepiting)	Shell			NB	WS 1		19,7	1	0,76		
KRJ_U 1T7_05 8	3	U1 T7	2 3	Cercopithecidae	Phalanges		Basal	NB	WS 1		29	1	1,08		
KRJ_U 1T7_05 9	3	U1 T7	2 3	Suidae	Phalanges		Basal	NB	WS 2		20,7	1	0,69		
KRJ_U 1T7_06 0	3	U1 T7	2 3	Fish	Dentary		Fragment	NB	WS 3		17,3	1	0,38		
				Suidae	Cuboid	Right		NB	WS 1		17,5	1	1,76		
				Intermediate mammals	UI		Fragment	NB	WS 2		<40	7	3,34		
				UI	Cranium		Fragment	NB	WS 2		19	1	1,12		



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_06 4	3	U1 T7	2 3	Intermediete mammals	UI		Fragment		NB	WS 2		27,5	1	20,8	
KRJ_U 1T7_06 5	3	U1 T7	2 3	Intermediete mammals	Phalages		Fragment		NB	WS 2		22,9	1	0,9	
KRJ_U 1T7_06 6	3	U1 T7	2 3	Small Mammal	UI		Fragment		B		Cutmark	17,5	1	0,4	Indikas i Artefak
KRJ_U 1T7_06 7	3	U1 T7	2 2	Varanus	Vertebra		Vertebral Body		NB	WS 3		21,2	1	0,33	
KRJ_U 1T7_06 8	3	U1 T7	2 2	Small Mammal	UI		Fragment		NB	WS 2		<20	10	1,95	
KRJ_U 1T7_06 9	3	U1 T7	2 2	Fish	Ribs				NB	WS 3		1,19	3	1,19	
KRJ_U 1T7_07 0	3	U1 T7	2 2	Fish	Dentary		Fragment		NB	WS 2		<20	3	0,78	
KRJ_U 1T7_07 1	3	U1 T7	2 2	Homo Sapiens	Phalages	Le ft	Distal hand phalanges 5		NB	WS 1		17	1	0,31	
KRJ_U 1T7_07 2	3	U1 T7	2 2	Bird	Ulna		Proximal end		NB	WS 3		16,4	1	0,38	
KRJ_U 1T7_07 3	3	U1 T7	2 2	Suidae	Temporal Bone		Fragment		NB	WS 3		21,5	1	1,59	
				Suidae	Vertebra		Neural Arch Fragment		NB	WS 3		<40	8	8,86	
				Suidae	Procesus Jugularis	Le ft	Fragment		NB	WS 2		1,1	1	2,48	
				Suidae	Molar		Molar 1		NB	WS 1		13,4	1	1,64	



KRJ_U 1T7_07 7	3	U1 T7	2 1	Suidae	Metapodial		Proximal End		NB	WS 1		25,7	1	0,7	
KRJ_U 1T7_07 8	3	U1 T7	2 1	Snake	Vertebra		Vertebral Body		NB	WS 2		<20	2	1,86	
KRJ_U 1T7_07 9	3	U1 T7	2 1	Fish	Vertebra		Vertebral Body		NB	WS 1		12,4	1	0,56	
KRJ_U 1T7_08 0	3	U1 T7	2 1	Varanus	Scapula		Scapula acetabulum		NB	WS 2		13,2	1	0,14	
KRJ_U 1T7_08 1	3	U1 T7	2 1	Varanus	Vertebra		Verebral Body		NB	WS 1		<30	2	3,57	
KRJ_U 1T7_08 2	3	U1 T7	2 1	Suidae	Vertebra		Vertebral Body		NB	WS 3		<40	3	25,13	
KRJ_U 1T7_08 3	3	U1 T7	2 1	Small Mammal	UI		Fragment		NB	WS 2		<40	9	2,64	
KRJ_U 1T7_08 4	3	U1 T7	2 1	Intermediete mammals	UI		Fragment		NB	WS 3		<40	11	7,4	
KRJ_U 1T7_08 5	3	U1 T7	2 1	Brachyura (Kepiting)	Chela (Capit)				NB	WS 1		15,2	1	0,72	
KRJ_U 1T7_08 6	3	U1 T7	2 0	Varanus	Vertebra		Vertebral Body		NB	WS 2		<20	2	1,17	
				Brachyura (Kepiting)	Chela (Capit)				NB	WS 2		<30	4	2,64	
				Fish	Ribs				NB	WS 2		2,88	1	0,51	
				Intermediete mammals	UI		Fragment		NB	WS 2		<50	4	3,93	



KRJ_U 1T7_09 0	3	U1 T7	1 9	Brachyura (Kepiting)	Chela (Capit)			NB	WS 1		11,8	1	0,23	
KRJ_U 1T7_09 1	3	U1 T7	1 9	Fish	Vertebra		Vertebral Body (Centrum)	NB	WS 2		20	3	1,05	
KRJ_U 1T7_09 2	3	U1 T7	1 9	Fish	Ribs			NB	WS 3		23,9	1	0,22	
KRJ_U 1T7_09 3	3	U1 T7	1 9	Bird	Long Bone		Fragmen	NB	WS 2		<30	2	0,86	
KRJ_U 1T7_09 4	3	U1 T7	1 9	Intermediate mammals	UI		Fragmen	NB	WS 3		<40	5	4,01	
KRJ_U 1T7_09 5	3	U1 T7	1 9	Fish	Vertebra		Vertebral Body (Centrum)	B	WS 3		7,1	1	0,26	
KRJ_U 1T7_09 6	3	U1 T7	1 9	Fish	Dentary		Fragment	B	WS 2		11,3	1	0,35	
KRJ_U 1T7_09 7	3	U1 T7	1 8	Brachyura (Kepiting)	Shell		Fragmen	NB	WS 2		15,7	1	0,47	
KRJ_U 1T7_09 8	3	U1 T7	1 8	Suidae	Phalages		Basal Phalages	NB	WS 0		16	1	0,84	
KRJ_U 1T7_09 9	3	U1 T7	1 8	Varanus	Vertebra		Vertebral Body	NB	WS 1		15,4	1	0,9	
				Fish	Vertebra		Vertebral Body (Centrum)	NB	WS 3		9,1	1	0,14	
				Fish	Ribs			NB	WS 1		16,1	1	0,11	
				Bird	Long Bone		Shaft Fragment	NB	WS 1		<50	5	2	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_10 3	3	U1 T7	1 8	Fish	Vertebra		Vertebral Body		NB	WS 3		15,8	1	0,22	
KRJ_U 1T7_10 4	3	U1 T7	1 8	Bird	Humerus		Proximal		NB	WS 2		20,1	1	0,14	
KRJ_U 1T7_10 5	3	U1 T7	1 8	Bird	Femur		Proximal		NB	WS 3		17,4	1	0,54	
KRJ_U 1T7_10 6	3	U1 T7	1 8	Intermediate mammals	Long Bone		Fragment		NB	WS 2		36,5	1	1,09	
KRJ_U 1T7_10 7	3	U1 T7	1 8	Intermediate mammals	Femur		Proximal		B	WS 3		12,8	1	0,56	
KRJ_U 1T7_10 8	3	U1 T7	1 8	UI	UI		Fragment		NB	WS 2		20	2	0,38	
KRJ_U 1T7_10 9	3	U1 T7	1 7	Fish	Vertebra		Vertebral Body (Centrum)		NB	WS 2		8,5	1	0,22	
KRJ_U 1T7_11 0	3	U1 T7	1 7	Fish	Ribs		Fragment		NB	WS 3		25,6	1	0,21	
KRJ_U 1T7_11 1	3	U1 T7	1 7	Varanus	Vertebra		Vertebral Body		NB	WS 1		14,7	2	1,11	
KRJ_U 1T7_11 5	3	U1 T7	1 7	Brachyura (Kepiting)	Shell				NB	WS 2		25,1	1	0,93	
				Small Mammal	UI		Fragment		NB	WS 3		<30	5	1,53	
				UI	Ribs		Fragment		NB	WS 3		40,3	1	1,42	
				UI	UI		Fragment		NB	WS 3		<30	4	1,23	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_11 6	3	U1 T7	1 7	Small Mammal	Humerus		Humerus Complete		NB	WS 2		32	1	0,75	
KRJ_U 1T7_11 7	3	U1 T7	1 7	Fish	UI		Fragment		NB	WS 2		23	1	0,36	
KRJ_U 1T7_11 8	3	U1 T7	1 7	Reptile	Teeth				NB	WS 1		18,2	1	0,47	
KRJ_U 1T7_11 9	3	U1 T7	1 7	Snake	Vertebra		Vertebral Body		NB	WS 3		12,8	1	0,81	
KRJ_U 1T7_12 0	3	U1 T7	1 6	Megachiropter a	Mandibula		Alveolar		NB	WS 2		15,9	1	0,16	
KRJ_U 1T7_12 1	3	U1 T7	1 6	Mammals	Long Bone		Fragment		NB	WS 2		<40	5	2,86	
KRJ_U 1T7_12 2	3	U1 T7	1 6	Varanus	Vertebra		Fragment		NB	WS 3		7,3	1	0,33	
KRJ_U 1T7_12 3	3	U1 T7	1 6	Suidae	Ribs		Fragment		NB	WS 3		21,7	1	0,8	
KRJ_U 1T7_12 4	3	U1 T7	1 6	Megachiropter a	Canine				NB	WS 1		17,8	1	0,19	
KRJ_U 1T7_12 5	3	U1 T7	1 6	Suidae	Incisor	Ri gh t	Lower Incisor 3		NB	WS 1		26,8	1	1,01	
				Varanus	Scapula				NB	WS 1		22,6	1	0,89	
				Suidae	Calcaneus		Fragment		NB	WS 3		30,2	1	4,22	
				Fish	Vertebra		Vertebral Body		NB	WS 3		33,6	1	1,97	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_12 9	3	U1 T7	1 6	Mammals	UI		Fragment		B	WS 2		16,4	1	0,56	
KRJ_U 1T7_13 0	3	U1 T7	1 6	Fish	Vertebra		Vertebral Body (Centrum)		B	WS 2		9,3	1	0,6	
KRJ_U 1T7_13 1	3	U1 T7	1 5	Suidae	Incisor	Right	Lower Incisor		NB	WS 1		23,4	1	0,62	
KRJ_U 1T7_13 2	3	U1 T7	1 5	Intermediate mammals	Vertebra		Vertebral Body		NB	WS 3		21,2	1	2,44	
KRJ_U 1T7_13 3	3	U1 T7	1 5	Intermediate mammals	Ribs		Fragment		NB	WS 2		28,6	1	28,6	
KRJ_U 1T7_13 4	3	U1 T7	1 5	Bird	Coracoid		Fragment		NB	WS 2		18,5	1	0,26	
KRJ_U 1T7_13 5	3	U1 T7	1 5	Bird	Femur		Proximal		NB	WS 1		18,5	1	0,27	
KRJ_U 1T7_13 6	3	U1 T7	1 5	Varanus	Vertebra		Vertebral Body		NB	WS 3		<20	2	0,53	
KRJ_U 1T7_13 7	3	U1 T7	1 5	Fish	Dentary		Fragment		NB	WS 2		8,8	1	0,09	
KRJ_U 1T7_13 8	3	U1 T7	1 5	Fish	Ribs				NB	WS 2		22,4	1	0,39	
				Small Mammal	UI		Fragment		NB	WS 2		14,3	1	0,14	
				Bird	UI		Fragment		NB	WS 2		<20	3	0,75	
				Big mammal	UI		Fragment		NB	WS 3		17,8	1	0,49	



KRJ_U 1T7_14 2	3	U1 T7	1 4	Mammals	UI		Fragment		NB	WS 2		30,66	1	1,78	
KRJ_U 1T7_14 3	3	U1 T7	1 4	UI	UI		Fragment		NB	WS 2		18,6	1	0,56	
KRJ_U 1T7_14 4	3	U1 T7	1 4	Fish	Ribs				NB	WS 2		25,1	1	0,33	
KRJ_U 1T7_14 5	3	U1 T7	1 4	Suidae	Vertebra		Vertebral Body		NB	WS 3		17,3	1	2,81	
KRJ_U 1T7_14 6	3	U1 T7	1 4	Fish	Premaxila				NB	WS 2		20,5	1	0,17	
KRJ_U 1T7_14 7	3	U1 T7	1 4	Fish	Articular				NB	WS 2		26	1	0,83	
KRJ_U 1T7_14 8	3	U1 T7	1 4	Fish	Quadrata				NB	WS 2		22,7	1	0,84	
KRJ_U 1T7_14 9	3	U1 T7	1 4	Brachyura (Kepiting)	Capit				NB	WS 1		24,5	1	1,89	
KRJ_U 1T7_15 0	3	U1 T7	1 3	Fish	Ribs				NB	WS 2		<40	4	1,14	
KRJ_U 1T7_15 1	3	U1 T7	1 3	Snake	Vertebra		Vertebral Body		NB	WS 2		20,2	1	1,45	
				Suidae	Ribs		Costae		NB	WS 2		18,2	1	1,08	
				Suidae	Incisor	Le ft	Lower Incisor 3		NB	WS 1		15,8	1	1	
				Fish	UI		Fragment		NB	WS 3		<40	3	7,09	



KRJ_U 1T7_15 5	3	U1 T7	1 3	UI	UI		Fragment		NB	WS 2		<20	2	0,36	
KRJ_U 1T7_15 6	3	U1 T7	1 2	Snake	Vertebra		Vertebral Body		NB	WS 2		<27,4	1	3,2	
KRJ_U 1T7_15 7	3	U1 T7	1 2	UI	UI		Fragment		NB	WS 3		<20	2	0,39	
KRJ_U 1T7_15 8	3	U1 T7	1 2	UI	Vertebra		Vertebral Body		NB	WS 3		13,2	1	0,55	
KRJ_U 1T7_15 9	3	U1 T7	1 2	Fish	Ribs				NB	WS 2		<40	2	4,17	
KRJ_U 1T7_16 0	3	U1 T7	1 2	Vivernidae - Paradoxurinae	Canine	Le ft	Lower Canine		NB	WS 1		29,5	1	1,17	
KRJ_U 1T7_16 1	3	U1 T7	1 1	Suidae	Cranial		Occipital condyiale		B	WS 3		28,9	1	2,5	
KRJ_U 1T7_16 2	3	U1 T7	1 1	Brachyura (Kepiting)	Chela (Capit)				NB	WS 1		<20	2	0,83	
KRJ_U 1T7_16 3	3	U1 T7	1 1	Fish	Ribs				NB	WS 2		19,1	1	0,17	
KRJ_U 1T7_16 4	3	U1 T7	1 1	Varanus	Vertebra		Vertebral Body		NB	WS 2		14,4	1	0,58	
				Snake	Vertebra		Vertebral Body		NB	WS 2		<30	2	5,04	
				Fish	Vertebra		Vertebral Body (Centrum)		NB	WS 2		6,9	1	0,7	
				Bird	Long Bone		Fragment		NB	WS 2		<30	3	1,19	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_16 8	3	U1 T7	1 1	Suidae	Ribs		Fragment		NB	WS 1		24	1	1,34	
KRJ_U 1T7_16 9	3	U1 T7	1 1	UI	UI		Fragment		NB	WS 3		<20	4	2,65	
KRJ_U 1T7_17 0	3	U1 T7	1 1	Intermediete mammals	UI		Fragment		B	WS 3		19,4	1	0,67	
KRJ_U 1T7_17 1	3	U1 T7	1 1	Mammals	UI		Fragment		B	WS 1	Streasi	37	1	3,96	
KRJ_U 1T7_17 2	3	U1 T7	1 1	Brachyura (Kepiting)	Chela (Capit)				B	WS 1		26,7	1	3,53	
KRJ_U 1T7_17 3	3	U1 T7	1 0	Fish	Vertebra		Vertebral Body		NB	WS 3		9,1	1	0,52	
KRJ_U 1T7_17 4	3	U1 T7	1 0	Brachyura (Kepiting)	Shell				NB	W1		19,7	1	0,37	
KRJ_U 1T7_17 5	3	U1 T7	1 0	Snake	Vertebra		Vertebral Body		NB	WS 2		28,4	1	3,81	
KRJ_U 1T7_17 6	3	U1 T7	1 0	Varanus	Vertebra		Vertebral Body		NB	WS 2		<30	1	1,87	
KRJ_U 1T7_17 7	3	U1 T7	1 0	Fish	Dentary		Fragment		NB	WS 1		17,3	1	0,21	
				Suidae	Phalages		Basal Phalanges		NB	WS 1		<20	1	1,84	
				Bird	Humerus		Distal End		NB	WS 1		2,11	1	0,47	
				Snake	UI		Fragment		NB	WS 1		19,1	1	0,22	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_18 1	3	U1 T7	1 0	Snake	Maxila			NB	WS 1		17,8	1	0,44	
KRJ_U 1T7_18 2	3	U1 T7	1 0	Bird	Coracoid		Fragment	NB	WS 1		30	1	0,21	
KRJ_U 1T7_18 3	3	U1 T7	1 0	Suidae	Vertebra		Vertebral Body	NB	WS 2		<30	3	3,62	
KRJ_U 1T7_18 4	3	U1 T7	1 0	Suidae	Metapodial		Proximal End	NB	WS 3		21,3	1	0,63	
KRJ_U 1T7_18 5	3	U1 T7	1 0	Suidae	Patella			NB	WS 2		26,7	1	5,14	
KRJ_U 1T7_18 6	3	U1 T7	1 0	UI	Cranial		Fragment	NB	WS 2		<30	3	3	
KRJ_U 1T7_18 7	3	U1 T7	1 0	UI	Ribs		Fragment	NB	WS 1		25,6	1	0,66	
KRJ_U 1T7_18 8	3	U1 T7	1 0	Small Mammal	Long Bone		Fragment	NB	WS 1		<30	5	0,74	
KRJ_U 1T7_18 9	3	U1 T7	1 0	UI	UI		Fragment	NB	WS 2		<40	17	9,29	
KRJ_U 1T7_19 0	3	U1 T7	1 0	Bird	Long Bone		Fragment	NB	WS 1		<30	3	1,28	
				Suidae	Femur		Distal End	B	WS 2		24,4	1	1	
				Suidae	Vertebra		Vertebral Body	B	WS 2		19,8	1	1,5	
				Varanus	Vertebra		Vertebral Body	B	WS 2		<30	2	3,83	



KRJ_U 1T7_19 4	3	U1 T7	1 0	Fish	Ribs			B	WS 1		18,8	1	0,28	
KRJ_U 1T7_19 5	3	U1 T7	1 0	UI	Ribs			B	WS 1		<40	2	0,86	
KRJ_U 1T7_19 6	3	U1 T7	1 0	UI	UI		Fragment	B	WS 3		19,7	1	1,33	
KRJ_U 1T7_19 7	3	U1 T7	9	Brachyura (Kepiting)	Chela (Capit)			B	WS 1		10,3	1	0,52	
KRJ_U 1T7_19 8	3	U1 T7	9	Fish	Vertebra		Vertebral Body (Centrum)	NB	WS 3		7	1	0,23	
KRJ_U 1T7_19 9	3	U1 T7	9	Varanus	Vertebra		Vertebral Body	NB	WS 1		13,4	1		
KRJ_U 1T7_20 0	3	U1 T7	9	Suidae	Maxila	Le ft	Alfeolar	NB	WS 3		35,5	1	37,5	
KRJ_U 1T7_20 1	3	U1 T7	9	Strigocuscus	Incisor	Ri gh t	Lawer Incisor	NB	WS 1		24,1	1	0,54	
KRJ_U 1T7_20 2	3	U1 T7	9	Suidae	Astragalus		Astragalus Complete	NB	WS 1		31	1	4,4	
KRJ_U 1T7_20 3	3	U1 T7	9	Suidae	Vertebra		Vertebral Body	NB	WS 2		27,2	1	1,95	
				Suidae	Basal Phalanges		Proximal	NB	WS 2		15,4	1	0,83	
				Mammals	Ribs		Fragment	NB	WS 2		<50	7	8,91	
				UI	Ribs		Fragment	B	WS 2		37,1	3	4,04	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_20 7	3	U1 T7	9	Suidae	UI		Fragment		NB	WS 3		22,4	1	2,8	
KRJ_U 1T7_20 8	3	U1 T7	8	Brachyura (Kepiting)	Chela (Capit)			NB	WS 2		<30				
KRJ_U 1T7_20 9	3	U1 T7	8	Suidae	Astragalus		Astragalus Complete		NB	WS 1		31,1	1	7,07	
KRJ_U 1T7_21 0	3	U1 T7	8	Mammals	Ribs		Fragment		NB	WS 3		<40	8	7,54	
KRJ_U 1T7_21 1	3	U1 T7	8	UI	Long Bone		Shaft Fragment		NB	WS 2		<30	8	1,92	
KRJ_U 1T7_21 2	3	U1 T7	8	Homo Sapiens	Cranial		Orbital Foramen		NB	WS 2		23,7	1	1,53	
KRJ_U 1T7_21 3	3	U1 T7	8	Suidae	Incisor	Le ft	Upper Incisor		NB	WS 1		22,8	1	1,31	
KRJ_U 1T7_21 4	3	U1 T7	8	Homo Sapiens	Proximal Hand Phalanges 2	Le ft	Complete		NB	WS 1		29,3	1	1,51	
KRJ_U 1T7_21 5	3	U1 T7	8	Suidae	Metapodial		Proximal		NB	WS 3		25,5	1	1,12	
KRJ_U 1T7_21 6	3	U1 T7	8	UI	UI		Fragment		NB	WS 3		<40	1	4,84	
				Mammals	Ribs		Fragment		NB	WS 1		20,4	1	0,61	
				Suidae	Ribs		Fragment		NB	WS 2		<30	1	0,59	
				Fish	UI		Dorsal Spine		NB	WS 2		23,7	1	0,9	



KRJ_U 1T7_22 0	3	U1 T7	8	Homo Sapiens	Proximal Foot Phalanges 4	Le ft	Distal End		NB	WS 1		32,9	1	1,24	
KRJ_U 1T7_22 1	3	U1 T7	8	Varanus	Vertebra		Vertabral Body		B	WS 3		<20	3	3	
KRJ_U 1T7_22 2	3	U1 T7	8	Suidae	Metapodial				B	WS 2		18,4	1	0,45	
KRJ_U 1T7_22 3	3	U1 T7	8	Suidae	Ulna		Incisura Semilunaris		B	WS 2		<40	2	11,87	
KRJ_U 1T7_22 4	2	U1 T7	7	Suidae	Ribs				NB	WS 2		<50	4	6,07	
KRJ_U 1T7_22 5	2	U1 T7	7	Brachyura (Kepiting)	Shell				NB	WS 2		<40	5	5,11	
KRJ_U 1T7_22 6	2	U1 T7	7	Suidae	Vertebra		Vertebral Body		NB	WS 3		<30	2	2,33	
KRJ_U 1T7_22 7	2	U1 T7	7	Bird	Long Bone		Shaft Fragment		NB	WS 2		<40	7	2,62	
KRJ_U 1T7_22 8	2	U1 T7	7	Homo Sapiens	Upper Premolar 3		Complete Crown		NB	WS 1		21,1	1	1,2	
KRJ_U 1T7_22 9	2	U1 T7	7	Suidae	Terminal Phalanges		Complete		NB	WS 1		<30	2	1,37	
				Suidae	Calcaneus				NB	WS 1		55,6	1	6,59	
				Snake	Ribs				NB	WS 1		29	1	0,69	
				Strigocuscus	Incisor	Le ft			NB	WS 1		18,9	1	0,6	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_23 3	2	U1 T7	7	Fish	Ribs			NB	WS 1		<30	1	0,74	
KRJ_U 1T7_23 4	2	U1 T7	7	Varanus	Vertebra		Vertebral Body	NB	WS 1		18,8	2	25,7	
KRJ_U 1T7_23 5	2	U1 T7	7	UI	UI		Fragment	NB	WS 3		<40	8	6,99	
KRJ_U 1T7_23 6	2	U1 T7	7	Homo Sapiens	Proximal Hand Phalanges 4	Le ft	Complete	NB	WS 1		27,9	1	0,91	
KRJ_U 1T7_23 7	2	U1 T7	7	Homo Sapiens	Proximal Foot Phalanges 5	Le ft	Complete	NB	WS 1		21,3	1	0,72	
KRJ_U 1T7_23 8	2	U1 T7	7	Snake	Vertebra		Vertebral Body	NB	WS 3		<30	2	3,78	
KRJ_U 1T7_23 9	2	U1 T7	7	UI	UI		Fragment	B	WS 2		41,4	1	2,08	
KRJ_U 1T7_24 0	2	U1 T7	7	Fish	Ribs			B	WS 1		22,5	1	0,48	
KRJ_U 1T7_24 1	2	U1 T7	7	Snake	Ribs			B	WS 1		28,2	1	0,66	
KRJ_U 1T7_24 5	2	U1 T7	7	Suidae	Astragalus		Complete	B	WS 1		34,3	1	8,75	
				Suidae	Femur		Femoral Head	B	WS 2		30,9	1	5,89	
				Varanus	Vertebra		Vertebral Body	NB	WS 2		<30	5	5,68	
				Snake	Vertebra		Vertebral Body	NB	WS 2		35,3	1	7,05	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_24 6	2	U1 T7	6	Fish	Vertebra		Vertebral Body		NB	WS 2		14	1	0,92	
KRJ_U 1T7_24 7	2	U1 T7	6	Suidae	Scapula		Acetabulum		NB	WS 3		19,8	1	2,21	
KRJ_U 1T7_24 8	2	U1 T7	6	Mammals	Ribs				NB	WS 2		<40	2	1,87	
KRJ_U 1T7_24 9	2	U1 T7	6	Small Mammal	Ribs				NB	WS 2		<20	5	1,02	
KRJ_U 1T7_25 0	2	U1 T7	6	Suidae	Vertebra		Vertebral Body		NB	WS 2		27,4	1	2,14	
KRJ_U 1T7_25 1	2	U1 T7	6	Strigocuscus	Canine				B	WS 2		29	1	1,28	
KRJ_U 1T7_25 2	2	U1 T7	6	Bird	Long Bone		Shaft Fragment		NB	WS 1	Streasi	40,1	1	1,09	Indikas i Artefak
KRJ_U 1T7_25 3	2	U1 T7	6	Strigocuscus	Maxila		Alveolar		NB	WS 2		22,5	1	1,36	
KRJ_U 1T7_25 4	2	U1 T7	6	Snake	Dorsal Spine				NB	WS 2		14,1	1	0,23	
KRJ_U 1T7_25 5	2	U1 T7	6	Suidae	Molar	Le ft	Upper Molar 3		NB	WS 1		26,4	1	5,62	
				UI	Cranial		Fragment		NB	WS 2		28,2	1	2,31	
				Small Mammal	Ribs		Shaft Fragment		NB	WS 2		<30	4	0,75	
				Mammals	UI		Fragment		NB	WS 3		<40	11	16,68	



KRJ_U 1T7_25 9	2	U1 T7	6	Suidae	Dorsal Spine				NB	WS 2		49,9	1	1,95	
KRJ_U 1T7_26 0	2	U1 T7	6	Homo Sapiens	Intermediete Foot Phalanges 2	Le ft	Complete		NB	WS 1		13	1	0,61	
KRJ_U 1T7_26 1	2	U1 T7	6	Suidae	Molar	Le ft	Lower Incisor 1		NB	WS 1		17,6	1	2,96	
KRJ_U 1T7_26 2	2	U1 T7	6	Bird	Long Bone		Shaft Fragment		NB	WS 2		<30	3	1,31	
KRJ_U 1T7_26 3	2	U1 T7	6	Homo Sapiens	Ribs		Rib head		NB	WS 2		43,2	1	1,29	
KRJ_U 1T7_26 4	2	U1 T7	6	UI	Ribs		Fragmen		NB	WS 2		<60	5	16	
KRJ_U 1T7_26 5	2	U1 T7	6	Small Mammal	Ribs		Fragmen		NB	WS 1		12,1	1	0,26	
KRJ_U 1T7_26 6	2	U1 T7	6	Intermediete mammals	Tibia		Fragment		NB	WS 3		21,2	1	1,03	
KRJ_U 1T7_26 7	2	U1 T7	5	Varanus	Vertebra		Vertebral Body		NB	WS 2		6,24	4	<20	
KRJ_U 1T7_26 8	2	U1 T7	5	Suidae	Vertebra		Vertebral Body		NB	WS 2		35,6	1	2,23	
				Bird	Long Bone		Shaft Fragment		NB	WS 1		<40	2	1,87	
				Suidae	Ribs				NB	WS 2		34,2	1	1,96	
				Fish	Ribs				NB	WS 3		<20	2	0,53	




KRJ_U 1T7_27 2	2	U1 T7	5	Homo Sapiens	Radius		Proximal End		NB	WS 2		31,4	1	1,28	
KRJ_U 1T7_27 3	2	U1 T7	5	Homo Sapiens	Proximal Foot Phalanges 4		Proximal End		NB	WS 2		16,6	1	0,78	
KRJ_U 1T7_27 4	2	U1 T7	5	UI	UI		Fragment		NB	WS 3		<50	4	9,25	
KRJ_U 1T7_27 5	2	U1 T7	5	Homo Sapiens	Femur	Le ft	Neck	UF	NB	WS 2		26,7	1	3,58	
KRJ_U 1T7_27 6	2	U1 T7	5	Homo Sapiens	Scapula	Le ft	Scapula Spine		NB	WS 1		33,1	1	2,14	
KRJ_U 1T7_27 7	2	U1 T7	5	Mammals	UI				NB	WS 2	Cutmark	30,5	1	2,31	
KRJ_U 1T7_27 8	2	U1 T7	5	Suidae	Ribs				B	WS 2		58,5	1	3,72	
KRJ_U 1T7_27 9	2	U1 T7	5	Suidae	Dorsal Spine				B	WS 2		37,6	1	3,05	
KRJ_U 1T7_28 0	2	U1 T7	5	Small Mammal	Ribs				B	WS 1		<40	2	1,68	
KRJ_U 1T7_28 1	2	U1 T7	4	Intermediete mammals	UI		Fragment		NB	WS 3		<50	6	6,73	
				Suidae	Ribs				NB	WS 3		46,3	1	3,9	
				Bird	Long Bone		Shaft Fragment		NB	WS 1		<50	4	2,65	
				Brachyura (Kepiting)	Chela (Capit)				NB	WS 1		<30	3	2,48	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_28 5	2	U1 T7	4	Homo Sapiens	Proximal Hand Phalanges 2		Proximal End		NB	WS 2		22	1	1,17	
KRJ_U 1T7_28 6	2	U1 T7	4	Homo Sapiens	Proximal Foot Phalanges 3		Proximal End		NB	WS 3		16,6	1	0,53	
KRJ_U 1T7_28 7	2	U1 T7	4	Small Mammal	Ribs				B	WS 2	Steriasi	19,9	1	0,7	
KRJ_U 1T7_28 8	2	U1 T7	4	Brachyura (Kepiting)	Chela (Capit)				B	WS 2		25,8	1	1,36	
KRJ_U 1T7_28 9	2	U1 T7	4	Homo Sapiens	UI		Fragment		NB	WS 1		25,5	1	2,96	
KRJ_U 1T7_29 0	2	U1 T7	4	UI	UI				B	WS 3		26,8	1	2,34	
KRJ_U 1T7_29 1	2	U1 T7	3	Suidae	Astragalus		Astragalus Complete		NB	WS 1		29,7	1	4,9	
KRJ_U 1T7_29 2	2	U1 T7	3	Suidae	Vertebra		Vertebral Body		NB	WS 3		35,6	1	5,55	
KRJ_U 1T7_29 3	2	U1 T7	3	Small Mammal	Long Bone		Shaft Fragment		NB	WS 2		<30	5	0,63	
KRJ_U 1T7_29 4	2	U1 T7	3	Fish	Dentary		Fragment		NB	WS 2		15,7	1	0,45	
				Bird	Long Bone		Shaft Fragment		NB	WS 2		31,2	1	0,59	
				Brachyura (Kepiting)	Chela (Capit)				NB	WS 1		<40	1	5,9	
				Suidae	Ribs				NB	WS 2		31,8	1	1,42	



Optimized using
trial version
www.balesio.com

KRJ_U 1T7_29 8	2	U1 T7	3	Mammals	Long Bone		Shaft Fragment		NB	WS 3		<70	1	6,57	
KRJ_U 1T7_29 9	2	U1 T7	3	Small Mammal	UI			NB	WS 3		<30	2	0,84		
KRJ_U 1T7_30 0	2	U1 T7	3	Mammals	UI		Fragment		NB	WS 3		<40	6	6,49	
KRJ_U 1T7_30 1	2	U1 T7	3	Rat Sized	Phalages			NB	WS 1		18,8	1	0,38		
KRJ_U 1T7_30 2	2	U1 T7	3	Snake	Ribs			B	WS 1		20,1	1	0,44		
KRJ_U 1T7_30 3	2	U1 T7	3	Mammals	Dorsal Spine		Fragment		B	WS 3		11,9	1	1,01	
KRJ_U 1T7_30 4	2	U1 T7	3	Bird	Long Bone		Shaft Fragment		B	WS 2		40,5	1	0,92	
KRJ_U 1T7_30 5	2	U1 T7	3	Homo Sapiens (1-2 years old)	Immature Lumbar Vertebrae		Complete		NB	WS 1		26,3	1	1,92	
KRJ_U 1T7_30 6	2	U1 T7	3	Homo Sapiens	Metatarsal	Le ft	Distal End		NB	WS 3		22	1	0,86	
	KRJ_U 1T7_30 7	U1 T7	3	Suidae	Patella		Complete		NB	WS 2		25,4	1	2,78	
				Homo Sapiens	Cuneiform	Le ft	Complete		NB	WS 2		24	1	3,22	
				UI	UI		Fragment		NB	WS 3		<30	2	3,45	
				Brachyura (Kepiting)	Chela (Capit)				NB	WS 2		<30	2	2,72	

KRJ_U 1T7_31 1	2	U1 T7	2	Mammals	Dorsal Spine		Fragment		NB	WS 3		26,4	1	2,11	
KRJ_U 1T7_31 2	2	U1 T7	2	Bird	Long Bone		Shaft Fragment		NB	WS 1		29,3	1	0,73	
KRJ_U 1T7_31 3	2	U1 T7	2	Suidae	Vertebra		Fragment		NB	WS 3		22,2	1	2,06	
KRJ_U 1T7_31 4	2	U1 T7	2	Mammals	Tibia		Shaft Fragment		NB	WS 2		66,4	1	11,57	
KRJ_U 1T7_31 5	2	U1 T7	2	Big mammal	UI		Fragment		NB	WS 3		25,4	1	4,04	
KRJ_U 1T7_31 6	2	U1 T7	2	UI	UI		Fragment		NB	WS 3		<30	5	2,51	
KRJ_U 1T7_31 7	2	U1 T7	2	Snake	Vertebra		Vertebral Body		B	WS 1		29,1	1	4,18	
KRJ_U 1T7_31 8	2	U1 T7	2	Big mammal	Dorsal Spine		Fragment		B	WS 2		25,2	1	1,26	
KRJ_U 1T7_31 9	2	U1 T7	2	UI	Long Bone		Shaft Fragment		B	WS 2		26,3	1	1,3	
KRJ_U 1T7_32 0	2	U1 T7	2	UI	UI		Fragment		B	WS 3		28	1	1,41	
				Homo Sapiens	Femur		Femoral Head		B	WS 3		15,7	1	0,75	
				Suidae	Scapula		Acetabulum		B	WS 2		32,4	1	5,63	
				Suidae	Incisor				NB	WS 2		19,1	1	1,09	



KRJ_U 1T7_32 4	2	U1 T7	2	Small Mammal	Ribs			B	WS 1		39,3	1	1,01	
KRJ_U 1T7_32 5	2	U1 T7	2	UI	UI		Fragment	NB	WS 2		34	1	S	

Keterangan:

NB = *Not burning*

B = *Burning*

WS = *Weathered tibial diaphysis*



Optimized using
trial version
www.balesio.com