

DAFTAR PUSTAKA

- Akbar, P. and Setyawan, I. (2015) 'Perbedaan Kecerdasan Emosional Antara Siswa SMA Dengan Ma: Studi Komparasi Pada Siswa Kelas XI Di SMA N 1 Purwodadi Dan Ma Sunniyyah Selo', *Empati*, 4, pp. 202–207. Available at: <https://doi.org/10.14710/empati.2015.14320>.
- Albert, P.R. (2015) 'Why is depression more prevalent in women?', *Journal of psychiatry & neuroscience: JPN*. Canada, pp. 219–221. Available at: <https://doi.org/10.1503/jpn.150205>.
- Ali, G.-C., Ryan, G. and De Silva, M.J. (2016) 'Validated Screening Tools for Common Mental Disorders in Low and Middle Income Countries: A Systematic Review.', *PloS one*, 11(6), p. e0156939. Available at: <https://doi.org/10.1371/journal.pone.0156939>.
- Bhat U., S. *et al.* (2018) 'Psychological distress among college students of coastal district of Karnataka: A community-based cross-sectional survey', *Asian Journal of Psychiatry*, 38, pp. 20–24. Available at: <https://doi.org/10.1016/j.ajp.2018.10.006>.
- Cheffer, A. *et al.* (2018) 'Purinergeric system in psychiatric diseases', *Molecular Psychiatry*. Nature Publishing Group, pp. 94–106. Available at: <https://doi.org/10.1038/mp.2017.188>.
- Do, T.T.H. *et al.* (2023) 'Using the WHO Self-Reporting Questionnaire-20 (SRQ-20) to Detect Symptoms of Common Mental Disorders among Pregnant Women in Vietnam: a Validation Study.', *International journal of women's health*, 15, pp. 599–609. Available at: <https://doi.org/10.2147/IJWH.S404993>.
- Elgar, F.J. *et al.* (2015) 'Socioeconomic inequalities in adolescent health 2002-2010: a time-series analysis of 34 countries participating in the Health Behaviour in School-aged Children study.', *Lancet (London, England)*, 385(9982), pp. 2088–2095. Available at: [https://doi.org/10.1016/S0140-6736\(14\)61460-4](https://doi.org/10.1016/S0140-6736(14)61460-4).
- Jabir, A.M. (2024) 'Gambaran Gangguan Mental Emosional Pada Remaja Sma Wilayah Bangkala Antang Di Kota Makassar', *MagnaSalus: Jurnal Keunggulan*, 06(2), pp. 6–2. Available at: <https://journalpedia.com/1/index.php/jkk>.
- Kalin, N.H. (2021) 'Anxiety, Depression, and Suicide in Youth', *American Journal of Psychiatry*, 178(4), pp. 275–279. Available at: <https://doi.org/10.1176/appi.ajp.2020.21020186>.
- Kemendes (2018) 'Laporan Riskesdas 2018 Nasional.pdf', *Lembaga Penerbit Balitbangkes*, p. hal 156.
- KMA 347 Tahun 2022 Tentang Pedoman Implementasi Kurikulum Merdeka Pada Madrasah (2022).
- Kyes, R.L. (2012) *Dictionary A–Z, Dictionary of the old low and central Franconian psalms and glosses*. Available at: <https://doi.org/10.1515/9783111704227.1>.
- Lembaga Penelitian Badan Penelitian dan Pengembangan Kesehatan (2018) *Laporan Provinsi Sulawesi Selatan Riskesdas 2018, Badan Penelitian Dan Pengembangan Kesehatan*. Available at: <http://ejournal2.litbang.kemkes.go.id/index.php/lpb/article/view/3658>.
- Lin, J. and Guo, W. (2024) 'The Research on Risk Factors for Adolescents' Mental Health', *Behavioral Sciences*, 14(4), p. 263. Available at: <https://doi.org/10.3390/bs14040263>.
- Mandasari, L. and Tobing, D.L. (2020) 'Tingkat depresi dengan ide bunuh diri pada remaja', *Indonesian Jurnal of Health Development*, 2(1), pp. 1–7. Available at: <https://ijhd.upnvj.ac.id/index.php/ijhd/article/view/33>.
- Menteri Pendidikan Kebudayaan Riset dan Teknologi Republik Indonesia (2022) 'Salinan Keputusan Menteri Pendidikan, Kebudayaan, Riset dan Teknologi Republik Indonesia Nomor 56/M/2022 tentang Pedoman Penerapan Kurikulum dalam Rangka Pemulihan Pembelajaran', p. 112.

- Paine, D.R. and Sandage, S.J. (2017) 'Religious Involvement and Depression: The Mediating Effect of Relational Spirituality.', *Journal of religion and health*, 56(1), pp. 269–283. Available at: <https://doi.org/10.1007/s10943-016-0282-z>.
- Rapee, Ronald M. *et al.* (2019) 'Adolescent development and risk for the onset of social-emotional disorders: A review and conceptual model', *Behaviour Research and Therapy*, 123, p. 103501. Available at: <https://doi.org/10.1016/j.brat.2019.103501>.
- Rapee, Ronald M *et al.* (2019) 'Adolescent development and risk for the onset of social-emotional disorders: A review and conceptual model', *Behaviour Research and Therapy*, 123, p. 103501. Available at: <https://doi.org/https://doi.org/10.1016/j.brat.2019.103501>.
- Ridley, M. *et al.* (2020) 'Poverty, depression, and anxiety: Causal evidence and mechanisms.', *Science (New York, N.Y.)*, 370(6522). Available at: <https://doi.org/10.1126/science.aay0214>.
- Sekhon, S. and Gupta, V. (2024) 'Mood Disorder.', in: Treasure Island (FL).
- Thapar, A. *et al.* (2022) 'Depression in young people.', *Lancet (London, England)*, 400(10352), pp. 617–631. Available at: [https://doi.org/10.1016/S0140-6736\(22\)01012-1](https://doi.org/10.1016/S0140-6736(22)01012-1).
- Tullius, J.M. *et al.* (2022) 'Adolescents' mental health problems increase after parental divorce, not before, and persist until adulthood: a longitudinal TRAILS study.', *European child & adolescent psychiatry*, 31(6), pp. 969–978. Available at: <https://doi.org/10.1007/s00787-020-01715-0>.
- Undang-undang (UU) Nomor 18 Tahun 2014 tentang Kesehatan Jiwa* (2014). Available at: <https://peraturan.bpk.go.id/Details/38646/uu-no-18-tahun-2014>.
- Vijayakumar, N. *et al.* (2018) 'Puberty and the human brain: Insights into adolescent development.', *Neuroscience and biobehavioral reviews*, 92, pp. 417–436. Available at: <https://doi.org/10.1016/j.neubiorev.2018.06.004>.
- WHO (2021) *Mental health of adolescents*, WHO. Available at: <https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health> (Accessed: 24 March 2024).
- WHO (2022a) *Adolescent health*, WHO. Available at: https://www.who.int/health-topics/adolescent-health#tab=tab_1 (Accessed: 15 March 2024).
- WHO (2022b) *Mental health*, WHO. Available at: https://www.who.int/news-room/fact-sheets/detail/mental-health-strengthening-our-response/?gad_source=1&gclid=CjwKCAjw48-vBhBbEiwAzqrZVHpxwitBibPvLfOBzND1krz-PvfBsAOkvg5uhb_5PEbG9u_dHU-SHBoCR-0QAvD_BwE (Accessed: 15 March 2024).
- Xiang, Y., Cao, R. and Li, X. (2024) 'Parental education level and adolescent depression: A multi-country meta-analysis', *Journal of Affective Disorders*, 347, pp. 645–655. Available at: <https://doi.org/https://doi.org/10.1016/j.jad.2023.11.081>.
- Yang, D., Hu, S. and Li, M. (2022) 'The Influence of Family Socioeconomic Status on Adolescents' Mental Health in China.', *International journal of environmental research and public health*, 19(13). Available at: <https://doi.org/10.3390/ijerph19137824>.
- Zajkowska, Z. *et al.* (2022) 'Cortisol and development of depression in adolescence and young adulthood – a systematic review and meta-analysis', *Psychoneuroendocrinology*, 136(December 2021). Available at: <https://doi.org/10.1016/j.psyneuen.2021.105625>.

Lampiran 1. Informed Consent

LEMBAR PERSETUJUAN MENJADI RESPONDEN

Saya yang bertanda tangan di bawah ini :

Nama :

Asal Sekolah :

Telah bersedia untuk mengisi kuesioner ini yang akan digunakan dalam penelitian dengan judul “Gambaran Gangguan Mental Emosional Remaja di SMA Negeri 22 Makassar dan MA Ulul Albab Makassar” dari Karya Tulis Ilmiah yang telah diajukan oleh Aizisah Fadilah Abbas (C011211073), sebagai pemenuhan syarat memperoleh derajat Sarjana Kedokteran di Universitas Hasanuddin. Tujuan dari penelitian ini adalah untuk mengetahui bagaimana gambaran gangguan mental emosional remaja. Responden akan mendapatkan kompensasi atas keikutsertaan dan kerelaannya dalam mengikuti proses penelitian. Segala data yang tercantum dalam kuesioner ini dijamin kerahasiaannya dan hanya akan dipergunakan untuk kepentingan penelitian.

Makassar, 2024

Responden

(.....)

Lampiran 2. SRQ-20

Self-Reporting Questionnaire-20

Nama:

Tanggal Lahir/Usia:

Laki-Laki /Perempuan

Petunjuk: Bacalah petunjuk ini seluruhnya sebelum mulai mengisi. Pertanyaan berikut berhubungan dengan masalah yang mungkin mengganggu Anda **selama 30 hari terakhir**. Apabila Anda menganggap pertanyaan itu Anda alami dalam 30 hari terakhir, berilah tanda silang (X) pada kolom **Y (berarti Ya)**. Sebaliknya, Apabila Anda menganggap pertanyaan itu tidak Anda alami dalam 30 hari terakhir, berilah tanda silang (X) pada kolom **T (Tidak)**. Jika Anda tidak yakin tentang jawabannya, berilah jawaban yang paling sesuai di antara Y dan T. Kami tegaskan bahwa jawaban Anda bersifat rahasia dan akan digunakan hanya untuk membantu pemecahan masalah Anda.

NO	Pertanyaan	Y	T
1	Apakah Anda sering merasa sakit kepala?		
2	Apakah Anda kehilangan nafsu makan?		
3	Apakah tidur Anda tidak nyenyak?		
4	Apakah Anda mudah merasa takut?		
5	Apakah Anda merasa cemas, tegang, atau khawatir?		
6	Apakah tangan Anda gemetar?		
7	Apakah Anda mengalami gangguan pencernaan?		
8	Apakah Anda merasa sulit berpikir jernih?		
9	Apakah Anda merasa tidak bahagia?		
10	Apakah Anda lebih sering menangis?		
11	Apakah Anda merasa sulit untuk menikmati aktivitas sehari-hari?		
12	Apakah Anda mengalami kesulitan untuk mengambil keputusan?		

13	Apakah aktivitas/tugas sehari-hari Anda terbengkalai?		
14	Apakah Anda merasa tidak mampu berperan dalam kehidupan ini?		
15	Apakah Anda kehilangan minat terhadap banyak hal?		
16	Apakah Anda merasa tidak berharga?		
17	Apakah Anda mempunyai pikiran untuk mengakhiri hidup Anda?		
18	Apakah Anda merasa lelah sepanjang waktu?		
19	Apakah Anda merasa tidak enak di perut?		
20	Apakah Anda mudah lelah?		

Lampiran 3. Hasil Analisis Uji Normalitas Data

NPar Tests

Notes		
Output Created		04-DEC-2024 04:36:12
Comments		
Input	Data	D:\SPSS SKRIPSI.sav
	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	296
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS /KS_SIM CIN(99) SAMPLES(10000).
Resources	Processor Time	00:00:00.33
	Elapsed Time	00:00:00.68
	Number of Cases Allowed ^a	786432

a. Based on availability of workspace memory.

One-Sample Kolmogorov-Smirnov Test			
			Unstandardized Residual
N			296
Normal Parameters^{a,b}	Mean		.0000000
	Std. Deviation		4.42704771
Most Extreme Differences	Absolute		.049
	Positive		.049
	Negative		-.047
Test Statistic			.049
Asymp. Sig. (2-tailed)^c			.087
Monte Carlo Sig. (2-tailed)^d	Sig.		.091
	99% Confidence Interval	Lower Bound	.083

	Upper Bound	.098
a. Test distribution is Normal.		
b. Calculated from data.		
c. Lilliefors Significance Correction.		
d. Lilliefors' method based on 10000 Monte Carlo samples with starting seed 1502173562.		

Lampiran 4. Hasil Analisis SPSS SMA Negeri 22 Makassar

Crosstabs

Notes		
Output Created		29-NOV-2024 17:24:59
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	270
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=GME BY Jenis_Kelamin Status_Pernikahan_Orang _Tua Tempat_Tinggal Pendidikan_Orang_Tua Orang_Tua_Bekerja Pendapatan_Orang_Tua /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT EXPECTED TOTAL /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.02

Dimensions Requested	2
Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
GME * Jenis_Kelamin	270	100.0%	0	0.0%	270	100.0%
GME * Status_Pernikahan_Orang_Tua	270	100.0%	0	0.0%	270	100.0%
GME * Tempat_Tinggal	270	100.0%	0	0.0%	270	100.0%
GME * Pendidikan_Orang_Tua	270	100.0%	0	0.0%	270	100.0%
GME * Orang_Tua_Bekerja	270	100.0%	0	0.0%	270	100.0%
GME * Pendapatan_Orang_Tua	270	100.0%	0	0.0%	270	100.0%

GME * Jenis_Kelamin

Crosstab

			Jenis_Kelamin		Total
			Laki-laki	Perempuan	
GME	GME	Count	48	153	201
		Expected Count	65.5	135.5	201.0
		% of Total	17.8%	56.7%	74.4%
	NON GME	Count	40	29	69
		Expected Count	22.5	46.5	69.0
		% of Total	14.8%	10.7%	25.6%
	Total	Count	88	182	270
		Expected Count	88.0	182.0	270.0
		% of Total	32.6%	67.4%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	27.172 ^a	1	.000		
Continuity Correction ^b	25.642	1	.000		
Likelihood Ratio	26.006	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	270				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 22.49.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	.227	.128	.405
For cohort Jenis_Kelamin = Laki-laki	.412	.300	.566
For cohort Jenis_Kelamin = Perempuan	1.811	1.358	2.415
N of Valid Cases	270		

GME * Status_Pernikahan_Orang_Tua

Crosstab

			Status_Pernikahan_Orang_Tua		
			Bercera	Ya	Total
GME	GME	Count	22	179	201
		Expected Count	22.3	178.7	201.0
		% of Total	8.1%	66.3%	74.4%
	NON GME	Count	8	61	69
		Expected Count	7.7	61.3	69.0
		% of Total	3.0%	22.6%	25.6%
Total	Count		30	240	270
	Expected Count		30.0	240.0	270.0
	% of Total		11.1%	88.9%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.022 ^a	1	.882		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.022	1	.883		
Fisher's Exact Test				.828	.518
N of Valid Cases	270				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.67.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	.937	.397	2.214
For cohort Status_Pernikahan_Orang _Tua = Berceraai	.944	.441	2.022
For cohort Status_Pernikahan_Orang _Tua = Ya	1.007	.913	1.111
N of Valid Cases	270		

GME * Tempat_Tinggal

Crosstab

		Tempat_Tinggal		Total
		Bersama orang tua (ayah/ibu)	Tidak bersama orang tua	
GME	GME	Count	184	201
		Expected Count	181.6	201.0
		% of Total	68.1%	74.4%
	NON GME	Count	60	69
		Expected Count	62.4	69.0

	% of Total	22.2%	3.3%	25.6%
Total	Count	244	26	270
	Expected Count	244.0	26.0	270.0
	% of Total	90.4%	9.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.241 ^a	1	.265		
Continuity Correction ^b	.770	1	.380		
Likelihood Ratio	1.170	1	.279		
Fisher's Exact Test				.343	.188
N of Valid Cases	270				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.64.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	1.624	.688	3.832
For cohort Tempat_Tinggal = Bersama orang tua (ayah/ibu)	1.053	.952	1.164
For cohort Tempat_Tinggal = Tidak bersama orang tua	.648	.303	1.387
N of Valid Cases	270		

GME * Pendidikan_Orang_Tua

Crosstab

		Pendidikan_Orang_Tua		Total
		SMA Sederajat ke Atas	SMP Sederajat ke Bawah	
GME	GME	Count	165	36
		Expected Count	172.0	29.0
		% of Total	61.1%	13.3%
	NON GME	Count	66	3
		Expected Count	66.0	2.0
		% of Total	24.4%	1.1%

Total	Expected Count	59.0	10.0	69.0
	% of Total	24.4%	1.1%	25.6%
	Count	231	39	270
	Expected Count	231.0	39.0	270.0
	% of Total	85.6%	14.4%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	7.646 ^a	1	.006		
Continuity Correction ^b	6.588	1	.010		
Likelihood Ratio	9.359	1	.002		
Fisher's Exact Test				.005	.003
N of Valid Cases	270				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 9.97.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	.208	.062	.700
For cohort Pendidikan_Orang_Tua = SMA Sederajat ke Atas	.858	.791	.931
For cohort Pendidikan_Orang_Tua = SMP Sederajat ke Bawah	4.119	1.310	12.953
N of Valid Cases	270		

GME * Orang_Tua_Bekerja

Crosstab

Orang_Tua_Bekerja		Total
Tidak	Ya	

GME	GME	Count	17	184	201
		Expected Count	16.4	184.6	201.0
		% of Total	6.3%	68.1%	74.4%
	NON GME	Count	5	64	69
		Expected Count	5.6	63.4	69.0
		% of Total	1.9%	23.7%	25.6%
Total	Count		22	248	270
	Expected Count		22.0	248.0	270.0
	% of Total		8.1%	91.9%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.101 ^a	1	.751		
Continuity Correction ^b	.004	1	.950		
Likelihood Ratio	.103	1	.748		
Fisher's Exact Test				1.000	.489
N of Valid Cases	270				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.62.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	1.183	.419	3.335
For cohort Orang_Tua_Bekerja = Tidak	1.167	.447	3.045
For cohort Orang_Tua_Bekerja = Ya	.987	.913	1.067
N of Valid Cases	270		

GME * Pendapatan_Orang_Tua

Crosstab

Pendapatan_Orang_Tua		Total
Tidak	Ya	
38		

GME	GME	Count	69	132	201
		Expected Count	57.3	143.7	201.0
		% of Total	25.6%	48.9%	74.4%
	NON GME	Count	8	61	69
		Expected Count	19.7	49.3	69.0
		% of Total	3.0%	22.6%	25.6%
	Total	Count	77	193	270
		Expected Count	77.0	193.0	270.0
		% of Total	28.5%	71.5%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	13.023 ^a	1	.000		
Continuity Correction ^b	11.932	1	.001		
Likelihood Ratio	14.732	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	270				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 19.68.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	3.986	1.805	8.804
For cohort Pendapatan_Orang_Tua = Tidak	2.961	1.501	5.839
For cohort Pendapatan_Orang_Tua = Ya	.743	.651	.847
N of Valid Cases	270		

Lampiran 5. Hasil Analisis SPSS MA Ulul Albab Makassar

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
GME * Jenis_Kelamin	26	100.0%	0	0.0%	26	100.0%
GME * Status_Pernikahan_Orang_Tua	26	100.0%	0	0.0%	26	100.0%
GME * Tempat_Tinggal	26	100.0%	0	0.0%	26	100.0%
GME * Pendidikan_Orang_Tua	26	100.0%	0	0.0%	26	100.0%
GME * Orang_Tua_Bekerja	26	100.0%	0	0.0%	26	100.0%
GME * Pendapatan_Orang_Tua	26	100.0%	0	0.0%	26	100.0%

GME * Jenis_Kelamin

Crosstab

			Jenis_Kelamin		Total
			Laki-laki	Perempuan	
GME	GME	Count	4	13	17
		Expected Count	6.5	10.5	17.0
		% of Total	15.4%	50.0%	65.4%
	NON GME	Count	6	3	9
		Expected Count	3.5	5.5	9.0
		% of Total	23.1%	11.5%	34.6%
Total	Count		10	16	26
	Expected Count		10.0	16.0	26.0
	% of Total		38.5%	61.5%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	4.626 ^a	1	.031		
Continuity Correction ^b	2.983	1	.084		

Likelihood Ratio	4.639	1	.031		
Fisher's Exact Test				.046	.042
N of Valid Cases	26				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.46.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	.154	.026	.914
For cohort Jenis_Kelamin = Laki-laki	.353	.133	.934
For cohort Jenis_Kelamin = Perempuan	2.294	.878	5.996
N of Valid Cases	26		

GME * Status_Pernikahan_Orang_Tua

Crosstab

			Status_Pernikahan_Orang_Tua		Total
			Berceraai	Ya	
GME	GME	Count	2	15	17
		Expected Count	2.0	15.0	17.0
		% of Total	7.7%	57.7%	65.4%
	NON GME	Count	1	8	9
		Expected Count	1.0	8.0	9.0
		% of Total	3.8%	30.8%	34.6%
Total	Count		3	23	26
	Expected Count		3.0	23.0	26.0
	% of Total		11.5%	88.5%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.002 ^a	1	.960		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.002	1	.960		

Fisher's Exact Test				1.000	.732
N of Valid Cases	26				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.04.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	1.067	.083	13.650
For cohort Status_Pernikahan_Orang Tua = Berceraai	1.059	.110	10.151
For cohort Status_Pernikahan_Orang Tua = Ya	.993	.744	1.325
N of Valid Cases	26		

GME * Tempat_Tinggal

Crosstab					
			Tempat Tinggal		
			Bersama orang tua (ayah/ibu)	Tidak bersama orang tua	Total
GME	GME	Count	12	5	17
		Expected Count	12.4	4.6	17.0
		% of Total	46.2%	19.2%	65.4%
	NON GME	Count	7	2	9
		Expected Count	6.6	2.4	9.0
		% of Total	26.9%	7.7%	34.6%
Total	Count	19	7	26	
	Expected Count	19.0	7.0	26.0	
	% of Total	73.1%	26.9%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.155 ^a	1	.694		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.158	1	.691		
Fisher's Exact Test				1.000	.538
N of Valid Cases	26				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.42.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	.686	.104	4.522
For cohort Tempat_Tinggal = Bersama orang tua (ayah/ibu)	.908	.570	1.445
For cohort Tempat_Tinggal = Tidak bersama orang tua	1.324	.318	5.514
N of Valid Cases	26		

GME * Pendidikan_Orang_Tua

Crosstab

			Pendidikan_Orang_Tua		
			SMA Sederajat	SMP Sederajat	
			ke Atas	ke Bawah	Total
GME	GME	Count	14	3	17
		Expected Count	13.1	3.9	17.0
		% of Total	53.8%	11.5%	65.4%
	NON GME	Count	6	3	9
		Expected Count	6.9	2.1	9.0
		% of Total	23.1%	11.5%	34.6%
Total	Count		20	6	26
	Expected Count		20.0	6.0	26.0
	% of Total		76.9%	23.1%	100.0%

Chi-Square Tests					
	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.816 ^a	1	.366		
Continuity Correction ^b	.171	1	.679		
Likelihood Ratio	.789	1	.374		
Fisher's Exact Test				.628	.332
N of Valid Cases	26				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.08.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	2.333	.362	15.053
For cohort Pendidikan_Orang_Tua = SMA Sederajat ke Atas	1.235	.741	2.061
For cohort Pendidikan_Orang_Tua = SMP Sederajat ke Bawah	.529	.133	2.107
N of Valid Cases	26		

GME * Orang_Tua_Bekerja

Crosstab					
			Orang_Tua_Bekerja		Total
			Tidak	Ya	
GME	GME	Count	4	13	17
		Expected Count	2.6	14.4	17.0
		% of Total	15.4%	50.0%	65.4%
	NON GME	Count	0	9	9
		Expected Count	1.4	7.6	9.0
		% of Total	0.0%	34.6%	34.6%

Total	Count	4	22	26
	Expected Count	4.0	22.0	26.0
	% of Total	15.4%	84.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	2.503 ^a	1	.114		
Continuity Correction ^b	1.022	1	.312		
Likelihood Ratio	3.775	1	.052		
Fisher's Exact Test				.263	.159
N of Valid Cases	26				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.38.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Orang_Tua_Bekerja = Ya	.765	.587	.995
N of Valid Cases	26		

GME * Pendapatan_Orang_Tua

Crosstab

			Pendapatan_Orang_Tua		Total
			Tidak	Ya	
GME	GME	Count	3	14	17
		Expected Count	3.3	13.7	17.0
		% of Total	11.5%	53.8%	65.4%
	NON GME	Count	2	7	9
		Expected Count	1.7	7.3	9.0
		% of Total	7.7%	26.9%	34.6%
	Total	Count	5	21	26
		Expected Count	5.0	21.0	26.0
		% of Total	19.2%	80.8%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.079 ^a	1	.778		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.078	1	.780		
Fisher's Exact Test				1.000	.580
N of Valid Cases	26				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.73.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GME (GME / NON GME)	.750	.101	5.576
For cohort Pendapatan_Orang_Tua = Tidak	.794	.161	3.919
For cohort Pendapatan_Orang_Tua = Ya	1.059	.701	1.600
N of Valid Cases	26		