

## DAFTAR PUSTAKA

- Abdou, E. S., & Sorour, M. A. (2014). Preparation and characterization of starch/carrageenan *edible* films. *International food research journal*, 21(1), 189.
- Akbar, M. 2021. Penanganan Pasca Panen dan Pemasaran Cabai Merah Besar Di Desa Pattiro Kecamatan Bangkala Barat Kabupaten Jeneponto. *Skripsi*. Fakultas Pertanian. Universitas Muhammadiyah Makassar. Makassar.
- Alfirah. 2021. Pengaruh *Edible coating* Lidah Buaya terhadap Mutu Cabai Merah Besar Selama Penyimpanan. *Skripsi*. Fakultas Pertanian. Universitas Hasanuddin. Makassar
- Aminuddin dan Nawangwulan. 2014. Pengaruh *edible coating* gel lidah buaya (Aloe vera L.) terhadap mutu dan umur simpan mentimun. *Jurnal Sekolah Tinggi Teknologi Industri dan Farmasi (STTIF)*. Bogor.
- Asgar, A. (2017). Pengaruh suhu penyimpanan dan jumlah perforasi kemasan terhadap karakteristik fisik dan kimia brokoli (*Brassica oleracea* var . Royal G) fresh-cut. *J. Hort.*, 27(1): 127-136.
- Dewi, S.M. 2021. Pembuatan *Edible coating* Lidah Buaya (Aloe Vera) Pada Buah Tomat (*Lycopersicon Esculentum* Mill) Menggunakan Kemasan Vakum. *Skripsi*. Teknik Grafika dan Penerbitan. Politeknik Negeri Jakarta. Jakarta.
- Fawzia, N. (2019). *Edible coating* Berbahan Karageenan Dan Gliserol Dengan Penambahan *Lactobacillus Plantarum* Serta Aplikasinya Pada Fresh-Cut Apel Anna (Doctoral dissertation, Universitas Brawijaya).
- Handarini, K. (2021). Lidah Buaya (Aloevera) Sebagai *Edible coating* Pada Cabai Merah (*Capsicum Annum*) Dan Tomat (*Lycopersicum Esculentum*). *Agroscience*, 11(2), 157-169.
- Handito, D. 2011. Pengaruh konsentrasi karagenan terhadap sifat fisik dan mekanik *edible* film. *Jurnal Agroteksos*. 21 (1): 2-3.
- Herdiana, N. (2011). Pengurangan Chilling Injury Pada Buah Tomat (*Lycopersicum Esculentum*) Melalui Aloe Vera *Coating* Selama Penyimpanan Dingin. *Jurnal Penyuluhan Pertanian Vol*, 6(1).
- Huse, M.A., Wignyanto, dan I.A. Dewi. 2010. Aplikasi *edible coating* dari karagenan dan gliserol untuk mengurangi penurunan kerusakan apel romebeauty. *Skripsi*. Fakultas Teknologi Industri Pertanian. Universitas Brawijaya. Malang.
- Kohar, T.A., Yusmarini, dan Ayu D.F. 2018. Aplikasi *Edible coating* Lidah Buaya (Aloe Vera L.) Dengan Penambahan Karagenan Terhadap Kualitas Buah Jambu Biji (*Psidium Guajava* L.). *jurnal Sagu*.17(1): 29-39.

- Lamona, A., Purwanto A. Y., dan Sutrisno. 2015. Pengaruh Jenis Kemasan dan Penyimpanan Suhu Rendah terhadap Perubahan Kualitas Cabai Merah Keriting Segar. *JTEP Jurnal Keteknikan Pertanian*, 3 (2): 145-152.
- Marliah, A., Nasution, M., & Armi, A. (2011). Pertumbuhan dan Hasil Beberapa Varietas Cabai Merah pada Media Tumbuh yang Berbeda. *Jurnal Floratek*, 6(1), 84-91.
- Mulyadi, A. F., Dewi, I. A., & Deoranto, P. (2013). Pemanfaatan kulit buah nipah untuk pembuatan briket bioarang sebagai sumber energi alternatif. *Jurnal Teknologi Pertanian*, 14(1), 65-72.
- Nawab, A. A. (2017). Mango kernel starch as a novel *edible coating* for enhancing shelf- life of tomato (*Solanum lycopersicum*) fruit. . *International Journal of Biological Macromolecules*. , 103. 581.
- Novaliana, N. (2008). Pengaruh Pelapisan dan Suhu Simpan Terhadap Kualitas dan Daya Simpan Buah Nenas (*Ananas comosus* (L). Merr). *Skripsi. Departemen Agronomi dan Hortikultura Institut Pertanian Bogor. Bogor*.
- Nurafni. 2021. Pengaruh *Edible coating* Pati Sagu Terhadap Kualitas Cabai Merah Besar Selama Penyimpanan. *Skripsi*. Fakultas Pertanian. Universitas Hasanuddin. Makassar
- Nurdjannah R, Purwanto YA, Sutrisno. 2014. Pengaruh jenis kemasan dan penyimpanan dingin terhadap mutu fisik cabai merah. *J. Pascapanen* 11 (1) : 19-29
- Pagiling, F., Supratomo, S., & Faridah, S. N. (2017). Sebaran Suhu Buah Terung Belanda (*Chyphomandra betacea*) pada Berbagai Tingkat Kematangan Selama Proses Pendinginan (Hydrocooling). *Jurnal Agritechno*, 123-134.
- Rudito, R. (2005). Effect of Gelatine and Citric Acid in the Glycerol Containing *Edible coating* Used For Storage of Tomato. *Jurnal Teknologi Pertanian*, 6(1).
- Rochayat, Y., & Munika, V. R. (2015). Respon kualitas dan ketahanan simpan cabai merah (*Capsicum annuum* L.) dengan penggunaan jenis bahan pengemas dan tingkat kematangan buah. *Kultivasi*, 14(1).
- Sari, A. M., Ansharullah dan Asyik, N. (2018). Pengaruh aplikasi *edible coating* berbasis pati sagu dengan penambahan filtrat kunyit (*Curcuma domestika* valet) terhadap karakteristik organoleptik tomat segar. *J. Sains & Tekn. Pangan*, 3(2): 1129-1139
- Syahri dan Somantri, R. U. (2015). Penanganan Segar Untuk Mempertahankan Mutu dan menekan Susut Bobot Cabai Selama Penyimpanan. 1236-1333
- Choi, J.H., W.Y. Choi, D.S. Cha, M.J. Chinnan, H.J. Park, dan D.S. Lee. 2005. Diffusivity of potassium sorbate in kappakaragenan based antimicrobial film. *Food Science and Technology*, volume 38 (4): 417-423.
- Martínez-Romero, D., Albuquerque, N., Valverde, J. M., Guillén, F., Castillo, S., Valero, D., & Serrano, M. (2006). Postharvest sweet cherry quality and

safety maintenance by Aloe vera treatment: a new *edible coating*. *Postharvest Biology and Technology*, 39(1), 93-100.











## LAMPIRAN

### Lampiran 1. Dokumentasi Penelitian Cabai Merah Besar











#### Dokumentasi selama Praktikum













**Cabai Merah Besar pada Hari 1**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











**Cabai Merah Besar pada Hari 2**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











**Cabai Merah Besar pada Hari 3**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











### Cabai Merah Besar pada Hari 4

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











### Cabai Merah Besar pada Hari 5

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











### Cabai Merah Besar pada Hari 6

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











**Cabai Merah Besar pada Hari 7**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











**Cabai Merah Besar pada Hari 8**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











**Cabai Merah Besar pada Hari 9**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					











**Cabai Merah Besar pada Hari 10**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					

**Cabai Merah Besar pada Hari 11**











Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					

**Cabai Merah Besar pada Hari 12**











Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					













**Cabai Merah Besar pada Hari 13**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					

**Cabai Merah Besar pada Hari 14**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					

**Cabai Merah Besar pada Hari 15**

Percobaan	Konsentrasi				
	P0	P1	P2	P3	P4
Dingin					
Ruang					

**Lampiran 2. Hasil Uji DMRT selama Penyimpanan pada Setiap Perlakuan**

Susut Bobot

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P0	10 °C	0.98 <sup>c</sup>	2.45 <sup>b</sup>	3.7 <sup>b</sup>	7.0 <sup>b</sup>	8.48 <sup>c</sup>	9.1 <sup>d</sup>	9.8 <sup>d</sup>	10.4 <sup>b</sup>	11.6 <sup>c</sup>	13.21 <sup>d</sup>	13.6 <sup>c</sup>	15.1 <sup>b</sup>	17.4 <sup>c</sup>	19.8 <sup>c</sup>	21.54 <sup>d</sup>
P1		0.77 <sup>c</sup>	2.16 <sup>b</sup>	3.3 <sup>b</sup>	6.6 <sup>bc</sup>	7.91 <sup>c</sup>	8.3 <sup>de</sup>	9.4 <sup>d</sup>	10.2 <sup>b</sup>	11.2 <sup>c</sup>	12.58 <sup>d</sup>	13.3 <sup>c</sup>	13.7 <sup>b</sup>	15.0 <sup>d</sup>	18.5 <sup>cd</sup>	18.78 <sup>e</sup>
P2		0.78 <sup>c</sup>	1.77 <sup>b</sup>	2.7 <sup>b</sup>	4.9 <sup>c</sup>	5.99 <sup>d</sup>	7.3 <sup>e</sup>	8.1 <sup>d</sup>	8.9 <sup>b</sup>	9.5 <sup>c</sup>	9.67 <sup>e</sup>	9.9 <sup>d</sup>	10.3 <sup>c</sup>	10.9 <sup>e</sup>	11.5 <sup>e</sup>	12.06 <sup>f</sup>
P3		0.69 <sup>c</sup>	2.02 <sup>b</sup>	2.9 <sup>b</sup>	6.2 <sup>bc</sup>	6.50 <sup>d</sup>	8.3 <sup>de</sup>	8.9 <sup>d</sup>	9.8 <sup>b</sup>	10.9 <sup>c</sup>	11.57 <sup>d</sup>	12.7 <sup>c</sup>	13.3 <sup>bc</sup>	14.5 <sup>d</sup>	16.1 <sup>d</sup>	17.21 <sup>e</sup>
P4		0.90 <sup>c</sup>	2.08 <sup>b</sup>	2.9 <sup>b</sup>	6.0 <sup>bc</sup>	6.58 <sup>d</sup>	8.4 <sup>de</sup>	9.0 <sup>d</sup>	10.2 <sup>b</sup>	11.0 <sup>c</sup>	12.02 <sup>d</sup>	12.6 <sup>c</sup>	13.2 <sup>bc</sup>	14.8 <sup>d</sup>	16.7 <sup>d</sup>	17.06 <sup>e</sup>
P0	30 °C	3.50 <sup>ab</sup>	4.12 <sup>a</sup>	11.7 <sup>a</sup>	14.0 <sup>a</sup>	18.19 <sup>b</sup>	18.3 <sup>c</sup>	25.9 <sup>c</sup>	34.6 <sup>a</sup>	46.4 <sup>a</sup>	47.96 <sup>a</sup>	50.8 <sup>a</sup>	52.5 <sup>a</sup>	57.3 <sup>a</sup>	60.5 <sup>a</sup>	64.65 <sup>a</sup>
P1		3.00 <sup>b</sup>	4.13 <sup>a</sup>	12.1 <sup>a</sup>	13.5 <sup>a</sup>	20.25 <sup>a</sup>	25.8 <sup>a</sup>	33.7 <sup>a</sup>	34.2 <sup>a</sup>	39.3 <sup>b</sup>	44.10 <sup>b</sup>	45.9 <sup>b</sup>	52.0 <sup>a</sup>	55.7 <sup>ab</sup>	59.1 <sup>a</sup>	61.36 <sup>b</sup>
P2		3.10 <sup>b</sup>	4.00 <sup>a</sup>	11.1 <sup>a</sup>	13.0 <sup>a</sup>	18.07 <sup>b</sup>	20.7 <sup>b</sup>	30.9 <sup>b</sup>	34.5 <sup>a</sup>	37.5 <sup>b</sup>	40.65 <sup>c</sup>	44.3 <sup>b</sup>	51.5 <sup>a</sup>	44.3 <sup>b</sup>	55.8 <sup>b</sup>	56.60 <sup>c</sup>
P3		0.55 <sup>c</sup>	4.14 <sup>a</sup>	12.2 <sup>a</sup>	13.9 <sup>a</sup>	20.32 <sup>a</sup>	25.5 <sup>a</sup>	31.1 <sup>b</sup>	34.6 <sup>a</sup>	38.0 <sup>b</sup>	42.79 <sup>b</sup>	44.7 <sup>b</sup>	51.8 <sup>a</sup>	55.1 <sup>ab</sup>	58.9 <sup>ab</sup>	58.80 <sup>b</sup>
P4		3.80 <sup>a</sup>	4.25 <sup>a</sup>	12.3 <sup>a</sup>	14.0 <sup>a</sup>	22.04 <sup>a</sup>	25.6 <sup>a</sup>	31.0 <sup>b</sup>	35.0 <sup>a</sup>	38.5 <sup>b</sup>	43.82 <sup>b</sup>	45.8 <sup>b</sup>	51.9 <sup>a</sup>	55.4 <sup>ab</sup>	58.9 <sup>a</sup>	60.77 <sup>b</sup>

Susut Bobot *Coating*

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P1	10 °C	1.25 <sup>c</sup>	5.3 <sup>ab</sup>	10.5 <sup>d</sup>	24.7 <sup>b</sup>	29.5 <sup>b</sup>	37.4 <sup>cd</sup>	41.6 <sup>b</sup>	53.2 <sup>b</sup>	55.3 <sup>d</sup>	60.6 <sup>c</sup>	64.6 <sup>b</sup>	67.2 <sup>d</sup>	76.2 <sup>d</sup>	76.7 <sup>c</sup>	84.2 <sup>c</sup>
P2		0.72 <sup>c</sup>	3.5 <sup>b</sup>	8.7 <sup>e</sup>	15.2 <sup>d</sup>	19.1 <sup>e</sup>	22.6 <sup>f</sup>	28.7 <sup>c</sup>	34.8 <sup>e</sup>	40.9 <sup>g</sup>	47.0 <sup>f</sup>	53.0 <sup>d</sup>	59.1 <sup>f</sup>	63.5 <sup>f</sup>	66.1 <sup>e</sup>	69.6 <sup>e</sup>
P3		1.04 <sup>c</sup>	4.0 <sup>b</sup>	9.1 <sup>de</sup>	16.7 <sup>d</sup>	24.2 <sup>c</sup>	27.3 <sup>e</sup>	29.8 <sup>c</sup>	34.8 <sup>e</sup>	41.9 <sup>g</sup>	52.5 <sup>e</sup>	56.8 <sup>cd</sup>	64.4 <sup>e</sup>	72.7 <sup>e</sup>	70.3 <sup>de</sup>	76.4 <sup>d</sup>
P4		1.10 <sup>c</sup>	3.6 <sup>b</sup>	1.2.5 <sup>c</sup>	21.4 <sup>c</sup>	28.5 <sup>b</sup>	36.1 <sup>d</sup>	40.5 <sup>b</sup>	44.4 <sup>c</sup>	51.6 <sup>e</sup>	53.1 <sup>e</sup>	59.8 <sup>c</sup>	65.9 <sup>de</sup>	73.0 <sup>e</sup>	72.5 <sup>cd</sup>	78.6 <sup>d</sup>
P1	30 °C	3.53 <sup>a</sup>	5.0 <sup>b</sup>	17.5 <sup>a</sup>	28.8 <sup>a</sup>	34.4 <sup>a</sup>	43.8 <sup>a</sup>	48.8 <sup>a</sup>	59.4 <sup>a</sup>	65.1 <sup>a</sup>	71.3 <sup>a</sup>	76.1 <sup>a</sup>	82.3 <sup>a</sup>	89.9 <sup>a</sup>	90.5 <sup>a</sup>	93.6 <sup>a</sup>
P2		0.65 <sup>c</sup>	3.9 <sup>b</sup>	8.1 <sup>e</sup>	15.9 <sup>d</sup>	20.9 <sup>d</sup>	25.4 <sup>e</sup>	33.1 <sup>c</sup>	40.9 <sup>d</sup>	48.7 <sup>f</sup>	56.5 <sup>d</sup>	64.3 <sup>b</sup>	72.0 <sup>c</sup>	77.6 <sup>c</sup>	83.8 <sup>b</sup>	86.5 <sup>c</sup>
P3		3.50 <sup>a</sup>	6.9 <sup>a</sup>	16.4 <sup>a</sup>	24.7 <sup>b</sup>	33.9 <sup>a</sup>	39.7 <sup>bc</sup>	43.3 <sup>b</sup>	52.4 <sup>b</sup>	58.6 <sup>c</sup>	62.1 <sup>c</sup>	73.0 <sup>a</sup>	78.2 <sup>b</sup>	85.0 <sup>b</sup>	86.6 <sup>ab</sup>	90.0 <sup>b</sup>
P4		2.30 <sup>b</sup>	4.3 <sup>b</sup>	14.7 <sup>b</sup>	25.2 <sup>b</sup>	35.6 <sup>a</sup>	40.2 <sup>b</sup>	45.0 <sup>ab</sup>	52.3 <sup>b</sup>	62.7 <sup>b</sup>	68.2 <sup>b</sup>	74.3 <sup>a</sup>	79.2 <sup>b</sup>	86.0 <sup>b</sup>	87.5 <sup>ab</sup>	91.7 <sup>ab</sup>

Total Padatan Terlarut

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P0	10 °C	9.2 <sup>a</sup>	9.4 <sup>ab</sup>	10.1 <sup>a</sup>	10.3 <sup>a</sup>	10.3 <sup>ab</sup>	10.7 <sup>bcd</sup>	10.7 <sup>bcd</sup>	10.9 <sup>cde</sup>	11.0 <sup>c</sup>	11.1 <sup>d</sup>	11.3 <sup>c</sup>	11.3 <sup>c</sup>	11.6 <sup>c</sup>	11.9 <sup>d</sup>	12.2 <sup>c</sup>
P1		9.3 <sup>a</sup>	9.4 <sup>ab</sup>	9.6 <sup>a</sup>	9.7 <sup>a</sup>	9.9 <sup>b</sup>	10.2 <sup>bcd</sup>	10.5 <sup>cd</sup>	10.6 <sup>de</sup>	10.8 <sup>c</sup>	11.1 <sup>d</sup>	11.0 <sup>c</sup>	11.2 <sup>c</sup>	11.3 <sup>c</sup>	11.8 <sup>d</sup>	12.0 <sup>c</sup>
P2		9.0 <sup>a</sup>	9.2 <sup>b</sup>	9.4 <sup>a</sup>	9.6 <sup>a</sup>	9.7 <sup>b</sup>	9.7 <sup>d</sup>	10.0 <sup>d</sup>	10.1 <sup>e</sup>	10.4 <sup>c</sup>	10.4 <sup>d</sup>	10.5 <sup>c</sup>	10.7 <sup>c</sup>	11.0 <sup>c</sup>	10.1 <sup>d</sup>	11.2 <sup>c</sup>
P3		9.1 <sup>a</sup>	9.3 <sup>ab</sup>	9.5 <sup>a</sup>	9.6 <sup>a</sup>	10.0 <sup>b</sup>	10.0 <sup>cd</sup>	10.4 <sup>cd</sup>	10.5 <sup>de</sup>	10.7 <sup>c</sup>	10.8 <sup>d</sup>	10.9 <sup>c</sup>	11.0 <sup>c</sup>	11.1 <sup>c</sup>	10.5 <sup>d</sup>	11.6 <sup>c</sup>
P4		9.2 <sup>a</sup>	9.3 <sup>ab</sup>	9.7 <sup>a</sup>	9.8 <sup>a</sup>	10.1 <sup>b</sup>	10.6 <sup>bcd</sup>	10.5 <sup>cd</sup>	10.5 <sup>de</sup>	10.9 <sup>c</sup>	10.9 <sup>d</sup>	10.9 <sup>c</sup>	11.0 <sup>c</sup>	11.3 <sup>c</sup>	10.8 <sup>d</sup>	12.0 <sup>c</sup>
P0	30 °C	9.6 <sup>a</sup>	10.7 <sup>a</sup>	10.7 <sup>a</sup>	10.7 <sup>a</sup>	11.6 <sup>a</sup>	12.6 <sup>a</sup>	12.7 <sup>a</sup>	14.9 <sup>a</sup>	15.1 <sup>a</sup>	15.6 <sup>a</sup>	18.7 <sup>a</sup>	19.7 <sup>a</sup>	20.8 <sup>a</sup>	21.9 <sup>a</sup>	22.7 <sup>a</sup>
P1		9.3 <sup>a</sup>	10.0 <sup>ab</sup>	10.2 <sup>a</sup>	9.5 <sup>a</sup>	10.8 <sup>ab</sup>	11.0 <sup>abcd</sup>	11.4 <sup>abc</sup>	12.4 <sup>bc</sup>	13.7 <sup>ab</sup>	15.3 <sup>ab</sup>	16.4 <sup>b</sup>	18.1 <sup>b</sup>	19.8 <sup>ab</sup>	21.4 <sup>ab</sup>	21.6 <sup>bc</sup>
P2		9.3 <sup>a</sup>	9.7 <sup>ab</sup>	10.1 <sup>a</sup>	9.3 <sup>a</sup>	10.3 <sup>ab</sup>	10.5 <sup>bcd</sup>	10.8 <sup>bcd</sup>	11.7 <sup>bcde</sup>	12.1 <sup>bc</sup>	13.2 <sup>c</sup>	15.5 <sup>b</sup>	16.8 <sup>b</sup>	18.8 <sup>b</sup>	19.4 <sup>c</sup>	20.5 <sup>b</sup>
P3		9.1 <sup>a</sup>	9.3 <sup>ab</sup>	10.3 <sup>a</sup>	9.1 <sup>a</sup>	10.9 <sup>ab</sup>	11.8 <sup>abc</sup>	10.9 <sup>abc</sup>	12.0 <sup>bcd</sup>	13.0 <sup>b</sup>	14.3 <sup>bc</sup>	15.9 <sup>b</sup>	17.2 <sup>b</sup>	19.1 <sup>b</sup>	20.1 <sup>bc</sup>	20.9 <sup>b</sup>
P4		9.2 <sup>a</sup>	10.1 <sup>ab</sup>	10.5 <sup>a</sup>	9.2 <sup>a</sup>	10.7 <sup>ab</sup>	12.0 <sup>bc</sup>	12.0 <sup>ab</sup>	12.8 <sup>b</sup>	13.6 <sup>ab</sup>	14.6 <sup>ab</sup>	16.3 <sup>b</sup>	18.1 <sup>b</sup>	19.2 <sup>b</sup>	20.7 <sup>abc</sup>	21.2 <sup>bc</sup>

Kekerasan

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P0	10 °C	6.9 <sup>a</sup>	6.6 <sup>a</sup>	6.3 <sup>a</sup>	5.9 <sup>a</sup>	5.8 <sup>a</sup>	5.5 <sup>a</sup>	5.3 <sup>a</sup>	5.2 <sup>b</sup>	5.2 <sup>ab</sup>	5.0 <sup>bc</sup>	4.9 <sup>b</sup>	4.8 <sup>abc</sup>	4.4 <sup>ab</sup>	4.1 <sup>bc</sup>	3.9 <sup>ab</sup>
P1		6.9 <sup>a</sup>	6.6 <sup>a</sup>	5.6 <sup>a</sup>	5.4 <sup>a</sup>	5.4 <sup>a</sup>	5.2 <sup>a</sup>	5.2 <sup>a</sup>	5.1 <sup>b</sup>	5.0 <sup>ab</sup>	5.0 <sup>bc</sup>	5.0 <sup>b</sup>	4.8 <sup>abc</sup>	4.7 <sup>b</sup>	4.3 <sup>bc</sup>	4.0 <sup>ab</sup>
P2		7.0 <sup>a</sup>	6.8 <sup>a</sup>	6.1 <sup>a</sup>	5.8 <sup>a</sup>	5.8 <sup>a</sup>	5.6 <sup>a</sup>	5.5 <sup>a</sup>	5.5 <sup>b</sup>	5.4 <sup>b</sup>	5.4 <sup>c</sup>	5.1 <sup>b</sup>	5.0 <sup>bc</sup>	4.7 <sup>b</sup>	4.7 <sup>c</sup>	4.5 <sup>b</sup>
P3		6.9 <sup>a</sup>	6.7 <sup>a</sup>	6.1 <sup>a</sup>	5.7 <sup>a</sup>	5.6 <sup>a</sup>	5.3 <sup>a</sup>	5.2 <sup>a</sup>	5.2 <sup>b</sup>	5.2 <sup>ab</sup>	5.0 <sup>bc</sup>	4.8 <sup>b</sup>	4.8 <sup>abc</sup>	4.6 <sup>ab</sup>	4.4 <sup>bc</sup>	4.4 <sup>b</sup>
P4		6.9 <sup>a</sup>	6.7 <sup>a</sup>	5.8 <sup>a</sup>	5.5 <sup>a</sup>	6.0 <sup>a</sup>	5.4 <sup>a</sup>	5.3 <sup>a</sup>	5.0 <sup>b</sup>	5.0 <sup>ab</sup>	4.9 <sup>bc</sup>	4.9 <sup>b</sup>	4.8 <sup>abc</sup>	4.6 <sup>ab</sup>	4.5 <sup>c</sup>	4.5 <sup>b</sup>
P0	30 °C	6.8 <sup>a</sup>	6.3 <sup>a</sup>	5.6 <sup>a</sup>	5.4 <sup>a</sup>	5.3 <sup>a</sup>	5.1 <sup>a</sup>	4.5 <sup>a</sup>	2.9 <sup>a</sup>	2.9 <sup>a</sup>	1.5 <sup>a</sup>	2.7 <sup>a</sup>	3.7 <sup>a</sup>	2.7 <sup>a</sup>	1.9 <sup>a</sup>	3.2 <sup>ab</sup>
P1		6.9 <sup>a</sup>	6.8 <sup>a</sup>	6.3 <sup>a</sup>	6.0 <sup>a</sup>	5.6 <sup>a</sup>	5.4 <sup>a</sup>	4.5 <sup>a</sup>	5.1 <sup>b</sup>	2.9 <sup>a</sup>	3.1 <sup>ab</sup>	3.4 <sup>ab</sup>	3.9 <sup>ab</sup>	2.7 <sup>a</sup>	2.4 <sup>ab</sup>	2.2 <sup>a</sup>
P2		7.0 <sup>a</sup>	6.7 <sup>a</sup>	6.3 <sup>a</sup>	6.2 <sup>a</sup>	5.9 <sup>a</sup>	5.8 <sup>a</sup>	5.6 <sup>a</sup>	4.9 <sup>b</sup>	3.4 <sup>ab</sup>	4.7 <sup>bc</sup>	3.6 <sup>ab</sup>	4.8 <sup>abc</sup>	4.8 <sup>b</sup>	3.6 <sup>abc</sup>	4.0 <sup>ab</sup>
P3		6.7 <sup>a</sup>	6.5 <sup>a</sup>	6.2 <sup>a</sup>	6.1 <sup>a</sup>	6.1 <sup>a</sup>	5.7 <sup>a</sup>	4.6 <sup>a</sup>	4.4 <sup>ab</sup>	3.5 <sup>ab</sup>	4.0 <sup>bc</sup>	2.5 <sup>a</sup>	4.8 <sup>abc</sup>	3.0 <sup>ab</sup>	2.6 <sup>abc</sup>	3.8 <sup>ab</sup>
P4		6.7 <sup>a</sup>	6.9 <sup>a</sup>	6.4 <sup>a</sup>	5.9 <sup>a</sup>	5.3 <sup>a</sup>	5.5 <sup>a</sup>	5.5 <sup>a</sup>	5.0 <sup>b</sup>	4.6 <sup>ab</sup>	2.9 <sup>ab</sup>	2.9 <sup>a</sup>	5.6 <sup>c</sup>	3.5 <sup>ab</sup>	1.9 <sup>a</sup>	4.1 <sup>b</sup>

Warna L

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P0	10 °C	41.4 <sup>a</sup>	41.0 <sup>a</sup>	40.8 <sup>ab</sup>	39.3 <sup>ab</sup>	40.2 <sup>abc</sup>	39.0 <sup>ab</sup>	38.3 <sup>ab</sup>	37.9 <sup>ab</sup>	37.7 <sup>abc</sup>	38.4 <sup>bcd</sup>	37.8 <sup>abc</sup>	37.5 <sup>bcde</sup>	37.3 <sup>bc</sup>	37.0 <sup>bcd</sup>	36.6 <sup>cde</sup>
P1		41.7 <sup>a</sup>	41.2 <sup>a</sup>	40.9 <sup>ab</sup>	39.8 <sup>ab</sup>	39.8 <sup>abc</sup>	39.4 <sup>ab</sup>	39.3 <sup>ab</sup>	39.0 <sup>ab</sup>	38.6 <sup>abc</sup>	38.2 <sup>bcd</sup>	38.1 <sup>abc</sup>	38.0 <sup>cde</sup>	37.8 <sup>c</sup>	37.4 <sup>bcd</sup>	36.9 <sup>cde</sup>
P2		41.6 <sup>a</sup>	41.8 <sup>a</sup>	41.6 <sup>b</sup>	40.6 <sup>b</sup>	40.6 <sup>c</sup>	40.4 <sup>b</sup>	40.1 <sup>b</sup>	39.6 <sup>b</sup>	39.5 <sup>c</sup>	39.3 <sup>d</sup>	38.9 <sup>c</sup>	38.7 <sup>e</sup>	38.5 <sup>c</sup>	38.1 <sup>c</sup>	37.8 <sup>e</sup>
P3		41.7 <sup>a</sup>	41.6 <sup>a</sup>	41.4 <sup>b</sup>	40.3 <sup>ab</sup>	40.3 <sup>bc</sup>	39.9 <sup>ab</sup>	39.7 <sup>ab</sup>	39.4 <sup>ab</sup>	39.3 <sup>bc</sup>	38.7 <sup>cd</sup>	38.6 <sup>bc</sup>	38.3 <sup>de</sup>	38.0 <sup>c</sup>	37.7 <sup>c</sup>	37.4 <sup>e</sup>
P4		41.4 <sup>a</sup>	41.3 <sup>a</sup>	41.1 <sup>ab</sup>	40.4 <sup>ab</sup>	40.4 <sup>bc</sup>	39.5 <sup>ab</sup>	39.2 <sup>ab</sup>	38.8 <sup>ab</sup>	38.4 <sup>abc</sup>	38.3 <sup>bcd</sup>	38.4 <sup>bc</sup>	38.0 <sup>cde</sup>	37.8 <sup>c</sup>	37.5 <sup>bc</sup>	37.3 <sup>de</sup>
P0	30 °C	41.4 <sup>a</sup>	39.7 <sup>a</sup>	39.0 <sup>a</sup>	38.2 <sup>a</sup>	39.87 <sup>a</sup>	37.9 <sup>a</sup>	37.7 <sup>a</sup>	37.2 <sup>a</sup>	37.0 <sup>a</sup>	36.0 <sup>a</sup>	35.7 <sup>a</sup>	35.4 <sup>a</sup>	35.4 <sup>a</sup>	34.9 <sup>a</sup>	33.8 <sup>a</sup>
P1		41.3 <sup>a</sup>	40.2 <sup>a</sup>	40.0 <sup>ab</sup>	38.6 <sup>ab</sup>	38.62 <sup>ab</sup>	38.1 <sup>a</sup>	37.9 <sup>ab</sup>	37.2 <sup>a</sup>	37.1 <sup>a</sup>	36.4 <sup>ab</sup>	36.1 <sup>ab</sup>	35.9 <sup>ab</sup>	35.5 <sup>a</sup>	35.4 <sup>a</sup>	34.8 <sup>ab</sup>
P2		41.7 <sup>a</sup>	41.3 <sup>a</sup>	40.8 <sup>ab</sup>	40.3 <sup>ab</sup>	40.95 <sup>bc</sup>	39.6 <sup>ab</sup>	39.2 <sup>ab</sup>	39.0 <sup>ab</sup>	38.7 <sup>abc</sup>	38.8 <sup>cd</sup>	37.7 <sup>abc</sup>	37.7 <sup>bcde</sup>	37.6 <sup>c</sup>	37.4 <sup>bc</sup>	36.8 <sup>cde</sup>
P3		41.3 <sup>a</sup>	40.7 <sup>a</sup>	40.3 <sup>ab</sup>	39.1 <sup>ab</sup>	37.39 <sup>abc</sup>	38.8 <sup>ab</sup>	38.1 <sup>ab</sup>	37.9 <sup>ab</sup>	37.6 <sup>abc</sup>	36.8 <sup>abc</sup>	36.6 <sup>abc</sup>	36.2 <sup>abc</sup>	36.2 <sup>ab</sup>	36.1 <sup>abc</sup>	35.7 <sup>bcd</sup>
P4		41.4 <sup>a</sup>	40.9 <sup>a</sup>	40.4 <sup>ab</sup>	38.6 <sup>ab</sup>	37.63 <sup>ab</sup>	38.5 <sup>ab</sup>	38.3 <sup>ab</sup>	37.5 <sup>ab</sup>	37.4 <sup>ab</sup>	36.8 <sup>abc</sup>	36.5 <sup>abc</sup>	36.4 <sup>abcd</sup>	36.2 <sup>ab</sup>	35.8 <sup>ab</sup>	35.2 <sup>abc</sup>

## Warna a

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P0	10 °C	38.7 <sup>a</sup>	39.2 <sup>a</sup>	40.3 <sup>a</sup>	40.4 <sup>a</sup>	40.9 <sup>a</sup>	41.3 <sup>a</sup>	41.3 <sup>a</sup>	41.5 <sup>a</sup>	41.5 <sup>a</sup>	43.1 <sup>a</sup>	43.5 <sup>a</sup>	44.6 <sup>a</sup>	45.2 <sup>ab</sup>	45.4 <sup>ab</sup>	46.2 <sup>ab</sup>
P1		38.8 <sup>a</sup>	39.0 <sup>a</sup>	39.7 <sup>a</sup>	40.1 <sup>a</sup>	40.5 <sup>a</sup>	40.8 <sup>a</sup>	41.0 <sup>a</sup>	41.2 <sup>a</sup>	41.4 <sup>a</sup>	42.1 <sup>a</sup>	42.7 <sup>a</sup>	43.2 <sup>a</sup>	44.0 <sup>ab</sup>	45.1 <sup>ab</sup>	45.8 <sup>ab</sup>
P2		38.4 <sup>a</sup>	38.4 <sup>a</sup>	38.7 <sup>a</sup>	39.2 <sup>a</sup>	39.9 <sup>a</sup>	40.1 <sup>a</sup>	40.2 <sup>a</sup>	40.7 <sup>a</sup>	40.9 <sup>a</sup>	41.3 <sup>a</sup>	41.9 <sup>a</sup>	42.1 <sup>a</sup>	42.7 <sup>b</sup>	42.8 <sup>b</sup>	44.0 <sup>b</sup>
P3		38.5 <sup>a</sup>	39.1 <sup>a</sup>	39.1 <sup>a</sup>	40.0 <sup>a</sup>	40.1 <sup>a</sup>	40.3 <sup>a</sup>	41.0 <sup>a</sup>	41.1 <sup>a</sup>	41.3 <sup>a</sup>	41.9 <sup>a</sup>	42.1 <sup>a</sup>	43.9 <sup>a</sup>	44.3 <sup>ab</sup>	44.6 <sup>ab</sup>	44.2 <sup>ab</sup>
P4		38.4 <sup>a</sup>	39.3 <sup>a</sup>	39.4 <sup>a</sup>	39.9 <sup>a</sup>	40.1 <sup>a</sup>	40.3 <sup>a</sup>	40.7 <sup>a</sup>	40.8 <sup>a</sup>	41.0 <sup>a</sup>	42.0 <sup>a</sup>	42.6 <sup>a</sup>	43.1 <sup>a</sup>	43.3 <sup>ab</sup>	44.7 <sup>ab</sup>	45.4 <sup>ab</sup>
P0	30 °C	39.3 <sup>a</sup>	40.4 <sup>a</sup>	40.4 <sup>a</sup>	40.5 <sup>a</sup>	41.0 <sup>a</sup>	41.7 <sup>a</sup>	42.0 <sup>a</sup>	42.8 <sup>a</sup>	42.9 <sup>a</sup>	44.2 <sup>a</sup>	45.2 <sup>a</sup>	46.7 <sup>a</sup>	47.2 <sup>a</sup>	47.4 <sup>a</sup>	47.6 <sup>a</sup>
P1		39.2 <sup>a</sup>	39.3 <sup>a</sup>	39.3 <sup>a</sup>	39.7 <sup>a</sup>	40.6 <sup>a</sup>	40.5 <sup>a</sup>	40.7 <sup>a</sup>	40.7 <sup>a</sup>	40.8 <sup>a</sup>	44.2 <sup>a</sup>	45.1 <sup>a</sup>	45.9 <sup>a</sup>	46.5 <sup>ab</sup>	46.9 <sup>a</sup>	47.0 <sup>ab</sup>
P2		38.5 <sup>a</sup>	39.0 <sup>a</sup>	39.1 <sup>a</sup>	39.5 <sup>a</sup>	39.8 <sup>a</sup>	40.2 <sup>a</sup>	40.2 <sup>a</sup>	40.4 <sup>a</sup>	40.6 <sup>a</sup>	42.7 <sup>a</sup>	43.0 <sup>a</sup>	43.7 <sup>a</sup>	44.1 <sup>ab</sup>	44.8 <sup>ab</sup>	45.1 <sup>ab</sup>
P3		38.8 <sup>a</sup>	38.9 <sup>a</sup>	39.0 <sup>a</sup>	39.0 <sup>a</sup>	39.5 <sup>a</sup>	40.2 <sup>a</sup>	40.7 <sup>a</sup>	41.1 <sup>a</sup>	41.2 <sup>a</sup>	43.5 <sup>a</sup>	43.6 <sup>a</sup>	44.1 <sup>a</sup>	44.3 <sup>ab</sup>	44.8 <sup>ab</sup>	45.8 <sup>ab</sup>
P4		38.9 <sup>a</sup>	38.9 <sup>a</sup>	39.2 <sup>a</sup>	39.4 <sup>a</sup>	39.7 <sup>a</sup>	39.8 <sup>a</sup>	40.4 <sup>a</sup>	40.5 <sup>a</sup>	41.8 <sup>a</sup>	43.7 <sup>a</sup>	44.5 <sup>a</sup>	44.6 <sup>a</sup>	44.8 <sup>ab</sup>	45.2 <sup>ab</sup>	46.4 <sup>ab</sup>

## Warna b

Jenis Kemasan	Suhu Simpan	Lama Penyimpanan (Hari)														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
P0	10 °C	-1.9 <sup>a</sup>	-2.3 <sup>a</sup>	-2.4 <sup>a</sup>	-2.7 <sup>ab</sup>	-4.8 <sup>a</sup>	-5.6 <sup>a</sup>	-6.1 <sup>a</sup>	-6.3 <sup>a</sup>	-6.4 <sup>a</sup>	-7.8 <sup>a</sup>	-8.8 <sup>a</sup>	-10.0 <sup>a</sup>	-11.3 <sup>a</sup>	-12.3 <sup>a</sup>	-13.7 <sup>a</sup>
P1		-1.8 <sup>a</sup>	-2.2 <sup>a</sup>	-2.5 <sup>a</sup>	-2.8 <sup>ab</sup>	-4.1 <sup>a</sup>	-5.2 <sup>a</sup>	-5.9 <sup>a</sup>	-6.5 <sup>a</sup>	-6.7 <sup>a</sup>	-7.2 <sup>a</sup>	-8.6 <sup>a</sup>	-9.8 <sup>a</sup>	-10.8 <sup>a</sup>	-11.9 <sup>a</sup>	-13.7 <sup>a</sup>
P2		-0.7 <sup>a</sup>	-1.9 <sup>a</sup>	-2.2 <sup>a</sup>	-2.5 <sup>b</sup>	-3.6 <sup>a</sup>	-4.7 <sup>a</sup>	-5.0 <sup>a</sup>	-5.7 <sup>a</sup>	-5.9 <sup>a</sup>	-6.2 <sup>a</sup>	-7.1 <sup>a</sup>	-8.3 <sup>a</sup>	-10.0 <sup>a</sup>	-10.8 <sup>a</sup>	-12.9 <sup>a</sup>
P3		-1.0 <sup>a</sup>	-2.1 <sup>a</sup>	-2.5 <sup>a</sup>	-2.5 <sup>ab</sup>	-4.0 <sup>a</sup>	-4.8 <sup>a</sup>	-5.1 <sup>a</sup>	-5.7 <sup>a</sup>	-6.1 <sup>a</sup>	-6.9 <sup>a</sup>	-8.6 <sup>a</sup>	-9.3 <sup>a</sup>	-10.6 <sup>a</sup>	-11.4 <sup>a</sup>	-13.2 <sup>a</sup>
P4		-1.0 <sup>a</sup>	-2.1 <sup>a</sup>	-2.7 <sup>a</sup>	-2.8 <sup>ab</sup>	-4.6 <sup>a</sup>	-5.1 <sup>a</sup>	-5.8 <sup>a</sup>	-6.7 <sup>a</sup>	-6.8 <sup>a</sup>	-7.1 <sup>a</sup>	-8.5 <sup>a</sup>	-9.3 <sup>a</sup>	-10.9 <sup>a</sup>	-11.7 <sup>a</sup>	-13.4 <sup>a</sup>
P0	30 °C	-0.9 <sup>a</sup>	-2.9 <sup>a</sup>	-3.4 <sup>a</sup>	-4.3 <sup>a</sup>	-5.5 <sup>a</sup>	-7.1 <sup>a</sup>	-7.2 <sup>a</sup>	-7.5 <sup>a</sup>	-8.4 <sup>a</sup>	-8.5 <sup>a</sup>	-9.0 <sup>a</sup>	-10.2 <sup>a</sup>	-12.0 <sup>a</sup>	-13.0 <sup>a</sup>	-14.5 <sup>a</sup>
P1		-1.1 <sup>a</sup>	-3.0 <sup>a</sup>	-3.4 <sup>a</sup>	-4.0 <sup>ab</sup>	-4.6 <sup>a</sup>	-5.7 <sup>a</sup>	-5.8 <sup>a</sup>	-5.9 <sup>a</sup>	-6.8 <sup>a</sup>	-7.7 <sup>a</sup>	-8.7 <sup>a</sup>	-9.4 <sup>a</sup>	-11.1 <sup>a</sup>	-12.1 <sup>a</sup>	-14.1 <sup>a</sup>
P2		-1.0 <sup>a</sup>	-2.2 <sup>a</sup>	-3.1 <sup>a</sup>	-3.8 <sup>ab</sup>	-3.9 <sup>a</sup>	-5.3 <sup>a</sup>	-5.5 <sup>a</sup>	-5.8 <sup>a</sup>	-6.4 <sup>a</sup>	-6.9 <sup>a</sup>	-7.7 <sup>a</sup>	-8.3 <sup>a</sup>	-10.1 <sup>a</sup>	-11.3 <sup>a</sup>	-12.9 <sup>a</sup>
P3		-1.2 <sup>a</sup>	-2.6 <sup>a</sup>	-3.3 <sup>a</sup>	-3.9 <sup>ab</sup>	-4.5 <sup>a</sup>	-5.3 <sup>a</sup>	-5.5 <sup>a</sup>	-5.7 <sup>a</sup>	-6.7 <sup>a</sup>	-7.0 <sup>a</sup>	-8.2 <sup>a</sup>	-8.8 <sup>a</sup>	-10.8 <sup>a</sup>	-12.4 <sup>a</sup>	-13.6 <sup>a</sup>
P4		-1.9 <sup>a</sup>	-2.6 <sup>a</sup>	-3.2 <sup>a</sup>	-3.9 <sup>ab</sup>	-4.2 <sup>a</sup>	-5.4 <sup>a</sup>	-5.5 <sup>a</sup>	-5.8 <sup>a</sup>	-6.8 <sup>a</sup>	-7.4 <sup>a</sup>	-7.7 <sup>a</sup>	-9.0 <sup>a</sup>	-10.4 <sup>a</sup>	-11.8 <sup>a</sup>	-13.7 <sup>a</sup>

### Lampiran 3. Tabel Analisis Sidik Ragam (Anova) dan Uji Lanjut Duncan selama Penyimpanan

#### Hari 1

#### Susut Bobot

#### Tests of Between-Subjects Effects

Dependent Variable: SusutBobot

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	146.982 <sup>a</sup>	10	14.698	133.653	.000
perlakuan	11.645	4	2.911	26.473	.000
Suhu	29.067	1	29.067	264.313	.000
perlakuan * Suhu	8.601	4	2.150	19.552	.000
Error	2.199	20	.110		
Total	149.182	30			

a. R Squared = .985 (Adjusted R Squared = .978)

#### Susutbobot

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05		
		1	2	3
P3R	3	.5467		
P3D	3	.6700		
P1D	3	.7733		
P2D	3	.7767		
P4D	3	.9000		
P0D	3	.9800		
P1R	3		3.0000	
P2R	3		3.1000	
P0R	3		3.5000	3.5000
P4R	3			3.7967
Sig.		.171	.095	.286

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Susut Bobot Coating

### Tests of Between-Subjects Effects

Dependent Variable: SusutCoating1

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	104.247 <sup>a</sup>	8	13.031	41.896	.000
Perlakuan	10.920	3	3.640	11.703	.000
Suhu	12.951	1	12.951	41.639	.000
Perlakuan * Suhu	6.139	3	2.046	6.579	.004
Error	4.976	16	.311		
Total	109.223	24			

a. R Squared = .954 (Adjusted R Squared = .932)

### SusutCoating1

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05		
		1	2	3
P2R	3	.6467		
P2D	3	.7167		
P3D	3	1.0367		
P4D	3	1.0967		
P1D	3	1.2467		
P4R	3		2.2967	
P3R	3			3.5000
P1R	3			3.5300
Sig.		.251	1.000	.948

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Total Padatan Terlarut

### Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	2545.390 <sup>a</sup>	10	254.539	1318.855	.000
perlakuan	.315	4	.079	.408	.800
Suhu	.147	1	.147	.762	.393
perlakuan * Suhu	.205	4	.051	.265	.897
Error	3.860	20	.193		
Total	2549.250	30			

a. R Squared = .998 (Adjusted R Squared = .998)

### TPT

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05 1
P2D	3	9.0000
P3D	3	9.0667
P3R	3	9.1000
P0D	3	9.1667
P4R	3	9.1667
P4D	3	9.2000
P1D	3	9.2667
P2R	3	9.2667
P1R	3	9.3000
P0R	3	9.5667
Sig.		.186

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



## Kekerasan

### Tests of Between-Subjects Effects

Dependent Variable: Kekerasan

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	1420.764 <sup>a</sup>	10	142.076	84.043	.000
perlakuan	.159	4	.040	.024	.999
Suhu	.082	1	.082	.049	.828
perlakuan * Suhu	.078	4	.019	.012	1.000
Error	33.810	20	1.691		
Total	1454.575	30			

a. R Squared = .977 (Adjusted R Squared = .965)

## Kekerasan

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha
		= 0.05
		1
P4R	3	6.6567
P3R	3	6.7467
P0R	3	6.8233
P1D	3	6.9000
P4D	3	6.9000
P1R	3	6.9233
P0D	3	6.9333
P3D	3	6.9333
P2R	3	6.9933
P2D	3	7.0000
Sig.		.779

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna L

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	51668.427 <sup>a</sup>	10	5166.843	5241.978	.000
perlakuan	.390	4	.097	.099	.982
Suhu	.225	1	.225	.229	.638
perlakuan * Suhu	.311	4	.078	.079	.988
Error	19.713	20	.986		
Total	51688.140	30			

a. R Squared = 1.000 (Adjusted R Squared = .999)

## Warna\_L

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05 1
P1R	3	41.2667
P3R	3	41.3333
P0R	3	41.3667
P4R	3	41.3667
P4D	3	41.4000
P0D	3	41.4333
P2D	3	41.6667
P1D	3	41.7000
P2R	3	41.7333
P3D	3	41.7333
Sig.		.619

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna a

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	45041.807 <sup>a</sup>	10	4504.181	1139.818	.000
perlakuan	1.508	4	.377	.095	.983
Suhu	.972	1	.972	.246	.625
perlakuan * Suhu	.201	4	.050	.013	1.000
Error	79.033	20	3.952		
Total	45120.840	30			

a. R Squared = .998 (Adjusted R Squared = .997)

## Warna\_a

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05 1
P2D	3	38.4000
P4D	3	38.4333
P3D	3	38.4667
P2R	3	38.5000
P0D	3	38.7000
P3R	3	38.7667
P1D	3	38.8333
P4R	3	38.8667
P1R	3	39.2000
P0R	3	39.3000
Sig.		.632

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Warna b

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	52.647 <sup>a</sup>	10	5.265	.124	.999
perlakuan	1.551	4	.388	.009	1.000
Suhu	.065	1	.065	.002	.969
perlakuan * Suhu	3.905	4	.976	.023	.999
Error	847.193	20	42.360		
Total	899.840	30			

a. R Squared = .059 (Adjusted R Squared = -.412)

### Warna\_b

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05 1
P0D	3	-1.9000
P4R	3	-1.9000
P1D	3	-1.8333
P3R	3	-1.2000
P4D	3	-1.0667
P2R	3	-1.0667
P1R	3	-1.0333
P3D	3	-1.0000
P0R	3	-.8333
P2D	3	-.7000
Sig.		.845

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Hari 5

## Susut Bobot

### Tests of Between-Subjects Effects

Dependent Variable: SusutBobot

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	6495.925 <sup>a</sup>	10	649.592	1220.534	.000
perlakuan	14.138	4	3.534	6.641	.001
Suhu	1156.302	1	1156.302	2172.602	.000
perlakuan * Suhu	18.519	4	4.630	8.699	.000
Error	10.644	20	.532		
Total	6506.569	30			

a. R Squared = .998 (Adjusted R Squared = .998)

### Susutbobot

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05			
		1	2	3	4
P2D	3	5.9867			
P3D	3	6.5000			
P4D	3	6.5800			
P1D	3		7.9133		
P0D	3		8.4800		
P2R	3			18.0733	
P0R	3			18.1900	
P1R	3				20.2500
P3R	3				20.3200
P4R	3				20.7100
Sig.		.358	.353	.847	.475

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Susut Botot Coating

### Tests of Between-Subjects Effects

Dependent Variable: Susutcoating5

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	20028.683 <sup>a</sup>	8	2503.585	2397.688	.000
Perlakuan	579.185	3	193.062	184.895	.000
Suhu	205.920	1	205.920	197.210	.000
Perlakuan * Suhu	50.508	3	16.836	16.124	.000
Error	16.707	16	1.044		
Total	20045.390	24			

a. R Squared = .999 (Adjusted R Squared = .999)

### SusutCoating5

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05				
		1	2	3	4	5
P2D	3	19.1333				
P2R	3		20.9333			
P3D	3			24.2000		
P4D	3				28.5333	
P1D	3				29.5333	
P3R	3					33.9000
P1R	3					34.4000
P4R	3					35.6000
Sig.		1.000	1.000	1.000	.248	.070

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## TPT

### Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	3271.930 <sup>a</sup>	10	327.193	576.044	.000
perlakuan	2.738	4	.684	1.205	.340
Suhu	5.208	1	5.208	9.170	.007
perlakuan * Suhu	.437	4	.109	.192	.940
Error	11.360	20	.568		
Total	3283.290	30			

a. R Squared = .997 (Adjusted R Squared = .995)

## TPT

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05	
		1	2
P2D	3	9.7333	
P1D	3	9.8667	
P3D	3	10.0333	
P4D	3	10.1000	
P2R	3	10.3000	10.3000
P0D	3	10.3333	10.3333
P4R	3	10.7000	10.7000
P1R	3	10.7667	10.7667
P3R	3	10.9000	10.9000
P0R	3		11.5667
Sig.		.115	.082

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Kekerasan

### Tests of Between-Subjects Effects

Dependent Variable: Kekerasan

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	967.567 <sup>a</sup>	10	96.757	93.696	.000
perlakuan	.585	4	.146	.142	.965
Suhu	.021	1	.021	.021	.887
perlakuan * Suhu	1.359	4	.340	.329	.855
Error	20.653	20	1.033		
Total	988.220	30			

a. R Squared = .979 (Adjusted R Squared = .969)

## Kekerasan

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha
		= 0.05
		1
P4R	3	5.3000
P1D	3	5.3333
P0R	3	5.3667
P3D	3	5.6333
P1R	3	5.6333
P2D	3	5.7667
P0D	3	5.8000
P2R	3	5.8667
P4D	3	5.9667
P3R	3	6.0667
Sig.		.429

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



## Warna\_L

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	46851.610 <sup>a</sup>	10	4685.161	4785.660	.000
perlakuan	8.709	4	2.177	2.224	.103
Suhu	9.976	1	9.976	10.190	.005
perlakuan * Suhu	1.722	4	.431	.440	.778
Error	19.580	20	.979		
Total	46871.190	30			

a. R Squared = 1.000 (Adjusted R Squared = .999)

## Warna\_L

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05		
		1	2	3
P0R	3	38.2000		
P1R	3	38.6000	38.6000	
P4R	3	38.6000	38.6000	
P3R	3	39.0333	39.0333	39.0333
P0D	3	39.3667	39.3667	39.3667
P1D	3	39.7667	39.7667	39.7667
P2R	3		40.2333	40.2333
P3D	3		40.3000	40.3000
P4D	3		40.4333	40.4333
P2D	3			40.5667
Sig.		.100	.061	.110

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna a

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	48480.370 <sup>a</sup>	10	4848.037	3387.867	.000
perlakuan	6.231	4	1.558	1.089	.389
Suhu	.408	1	.408	.285	.599
perlakuan * Suhu	.570	4	.142	.100	.981
Error	28.620	20	1.431		
Total	48508.990	30			

a. R Squared = .999 (Adjusted R Squared = .999)

## Warna\_a

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha
		= 0.05
		1
P3R	3	39.4667
P4R	3	39.6667
P2R	3	39.7667
P2D	3	39.9333
P3D	3	40.1000
P4D	3	40.1333
P1D	3	40.4667
P1R	3	40.5333
P0D	3	40.9333
P0R	3	40.9667
Sig.		.198

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna b

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	587.883 <sup>a</sup>	10	58.788	25.282	.000
perlakuan	6.151	4	1.538	.661	.626
Suhu	.800	1	.800	.344	.564
perlakuan * Suhu	1.011	4	.253	.109	.978
Error	46.507	20	2.325		
Total	634.390	30			

a. R Squared = .927 (Adjusted R Squared = .890)

## Warna\_b

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha
		= 0.05
		1
P0R	3	-5.5000
P0D	3	-4.8333
P4D	3	-4.6000
P1R	3	-4.6000
P3R	3	-4.5667
P4R	3	-4.2333
P1D	3	-4.1333
P3D	3	-4.0000
P2R	3	-3.9000
P2D	3	-3.6000
Sig.		.200

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Hari 10

### Susut Bobot

#### Tests of Between-Subjects Effects

Dependent Variable: SusutBobot

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	31060.639 <sup>a</sup>	10	3106.064	2920.697	.000
perlakuan	92.403	4	23.101	21.722	.000
Suhu	7705.942	1	7705.942	7246.059	.000
perlakuan * Suhu	14.224	4	3.556	3.344	.030
Error	21.269	20	1.063		
Total	31081.909	30			

a. R Squared = .999 (Adjusted R Squared = .999)

#### Susutbobot

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05				
		1	2	3	4	5
P2D	3	9.6733				
P3D	3		11.5667			
P4D	3		12.0200			
P1D	3		12.5833			
P0D	3		13.2100			
P2R	3			40.6533		
P3R	3				42.7933	
P4R	3				43.8167	
P1R	3				44.0967	
P0R	3					47.9633
Sig.		1.000	.087	1.000	.158	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Susut Bobot Coating

### Tests of Between-Subjects Effects

Dependent Variable: SusutCoating10

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	84735.987 <sup>a</sup>	8	10591.998	12504.081	.000
Perlakuan	638.360	3	212.787	251.199	.000
Suhu	757.127	1	757.127	893.804	.000
Perlakuan * Suhu	32.333	3	10.778	12.723	.000
Error	13.553	16	.847		
Total	84749.540	24			

a. R Squared = 1.000 (Adjusted R Squared = 1.000)

### SusutCoating10

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05					
		1	2	3	4	5	6
P2D	3	47.0333					
P3D	3		52.5000				
P4D	3		53.0667				
P2R	3			56.4667			
P1D	3				60.6000		
P3R	3				62.1333		
P4R	3					68.2333	
P1R	3						71.3000
Sig.		1.000	.462	1.000	.058	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## TPT

### Tests of Between-Subjects Effects

Dependent Variable: SusutCoating15

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	170139.320 <sup>a</sup>	8	21267.415	6191.387	.000
Perlakuan	371.260	3	123.753	36.027	.000
Suhu	1053.375	1	1053.375	306.659	.000
Perlakuan * Suhu	42.018	3	14.006	4.077	.025
Error	54.960	16	3.435		
Total	170194.280	24			

a. R Squared = 1.000 (Adjusted R Squared = 1.000)

### SusutCoating15

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05				
		1	2	3	4	5
P2D	3	69.5667				
P3D	3		76.4333			
P4D	3		78.6333			
P1D	3			84.2000		
P2R	3			86.4667		
P3R	3				90.0000	
P4R	3				91.7333	91.7333
P1R	3					93.6333
Sig.		1.000	.165	.154	.269	.227

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Kekerasan

### Tests of Between-Subjects Effects

Dependent Variable: Kekerasan

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	1420.764 <sup>a</sup>	10	142.076	84.043	.000
perlakuan	.159	4	.040	.024	.999
Suhu	.082	1	.082	.049	.828
perlakuan * Suhu	.078	4	.019	.012	1.000
Error	33.810	20	1.691		
Total	1454.575	30			

a. R Squared = .977 (Adjusted R Squared = .965)

## Kekerasan

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05		
		1	2	3
P0R	3	1.5000		
P4R	3	2.8667	2.8667	
P1R	3	3.1000	3.1000	
P3R	3		3.9667	3.9667
P2R	3		4.6333	4.6333
P4D	3		4.9000	4.9000
P0D	3		5.0000	5.0000
P1D	3		5.0000	5.0000
P3D	3		5.0000	5.0000
P2D	3			5.3667
Sig.		.115	.056	.196

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna L

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	42848.923 <sup>a</sup>	10	4284.892	3560.852	.000
perlakuan	13.725	4	3.431	2.852	.051
Suhu	19.683	1	19.683	16.357	.001
perlakuan * Suhu	3.219	4	.805	.669	.621
Error	24.067	20	1.203		
Total	42872.990	30			

a. R Squared = .999 (Adjusted R Squared = .999)

## Warna\_L

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05			
		1	2	3	4
P0R	3	35.9667			
P1R	3	36.4000	36.4000		
P3R	3	36.8000	36.8000	36.8000	
P4R	3	36.8333	36.8333	36.8333	
P1D	3		38.2000	38.2000	38.2000
P4D	3		38.3000	38.3000	38.3000
P0D	3		38.4000	38.4000	38.4000
P3D	3			38.7333	38.7333
P2R	3			38.8333	38.8333
P2D	3				39.3000
Sig.		.386	.060	.059	.289

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



## Warna a

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_a

Source	Type III Sum of Squares	Df	Mean Square	F	Sig.
Model	55197.430 <sup>a</sup>	10	5519.743	2289.400	.000
Perlakuan	8.423	4	2.106	.873	.497
Suhu	18.723	1	18.723	7.766	.011
perlakuan * Suhu	.875	4	.219	.091	.984
Error	48.220	20	2.411		
Total	55245.650	30			

a. R Squared = .999 (Adjusted R Squared = .999)

### Warna\_a

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha
		= 0.05
		1
P2D	3	41.3333
P3D	3	41.9000
P4D	3	42.0000
P1D	3	42.1333
P2R	3	42.7333
P0D	3	43.1000
P3R	3	43.5333
P4R	3	43.7000
P0R	3	44.1667
P1R	3	44.2333
Sig.		.062

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna b

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	1602.103 <sup>a</sup>	10	160.210	71.929	.000
perlakuan	8.713	4	2.178	.978	.442
Suhu	1.496	1	1.496	.672	.422
perlakuan * Suhu	.485	4	.121	.054	.994
Error	44.547	20	2.227		
Total	1646.650	30			

a. R Squared = .973 (Adjusted R Squared = .959)

## Warna\_b

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha
		= 0.05
		1
P0R	3	-8.5333
P0D	3	-7.8000
P1R	3	-7.7000
P4R	3	-7.4000
P1D	3	-7.2333
P4D	3	-7.1333
P3R	3	-7.0000
P3D	3	-6.9333
P2R	3	-6.9000
P2D	3	-6.2000
Sig.		.113

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Hari 15

### Susut Bobot

#### Tests of Between-Subjects Effects

Dependent Variable: SusutBobot

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	59208.675 <sup>a</sup>	10	5920.867	2476.218	.000
perlakuan	272.663	4	68.166	28.508	.000
Suhu	13805.649	1	13805.649	5773.781	.000
perlakuan * Suhu	4.402	4	1.101	.460	.764
Error	47.822	20	2.391		
Total	59256.496	30			

a. R Squared = .999 (Adjusted R Squared = .999)

#### Susutbobot

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05					
		1	2	3	4	5	6
P2D	3	12.0600					
P4D	3		17.0633				
P3D	3		17.2133				
P1D	3		18.7800				
P0D	3			21.5433			
P2R	3				55.5967		
P3R	3					58.8000	
P4R	3					60.7733	
P1R	3					61.3567	
P0R	3						64.6533
Sig.		1.000	.213	1.000	1.000	.068	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Susut Bobot Coating

### Tests of Between-Subjects Effects

Dependent Variable: susut\_coating

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	162323.777 <sup>a</sup>	8	20290.472	16435.077	.000
Perlakuan	176.848	3	58.949	47.748	.000
Suhu	389.620	1	389.620	315.589	.000
Perlakuan * Suhu	1085.738	3	361.913	293.146	.000
Error	19.753	16	1.235		
Total	162343.530	24			

a. R Squared = 1.000 (Adjusted R Squared = 1.000)

### susut\_coating

Duncan<sup>a</sup>

Perlakuanxsuhu	N	Subset for alpha = 0.05					
		1	2	3	4	5	6
P2D	3	47.0333					
P3D	3		52.5000				
P4D	3		53.0667				
P2R	3			56.4667			
P1D	3				60.6000		
P3R	3				62.1333		
P4R	3					68.2333	
P1R	3						71.3000
Sig.		1.000	.462	1.000	.058	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## TPT

### Tests of Between-Subjects Effects

Dependent Variable: TPT

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	8956.057 <sup>a</sup>	10	895.606	1196.268	.000
perlakuan	9.175	4	2.294	3.064	.040
Suhu	688.323	1	688.323	919.398	.000
perlakuan * Suhu	1.715	4	.429	.573	.685
Error	14.973	20	.749		
Total	8971.030	30			

a. R Squared = .998 (Adjusted R Squared = .997)

## TPT

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05		
		1	2	3
P2D	3	11.2333		
P3D	3	11.5667		
P4D	3	11.9667		
P1D	3	12.0000		
P0D	3	12.2333		
P2R	3		20.4667	
P3R	3		20.8667	
P4R	3		21.2333	21.2333
P1R	3		21.6000	21.6000
P0R	3			22.7333
Sig.		.218	.156	.057

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Kekerasan

### Tests of Between-Subjects Effects

Dependent Variable: Kekerasan

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	461.187 <sup>a</sup>	10	46.119	52.249	.000
perlakuan	6.423	4	1.606	1.819	.165
Suhu	4.332	1	4.332	4.908	.039
perlakuan * Suhu	1.898	4	.475	.538	.710
Error	17.653	20	.883		
Total	478.840	30			

a. R Squared = .963 (Adjusted R Squared = .945)

## Kekerasan

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05	
		1	2
P1R	3	2.2333	
P0R	3	3.2333	3.2333
P3R	3	3.8000	3.8000
P0D	3	3.9333	3.9333
P1D	3	3.9667	3.9667
P2R	3	4.0000	4.0000
P4R	3		4.1667
P3D	3		4.3333
P4D	3		4.4667
P2D	3		4.5333
Sig.		.053	.156

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna L

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	39401.567 <sup>a</sup>	10	3940.157	4783.679	.000
perlakuan	14.295	4	3.574	4.339	.011
Suhu	28.033	1	28.033	34.035	.000
perlakuan * Suhu	2.587	4	.647	.785	.548
Error	16.473	20	.824		
Total	39418.040	30			

a. R Squared = 1.000 (Adjusted R Squared = .999)

## Warna\_L

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05				
		1	2	3	4	5
P0R	3	33.8333				
P1R	3	34.7667	34.7667			
P4R	3	35.2333	35.2333	35.2333		
P3R	3		35.6333	35.6333	35.6333	
P0D	3			36.6000	36.6000	36.6000
P2R	3			36.8000	36.8000	36.8000
P1D	3			36.8667	36.8667	36.8667
P4D	3				37.3333	37.3333
P3D	3					37.3667
P2D	3					37.7667
Sig.		.088	.282	.060	.051	.177

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

## Warna a

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	63058.923 <sup>a</sup>	10	6305.892	2070.674	.000
perlakuan	19.861	4	4.965	1.630	.206
Suhu	8.427	1	8.427	2.767	.112
perlakuan * Suhu	.635	4	.159	.052	.995
Error	60.907	20	3.045		
Total	63119.830	30			

a. R Squared = .999 (Adjusted R Squared = .999)

## Warna\_a

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05	
		1	2
P2D	3	43.9667	
P2R	3	45.0667	45.0667
P3D	3	45.2333	45.2333
P4D	3	45.3667	45.3667
P1D	3	45.7667	45.7667
P3R	3	45.8000	45.8000
P0D	3	46.2000	46.2000
P4R	3	46.3333	46.3333
P1R	3	47.0000	47.0000
P0R	3		47.6333
Sig.		.079	.133

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



## Warna b

### Tests of Between-Subjects Effects

Dependent Variable: Warna\_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	5460.380 <sup>a</sup>	10	546.038	219.734	.000
perlakuan	11.352	4	2.838	1.142	.365
Suhu	2.581	1	2.581	1.039	.320
perlakuan * Suhu	.525	4	.131	.053	.994
Error	49.700	20	2.485		
Total	5510.080	30			

a. R Squared = .991 (Adjusted R Squared = .986)

## Warna\_b

Duncan<sup>a</sup>

SuhuxPerlakuan	N	Subset for alpha = 0.05 1
P0R	3	-14.5333
P1R	3	-14.1333
P0D	3	-13.7333
P1D	3	-13.7333
P4R	3	-13.7333
P3R	3	-13.5667
P4D	3	-13.4000
P3D	3	-13.1667
P2R	3	-12.8667
P2D	3	-11.8667
Sig.		.088

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

