

DAFTAR PUSTAKA

- Abdullah, N. A., Amran, & Saleh. (2017). Pemodelan Geographically Weighted Regression Multikolinearitas Menggunakan Regresi Ridge. *Jurnal Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Hasanuddin*.
- Adam, M. (2021). Pemodelan Linearized Ridge Regression Pada Data Yang Mengandung Multikolinearitas. *Skripsi*. Makassar: Universitas Hasanuddin.
- Andana, A. P., Safitri, D., & Rusgiyono, A. (2017). Model Regresi Menggunakan Least Absolute Shrinkage And Selection Operator (LASSO) Pada Data Banyaknya Gizi Buruk Kabupaten/Kota di Jawa Tengah. *Jurnal Gaussian, Volume 6, Nomor 1*, 21-30.
- Anselin, L. (1988). *Spatial Econometrics: Methods and Models*. Amsterdam: Kluwer Academic Publishers.
- Brunsdon, C., Fortheringham, A. S., & Charlton, M. E. (1996, October). Geographically Weighted Regression: A Method for Exploring Spatial Nonstationarity. *Geographically Analysis, Vol. 28, No. 4*, pp. 281-198.
- Caraka, R. E., & Yasin, H. (2017). *Geographically Weighted Regression (GWR); Sebuah Pendekatan Regresi Geografis*. Yogyakarta: Mobius.
- Dewi, Y. S. (2010, Januari). OLS, LASSO dan PLS Pada data Mengandung Multikolinearitas. *Jurnal ILMU DASAR Vol. 11 No. 1*, 83-91.
- Farmani, K. D., & Kencana, P. E. (2012, Agustus). Perbandingan Analisis Least Absolute Shrinkage And Selection Operator dan Parial Least Squares (Studi Kasus: Data Microarray). *e-Jurnal Matematika, Vol. 1, No. 1*, 75-80.
- Fitriyaningsih, I., & Sutikno. (2015). Geographically Weighted LASSO dan Principal Component Analysis Untuk Mengatasi Data Spasial Studi Kasus: Perumahan Pondok Indah Jakarta Selatan. *Prosiding Seminar Nasional Matematika dan Pendidikan Matematika*, 171-181.
- Fortheringham, A. S., Brunsdon, C., & Charlton, M. (2002). *Geographically Weighted Regression, The Analysis of Spatial Varying Relationships*. University of Newcastle, UK: John Wiley & Sons Ltd.
- Frans L, O., Wira Rizki, S., & Kusnandar, D. (2022). Pemodelan Pertumbuhan Ekonomi Kalimantan Barat Menggunakan Pendekatan Least Absolute Shrinkage and Selection Operator (LASSO). *Buletin Ilmiah Math. Stat dan Terapannya (Bimaster), 11 No. 1*, 111-120.

- Frans L, O., Wira Rizki, S., & Kusnandar, D. (2022). Pemodelan Pertumbuhan Ekonomi Kalimantan Barat Menggunakan Pendekatan Least Absolute Shrinkage and Selection Operator (LASSO). *Buletin Ilmiah Math. Stat dan Terapannya (Bimaster)*, 11 No.1, 111-120.
- Ghozali, I. (2011). In *Aplikasi Analisis Multivariate Dengan Program IBM SPSS 19* (pp. 160-165). Semarang: Universitas Diponegoro.
- Lestari, S. S., Meimela, A., & Revildy, W. D. (2020). Analisis Faktor Tingkat Pengangguran Terbuka dengan Metode Geographically Weighted LASSO Studi Kasus di Provinsi Jawa Barat tahun 2019. *Seminar Nasional Official Statistics 2020: Statistics In The New Normal A Challenge Of Big Data And Official Statistics*.
- M Soleh, A., & Aunuddin. (2013, April). LASSO : Solusi Alternatif Seleksi Peubah dan Penyusutan Koefisien Model Regresi Linier. *Forum Statistika dan Komputasi : Indonesian Journal of Statistics (Vol. 18 No. 1)*, 21-27.
- Magdalena Adelheid Januaviani, T., Gusriani, N., Joebaedi, K., Sukono, Subiyanto, & Talib Bon, A. (2019, March 5-7). The LASSO (Least Absolute Shrinkage and Selection Operator) Method to Predict Indonesian Foreign Exchange Deposit Data. *Proceedings of the International Conference on Industrial Engineering and Operations Management*, 3195-3202.
- Montgomery, D. C., Peck, E. A., & Vining, G. G. (2012). *Introduction to Linear Regression Analysis Fifth Edition*. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Musdalifah. (2021). Pemodelan Analisis Komponen Utama Regresi Terboboti Secara Geografis Untuk Data Yang Mengalami Multikolinearitas. *Skripsi*. Makassar: Universitas Hasanuddin.
- Narimawati, U. (2008). *Metodologi Penelitian Kualitatif dan Kuantitatif, Teori dan Aplikasi*. Bandung: Agung Media.
- Robbani, M., Agustiani, F., & Herrhyanto, N. (2019). Regresi Least Absolute Shrinkage And Selection Operator (LASSO) Pada Kasus Inflasi di Indonesia Tahun 2014-2017. *Jurnal EurekaMatika, Vol. 7, No. 2*, 1-16.
- Rohaeti, E., Notodiputro, K. A., & Sartono, B. (2020). Seleksi Koefisien Model Produk Domestik Regional Bruto Kabupaten/Kota Pulau Jawa Menggunakan Geographically Weighted Lasso (GWL). *Seminar Nasional Variansi*, pp. 97-106.
- Setiyorini, A., Suprijadi, J., & Handoko, B. (2017, March 30). Implementations of Geographically Weighted Lasso in Spatial Data with Multicollinearity (Case Study: Poverty Modeling of Java Island). *AIP Conference Proceedings*, pp. 1-14.

- Tibshirani, R. (1996). Regression Shrinkage and Selection via the Lasso. *Journal of the Royal Statistical Society. Series B (Methodological)*, 1996, Vol. 58, No. 1 (1996), pp. 267-288.
- Trilonika Pardede, T., Sumargo, B., & Rahayu, W. (2022, Juni). Penerapan Regresi Least Absolute Shrinkage and Selection Operator (LASSO) Untuk Mengidentifikasi Variabel yang Berpengaruh terhadap Kejadian Stunting di Indonesia. *Jurnal Statistika dan Aplikasinya* (Vol. 6 No. 1), 37-48.
- Yuliana. (2018). Model Geographically Weighted Least Absolute Shrinkage and Selection Operator (GW-LASSO) Pada Data Penderita Diare di Indonesia. *Skripsi*. Surakarta: FMIPA, Universitas Sebelas Maret.
- Yuliana, & Retno Sari Saputro, D. (2017). Algoritme Least Angle Regression untuk Model Geographically Weighted Least Absolute Shrinkage and Selection Operator. *Seminar Matematika Dan Pendidikan Matematika UNY*, 139-144.
- Yuliana, & Retno Sari Saputro, D. (2017). Algoritme Least Angle Regression untuk Model Geographically Weighted Least Absolute Shrinkage and Selection Operator. *Seminar Matematika dan Pendidikan Matematika UNY*, 139-144.
- Yulita, T. (2016). Pemodelan Geographically Weighted Ridge Regression dan Geographically Weighted LASSO Pada Data Spasial dengan Multikolinieritas. *Tesis*. Bogor: Institut Pertanian Bogor.

LAMPIRAN

Lampiran 1. Data Angka Kematian Bayi di Provinsi Sulawesi Selatan Tahun 2019

Kab/Kota	Y	X ₁	X ₂	X ₃	X ₄	X ₅	L	B
Kep. Selayar	5.629478	2268	1986	109	1913	1125	7.18	120.57
Bulukumba	10.0471	6467	6735	303	6330	3240	5.25	120.14
Bantaeng	2.09958	1959	3377	123	3340	5799	5.3	119.49
Jeneponto	12.67333	6776	7299	268	6560	4716	5.29	119.34
Takalar	5.377308	6188	5742	225	5745	2295	5.23	119.27
Gowa	3.467355	14904	13082	341	13592	8565	5.1	119.4
Sinjai	14.36308	3480	3987	340	4248	3101	5.1	120.8
Maros	4.463621	11192	7025	282	6693	3758	4.58	119.36
Pangkep	9.837763	5077	5725	286	5797	3433	4.46	119.33
Barru	9.872611	3002	3044	225	3132	1607	4.3	119.41
Bone	5.248346	12866	13184	438	13123	4872	4.32	120.19
Soppeng	11.73709	3051	2724	215	2978	1781	4.23	119.53
Wajo	5.361085	6697	6478	386	6337	4591	4.01	120.11
Sidrap	3.986952	40128	5206	270	5523	3052	4	119.49
Pinrang	4.055377	7991	7136	308	7204	3235	3.46	119.41
Enrekang	12.83255	3484	3085	180	3209	2558	3.14	119.4
Luwu	9.086561	7158	6352	239	6237	4170	3.3	121.43
Tana Toraja	5.969301	3842	3767	125	3545	528	3	119.47
Luwu Utara	6.723054	5575	5192	95	5069	2862	2.37	121.43
Luwu Timur	8.025682	6150	5622	250	5613	3508	3.03	121.47
Toraja Utara	7.676019	4604	4481	143	3770	2580	2.58	119.53
Makassar	1.617944	21202	26232	1625	26957	11717	5.8	119.25
Pare-pare	8.082292	1830	2464	157	2721	696	4.2	119.39
Palopo	5.179768	3374	3274	126	3279	817	3.04	120.14

Lampiran 2. Output uji pengaruh spasial

```
> bptest(reg)
```

studentized Breusch-Pagan test

data: reg

BP = 12.493, df = 5, p-value = 0.02863

Lampiran 3. Output *Bandwidth Optimum* dengan Fungsi Pembobot *Adaptive Gaussian Kernel*

```

Adaptive q: 0.381966 CV score: 1566.608
Adaptive q: 0.618034 CV score: 1287.799
Adaptive q: 0.763932 CV score: 1046.677
Adaptive q: 0.854102 CV score: 986.5325
Adaptive q: 0.8888924 CV score: 964.8144
Adaptive q: 0.9313317 CV score: 949.6912
Adaptive q: 0.9614748 CV score: 934.6902
Adaptive q: 0.9761901 CV score: 923.0705
Adaptive q: 0.9852847 CV score: 916.8005
Adaptive q: 0.9909054 CV score: 913.2216
Adaptive q: 0.9943792 CV score: 911.1126
Adaptive q: 0.9965262 CV score: 909.8462
Adaptive q: 0.9978531 CV score: 909.0773
Adaptive q: 0.9986731 CV score: 908.6071
Adaptive q: 0.9991799 CV score: 908.3185
Adaptive q: 0.9994932 CV score: 908.1409
Adaptive q: 0.9996868 CV score: 908.0313
Adaptive q: 0.9998064 CV score: 907.9638
Adaptive q: 0.9998804 CV score: 907.922
Adaptive q: 0.9999261 CV score: 907.8963
Adaptive q: 0.9999261 CV score: 907.8963
> modelgwr$bandwidth
 [1] 3.804782 3.118110 3.076671 3.174806 3.156571 3.026729 2.852066
2.678381 2.533677
[10] 2.094024 2.387063 2.023757 2.216809 2.419587 2.715552 2.714898
3.071030 3.144601
[19] 3.804063 3.566023 3.322555 2.862009 2.269676 3.099577

```

Lampiran 4. Matriks jarak *euclidean* d_{ij} antar lokasi pengamatan

Kab/Kota	Selayar	Bulukumba	Bantaeng	Jeneponto	Takalar	Gowa
Selayar	0	0.74712	0.91427	1.08381	1.40485	1.33033
Bulukumba	0.74712	0	0.23989	0.50888	0.80214	0.67733
Bantaeng	0.91427	0.23989	0	0.27559	0.56250	0.44323
Jeneponto	1.08381	0.50888	0.27559	0	0.32249	0.26458
Takalar	1.40485	0.80214	0.56250	0.32249	0	0.16139
Gowa	1.33033	0.67733	0.44323	0.26458	0.16139	0
Sinjai	0.96322	0.29476	0.41743	0.67700	0.90121	0.74810
Maros	1.42312	0.68407	0.52326	0.52658	0.49327	0.34968
Pangkep	1.55075	0.80464	0.66817	0.68562	0.62463	0.49483
Barru	1.84874	1.11686	1.04697	1.11761	1.06291	0.93811
Bone	1.72158	0.97448	0.85086	0.86699	0.77393	0.66029
Soppeng	1.98613	1.25200	1.17348	1.22747	1.14543	1.03175
Wajo	2.21784	1.52858	1.50436	1.60735	1.56510	1.43936
Sidrap	2.42073	1.71452	1.66812	1.74309	1.66257	1.55129
Pinrang	2.71679	1.98290	1.89313	1.91197	1.76346	1.68373
Enrekang	2.71608	2.00704	1.95286	2.01337	1.90886	1.80848
Luwu	3.07219	2.37020	2.31978	2.37926	2.26663	2.17075
Tana Toraja	3.14583	2.41446	2.32559	2.33893	2.17659	2.10526
Luwu Utara	3.80518	3.11832	3.07675	3.13927	3.02102	2.92888
Luwu Timur	3.56668	2.99409	3.03051	3.17487	3.15680	3.02689
Toraja Utara	3.32369	2.62905	2.58374	2.64613	2.53300	2.43785
Makassar	1.53107	0.83256	0.62013	0.49477	0.30440	0.23408
Parepare	2.27052	1.54556	1.47718	1.53195	1.43535	1.32965
Palopo	3.10042	2.47044	2.47798	2.59804	2.55472	2.43212

Lampiran 4. Matriks jarak euclidean d_{ij} antar lokasi pengamatan (Lanjutan)

Kab/Kota	Sinjai	Maros	Pangkep	Barru	Bone	Soppeng
Selayar	0.96322	1.42312	1.55075	1.84874	1.72158	1.98613
Bulukumba	0.29476	0.68407	0.80464	1.11686	0.97448	1.25200
Bantaeng	0.41743	0.52326	0.66817	1.04697	0.85086	1.17348
Jeneponto	0.67700	0.52658	0.68562	1.11761	0.86699	1.22747
Takalar	0.90121	0.49327	0.62463	1.06291	0.77393	1.14543
Gowa	0.74810	0.34968	0.49483	0.93811	0.66029	1.03175
Sinjai	0	0.60584	0.67599	0.89196	0.81428	1.03029
Maros	0.60584	0	0.15917	0.59632	0.34270	0.70135
Pangkep	0.67599	0.15917	0	0.44335	0.18510	0.54322
Barru	0.89196	0.59632	0.44335	0	0.29696	0.13842
Bone	0.81428	0.34270	0.18510	0.29696	0	0.37226
Soppeng	1.03029	0.70135	0.54322	0.13842	0.37226	0
Wajo	1.26121	1.09429	0.94463	0.50229	0.79469	0.43786
Sidrap	1.45884	1.21864	1.06162	0.62671	0.89139	0.51957
Pinrang	1.75788	1.39215	1.23480	0.86810	1.04981	0.73127
Enrekang	1.75388	1.48684	1.32800	0.90631	1.15011	0.78653
Luwu	2.11223	1.85268	1.69367	1.27346	1.51439	1.15327
Tana Toraja	2.18486	1.82210	1.66553	1.29830	1.48043	1.16247
Luwu Utara	2.85232	2.61271	2.45367	2.03190	2.27398	1.91317
Luwu Timur	2.70094	2.67849	2.53381	2.09413	2.38725	2.02382
Toraja Utara	2.36675	2.11955	1.96058	1.53839	1.78152	1.41964
Makassar	0.82651	0.26113	0.34697	0.76923	0.47514	0.84424
Parepare	1.30839	1.00543	0.84664	0.43128	0.66990	0.30566
Palopo	2.18444	2.08758	1.93730	1.49410	1.78115	1.41196

Lampiran 4. Matriks jarak euclidean d_{ij} antar lokasi pengamatan (Lanjutan)

Kab/Kota	Wajo	Sidrap	Pinrang	Enrekang	Luwu	Tana Toraja
Selayar	2.21784	2.42073	2.71679	2.71608	3.07219	3.14583
Bulukumba	1.52858	1.71452	1.98290	2.00704	2.37020	2.41446
Bantaeng	1.50436	1.66812	1.89313	1.95286	2.31978	2.32559
Jeneponto	1.60735	1.74309	1.91197	2.01337	2.37926	2.33893
Takalar	1.56510	1.66257	1.76346	1.90886	2.26663	2.17659
Gowa	1.43936	1.55129	1.68373	1.80848	2.17075	2.10526
Sinjai	1.26121	1.45884	1.75788	1.75388	2.11223	2.18486
Maros	1.09429	1.21864	1.39215	1.48684	1.85268	1.82210
Pangkep	0.94463	1.06162	1.23480	1.32800	1.69367	1.66553
Barru	0.50229	0.62671	0.86810	0.90631	1.27346	1.29830
Bone	0.79469	0.89139	1.04981	1.15011	1.51439	1.48043
Soppeng	0.43786	0.51957	0.73127	0.78653	1.15327	1.16247
Wajo	0	0.23060	0.64134	0.51375	0.85596	1.00400
Sidrap	0.23060	0	0.42147	0.29551	0.65570	0.77376
Pinrang	0.64134	0.42147	0	0.30758	0.54756	0.43268
Enrekang	0.51375	0.29551	0.30758	0	0.36721	0.51026
Luwu	0.85596	0.65570	0.54756	0.36721	0	0.39576
Tana Toraja	1.00400	0.77376	0.43268	0.51026	0.39576	0
Luwu Utara	1.59134	1.40887	1.26870	1.12670	0.76005	0.91581
Luwu Timur	1.59264	1.53538	1.67147	1.38569	1.17166	1.54473
Toraja Utara	1.10608	0.91657	0.79774	0.63312	0.26716	0.52639
Makassar	1.26962	1.35963	1.46326	1.60447	1.96256	1.88047
Parepare	0.28410	0.23514	0.45711	0.48142	0.84777	0.87706
Palopo	0.99329	0.90998	1.04989	0.75660	0.59859	0.99370

Lampiran 4. Matriks jarak euclidean d_{ij} antar lokasi pengamatan (Lanjutan)

Kab/Kota	Luwu Utara	Luwu Timur	Toraja Utara	Makassar	Parepare	Palopo
Selayar	3.80518	3.56668	3.32369	1.53107	2.27052	3.10042
Bulukumba	3.11832	2.99409	2.62905	0.83256	1.54556	2.47044
Bantaeng	3.07675	3.03051	2.58374	0.62013	1.47718	2.47798
Jeneponto	3.13927	3.17487	2.64613	0.49477	1.53195	2.59804
Takalar	3.02102	3.15680	2.53300	0.30440	1.43535	2.55472
Gowa	2.92888	3.02689	2.43785	0.23408	1.32965	2.43212
Sinjai	2.85232	2.70094	2.36675	0.82651	1.30839	2.18444
Maros	2.61271	2.67849	2.11955	0.26113	1.00543	2.08758
Pangkep	2.45367	2.53381	1.96058	0.34697	0.84664	1.93730
Barru	2.03190	2.09413	1.53839	0.76923	0.43128	1.49410
Bone	2.27398	2.38725	1.78152	0.47514	0.66990	1.78115
Soppeng	1.91317	2.02382	1.41964	0.84424	0.30566	1.41196
Wajo	1.59134	1.59264	1.10608	1.26962	0.28410	0.99329
Sidrap	1.40887	1.53538	0.91657	1.35963	0.23514	0.90998
Pinrang	1.26870	1.67147	0.79774	1.46326	0.45711	1.04989
Enrekang	1.12670	1.38569	0.63312	1.60447	0.48142	0.75660
Luwu	0.76005	1.17166	0.26716	1.96256	0.84777	0.59859
Tana Toraja	0.91581	1.54473	0.52639	1.88047	0.87706	0.99370
Luwu Utara	0	0.99680	0.49363	2.71766	1.60777	0.84389
Luwu Timur	0.99680	0	1.03771	2.86225	1.76987	0.63166
Toraja Utara	0.49363	1.03771	0	2.22906	1.11435	0.57672
Makassar	2.71766	2.86225	2.22906	0	1.13142	2.25562
Parepare	1.60777	1.76987	1.11435	1.13142	0	1.14512
Palopo	0.84389	0.63166	0.57672	2.25562	1.14512	0

Lampiran 5. Matriks pembobot spasial W dengan fungsi *adaptive gaussian kernel*

Kab/Kota	Selayar	Bulukumba	Bantaeng	Jeneponto	Takalar	Gowa
Selayar	1	0.98090	0.97154	0.96024	0.93410	0.94070
Bulukumba	0.97170	1	0.99704	0.98677	0.96745	0.97668
Bantaeng	0.95681	0.99696	1	0.99600	0.98343	0.98968
Jeneponto	0.94340	0.98724	0.99624	1	0.99485	0.99653
Takalar	0.90571	0.96823	0.98425	0.99479	1	0.99869
Gowa	0.90793	0.97527	0.98933	0.99619	0.99858	1
Sinjai	0.94456	0.99467	0.98935	0.97222	0.95130	0.96618
Maros	0.86835	0.96791	0.96791	0.96791	0.96791	0.96791
Pangkep	0.82919	0.95082	0.96582	0.96405	0.97007	0.98111
Barro	0.67724	0.86742	0.88250	0.86725	0.87913	0.90452
Bone	0.77099	0.92005	0.93845	0.93617	0.94880	0.96246
Soppeng	0.61780	0.82583	0.84526	0.83198	0.85200	0.87813
Wajo	0.60621	0.78839	0.79430	0.76882	0.77938	0.80992
Sidrap	0.60621	0.77795	0.78845	0.77142	0.78970	0.81419
Pinrang	0.60622	0.76596	0.78424	0.78044	0.80987	0.82511
Enrekang	0.60623	0.76087	0.77203	0.75956	0.78098	0.80100
Luwu	0.60627	0.74240	0.75177	0.74071	0.76155	0.77892
Tana Toraja	0.60626	0.74468	0.76072	0.75833	0.78696	0.79921
Luwu Utara	0.60633	0.71462	0.72100	0.71139	0.72952	0.74347
Luwu Timur	0.60640	0.70293	0.69689	0.67277	0.67581	0.69749
Toraja Utara	0.60629	0.73119	0.73905	0.72821	0.74779	0.76399
Makassar	0.86667	0.95857	0.97680	0.98517	0.99436	0.99666
Parepare	0.60628	0.79304	0.80912	0.79628	0.81874	0.84230
Palopo	0.60634	0.72786	0.72645	0.70377	0.71199	0.73501

Lampiran 5. Matriks pembobot spasial W dengan fungsi *adaptive gaussian kernel* (Lanjutan)

Kab/Kota	Sinjai	Maros	Pangkep	Barru	Bone	Soppeng
Selayar	0.96846	0.93244	0.92029	0.88865	0.90269	0.87262
Bulukumba	0.99554	0.97622	0.96725	0.93787	0.95234	0.92255
Bantaeng	0.99084	0.98564	0.97669	0.94374	0.96248	0.92984
Jeneponto	0.97752	0.98634	0.97695	0.93992	0.96340	0.92798
Takalar	0.96006	0.98786	0.98061	0.94488	0.97039	0.93628
Gowa	0.96992	0.99335	0.98672	0.95310	0.97648	0.94356
Sinjai	1	0.97769	0.97230	0.95227	0.96006	0.93683
Maros	0.96791	1	0.96791	0.96791	0.96791	0.96791
Pangkep	0.96503	0.99803	1	0.98481	0.99733	0.97728
Barru	0.91327	0.96026	0.97784	1	0.99000	0.99782
Bone	0.94348	0.98975	0.99700	0.99229	1	0.98791
Soppeng	0.87846	0.94172	0.96462	0.99766	0.98322	1
Wajo	0.85056	0.88528	0.91320	0.97465	0.93776	0.98068
Sidrap	0.83378	0.88087	0.90822	0.96701	0.93438	0.97721
Pinrang	0.81095	0.87684	0.90177	0.95018	0.92799	0.96439
Enrekang	0.81164	0.86072	0.88723	0.94580	0.91417	0.95890
Luwu	0.78934	0.83361	0.85891	0.91761	0.88550	0.93191
Tana Toraja	0.78553	0.84545	0.86912	0.91829	0.89509	0.93395
Luwu Utara	0.75493	0.78988	0.81218	0.86705	0.83637	0.88119
Luwu Timur	0.75062	0.75420	0.77690	0.84161	0.79924	0.85125
Toraja Utara	0.77590	0.81587	0.84020	0.89834	0.86609	0.91275
Makassar	0.95916	0.99585	0.99268	0.96452	0.98631	0.95742
Parepare	0.84690	0.90653	0.93279	0.98211	0.95737	0.99097
Palopo	0.78008	0.79706	0.82256	0.89031	0.84779	0.90144

Lampiran 5. Matriks pembobot spasial W dengan fungsi *adaptive gaussian kernel* (Lanjutan)

Kab/Kota	Wajo	Sidrap	Pinrang	Enrekang	Luwu	Tana Toraja
Selayar	0.84375	0.81677	0.77496	0.77507	0.72180	0.71048
Bulukumba	0.88678	0.85970	0.81693	0.81289	0.74908	0.74096
Bantaeng	0.88733	0.86331	0.82753	0.81755	0.75258	0.75150
Jeneponto	0.87971	0.86009	0.83415	0.81784	0.75517	0.76233
Takalar	0.88433	0.87048	0.85551	0.83289	0.77274	0.78841
Gowa	0.89308	0.87691	0.85665	0.83652	0.77322	0.78513
Sinjai	0.90685	0.87738	0.82700	0.82771	0.76014	0.74570
Maros	0.96791	0.96791	0.96791	0.96791	0.96791	0.96791
Pangkep	0.93286	0.91596	0.88802	0.87165	0.79978	0.80568
Barru	0.97164	0.95620	0.91766	0.91059	0.83117	0.82514
Bone	0.94609	0.93265	0.90782	0.89041	0.81771	0.82504
Soppeng	0.97687	0.96758	0.93680	0.92726	0.85012	0.84791
Wajo	1	0.99460	0.95901	0.97350	0.92816	0.90251
Sidrap	0.99547	1	0.98494	0.99257	0.96394	0.95015
Pinrang	0.97249	0.98803	1	0.99360	0.97987	0.98739
Enrekang	0.98225	0.99409	0.99360	1	0.99089	0.98249
Luwu	0.96190	0.97746	0.98423	0.99288	1	0.99173
Tana Toraja	0.95030	0.97018	0.99058	0.98692	0.99211	1
Luwu Utara	0.91621	0.93371	0.94590	0.95708	0.98024	0.97143
Luwu Timur	0.90508	0.91147	0.89596	0.92728	0.94745	0.91044
Toraja Utara	0.94609	0.96266	0.97159	0.98201	0.99677	0.98753
Makassar	0.90629	0.89329	0.87748	0.85458	0.79048	0.80585
Parepare	0.99220	0.99465	0.97992	0.97775	0.93261	0.92805
Palopo	0.94995	0.95782	0.94424	0.97065	0.98152	0.94991

Lampiran 5. Matriks pembobot spasial W dengan fungsi *adaptive gaussian kernel* (Lanjutan)

Kab/Kota	Luwu Utara	Luwu Timur	Toraja Utara	Makassar	Parepare	Palopo
Selayar	0.60646	0.64443	0.68279	0.92222	0.83689	0.71747
Bulukumba	0.60648	0.63064	0.70085	0.96498	0.88440	0.73062
Bantaeng	0.60651	0.61563	0.70284	0.97989	0.89113	0.72300
Jeneponto	0.61332	0.60652	0.70656	0.98793	0.89010	0.71546
Takalar	0.63255	0.60648	0.72472	0.99536	0.90178	0.72071
Gowa	0.62613	0.60649	0.72298	0.99701	0.90801	0.72408
Sinjai	0.60647	0.63863	0.70870	0.95888	0.90012	0.74578
Maros	0.96791	0.96791	0.96791	0.96791	0.96791	0.96791
Pangkep	0.62567	0.60649	0.74127	0.99067	0.94570	0.74653
Barru	0.62452	0.60650	0.76348	0.93475	0.97901	0.77527
Bone	0.63524	0.60648	0.75691	0.98038	0.96139	0.75700
Soppeng	0.63964	0.60651	0.78189	0.91666	0.98866	0.78397
Wajo	0.77284	0.77251	0.88295	0.84872	0.99182	0.90448
Sidrap	0.84405	0.81762	0.93076	0.85393	0.99529	0.93171
Pinrang	0.89660	0.82741	0.95776	0.86485	0.98593	0.92798
Enrekang	0.91748	0.87786	0.97317	0.83975	0.98440	0.96191
Luwu	0.96984	0.92980	0.99622	0.81529	0.96261	0.98118
Tana Toraja	0.95847	0.88633	0.98609	0.83626	0.96185	0.95129
Luwu Utara	1	0.96625	0.99162	0.77475	0.91455	0.97569
Luwu Timur	0.96168	1	0.95854	0.72460	0.88411	0.98443
Toraja Utara	0.98902	0.95239	1	0.79846	0.94530	0.98505
Makassar	0.63709	0.60647	0.73837	1	0.92483	0.73302
Parepare	0.77808	0.73781	0.88644	0.88315	1	0.88048
Palopo	0.96361	0.97945	0.98284	0.76735	0.93403	1

Lampiran 6. Nilai estimasi parameter Model GWR

Kab/Kota	Koefisien					
	Intercept	β_1	β_2	β_3	β_4	β_5
Selayar	9.58819	-0.00010	0.00118	0.00758	-0.00172	-0.00011
Bulukumba	9.63134	-0.00010	0.00113	0.00755	-0.00167	-0.00011
Bantaeng	9.63579	-0.00010	0.00114	0.00751	-0.00167	-0.00011
Jeneponto	9.62926	-0.00010	0.00114	0.00748	-0.00168	-0.00011
Takalar	9.63268	-0.00010	0.00111	0.00746	-0.00165	-0.00010
Gowa	9.64260	-0.00010	0.00110	0.00747	-0.00164	-0.00010
Sinjai	9.65548	-0.00010	0.00108	0.00758	-0.00162	-0.00011
Maros	9.67772	-0.00010	0.00103	0.00749	-0.00158	-0.00010
Pangkep	9.69619	-0.00010	0.00098	0.00750	-0.00153	-0.00009
Barru	9.76750	-0.00011	0.00074	0.00755	-0.00131	-0.00006
Bone	9.71692	-0.00010	0.00090	0.00750	-0.00146	-0.00008
Soppeng	9.77850	-0.00011	0.00065	0.00754	-0.00124	-0.00004
Wajo	9.72468	-0.00011	0.00052	0.00770	-0.00114	0.00001
Sidrap	9.69105	-0.00011	0.00051	0.00769	-0.00114	0.00004
Pinrang	9.65815	-0.00011	0.00054	0.00765	-0.00118	0.00005
Enrekang	9.65445	-0.00011	0.00050	0.00770	-0.00114	0.00006
Luwu	9.62367	-0.00011	0.00050	0.00773	-0.00114	0.00008
Tana Toraja	9.62250	-0.00010	0.00054	0.00768	-0.00118	0.00007
Luwu Utara	9.58681	-0.00010	0.00051	0.00776	-0.00116	0.00009
Luwu Timur	9.58986	-0.00010	0.00048	0.00786	-0.00114	0.00009
Toraja Utara	9.60785	-0.00010	0.00050	0.00775	-0.00115	0.00009
Makassar	9.65856	-0.00010	0.00105	0.00746	-0.00160	-0.00009
Parepare	9.71904	-0.00011	0.00056	0.00762	-0.00117	0.00001
Palopo	9.61643	-0.00011	0.00047	0.00781	-0.00112	0.00008

Lampiran 7. Data hasil standarisasi (Pemusatan dan Penskalaan)

Kab/Kota	y	x_1	x_2	x_3	x_4	x_5
Selayar	-0.45857	-0.68150	-0.86361	-0.62131	-0.85236	-0.96034
Bulukumba	0.81067	-0.17214	0.06907	0.02979	-0.00793	-0.11413
Bantaeng	-1.47276	-0.71898	-0.59042	-0.57432	-0.57955	0.90973
Jeneponto	1.56522	-0.13465	0.17984	-0.08768	0.03605	0.47642
Takalar	-0.53102	-0.20598	-0.12595	-0.23199	-0.11977	-0.49222
Gowa	-1.07978	0.85131	1.31559	0.15732	1.38042	2.01640
Sinjai	2.05070	-0.53447	-0.47062	0.15396	-0.40596	-0.16974
Maros	-0.79354	0.40103	0.12603	-0.04069	0.06147	0.09312
Pangkep	0.75052	-0.34075	-0.12929	-0.02727	-0.10982	-0.03691
Barru	0.76053	-0.59246	-0.65582	-0.23199	-0.61932	-0.76749
Bone	-0.56808	0.60409	1.33563	0.48286	1.29075	0.53883
Soppeng	1.29622	-0.58651	-0.71867	-0.26555	-0.64876	-0.69787
Wajo	-0.53569	-0.14424	0.01860	0.30835	-0.00659	0.42641
Sidrap	-0.93049	3.91111	-0.23121	-0.08097	-0.16221	-0.18935
Pinrang	-0.91083	0.01273	0.14783	0.04657	0.15916	-0.11613
Enrekang	1.61096	-0.53399	-0.64777	-0.38302	-0.60460	-0.38700
Luwu	0.53469	-0.08832	-0.00615	-0.18501	-0.02571	0.25796
Tana Toraja	-0.36094	-0.49056	-0.51383	-0.56761	-0.54036	-1.19920
Luwu Utara	-0.14438	-0.28034	-0.23396	-0.66829	-0.24900	-0.26537
Luwu Timur	0.22989	-0.21059	-0.14951	-0.14809	-0.14500	-0.00690
Toraja Utara	0.12943	-0.39813	-0.37360	-0.50720	-0.49734	-0.37819
Makassar	-1.61114	1.61529	3.89819	4.46660	3.93553	3.27752
Parepare	0.24615	-0.73463	-0.76973	-0.46021	-0.69789	-1.13198
Palopo	-0.58778	-0.54733	-0.61065	-0.56425	-0.59121	-1.08357

Lampiran 8. Nilai estimasi parameter model GWL lokal

Kab/Kota	Koefisien					
	intercept	β_1	β_2	β_3	β_4	β_5
Kep. Selayar	0.00077	-0.000002	0	0	-0.000004	0
Bulukumba	0.00082	-0.000002	0	0	-0.000004	0
Bantaeng	0.00000	-0.000002	0	0	-0.000005	0
Jeneponto	-0.00104	-0.000002	0	0	-0.000005	0
Takalar	-0.00183	0	0	0	-0.000001	0
Gowa	-0.00130	-0.000002	0	0	-0.000005	0
Sinjai	0.00195	-0.000002	0	0	-0.000005	0
Maros	0.00046	0	0	0	-0.000001	0
Pangkep	0.00030	0	0	0	-0.000001	0
Barru	0.00309	0	0	0	-0.000001	0
Bone	0.00064	-0.000003	0	0	-0.000006	0
Soppeng	0.00312	-0.000004	0	0	-0.000008	0
Wajo	0.00554	0	0	0	-0.000001	0
Sidrap	0.00419	-0.000006	-0.00001	0	-0.000002	0
Pinrang	0.00196	0	0	0	-0.000001	0
Enrekang	0.00348	0	0	0	-0.000001	0
Luwu	0.00326	0	0	0	-0.000001	0
Tana Toraja	0.00173	0	0	0	-0.000001	0
Luwu Utara	0.00294	-0.000005	0	0	-0.000009	0
Luwu Timur	0.00552	0	0	0	-0.000001	0
Toraja Utara	0.00321	0	0	0	-0.000001	0
Makassar	-0.00133	-0.000003	0	0	-0.000005	0
Parepare	0.00337	0	0	0	-0.000001	0
Palopo	0.00531	0	0	0	-0.000001	0