

DAFTAR PUSTAKA

- Ahmad, S. A. H., Rahman, M. N. A., & Muhamed, A. A. (2020). *Optimal Temperature in Cold Storage for Perishable Food. IEOM Society International*, 3449-3456.
- Aminah, I. S., Rosmiah, Hawalid, H., Yuningsih, L., & Helmizuryani. (2020). Penyuluhan Budidaya Tanaman Sayur Kangkung (*Ipomoea reptans*) Melalui Sistem Hidroponik Di Kerlurahan Alang-Alang Lebar Kota Palembang. *ALTIFANI Journal*, 1(1), 46-52.
- Blongkod, N. A., Wenur, F., & Longdong, I. A. (2016). Kajian Pengaruh Pra Pendinginan dan Suhu Penyimpanan Terhadap Umur Simpan Brokoli, *COOS*, 7(5), 1-10.
- Fransiska, Supratomo, & Faridah. (2017). Sebaran Suhu Buah Terung Belanda (*Chyphomandra butacea*) Pada Berbagai Tingkat Kematangan Selama Proses Pendinginan (*Hydrocooling*). *Jurnal AgriTechno*, 10(2), 123-134.
- Manuhutu, E. A. (2012). Penggunaan Metode *Crisping* dalam Mempertahankan Beberapa Mutu Fisik Kesegaran Sayuran. *Jurnal Lasallian*, 9(1), 1-13.
- Manolopoulou & Varzakas. (2016). *Effect of Temperature in Color Changes of Green Vegetables. Current Research in Nutrition and Food Science*, 1(1), 10-17.
- Nitasari, L., & Wahidah, B. F. (2020). Perbandingan Pertumbuhan Tanaman Kangkung Pada Media Hidroponik dan Media Tanah. *Prosiding Seminar Nasional Biologi Di Era Covid-19*, 6(1), 423-427.
- Rantung, L. E., Lengkey, L. C. Ch. E., & Wenur, F. (2020). Analisis Kualitas Selada (*Lectuca sativa L.*) yang Ditanam Pada Dua Media Selama Penyimpanan Dingin. *Jurnal Teknologi Pertanian*, 11(1), 37-43.
- Samad, M. Y. (2006). Pengaruh Penanganan Pasca Panen Terhadap Mutu Komoditas Hortikultura. *Jurnal Sains dan Teknologi Indonesia*, 8(1), 31-36.
- Sarasulistian, N. L. P., Pudja, I. A. R. P., & Setiyo, Y. (2022). Pengaruh *Hydrocooling* dan Jenis Plastik Terhadap Mutu Jagung Manis (*Zea mays L. Saccharata*) Selama Penyimpanan Dingin. *Jurnal BETA (Biosistem dan Teknik Pertanian)*, 10(1), 57-71.
- Sinaga, A. S. (2019). Segmentasi Ruang Warna L^*a^*b . *Jurnal Mantik Penusa*, 3(1), 43-46.

- Suroso, B., & Antoni, E. R. (2016). Respon Pertumbuhan Tanaman Kangkung Darat (*Ipomoea reptans Poir*) Terhadap Pupuk Bioboost dan Pupuk ZA. *Agritop, Jurnal Ilmu-Ilmu Pertanian*, 98-108.
- Tampubolon, B. E., Pudja, I. A. R. P., & Gunadya, I. B. P. (2022). Pengaruh Ketebalan Plastik Polietilen Densitas Rendah sebagai Bahan Pengemas terhadap Mutu Peterseli (*Petroselinum crispum L.*) Selama Penyimpanan Suhu Dingin. *Jurnal BETA (Biosistem dan Teknik Pertanian)*, 10(1), 105-113.
- Taufik, Y., Promasiana, A., Widayati, W., Nugraheni, W., Sulastri, Sa'I, N., Bardosono, A., & Triyono, A. (2015). *Statistik Produksi Hortikultura Tahun 2014*. Jakarta: Direktorat Jenderal Hortikultura, Kementerian Pertanian.

LAMPIRAN

Lampiran 1. Berat awal kangkung

No.	Kontrol	Media Tanah	Media Hidroponik
1	6,497	9,065	9,093
2	7,451	6,434	10,894
3	8,414	7,270	11,184
4	5,983	8,465	11,053
5	6,979	9,012	10,025
6	9,273	9,035	10,897
7	7,192	10,896	7,457
8	6,626	10,284	8,971
9	9,842	9,696	9,038
10	8,860	7,172	7,790

Lampiran 2. Hasil presentase susut bobot dalam setiap pengulangan

Hari	Pengulangan	Kontrol	KKH	KHH
5	CAWAN 1	14%	11%	11%
	CAWAN 2	14%	12%	4%
	CAWAN 3	15%	5%	11%
10	CAWAN 1	24%	17%	19%
	CAWAN 2	23%	14%	19%
	CAWAN 3	23%	16%	36%
14	CAWAN 1	32%	23%	13%
	CAWAN 2	42%	13%	49%
	CAWAN 3	15%	27%	30%

Lampiran 3. Hasil pengukuran presentase rata-rata susut bobot

Hari	Kontrol	KKH	KHH
5	14%	9%	9%
10	23%	15%	25%
14	30%	21%	31%

Lampiran 4. Hasil presentase kadar air dalam setiap pengulangan

Hari	Pengulangan	Kontrol	KKH	KHH
5	CAWAN 1	79%	90%	89%
	CAWAN 2	78%	92%	88%
	CAWAN 3	82%	92%	81%
10	CAWAN 1	77%	82%	63%
	CAWAN 2	75%	77%	58%
	CAWAN 3	80%	80%	60%
14	CAWAN 1	69%	77%	66%
	CAWAN 2	74%	82%	47%
	CAWAN 3	75%	70%	57%

Lampiran 5. Hasil pengukuran presentase rata-rata kadar air

Hari	Kontrol	KKH	KHH
5	80%	92%	85%
10	77%	80%	60%
14	74%	76%	57%

Lampiran 6. Hasil pengukuran warna nilai L* dalam setiap pengulangan

Nilai L*	Ulangan	H5		H10		H14	
		Batang	Daun	Batang	Daun	Batang	Daun
Kontrol	CAWAN 1	50,34	31,37	56,67	47,97	55,77	42,30
	CAWAN 2	36,49	40,64	55,64	39,33	56,88	45,77
	CAWAN 3	46,76	41,91	55,01	37,34	45,78	39,38

Lanjutan lampiran 6

KKH	CAWAN 1	44,91	32,79	54,36	46,55	57,68	36,57
	CAWAN 2	49,40	37,63	57,58	51,53	44,05	42,00
	CAWAN 3	52,57	29,57	55,44	46,52	50,92	40,77
KHH	CAWAN 1	48,05	46,47	53,97	44,57	52,54	35,76
	CAWAN 2	49,41	41,01	45,50	45,61	64,37	43,83
	CAWAN 3	42,20	39,53	48,10	38,91	40,93	33,35

Lampiran 7. Hasil pengukuran rata-rata warna nilai L*

Nilai L*	H5		H10		H14	
Perlakuan	Batang	Daun	Batang	Daun	Batang	Daun
Kontrol	44,53	37,97	55,77	41,54	52,81	42,48
KKH	48,96	33,33	55,79	48,20	50,88	39,78
KHH	46,55	42,34	49,19	43,03	52,61	37,65

Lampiran 8. Hasil pengukuran warna nilai a* dalam setiap pengulangan

Nilai a*	Ulangan	H5		H10		H14	
		Batang	Daun	Batang	Daun	Batang	Daun
Kontrol	CAWAN 1	-16,33	-8,39	-18,95	-26,16	-19,33	-18,37
	CAWAN 2	-10,62	-15,84	-17,88	-25,60	-16,43	-21,14
	CAWAN 3	-12,18	-15,84	-19,06	-26,93	-12,68	-16,42
KKH	CAWAN 1	-10,39	-10,91	-18,91	-18,48	-13,68	-15,17
	CAWAN 2	-15,66	-12,41	-16,82	-20,43	-11,63	-15,34
	CAWAN 3	-6,06	-7,39	-19,33	-26,46	-13,29	-16,69

Lanjutan lampiran 8

	CAWAN 1	-16,16	-21,44	-15,97	-16,84	-15,73	-8,96
KHH	CAWAN 2	-10,89	-18,36	-12,65	-20,50	-8,50	-8,70
	CAWAN 3	-7,67	-12,13	-10,78	-10,15	-8,01	-5,54

Lampiran 9. Hasil pengukuran rata-rata warna nilai a*

Nilai a*	H5		H10		H14	
Perlakuan	Batang	Daun	Batang	Daun	Batang	Daun
Kontrol	-13,04	-13,36	-18,63	-26,23	-16,15	-18,64
KKH	-10,88	-10,24	-18,35	-21,79	-12,87	-15,73
KHH	-11,58	-17,31	-13,13	-15,83	-10,75	-7,73

Lampiran 10. Hasil pengukuran warna nilai b* dalam setiap pengulangan

Nilai b*	Ulangan	H5		H10		H14	
		Batang	Daun	Batang	Daun	Batang	Daun
Kontrol	CAWAN 1	12,71	-3,02	19,28	37,97	27,42	35,39
	CAWAN 2	-2,03	11,05	20,58	42,35	22,47	39,76
	CAWAN 3	4,27	11,20	20,80	43,83	5,55	20,69
KKH	CAWAN 1	7,51	0,51	27,78	26,55	27,00	28,28
	CAWAN 2	12,85	9,58	20,73	35,09	18,00	30,79
	CAWAN 3	-3,22	-8,10	20,94	51,65	23,00	33,55
KHH	CAWAN 1	19,65	30,53	13,34	14,96	14,32	-1,46
	CAWAN 2	17,80	2,13	-5,14	21,60	1,68	-4,53
	CAWAN 3	6,75	13,51	-9,34	1,10	-11,30	-15,16

Lampiran 11. Hasil pengukuran rata-rata warna nilai b*

Nilai b*	H5		H10		H14	
Perlakuan	Batang	Daun	Batang	Daun	Batang	Daun
Kontrol	4,98	6,40	20,22	41,38	22,67	31,95
KKH	5,71	0,66	23,15	37,76	18,48	30,87
KHH	14,73	15,39	-0,38	12,55	1,57	-7,05

Lampiran 12. Output SPSS susut bobot

ANOVA

Susut Bobot (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	411.556	2	205.778	18.707	.003
Within Groups	66.000	6	11.000		
Total	477.556	8			

Susut Bobot

Duncan^a

Perlakuan	N	Subset for alpha = 0.05	
		1	2
KKH	3	8.67	
KHH	3	9.33	
KONTROL	3		14.33
Sig.		.814	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

ANOVA

Susut Bobot (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	73.556	2	36.778	.739	.289
Within Groups	298.667	6	49.778		
Total	372.222	8			

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Susut Bobot	.301	9	.019	.850	9	.605
Perlakuan	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

Susut Bobot (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	131.556	2	65.778	.320	.490
Within Groups	1234.000	6	205.667		
Total	1365.556	8			

Susut Bobot

Duncan^a

		Subset for alpha = 0.05
Perlakuan	N	1
KKH	3	21.00
KONTROL	3	30.33
KHH	3	31.27
Sig.		.469

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Susut Bobot	.190	9	.200*	.948	9	.715
Perlakuan	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Lampiran 13. *Output* SPSS kadar air

ANOVA

Kadar Air (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	422.000	2	211.000	2.728	.427
Within Groups	464.000	6	77.333		
Total	886.000	8			

Kadar Air

Duncan^a

		Subset for alpha = 0.05
Perlakuan	N	1
KONTROL	3	80.00
KHH	3	85.00
KKH	3	92.33
Sig.		.090

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kadar Air	.316	9	.010	.614	9	.144
Perlakuan	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

KADAR AIR (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1820.222	2	910.111	248.212	.000
Within Groups	22.000	6	3.667		
Total	1842.222	8			

ANOVA

KADAR AIR (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	2082.889	2	1041.444	25.264	.001

Within Groups	247.333	6	41.222		
Total	2330.222	8			

KADAR AIR

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
KHH	3	56.67	
KONTROL	3		74.00
KKH	3	76.33	
Sig.		1.000	.115

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 14. *Output SPSS* warna nilai L*

ANOVA

NILAI L BATANG (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	29.511	2	14.755	.545	.606
Within Groups	162.351	6	27.058		
Total	191.862	8			

NILAI L BATANG (5)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	
KONTROL	3	44.5300	
KHH	3	46.5533	
KKH	3	48.9600	
Sig.		.352	

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI L BATANG (5)	.173	9	.200*	.915	9	.351
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI L BATANG (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	86.945	2	43.472	5.871	.039
Within Groups	44.429	6	7.405		
Total	131.373	8			

NILAI L BATANG (10)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
KHH	3	49.1900	
KONTROL	3		55.7733
KKH	3		55.7933
Sig.		1.000	.993

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

ANOVA

NILAI L BATANG (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	6.744	2	3.372	.046	.956
Within Groups	442.363	6	73.727		
Total	449.106	8			

NILAI L BATANG (14)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KKH	3	50.8833
KHH	3	52.6133
KONTROL	3	52.8100
Sig.		.799

Means for groups in homogeneous subsets are displayed.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI L BATANG (14)	.134	9	.200*	.971	9	.900
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI L DAUN (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	121.719	2	60.860	2.901	.131
Within Groups	125.854	6	20.976		
Total	247.573	8			

NILAI L DAUN (5)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KKH	3	33.3300
KONTROL	3	37.9733
KHH	3	42.3467
Sig.		.059

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI L DAUN (5)	.172	9	.200*	.943	9	.617
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI L DAUN (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	89.908	2	44.954	2.633	.201
Within Groups	102.443	6	17.074		
Total	192.351	8			

NILAI L DAUN (10)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KONTROL	3	41.5433
KHH	3	43.0300
KKH	3	48.2067
Sig.		.081

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI L DAUN (10)	.187	9	.200*	.930	9	.451
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI L DAUN (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	17.575	2	8.787	.301	.391
Within Groups	175.434	6	29.239		
Total	193.008	8			

NILAI L DAUN (14)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KHH	3	37.6533
KKH	3	39.7810
KONTROL	3	42.4827
Sig.		.081

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI L DAUN (14)	.165	9	.200*	.890	9	.871
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Lampiran 15. Output SPSS warna nilai a*

ANOVA

NILAI a BATANG (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	8.393	2	4.197	.251	.816
Within Groups	100.388	6	16.731		
Total	108.781	8			

NILAI a BATANG (5)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KONTROL	3	-13.0433
KHH	3	-11.5833
KKH	3	-10.8833
Sig.		.522

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PERLAKUAN	.209	9	.200*	.823	9	.357
NILAI a BATANG (5)	.187	9	.200*	.918	9	.374

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI a BATANG (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	57.538	2	28.769	9.441	.124
Within Groups	18.283	6	3.047		
Total	75.821	8			

NILAI a BATANG (10)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KONTROL	3	-18.6300
KKH	3	-18.3533
KHH	3	-13.1333
Sig.		.522

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PERLAKUAN	.209	9	.200*	.823	9	.707
NILAI a BATANG (10)	.178	9	.200*	.718	9	.074

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI a BATANG (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	44.413	2	22.206	2.150	.198
Within Groups	61.972	6	10.329		
Total	106.385	8			

NILAI a BATANG (14)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KONTROL	3	-16.1467
KKH	3	-12.8667
KHH	3	-10.7467
Sig.		.094

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PERLAKUAN	.209	9	.200*	.823	9	.057
NILAI a BATANG (14)	.126	9	.200*	.967	9	.868

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI a DAUN (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	75.395	2	37.698	2.374	.174
Within Groups	95.274	6	15.879		
Total	170.669	8			

NILAI a DAUN (5)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KHH	3	-17.3100
KONTROL	3	-13.3567
KKH	3	-10.2367
Sig.		.081

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI a DAUN (5)	.160	9	.200*	.965	9	.849
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI a DAUN (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	163.395	2	81.698	5.411	.045
Within Groups	90.598	6	15.100		
Total	253.993	8			

NILAI a DAUN (10)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
KONTROL	3	-26.2300	
KKH	3	-21.7900	-21.7900
KHH	3		-15.8300
Sig.		.211	.109

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

ANOVA

NILAI a DAUN (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	191.496	2	95.748	28.886	.001
Within Groups	19.888	6	3.315		
Total	211.385	8			

NILAI a DAUN (14)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
KONTROL	3	-18.6433	
KKH	3	-15.7333	
KHH	3		-7.7333
Sig.		.098	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 16. *Output* SPSS warna nilai b*

ANOVA

NILAI b BATANG (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	28.402	2	14.201	.087	.289
Within Groups	983.883	6	163.981		
Total	1012.285	8			

NILAI b BATANG (5)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KHH	3	14.7333
KONTROL	3	4.9833
KKH	3	5.7133
Sig.		.718

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI b BATANG (5)	.172	9	.200*	.918	9	.677
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI b BATANG (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	986.606	2	493.303	9.115	.015
Within Groups	324.705	6	54.117		
Total	1311.310	8			

NILAI b BATANG (10)

Duncan^a

		Subset for alpha = 0.05	
PERLAKUAN	N	1	2
KHH	3	-.3800	
KONTROL	3		20.2200
KKH	3		23.1500
Sig.		1.000	.643

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

ANOVA

NILAI b BATANG (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	748.799	2	374.400	3.555	.096
Within Groups	631.907	6	105.318		
Total	1380.706	8			

NILAI b BATANG (14)

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
KHH	3	1.5667
KONTROL	3	18.4800
KKH	3	22.6667
Sig.		.051

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI b BATANG (14)	.179	9	.200*	.899	9	.248
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI b Daun (5)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	330.539	2	165.270	1.420	.313
Within Groups	698.307	6	116.384		
Total	1028.846	8			

NILAI b Daun (5)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	
KKH	3	.6633	
KONTROL	3	6.4000	
KHH	3	15.3900	
Sig.		.157	

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI b Daun (5)	.187	9	.200*	.938	9	.562
PERLAKUAN	.209	9	.200*	.823	9	.057

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

ANOVA

NILAI b DAUN (10)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1479.817	2	739.909	7.884	.021
Within Groups	563.110	6	93.852		
Total	2042.927	8			

NILAI b DAUN (10)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
KHH	3	12.5533	
KKH	3		37.7633
KONTROL	3		41.3833
Sig.		1.000	.663

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

ANOVA

NILAI b DAUN (14)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	2960.071	2	1480.036	28.023	.001
Within Groups	316.885	6	52.814		
Total	3276.956	8			

NILAI b DAUN (14)

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
KHH	3	-7.0500	
KKH	3		30.8733
KONTROL	3		31.9467
Sig.		1.000	.862

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Lampiran 17. Dokumentasi sampel penelitian



Gambar 12. Sampel kontrol pada hari ke-5, 10 dan 14.



Gambar 13. Sampel media tanah pada hari ke-5, 10 dan 14.




Gambar 14. Sampel media hidroponik pada hari ke-5, 10 dan 14.

Lampiran 18. Dokumentasi penelitian



Gambar 15. Perlakuan *hydrocooling*.



Gambar 16. Proses penimbangan sampel.



Gambar 17. Pengemasan sampel dengan plastik polietilen.



Gambar 18. Penyimpanan sampel di lemari pendingin.



Gamabr 19. Proses memasukkan sampel ke dalam oven.