

DAFTAR PUSTAKA

- Abdullah A, Rehbein H. The differentiation of tuna (family: Scombridae) products through the PCR-based analysis of the cytochrome b gene and parvalbumin introns. *J Sci Food Agric*. 2016;96(2):456–64.
- Abe H. (2000). Role of histidine-related compounds as intracellular proton buffering constituents in vertebrate muscle. *Biochemistry (Moscow)* 65(7): 757-765
- AE Refai M, El-Hariri M, A. M. Ahmed Z, El Jakee J. Histamin Producing Bacteria in Fish. *Egypt J Aquat Biol Fish*. 2020;24(7-Special issue):1–11.
- Ahlam Alsaadi, Abdulrahman A. Alghamdi, Layan Akkielah, Maha Alanazi, Sara Alghamdi, Huda Abanamy, Sameera Aljehani, Omar S. Aldibasi, Mohammad Bosaeed, Epidemiology and clinical characteristics of *Morganella morganii* infections: A multicenter retrospective study, *Journal of Infection and Public Health*, Volume 17, Issue 3, 2024, Pages 430-434, ISSN 1876-0341, <https://doi.org/10.1016/j.jiph.2023.12.013>
- Akirthasary, Desty. (2021). Review Artikel : Enzim L-Histidin Dekarboksilase Dan Mekanisme Penghambatan. *Unesa Journal of Chemistry*. 10. 147-157. 10.26740/ujc.v10n2.p147-157.
- Al-Shamary AC, Younis KH. Status Of Commercial Fish Catch In The Iraqi Marine Waters, Arabian Gulf. 2023;17(2):155–67.
- Amoussou N, Marengo M, Iko Afe H, Lejeune P, Durieux E, Douny C, dkk. Comparison of fatty acid profiles of two cultivated and wild marine fish from Mediterranean Sea. *Aquac Int*. 2022 Jun 1;30.
- Bircher, Andreas & Schaub, N. & Scherer Hofmeier, Kathrin. (2005). The catch of the day: Scombrototoxin and Anisakis simplex as cause of allergy-like disorders. *Allergologie*. 28. 330-337.
- Björnsdóttir-Butler K, Bolton GE, Jaykus LA, McClellan-Green PD, Green DP. Development of molecular-based methods for determination of high histamin producing bacteria in fish. *Int J Food Microbiol*. 2010 May 15;139(3):161-7. doi: 10.1016/j.ijfoodmicro.2010.03.017. Epub 2010 Mar 19. PMID: 20392504.
- Carpenter K, Niem V, Collette BB. Scombridae. In: *FAO Species Identification Guide for Fishery Purposes. The Living Marine Resources of the Western Central Pacific. Volume 6. Bony Fishes Part 4 (Labridae to Latimeriidae), Estuarine Crocodiles, Sea Turtles, Sea Snakes and Marine Mammals*. Vol 6. Rome: FAO Library; 2001:3721-3756.
- Cha RS, Thilly WG. Specificity, efficiency, and fidelity of PCR. *PCR Methods Appl*. 1993 Dec;3(3):S18-29. doi: 10.1101/gr.3.3.s18. PMID: 8118393.

- Chong CY, Abu Bakar F, Russly AR, Jamilah B, & Mahyudin NA. (2011). The effects of food processing on biogenic amines formation. *International Food Research Journal*. 18(3): 867-876
- European Commission (EC). (2005). Regulation (EC) No.2073/2005 of 15 November 2005 on microbiological criteria for foodstuffs. *Official Journal of the European Union*. L 338/1.
- FAO (Food and Agriculture Organization of the United Nations). (2018). *The State of the World's Fisheries and Aquaculture 2018*. Rome: FAO.
- Food Agricultural Organization (FAO). of the United Nations. (2012). Codex alimentarius Commission. Joint FA O/WHO Food standar programme. Codex committee on fish and fishery products, 32 session discussion paper histamine, 1-14.
- Food and Drug Administration. (FDA) 2011. Fish and fishery product hazards and control guidance –Fourth Edition. US Department Health and Human Services, Food and Drug Administration, Center for Food Safety and Applied Nutrition, Florida.
- Gao S, Liu K, Ku W, Wang D, Wake H, Qiao H, dkk. Histamin induced high mobility group box-1 release from vascular endothelial cells through H1 receptor. *Front Immunol*. 2022 Oct 5;13:930683.
- Garibyan L, Avashia N. Polymerase chain reaction. *J Invest Dermatol*. 2013 Mar;133(3):1-4. doi: 10.1038/jid.2013.1. PMID: 23399825; PMCID: PMC4102308.
- Huang H, Li Y, Liang J, Finkelman FD. Molecular Regulation of Histamin Synthesis. *Front Immunol*. 2018;9. Available from: <https://www.frontiersin.org/articles/10.3389/fimmu.2018.01392>
- Hughes, S.R., Chapleau, R.R. Comparing DNA quantity and quality using saliva collection following food and beverage consumption. *BMC Res Notes* **12**, 165 (2019). <https://doi.org/10.1186/s13104-019-4211-6>
- Ingle, R. A. (2011), Histidine Biosynthesis:1–10. doi:10.1199/tab.0141.
- Kanki M, Yoda T, Tsukamoto T, Baba E. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. *Appl Environ Microbiol*. 2007 Mar;73(5):1467-73. doi: 10.1128/AEM.01907-06. Epub 2007 Jan 12. PMID: 17220267; PMCID: PMC1828783.
- Kanki M, Yoda T, Tsukamoto T, Baba E. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. *Appl Environ Microbiol*. 2007 Mar;73(5):1467-73. doi: 10.1128/AEM.01907-06. Epub 2007 Jan 12. PMID: 17220267; PMCID: PMC1828783.
- Karuppiiah K, Ethiraj K, Sekar S, Rajendran K, Krishnamoorthy M, Dharmaraj D. Weight length Relationships and Fulton's Condition Factors of Ten


- Commercially Important Scombridae Fish Species in Southeast Coast of India, Bay of Bengal. *Thalass Int J Mar Sci*. 2022;38(1):709–13.
- Kerr M, Lawicki P, Aguirre S, Rayner C. 2002. Effect of storage conditions on histamine formation in fresh and canned tuna. [Research Report]. Victorian Government Departemen of Human Services, Werribee, 20 p.
- Keszthelyi D. Histamin-Producing Bacteria: The Missing Link in Irritable Bowel Syndrome? *Gastroenterology*. 2023;164(1):160–1.
- Kong XD, Carle V, Díaz-Perlas C, Butler K, Heinis C. Generation of a Large Peptide Phage Display Library by Self-Ligation of Whole-Plasmid PCR Product. *ACS Chem Biol*. 2020 Nov 20;15(11):2907-2915. doi: 10.1021/acschembio.0c00497. Epub 2020 Oct 30. PMID: 33125222.
- Landete JM, Pardo I, Ferrer S. Histamine, histidine, and growth-phase mediated regulation of the histidine decarboxylase gene in lactic acid bacteria isolated from wine. *FEMS Microbiol Lett*. 2006 Jul;260(1):84-90. doi: 10.1111/j.1574-6968.2006.00294.x. PMID: 16790022.
- Li, G., Niu, X., Yuan, S., Liang, L., Liu, Y., Hu, L., ... Cheng, Z. (2018). Emergence of *Morganella morganii* subsp. *morganii* in dairy calves, China. *Emerging Microbes & Infections*, 7(1), 1–12. <https://doi.org/10.1038/s41426-018-0173-3>
- Limberis JD, Metcalfe JZ. primerJinn - a tool for rationally designing multiplex PCR primer sets and in silico PCR. *Res Sq [Preprint]*. 2023 Jun 26;rs.3.rs-3025970. doi: 10.21203/rs.3.rs-3025970/v1. Update in: *BMC Bioinformatics*. 2023 Dec 12;24(1):468. doi: 10.1186/s12859-023-05609-1. PMID: 37461503; PMCID: PMC10350116.
- Mc Lauchin J, Little CL, Grant KA, Mithani V. 2005. Scombritoxic fish poisoning. *Journal of Public Health Andvance* 10: 1093.
- Mou Z, Yang Y, Hall AB, Jiang X. The taxonomic distribution of histamin-secreting bacteria in the human gut microbiome. *BMC Genomics*. 2021;22(1):695.
- Muthukumar J, Selvasekaran P, Lokanadham M, Chidambaram R. Food and food products associated with food allergy and food intolerance – An overview. *Food Res Int*. 2020;138:109780.
- Nepomuceno, L., Bacordo, R.S., Camu, D.G., & Ramiscal, R.V. (2020). Abundance, Distribution, and Diversity of Tuna Larvae (Family Scombridae) in the Philippine waters.
- Nugraha, Roni & Dewi, Puspita & Nurilmala, Mala. (2022). Evaluasi Primer Gen COI sebagai Biomarker Ketertelusuran Ikan menggunakan Bioinformatika: Evaluation of COI Gene Primer as a Biomarker Traceability using Bioinformatics. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 25. 67-79. 10.17844/jphpi.v25i1.36501.

- Obradovic J, Jurisic V, Tosic N, Mrdjanovic J, Perin B, Pavlovic S, Djordjevic N. Optimization of PCR conditions for amplification of GC-Rich EGFR promoter sequence. *J Clin Lab Anal.* 2013 Nov;27(6):487-93. doi: 10.1002/jcla.21632. PMID: 24218132; PMCID: PMC6807403.
- Ollé, J., Vilà-Valls, L., Alvarado-Bremer, J.R., Cerdaneres, G., Duong, T., Hajjej, G., Lino, P.G., Muñoz-Lechuga, R., Sow, F.N., Diaha, N.C., Araguas, R.M., Sanz, N., & Viñas, J. (2021). Population genetics meets phylogenetics: new insights into the relationships among members of the genus *Euthynnus* (family Scombridae). *Hydrobiologia*, 849, 47-62.
- Olson ND, Morrow JB. 2012. DNA extract characterization process for microbial detection methods development and validation. *BMC Research Notes.* 5(668): 1-14
- O'Toole GA. Classic Spotlight: How the Gram Stain Works. *J Bacteriol.* 2016 Nov 4;198(23):3128. doi: 10.1128/JB.00726-16. PMID: 27815540; PMCID: PMC5105892.
- Pawul-Gruba M, Osek J. Identification of Histamin in Fish and Fish Products in Poland During 2014–2018. *J Vet Res.* 2021;65(4):483–6.
- Pertiwi, Rizsa & Nurilmala, Mala & Abdullah, Asadatun & Nurjanah, Nurjanah & Yusfiandayani, Roza & Sondita, Fedi. (2020). Deteksi bakteri pembentuk amina biogenik pada ikan Scombridae secara multiplex PCR: Detection of Biogenic Amine Producing Bacteria in Scombridae Fish based on Multiplex PCR assay. *Jurnal Pengolahan Hasil Perikanan Indonesia.* 23. 359-371. 10.17844/jphpi.v23i2.31596.
- Prasad P, Jain N, Chaudhary J, Thakur RK, Savadi S, Bhardwaj SC, Gangwar OP, Lata C, Adhikari S, Kumar S, Balyan HS, Gupta PK. Candidate effectors for leaf rust resistance gene *Lr28* identified through transcriptome and *in-silico* analysis. *Front Microbiol.* 2023 Sep 17;14:1143703. doi: 10.3389/fmicb.2023.1143703. PMID: 37789861; PMCID: PMC10543267.
- Prasetiawan, Nanda & Agustini, Tri & Ma'ruf, Widodo. (2014). Penghambatan Pembentukan Histamin Pada Daging Ikan Tongkol (*Euthynnus Affi Nis*) Oleh Quercetin Selama Penyimpanan. *Jurnal Pengolahan Hasil Perikanan Indonesia.* 16. 10.17844/jphpi.v16i2.8049.
- Rachmawati N, Powell S, Ross T, Tamplin M. Characterization of Histamin-Producing Bacteria Isolated During Processing of Indonesian Salted-Boiled Longtail (*Thunnus* sp.) and Eastern Little Tuna (*Euthynnus* sp.). *J Aquat Food Prod Technol.* 2023 Mar 16;32(3):349–58.
- Rahayu, M. dan Yulianto,T (2014),Profil asam amino yang terdistribusi ke dalam kolom air laut pada ikan kembung *Rastrelliger kanagurta* sebagai umpan (skala laboratorium). 3 :238–247.


- Rampazzo F, Tosi F, Tedeschi P, Gion C, Arcangeli G, Brandolini V, Giovanardi O, Maietti A, Berto D. Preliminary multi analytical approach to address geographic traceability at the intraspecific level in Scombridae family. *Isotopes Environ Health Stud.* 2020 Jun;56(3):260-279. doi: 10.1080/10256016.2020.1739671. Epub 2020 Mar 26. PMID: 32216466.
- Rashaid AHB, Alqhazo MT, Nusair SD, Adams JB, Bashtawi MA, Al-Fawares O. Profiling plasma levels of thiamine and histamin in Jordanian children with autism spectrum disorder (ASD): potential biomarkers for evaluation of ASD therapies and diet. *Nutr Neurosci.* 2023 Sep;26(9):842–9.
- Rodriguez-Lazaro, David & Hernández, Marta. (2013). Real-time PCR in Food Science: Introduction. *Current issues in molecular biology.* 15. 25-38.
- Sabry MA, Mansour HAA, Ashour RM, Hamza E. Histamine-Producing Bacteria and Histamine Induction in Retail Sardine and Mackerel from Fish Markets in Egypt. *Foodborne Pathog Dis.* 2019 Sep;16(9):597-603. doi: 10.1089/fpd.2018.2616. Epub 2019 Apr 19. PMID: 31009260.
- Santoso, Agung & Palupi, Nurheni & Kusumaningrum, Harsi. (2020). Pengendalian Histamin Pada Rantai Proses Produk Ikan Tuna Beku Ekspor. *Jurnal Standardisasi.* 22. 131. 10.31153/js.v22i2.814.
- Satomi M. Effect of Histamin-producing Bacteria on Fermented Fishery Products. *Food Sci Technol Res.* 2016;22(1):1–21.
- Setyawati, Retno & Zubaidah, Siti. (2021). Optimasi Konsentrasi Primer dan Suhu Annealing dalam Mendeteksi Gen Leptin pada Sapi Peranakan Ongole (PO) Menggunakan Polymerase Chain Reaction (PCR). *Indonesian Journal of Laboratory.* 4. 36. 10.22146/ijl.v4i1.65550.
- Shahid, M., Tripathi, T., Sobia, F., Moin, S., Siddiqui, M., & Khan, R. A. (2009), Histamine , Histamine Receptors , and their Role in Immunomodulation : An Updated Systematic Review. 2 : 9–41.
- Simplex as cause of allergy-like disorders. *Allergologie.* 2005;28:330–7.
- Steneck RS, Pauly D. Fishing through the Anthropocene. *Curr Biol.* 2019;29(19):R987–92.
- Stojić A, Mustać B, Jovanović G, Đinović Stojanović J, Perišić M, Stanišić S, dkk. Patterns of PCB-138 Bioaccumulation in Small Pelagic Fish Small pelagic fish from the Eastern Mediterranean Sea Using Explainable Machine Learning Prediction. In: Pap E, editor. *Artificial Intelligence: Theory and Applications.* Cham: Springer International Publishing; 2021. p. 175–89. (Studies in Computational Intelligence). Available from: https://doi.org/10.1007/978-3-030-72711-6_10
- Traylor J, Mathew D. Histamin Toxicity. In: StatPearls. Treasure Island (FL): StatPearls Publishing; 2023. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK499871/>

- Uehara S, Kobayashi M, Kimura K, Suzuki J, Sadamasu K. Rapid identification of histamin-producing bacteria isolated from fish using MALDI-TOF MS. *J Food Sci Technol*. 2021;58(10):4055–61.
- Visciano P, Schirone M, Tofalo R, Suzzi G. Histamin poisoning and control measures in fish and fishery products. *Front Microbiol*. 2014;5. Available from: <https://www.frontiersin.org/articles/10.3389/fmicb.2014.00500>
- Wang DG, Brewster JD, Paul M, Tomasula PM. Two methods for increased specificity and sensitivity in loop-mediated isothermal amplification. *Molecules*. 2015 Apr 7;20(4):6048-59. doi: 10.3390/molecules20046048. PMID: 25853320; PMCID: PMC6272222.
- Wu KY, Yang TX. A Novel Improved Gram Staining Method Based on the Capillary Tube. *Pol J Microbiol*. 2020 Dec;69(4):503-508. doi: 10.33073/pjm-2020-043. Epub 2020 Nov 23. PMID: 33574878; PMCID: PMC7812360.
- Yilmaz Gulec E, Cesur NP, Yesilyurt Fazlıoğlu G, Kazezoğlu C. Effect of different storage conditions on COVID-19 RT-PCR results. *J Med Virol*. 2021 Dec;93(12):6575-6581. doi: 10.1002/jmv.27204. Epub 2021 Jul 28. PMID: 34260086; PMCID: PMC8426709.
- Zhao S, Zhang C, Wang L, Luo M, Zhang P, Wang Y, Malik WA, Wang Y, Chen P, Qiu X, Wang C, Lu H, Xiang Y, Liu Y, Ruan J, Qian Q, Zhi H, Chang Y. A prolific and robust whole-genome genotyping method using PCR amplification via primer-template mismatched annealing. *J Integr Plant Biol*. 2023 Mar;65(3):633-645. doi: 10.1111/jipb.13395. Epub 2023 Jan 13. PMID: 36269601.

Lampiran. 1: Skema Kerja Penelitian Deteksi Gen Histidine Decarboxylase (HDC) dari Bakteri *Morganella morganii* pada Famili Ikan Scombridae



Lampiran. 2: Hasil Kultur Bakteri Penghasil Histamin Kultur Bakteri pada Media Luria Broth + L-Histidine



Gambar 7. Hasil Kultur bakteri penghasil histamin setelah diinkubasi selama 1×24 jam

Lampiran. 3: Sampel Penelitian



Gambar 8. Ikan Kembung lelaki
Rastrelliger kanagurta



Gambar 9. Ikan Tenggiri banci
Acanthocybium solandri



Gambar 10. Ikan Cakalang
Katsuwonus pelamis



Gambar 11. Ikan Tongkol Lisong
Auxis rochei



Gambar 12. Ikan Tuna Mata Besar
Thunnus obesus

Lampiran. 4: Dokumentasi Pelaksanaan Penelitian



Gambar 13. Media Luria Broth




Gambar 14. KIT Ekstraksi DNA



Gambar 15. Inkubator



Gambar 16. Tahapan PCR, tahapan dan waktu



Gambar 17. Pengerjaan Isolasi DNA



Gambar 18. Pengerjaan Tahapan Elektroforesis



Gambar 19. Elektroforesis



Gambar 20. Primer Gen HC