

DAFTAR PUSTAKA

- Alhazmi W A, Al Mansour M H, Aljasser R I, et al. (March 02, 2023) A Brief Review of Demographic and Clinical Correlates of Cholesteatoma Surgery in the Qassim Region. *Cureus* 15(3): e35676. DOI 10.7759/cureus.35676. PMID: 37012962; PMCID: PMC10066465.
- Allam, H S et al. 2019. "Reliability of diffusion-weighted magnetic resonance imaging in differentiation of rekuren cholesteatoma and granulation tissue after intact canal wall mastoidectomy" dalam *The Journal of Laryngology & Otology*, 1–4.
- Bovi C, Luchena A, Bivona R, Borsetto D, Creber N, Danesi G. Recurrence in cholesteatoma surgery: what have we learnt and where are we going? A narrative review. *Acta Otorhinolaryngol Ital.* 2023 Apr;43(Suppl 1):S48-S55. doi: 10.14639/0392-100X-suppl.1-43-2023-06. PMID: 37698100; PMCID: PMC10159641.
- Castle, J.T. 2018. "Cholesteatoma Pearls: Practical point and Update" *Head and Neck Pathology* (2018) 12:419-429.
- Dongol K, Shadiyah H, Gyawali BR, Rayamajhi P, Pradhananga RB. External Auditory Canal Cholesteatoma: Clinical and Radiological Features. *Int Arch Otorhinolaryngol.* 2021 Aug 19;26(2):e213-e218. doi: 10.1055/s-0041-1726047. PMID: 35602283; PMCID: PMC9122763.
- Ghanie, Abba. Intracranial Complication of Chronic Otitis Media at Mohammad Hoesin Palembang. *Journal of Research in Medical and Dental Science.* 2018
- Ghany A F A. 2015. "Diagnosis of recurrent cholesteatoma using diffusion weighted MRI". *The Egyptian Journal of Radiology and Nuclear Medicine* (2015) 46, 391–395.

Guo Y, Qian M, Li J, Xu J, Chen H, Zhang H. Clinical Analysis of 85 Cases of External Auditory Canal Cholesteatoma Surgery under Specialized Endoscopy. *Biomed Res Int*. 2022 Oct 5;2022:9190241. doi: 10.1155/2022/9190241. Retraction in: *Biomed Res Int*. 2023 Jun 21;2023:9789807. PMID: 36246977; PMCID: PMC9556175.

Hans dan Cassady. 2007. "The hearing process". Citation available from: www.faqs.org/health/Body-by-Design-V2/The-Special-Senses.html diakses pada 26 Januari 2022 pukul 19.30 Wita.

Henninger B et al., 2017. "Diffusion Weighted Imaging for the detection and evaluation of cholestetatomata". *World J Radiol* 2017 May 28;9 (5): 217-222.

Hidayati, S., Muhammad, N., E., S. 2021. "Gambaran Komplikasi dan Temuan Intraoperasi pada Pasien Otitis Media Supuratif Kronik dengan Kolesteatoma di Rumah Sakit Haji Mina Medan Tahun 2015 Sampai 2019". *Jurnal Ilmiah Kohesi* Vol. 5 No. 3 Juli 2021.

Karamert et al. 2019. "Canal wall down versus canal wall up surgeries in the treatment of middle ear cholesteatoma". *Turkish Journal of Medical Sciences*. (2019) 49: 1426-1432.

Kennedy KL, Singh AK. "Middle Ear Cholesteatoma". (Update 2021 Jul 10) In: StatPearls <https://www.ncbi.nlm.nih.gov/books/NBK448108/> Treasure Island (FL): StatPearls Publishing (diakses tanggal 23 Januari 2022).

Kuo CL, Shiao AS, Yung M et al (2015) Updates and knowledge gaps in cholesteatoma research. *Biomed Res Int* 2015:854024. <https://doi.org/10.1155/2015/854024>

- Lee JA, Fuller SR, Nguyen SA, Meyer TA: Factors affecting complications and comorbidities in children with cholesteatoma. *Int J Pediatr Otorhinolaryngol.* 2020, 135:110080. 10.1016/j.ijporl.2020.110080
- Linder et al. 2019. "Introducing the "ChOLE" Classification and Its Comparison to the EAONO/JOS Consensus Classification for Cholesteatoma Staging". *Otology & Neurotology*: January 2019-Volume 40-Issue 1 – p 63-72
- Luo L, Gong S, Bai G, Wang J. A retrospective study on cholesteatoma otitis media coexisting with cholesterol granuloma. *J Huazhong Univ Sci Technolog Med Sci.* 2002;22(2):168-70. doi: 10.1007/BF02857685. PMID: 12658765.
- Moller., et al. 2019. "Recurrence of Choleseatoma- A Retrospective Study Including 1.006 Patients for More than 33 Years". *Int Arch Otorhinolaryngol* 2020;24:e18-e23.
- Mutmainnah, A., Dermawan A., Lasminingrum L. 2021. "Hearing Evaluation of Post-Myringoplasty Patients Based on Pure Tone Audiometry in the Hospital Dr. Hasan Sadikin Bandung". *Journal of Medicine and Health*. Vol. 3 No. 1 February 2021 e-ISSN : 2442-5257.
- Nugroho, P.S., dan H.M.S. Wiyadi. 2009. "Anatomi Dan Fisiologi Pendengaran Perifer". *Jurnal THT-KL*. Volume 2 No.2:76-85
- Oussama Amraoui et al. 2021. "A historical cholesteatoma with almost all complications". *PAMJ Clinical Medicine*.2021;7(18). 10.11604/pamj-cm.2021.7.18.31982
- Osman N M et al. 2017. "The accuracy and sensitivity of diffusion-weighted magnetic resonance imaging with Apparent Diffusion Coefficients in diagnosis of recurrent cholesteatoma". *European Journal of Radiology Open* 4 (2017) 27-39.

- P. Rayneau et al. 2020. "Influence of surgical technique on residual cholesteatoma location and prevalence". *European Annals of Otorhinolaryngology, Head and Neck disease* 137 (2020) 13-16.
- Pachpande TG, Singh CV. Diagnosis and Treatment Modalities of Cholesteatomas: A Review. *Cureus*. 2022 Nov 6;14(11):e31153. doi: 10.7759/cureus.31153. PMID: 36505121; PMCID: PMC9731553.
- Piras G, Sykopenrites V, Taibah A, et al.. Long term outcomes of canal wall up and canal wall down tympanomastoidectomies in pediatric cholesteatoma. *Int J Pediatr Otorhinolaryngol* 2021;150:110887. <https://doi.org/10.1016/j.ijporl.2021.110887>
10.1016/j.ijporl.2021.110887
- Pusalkar A.G. 2015. "Cholesteatoma and Its Management". *Indian J Otolaryngol Head Neck Surg* (July–Sept 2015) 67(3):201–204; DOI 10.1007/s12070-015-0891-y
- Rosito L. S., et al. 2016. "Classification of Cholesteatoma According to Growth Patterns". *JAMA Otolaryngol Head Neck Surg*. 2016;142(2):168-172. Published online January 7, 2016.
- _____. 2017. "Characteristics of 419 patients with acquired middle ear cholesteatoma". *Brazilian Journal of Otorhinolaryngology*. 2017;83(2):126-131.
- Sari, J.T., Y. Edward, dan R. Rosalinda. 2018. "Otitis Media Supuratif Kronis Tipe Kolesteatom dengan Komplikasi Meningitis dan Paresis Nervus Fasialis Perifer". *Jurnal Kesehatan Andalas*. Volume 7(Supplement 4)
- Song I S et al. 2019. "Clinical Characteristics and Treatment Outcomes of Congenital Cholesteatoma". *J Int Adv Otol* 2019; 15 (3): 386

- Sherief, Abdelmonem Shama. 2018. "MDCT assessment of rekuren cholesteatoma". *The Egyptian Journal of Radiology and Nuclear Medicine* 49(2018) 54-59
- Sherwood, Lauralee. 2014. *Fisiologi Manusia: Dari Sel ke Sistem (Introduction to Human Physiology)*. Ed. 8. Jakarta: EGC.
- Shewel et al. 2020. "Recidivism of childhood cholesteatoma and surgical techniques: a meta-analysis study". *The Egyptian Journal of Otolaryngology* (2020)36:38.
- Tortora GJ, Nielsen MT. 2012. *Principle of Human Anatomy. 12th ed.* John Wiley and Sons: Inc.
- Tria, A, Lasminingrum, L & Dermawan, A 2020, Karakteristik OMSK dengan Kolestomatoma pada Pasien Rawat Inap di RS Hasan Sadikin Periode 2016-2017", JSK, vol. 5, no. 3, hh. 97-100.
- Volgger V et al. 2018. "Identification of risk factors for residual cholesteatoma in children and adults: a retrospective study on 110 cases of revision surgery". *Braz J Otorhinolaryngology*; 86(2):201-208.
- Yehudai N, Most T, Luntz M. Risk factors for sensorineural hearing loss in pediatric chronic otitis media, *Int J Pediatr Otorhinolaryngol*. 2015 Jan. 79(1):26-30.

LAMPIRAN

Lampiran 1 Data Responden

Nama	RM	JK	Usia	Jenis tindakan (CWU/CWD)	Rekurensi	Otore	Bloody Otore	Granulasi	Keratin	Ggn.pendengaran	Pusing berputar
H	985992	P	05/07/1979	CWD	Tidak	Ya	Tidak	Tidak	Tidak	Ya	Tidak
SP	971001	L	13/01/1991	CWU	Ya	Ya	Ya	Ya	Ya	Ya	Tidak
MS	983122	L	20/10/2005	CWU	Ya	Ya	Ya	Ya	Ya	Ya	Tidak
HW	185430	L	17/02/1993	CWU	Ya	Ya	Tidak	Ya	Ya	Ya	Tidak
AH	203384	P	14/05/2003	CWU	Tidak	Ya	Tidak	Ya	Tidak	Ya	Tidak
Y	253181	P	01/12/2005	CWU	Tidak	Ya	Ya	Tidak	Ya	Ya	Tidak
MI	1009404	L	04/02/2000	CWD	Ya	Ya	Tidak	Ya	Ya	Ya	Tidak
SI	1012908	L	03/03/1998	CWD	Tidak	Ya	Tidak	Ya	Tidak	Ya	Tidak
WA		P	15/05/1972	CWD	Tidak	Ya	Tidak	Tidak	Tidak	Ya	Tidak
NM	997967	L	17/07/1958	CWD	Ya	Ya	Tidak	Ya	Ya	Ya	Tidak
MA	1004764	L	22/12/2013	CWD	Ya	Ya	Tidak	Ya	Ya	Ya	Tidak
CM	948497	P	25/03/2002	CWD	Tidak	Ya	Tidak	Tidak	Tidak	Ya	Tidak
AM	958919	P	24/12/2002	CWU	Ya	Ya	Ya	Ya	Ya	Ya	Tidak
NS	988760	L	15/01/1994	CWU	Ya	Ya	Ya	Ya	Ya	Ya	Tidak
S	980847	P	01/07/1975	CWD	Tidak	Ya	Tidak	Tidak	Tidak	Ya	Tidak
AD	1012536	L	16/10/2008	CWU	Ya	Ya	Ya	Ya	Ya	Ya	Tidak
AF	995717	L	05/06/1970	CWD	Tidak	Ya	Tidak	Tidak	Tidak	Ya	Tidak
AM	1000820	L	05/06/1970	CWU	Ya	Ya	Ya	Ya	Ya	Ya	Tidak
JA	1028504	L	21/05/2006	CWD	Ya	Ya	Tidak	Ya	Ya	Ya	Tidak
AK	977238	P	29/09/2007	CWU	Tidak	Ya	Tidak	Tidak	Tidak	Ya	Tidak

Lampiran 2 Hasil Output SPSS

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	12	60.0	60.0	60.0
	Perempuan	8	40.0	40.0	100.0
	Total	20	100.0	100.0	

Kelompok Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Anak-anak	5	25.0	25.0	25.0
	Dewasa	15	75.0	75.0	100.0
	Total	20	100.0	100.0	

Jenis Tindakan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	CWD	10	50.0	50.0	50.0
	CWU	10	50.0	50.0	100.0
	Total	20	100.0	100.0	

Rekurensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rekuren	11	55.0	55.0	55.0
	Tidak rekuren	9	45.0	45.0	100.0
	Total	20	100.0	100.0	

Otore

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	20	100.0	100.0	100.0

Bloody Otok

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	13	65.0	65.0	65.0
	Ya	7	35.0	35.0	100.0
	Total	20	100.0	100.0	

Pusing Berputar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	20	100.0	100.0	100.0

Granulasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	7	35.0	35.0	35.0
	Ya	13	65.0	65.0	100.0
	Total	20	100.0	100.0	

Keratin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	8	40.0	40.0	40.0
	Ya	12	60.0	60.0	100.0
	Total	20	100.0	100.0	

Gangguan Pendengaran

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	20	100.0	100.0	100.0

Statistics

Usia

N	Valid	20
	Missing	0
Mean		30.75
Median		26.50
Std. Deviation		15.286
Range		55
Minimum		10
Maximum		65

Crosstab

			Kelompok Usia		Total
			Anak-anak	Dewasa	
Jenis Tindakan	CWD	Count	2	8	10
		Expected Count	2.5	7.5	10.0
		% within Jenis Tindakan	20.0%	80.0%	100.0%
		% within Kelompok Usia	40.0%	53.3%	50.0%
		% of Total	10.0%	40.0%	50.0%
	CWU	Count	3	7	10
		Expected Count	2.5	7.5	10.0
		% within Jenis Tindakan	30.0%	70.0%	100.0%
		% within Kelompok Usia	60.0%	46.7%	50.0%
		% of Total	15.0%	35.0%	50.0%
Total	Count		5	15	20
	Expected Count		5.0	15.0	20.0
	% within Jenis Tindakan		25.0%	75.0%	100.0%
	% within Kelompok Usia		100.0%	100.0%	100.0%
	% of Total		25.0%	75.0%	100.0%

Crosstab

			Kelompok Usia		
			Anak-anak	Dewasa	Total
Rekurensi	Rekuren	Count	3	8	11
		Expected Count	2.8	8.3	11.0
		% within Rekurensi	27.3%	72.7%	100.0%
		% within Kelompok Usia	60.0%	53.3%	55.0%
		% of Total	15.0%	40.0%	55.0%
	Tidak rekuren	Count	2	7	9
		Expected Count	2.3	6.8	9.0
		% within Rekurensi	22.2%	77.8%	100.0%
		% within Kelompok Usia	40.0%	46.7%	45.0%
		% of Total	10.0%	35.0%	45.0%
Total		Count	5	15	20
		Expected Count	5.0	15.0	20.0
		% within Rekurensi	25.0%	75.0%	100.0%
		% within Kelompok Usia	100.0%	100.0%	100.0%
		% of Total	25.0%	75.0%	100.0%

Rekurensi * Jenis Tindakan Crosstabulation

			Jenis Tindakan		
			CWD	CWU	Total
Rekurensi	Rekuren	Count	4	7	11
		Expected Count	5.5	5.5	11.0
		% within Rekurensi	36.4%	63.6%	100.0%
		% within Jenis Tindakan	40.0%	70.0%	55.0%
		% of Total	20.0%	35.0%	55.0%
	Tidak rekuren	Count	6	3	9
		Expected Count	4.5	4.5	9.0
		% within Rekurensi	66.7%	33.3%	100.0%
		% within Jenis Tindakan	60.0%	30.0%	45.0%
		% of Total	30.0%	15.0%	45.0%

	% of Total	30.0%	15.0%	45.0%
Total	Count	10	10	20
	Expected Count	10.0	10.0	20.0
	% within Rekurensi	50.0%	50.0%	100.0%
	% within Jenis Tindakan	100.0%	100.0%	100.0%
	% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.818 ^a	1	.178		
Continuity Correction ^b	.808	1	.369		
Likelihood Ratio	1.848	1	.174		
Fisher's Exact Test				.370	.185
Linear-by-Linear Association	1.727	1	.189		
N of Valid Cases	20				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 4.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Rekurensi (Rekuren / Tidak rekuren)	.286	.045	1.821
For cohort Jenis Tindakan = CWD	.545	.220	1.352
For cohort Jenis Tindakan = CWU	1.909	.684	5.328
N of Valid Cases	20		

Crosstab

			Kelompok Usia		Total
			Anak-anak	Dewasa	
Otore	Ya	Count	5	15	20
		Expected Count	5.0	15.0	20.0
		% within Otore	25.0%	75.0%	100.0%
		% within Kelompok Usia	100.0%	100.0%	100.0%
		% of Total	25.0%	75.0%	100.0%
Total		Count	5	15	20
		Expected Count	5.0	15.0	20.0
		% within Otore	25.0%	75.0%	100.0%
		% within Kelompok Usia	100.0%	100.0%	100.0%
		% of Total	25.0%	75.0%	100.0%

Crosstab

			Kelompok Usia		Total
			Anak-anak	Dewasa	
Gangguan Pendengaran	Ya	Count	5	15	20
		Expected Count	5.0	15.0	20.0
		% within Gangguan Pendengaran	25.0%	75.0%	100.0%
		% within Kelompok Usia	100.0%	100.0%	100.0%
		% of Total	25.0%	75.0%	100.0%
Total		Count	5	15	20
		Expected Count	5.0	15.0	20.0
		% within Gangguan Pendengaran	25.0%	75.0%	100.0%
		% within Kelompok Usia	100.0%	100.0%	100.0%
		% of Total	25.0%	75.0%	100.0%

Crosstab

			Jenis Kelamin		Total
			Laki-laki	Perempuan	
Otore	Ya	Count	12	8	20
		Expected Count	12.0	8.0	20.0
		% within Otore	60.0%	40.0%	100.0%
		% within Jenis Kelamin	100.0%	100.0%	100.0%
		% of Total	60.0%	40.0%	100.0%
Total		Count	12	8	20
		Expected Count	12.0	8.0	20.0
		% within Otore	60.0%	40.0%	100.0%
		% within Jenis Kelamin	100.0%	100.0%	100.0%
		% of Total	60.0%	40.0%	100.0%

Crosstab

			Jenis Kelamin		Total
			Laki-laki	Perempuan	
Gangguan Pendengaran	Ya	Count	12	8	20
		Expected Count	12.0	8.0	20.0
		% within Gangguan Pendengaran	60.0%	40.0%	100.0%
		% within Jenis Kelamin	100.0%	100.0%	100.0%
		% of Total	60.0%	40.0%	100.0%
Total		Count	12	8	20
		Expected Count	12.0	8.0	20.0
		% within Gangguan Pendengaran	60.0%	40.0%	100.0%
		% within Jenis Kelamin	100.0%	100.0%	100.0%
		% of Total	60.0%	40.0%	100.0%

Crosstab

			Rekurensi		
			Rekuren	Tidak rekuren	Total
Otore	Ya	Count	11	9	20
		Expected Count	11.0	9.0	20.0
		% within Otore	55.0%	45.0%	100.0%
		% within Rekurensi	100.0%	100.0%	100.0%
		% of Total	55.0%	45.0%	100.0%
Total		Count	11	9	20
		Expected Count	11.0	9.0	20.0
		% within Otore	55.0%	45.0%	100.0%
		% within Rekurensi	100.0%	100.0%	100.0%
		% of Total	55.0%	45.0%	100.0%

Crosstab

			Rekurensi		
			Rekuren	Tidak rekuren	Total
Bloody Otorre	Tidak	Count	5	8	13
		Expected Count	7.2	5.9	13.0
		% within Bloody Otorre	38.5%	61.5%	100.0%
		% within Rekurensi	45.5%	88.9%	65.0%
		% of Total	25.0%	40.0%	65.0%
	Ya	Count	6	1	7
		Expected Count	3.9	3.2	7.0
		% within Bloody Otorre	85.7%	14.3%	100.0%
		% within Rekurensi	54.5%	11.1%	35.0%
		% of Total	30.0%	5.0%	35.0%
Total	Count	11	9	20	
	Expected Count	11.0	9.0	20.0	

	% within Bloody Otorre	55.0%	45.0%	100.0%
	% within Rekurensi	100.0%	100.0%	100.0%
	% of Total	55.0%	45.0%	100.0%

Crosstab

			Rekurensi		Total
			Rekuren	Tidak rekuren	
Granulasi	Tidak	Count	0	7	7
		Expected Count	3.9	3.2	7.0
		% within Granulasi	0.0%	100.0%	100.0%
		% within Rekurensi	0.0%	77.8%	35.0%
		% of Total	0.0%	35.0%	35.0%
	Ya	Count	11	2	13
		Expected Count	7.2	5.9	13.0
		% within Granulasi	84.6%	15.4%	100.0%
		% within Rekurensi	100.0%	22.2%	65.0%
		% of Total	55.0%	10.0%	65.0%
Total	Count		11	9	20
	Expected Count		11.0	9.0	20.0
	% within Granulasi		55.0%	45.0%	100.0%
	% within Rekurensi		100.0%	100.0%	100.0%
	% of Total		55.0%	45.0%	100.0%

Crosstab

			Rekurensi		Total
			Rekuren	Tidak rekuren	
Keratin	Tidak	Count	0	8	8
		Expected Count	4.4	3.6	8.0
		% within Keratin	0.0%	100.0%	100.0%
		% within Rekurensi	0.0%	88.9%	40.0%

Ya	% of Total	0.0%	40.0%	40.0%
	Count	11	1	12
	Expected Count	6.6	5.4	12.0
	% within Keratin	91.7%	8.3%	100.0%
	% within Rekurensi	100.0%	11.1%	60.0%
	% of Total	55.0%	5.0%	60.0%
Total	Count	11	9	20
	Expected Count	11.0	9.0	20.0
	% within Keratin	55.0%	45.0%	100.0%
	% within Rekurensi	100.0%	100.0%	100.0%
	% of Total	55.0%	45.0%	100.0%

Manifestasi Klinis * Rekurensi Crosstabulation

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	20.000 ^a	4	.000
Likelihood Ratio	27.526	4	.000
Linear-by-Linear Association	9.707	1	.002
N of Valid Cases	20		

a. 10 cells (100.0%) have expected count less than 5. The minimum expected count is .45.

Risk Estimate

Value
Odds Ratio for Manifestasi Klinis (Otot / Otot dan granulasi) ^a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2*2 table without empty cells.

Frequencies

	Rekurensi	N
Manifestasi Klinis	Rekuren	11
	Tidak rekuren	9
	Total	20

Test Statistics^a

		Manifestasi Klinis
Most Extreme Differences	Absolute	.889
	Positive	.111
	Negative	-.889
Kolmogorov-Smirnov Z		1.978
Asymp. Sig. (2-tailed)		.001

a. Grouping Variable: Rekurensi

Rekurensi * Pusing Berputar Crosstabulation

		Pusing Berputar		Total
		Tidak		
Rekurensi	Rekuren	Count	11	11
		Expected Count	11.0	11.0
		% within Rekurensi	100.0%	100.0%
		% within Pusing Berputar	55.0%	55.0%
		% of Total	55.0%	55.0%
	Tidak rekuren	Count	9	9
		Expected Count	9.0	9.0
		% within Rekurensi	100.0%	100.0%
		% within Pusing Berputar	45.0%	45.0%
		% of Total	45.0%	45.0%
Total		Count	20	20
		Expected Count	20.0	20.0
		% within Rekurensi	100.0%	100.0%
		% within Pusing Berputar	100.0%	100.0%
		% of Total	100.0%	100.0%

Crosstab

			Pusing Berputar Tidak	Total
Kelompok Usia	Anak-anak	Count	5	5
		Expected Count	5.0	5.0
		% within Kelompok Usia	100.0%	100.0%
		% within Pusing Berputar	25.0%	25.0%
		% of Total	25.0%	25.0%
	Dewasa	Count	15	15
		Expected Count	15.0	15.0
		% within Kelompok Usia	100.0%	100.0%
		% within Pusing Berputar	75.0%	75.0%
		% of Total	75.0%	75.0%
Total			Count	20
			Expected Count	20.0
			% within Kelompok Usia	100.0%
			% within Pusing Berputar	100.0%
			% of Total	100.0%

Crosstab

			Pusing Berputar Tidak	Total
Jenis Kelamin	Laki-laki	Count	12	12
		Expected Count	12.0	12.0
		% within Jenis Kelamin	100.0%	100.0%
		% within Pusing Berputar	60.0%	60.0%
		% of Total	60.0%	60.0%
	Perempuan	Count	8	8
		Expected Count	8.0	8.0
		% within Jenis Kelamin	100.0%	100.0%
		% within Pusing Berputar	40.0%	40.0%
		% of Total	40.0%	40.0%
Total			Count	20
			Expected Count	20.0
			% within Jenis Kelamin	100.0%
			% within Pusing Berputar	100.0%
			% of Total	100.0%