

DAFTAR PUSTAKA

- Abreu, A., Mendes Miguel, Helder Does, and Conceicao Siveira. (2018). Mandatory Criteria for Cardiac Rehabilitation Programs: 2018 Guidelines from the Portuguese Society of Cardiology. *Revista Portuguesa de Cardiologia*, 37
- Adams, V., et al., (2017). Molecular Effects of Exercise Training in Patients with Cardiovascular Disease: Focus on Skeletal Muscle, Endothelium, and Myocardium. *American Journal of Physiology - Heart and Circulatory Physiology*, 313(1), H72–88
- Alhumaid, W., et al., (2022). A Contemporary Review of the Effects of Exercise Training on Cardiac Structure and Function and Cardiovascular Risk Profile: Insights From Imaging. *Frontiers in Cardiovascular Medicine*
- AlJaroudi W., Thomas J., Rodriguez L., (2014). Prognostic Value of Diastolic Dysfunction: State of the Art Review. *Cardiology in Review*, 22, 79-90
- Alves, A. J., Ribeiro, F., Goldhammer, E., Rivlin, Y., (2012). Exercise training improves diastolic function in heart failure patients. *Medicine and science in sports and exercise*, 44(5), 776–785.
- Andersen, O. S., MD, Smiseth, O. A., MD, & Dokanish, H., MD. (2017). Estimating Left Ventricular Filling Pressures by Echocardiography. *Journal of the American College of Cardiology*, 69(15), 1937-1948
- Balitbang Kemenkes RI. 2013. *Riset Kesehatan Dasar 2013*.
- Belardinelli, R., Georgiou, D., Cianci, G., et al., (1995). Exercise training improves left ventricular diastolic filling in patients with dilated cardiomyopathy. Clinical and prognostic implications. *Circulation*, 91(11), 2775–2784.
- Bozkurt, B., et al., (2021). Cardiac Rehabilitation for Patients With Heart Failure: JACC Expert Panel. *Journal of the American College of Cardiology*, 77(11), 1454–69.
- Chaveles, I., Papazachou, O., Shamari, M. A., et al., (2021). Effects of exercise training on diastolic and systolic dysfunction in patients with chronic heart failure. *World journal of cardiology*, 13(9), 514–525.
- Chun, K., Kang S., (2021). Cardiac Rehabilitation in Heart Failure. *International Journal of Heart Failure*, 3(1), 1–14.
- Edelmann, F., Gelbrich, G., Düngen, H. D., et al., (2011). Exercise training improves exercise capacity and diastolic function in patients with heart failure with preserved ejection fraction: results of the Ex-DHF (Exercise training in Diastolic Failure) pilot study. *Journal of the American College of Cardiology*, 58(17), 91.
- Gerhard S. V., (2010). Cardiovascular Effects of Exercise Training. *n*, 122(12), 1221–38.



Groenewegen, A., Rutten, F. H., Mosterd, A., & Hoes, A. W. (2020). Epidemiology of heart failure. *European journal of heart failure*, 22(8), 1342–1356.

Heidenreich, P.A., et al., (2022). 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *Journal of the American College of Cardiology*, 79(17), 1757–80.

Hwang, R. J., et al., (2016). Providing Heart Failure Rehabilitation in the Home via Telerehabilitation. *Heart, Lung and Circulation*, 25:S4.

Hwang, R., et al., (2017). Home-Based Telerehabilitation Is Not Inferior to a Centre-Based Program in Patients with Chronic Heart Failure: A Randomised Trial. *Journal of Physiotherapy*, 63(2), 101–7.

Li, S., et al., (2018). Sex and Racial Disparities in Cardiac Rehabilitation Referral at Hospital Discharge and Gaps in Long-Term Mortality. *Journal of the American Heart Association*, 7(8).

Malfatto, G., Branzi, G., Osculati, G., Valli, P., et al., (2009). Improvement in left ventricular diastolic stiffness induced by physical training in patients with dilated cardiomyopathy. *Journal of cardiac failure*, 15(4), 327–333.

Mappangara, I., et al., (2020). Six-Minute Walking Test Distance Predicts Readmission in Hospitalized Heart Failure Patient in Integrated Cardiac Centre, Makassar, Indonesia.

Mboi, N., (2018). Laporan Riskesdas 2018 Nasional.

McDonagh, T. A., et al., (2021). 2021 ESC Guidelines for the Diagnosis and Treatment of Acute and Chronic Heart Failure. *European Heart Journal*, 42(36), 3599–3726.

Mezzani, A., et al., (2012). Aerobic exercise intensity assessment and prescription in cardiac rehabilitation: A joint position statement of the European association for cardiovascular prevention and rehabilitation, the American association of cardiovascular and pulmonary rehabilitation. *Journal of Cardiopulmonary Rehabilitation and Prevention*, 32(6), pp. 327–350.

Nagueh, S. F., Smiseth O. A., Appleton C. P., et al., (2016). Recommendations for the evaluation of left ventricular diastolic function by echocardiography: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *J Am Soc Echocardiogr* 2016, 29, 277–314.

Nijholt, K. T., et al., (2022). Exercise: A Molecular Tool to Boost Muscle Growth and diastolic Performance in Heart Failure? *European Journal of Heart Failure*, 24(1), 7–98.



., Mungovan, S. F., Smart, N. A., (2017). Effect of exercise on diastolic in heart failure patients: a systematic review and meta-analysis. *Heart reviews*, 22(2), 229–242.

- Pelliccia, A., et al., (2020). 2020 ESC Guidelines on Sports Cardiology and Exercise in Patients with Cardiovascular Disease The Task Force on Sports Cardiology and Exercise in Patients with Cardiovascular Disease of the European Society of Cardiology (ESC). *European Heart Journal*, 42(1), 17–96.
- Piña, I. L., (2010). Cardiac Rehabilitation in Heart Failure: A Brief Review and Recommendations. *Current Cardiology Reports*, 12(3), 223–29.
- Piotrowicz, E., et al., (2020). Effects of a 9-Week Hybrid Comprehensive Telerehabilitation Program on Long-Term Outcomes in Patients With Heart Failure: The Telerehabilitation in Heart Failure Patients (TELEREH-HF) Randomized Clinical Trial. *JAMA Cardiology*, 5(3):300–308.
- Ponikowski, P., et al., (2016). 2016 ESC Guidelines for the Diagnosis and Treatment of Acute and Chronic Heart Failure. *Journals.Viamedica.Pl*.
- Radi, B., Badai B. T., Dyana D., et al., (2019). Panduan Rehabilitasi Kardiovaskular.
- Sandri, M., Kozarez, I., Adams, V., et al., (2012). Age-related effects of exercise training on diastolic function in heart failure with reduced ejection fraction: the Leipzig Exercise Intervention in Chronic Heart Failure and Aging (LEICA) Diastolic Dysfunction Study. *European heart journal*, 33(14), 1758–1768.
- Sari, D. M., Laurentia C. G., (2021). Cardiac Rehabilitation via Telerehabilitation in COVID-19 Pandemic Situation. *Egyptian Heart Journal*, 73(1), 1–9.
- Siswanto, B., et al., (2020). *Pedoman Tatalaksana Gagal Jantung*.
- Sumeet S., Sanjiv J., Thomas J. (2017). A Test in Context, E/A and E/e' to Assess Diastolic Dysfunction and LV Filling Pressure. *JACC*, 69 (11), 1451-64
- Yancy, C. W., et al., (2013). 2013 ACCF/AHA guideline for the management of heart failure: A report of the american college of cardiology foundation/american heart association task force on practice guidelines. *Circulation*, 128(16), pp. 240–327.
- Yulianto, J. E., (2021). *The Influence of Teleeducation with Application Gernas Jantungku on Quality of Life of Patients with Heart Failure Reduced Ejection Fraction*.

