

DAFTAR PUSTAKA

1. Zhou, B., Perel, P., Mensah, G.A. *et al.* Global epidemiology, health burden and effective interventions for elevated blood pressure and hypertension. *Nat Rev Cardiol* 18, 785–802 (2021).
2. Indonesia KKR. *Hasil Utama Riset Kesehatan Dasar.*; 2018.

3. Quinn AE, Ronksley PE, Bresee L, et al. Antihypertensive Prescribing for Uncomplicated, Incident Hypertension: Opportunities for Cost Savings. *CJC Open*.2021;3(6):703-713. doi:10.1016/j.cjco.2020.12.026
4. National High Blood Pressure Education Program. The Seventh Report of the JointNational Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *US Dep Heal Hum Serv*. Published online 2004.
5. Muiesan ML, Salvetti M, Monteduro C, et al. Left Ventricular Concentric Geometryduring Treatment Adversely Affects Cardiovascular Prognosis in Hypertensive Patients. *Hypertension*. 2004;43(4):731-738. doi:10.1161/01.HYP.0000121223.44837.de
6. Antikainen, R. L., Grodzicki, T., Palmer, A. J., Beevers, D. G., Webster, J., & Bulpitt, C. J. (2006). *Left ventricular hypertrophy determined by Sokolow–Lyon criteria: a different predictor in women than in men? Journal of Human Hypertension*, 20(6), 451–459.
7. Schröder J, Nuding S, Müller-Werdan U, Werdan K, Kluttig A, Russ M, Greiser KH, Kors JA, Haerting J, Medenwald D. Performance of Sokolow- Lyon index in detection of echocardiographically diagnosed left ventricular hypertrophy in a normal Eastern German population - results of the CARLA study. *BMC Cardiovasc Disord*. 2015 Jul 14;15:69
8. Gasperin CA et al. An Analysis of Electrocardiographic Criteria for Determining Left Ventrivle Hypertrophy. *Arq. Bras. Cardiol*. 78 (1) • Jan 2002
9. Cuspidi C, Sala C, Negri F, Mancia G, Morganti A. Prevalence of left-ventricular hypertrophy in hypertension: An updated review of echocardiographic studies. *J HumHypertens*. 2012;26(6):343-349. doi:10.1038/jhh.2011.104

10. Fagard RH, Pardaens K, Staessen JA, Thijs L. The pulse pressure-to-stroke index ratiopredicts cardiovascular events and death in uncomplicated hypertension. *J Am Coll Cardiol.* 2001;38(1):227-231. doi:10.1016/S0735- 1097(01)01362-6
11. Arterial hypertension. Report of a WHO expert committee. *World Heal Organ- TechRep Ser.* 1978;(628):7-56.
12. Sarnak MJ, Levey AS, Schoolwerth AC, et al. Kidney Disease as a Risk Factor forDevelopment of Cardiovascular Disease: A Statement From the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. *Circulation.* 2003;108(17):2154-2169. doi:10.1161/01.CIR.0000095676.90936.80
13. Birnbaum Y. Left ventricular hypertrophy. *Harefuah.* 1995;128(7):452-457.doi:10.1097/hjh.0b013e328349de43
14. Katholi RE, Couri DM. Left ventricular hypertrophy: Major risk factor in patients withhypertension: Update and practical clinical applications. *Int J Hypertens.* 2011;2011. doi:10.4061/2011/495349
15. Barbieri A, Bursi F, Mantovani F, et al. Left ventricular hypertrophy reclassificationand death: Application of the Recommendation of the American Society of Echocardiography/ European Association of Echocardiography. *Eur Heart J Cardiovasc Imaging.* 2012;13(1):109-117. doi:10.1093/ejechocard/jer176
16. Kannel W, Cobb J. Left ventricular hypertrophy and mortality: result from theFramingham Study. *Cardiology.* 1992;81(4-5):291-298.
17. Riskesdas. *Laporan Provinsi Sulawesi Selatan Riskesdas 2018.* Vol 110.; 2018. <http://ejournal2.litbang.kemkes.go.id/index.php/lpb/article/view/3658>

18. Frey N, Katus HA, Olson EN, Hill JA. Hypertrophy of the Heart: A New Therapeutic Target? *Circulation*. 2004;109(13):1580-1589. doi:10.1161/01.CIR.0000120390.68287.BB
19. Kehat I, Molkentin JD. Molecular pathways underlying cardiac remodeling during pathophysiological stimulation. *Circulation*. 2010;122(25):2727-2735. doi:10.1161/CIRCULATIONAHA.110.942268
20. Gjesdal O, Bluemke DA, Lima JA. Cardiac remodeling at the population level-risk factors, screening, and outcomes. *Nat Rev Cardiol*. 2011;8(12):673-685. doi:10.1038/nrcardio.2011.154
21. Garcia JAD, Incerpi EK. Factors and mechanisms involved in left ventricular hypertrophy and the anti-hypertrophic role of nitric oxide. *Arq Bras Cardiol*. 2008;90(6):443-450. doi:10.1590/S0066-782X2008000600010
22. Yildiz M, Oktay AA, Stewart MH, Milani R V., Ventura HO, Lavie CJ. Left ventricular hypertrophy and hypertension. *Prog Cardiovasc Dis*. 2020;63(1):10-21. doi:10.1016/j.pcad.2019.11.009
23. Miceli F, Presta V, Citoni B, et al. Conventional and new electrocardiographic criteria for hypertension-mediated cardiac organ damage: A narrative review. *J Clin Hypertens*. 2019;21(12):1863-1871. doi:10.1111/jch.13726
24. Nalin B, Mbbs S. Normal reference range values in adult echocardiography : Further evidence that race matters. *Indian Heart J*. 2016;68(6):758-759. doi:10.1016/j.ihj.2016.04.004
25. Marwick TH, Gillebert TC, Aurigemma G, et al. Recommendations on the Use of Echocardiography in Adult Hypertension: A Report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE). *J Am Soc Echocardiogr*. 2015;28(7):727-754. doi:10.1016/j.echo.2015.05.002

26. Porthan K, et al. CG left ventricular hypertrophy as a risk predictor of sudden cardiac death. *International Journal of Cardiology*, 2019; 276 :125- 129
27. Singh G, et al. Comparison of Electrocardiographic Criteria for LVH using Echocardiography as Standard. *International Journal of Contemporary Medical Research*.. 2015;77-83.
28. Current diagnostic ECG criteria for left ventricular hypertrophy: is it time to change paradigm in the analysis of data? Ricciardi D, Vetta G, Nenna A, et al. *J Cardiovasc Med*. 2020;21:128–133.
29. Validity of electrocardiographic classification of left ventricular hypertrophy across adult ethnic groups with echocardiography as a standard. Vanezis AP, Bhopal R. *J Electrocardiol*. 2008;41:404–412.
30. Electrocardiographic detection of left ventricular hypertrophy; adding body mass index and spatial QRS-T angle: cross-section study. Elffers TW, Trompet S, de Mutsert R, et al. *Cardiol Ther*. 2019;8:345–356.
31. Indonesia BPS. Indonesia's Statistic 2010. Badan Pusat Statistik Indonesia.
32. Ananta A, Arifin EN, Hasbullah MS, Handayani NB, Pramono A. *Demography of Indonesia's Ethnicity*. First Edit. Institute of Southeast Asian Study; 2015.
33. Buchner S, Debl K, Haimerl J, et al. Electrocardiographic diagnosis of left ventricular hypertrophy in aortic valve disease: Evaluation of ECG criteria by cardiovascular magnetic resonance. *J Cardiovasc Magn Reson*. 2009;11(1):1- 11. doi:10.1186/1532-429X-11-18
34. Bayram N, Akoğlu H, Sanri E, et al. Diagnostic Accuracy of the Electrocardiography Criteria for Left Ventricular Hypertrophy (Cornell Voltage Criteria, Sokolow-Lyon Index, Romhilt-Estes, and Peguero-Lo Presti Criteria) Compared to Transthoracic Echocardiography *Cureus* 2021;13(3):3-9. doi:10.7759/cureus.13883

35. Casale PN, Devereux RB, Kligfield P, Eisenberg RR, Miller DH, Chaudhary BS, Phillips MC. Electrocardiographic detection of left ventricular hypertrophy: development and prospective validation of improved criteria. J Am Coll Cardiol. 1985 Sep;6